



规格承认书

SPECIFICATION FOR APPROVAL

编号: 2021013002
File No: _____

版本: 1.0
Revision: _____

客 户
CUSTOMER: _____

客 户 料 号
CUSTOMER NO: _____

品 名 **PCB antenna**
PART NAME: _____

供 方 料 号 **SL287P.100002.P01**
SUPPLIER NO: _____

送样日期 Date: _____ 送样数量 Q'TY: **PCS**

客户确认 CUSTOMER APPROVED BY		
APPROVAL	CHIEF	SUPERVISOR

供方确认 SUPPLIER SIGNATURE		
APPROVAL	CHECK	DESIGN
sunny	ZouJie	LuoYi

SH-RD-F04-A


add: 东莞市大朗镇佛新村聚祥二路26号 电话: 0769-82226176 传真: 0769-82226175



承认书项目表

NO.	内 容 (Contents)	页 数 (Number of Page)	页 码 (Page Code)
1	承认书封面 (Spec Cover)	1	1
2	承认书项目表 (Spec Item)	1	2
3	工程成品图 (Drawing)	1	3
4	电性测试报告 (Test Reports)	1	4
5	S参数测试 (S Parameter)	1	5
6			
7			
8			
9			
10	-	-	-
11	-	-	-
12	-	-	-

add: 东莞市大朗镇佛新村聚祥二路26号 电话: 0769-82226176 传真: 0769-82226175



add: 东莞市大朗镇佛新村聚祥二路26号 电话: 0769-82226176 传真: 0769-82226175



电 性 测 试 报 告

Test Reports

Electrical Properties	
Frequency	DC-6GHz
Impedance	50 Ohm Nominal
V.S.W.R	1.5 : 1 Max
Return Loss	-13 dB Max
Working Voltage (depending on cable type)	170V/50Hz
Insulation Resistance	1000M ohm
Cable Loss	2.0dB / m Max @ 900 MHz
Antenna gain	2dbi
ContactResistance	Center Contact:10M ohm Outer Contact: 5M ohm
Admitted Power	1 W
Physical Properties	
size	14.5*4.1mm
Operating Temp.	-10 ~ +60 °C
Storage Temp.	-10 ~ +70 °C

add: 东莞市大朗镇佛新村聚祥二路26号 电话: 0769-82226176 传真: 0769-82226175



S21损耗 S22阻抗

