

SPECIFICATION FOR APPROVAL

CUSTOMER`S NAME : Shenzhen Huakeng Technology

CUSTOMER`S P/N : 19.10.03.6891U19


PRODUCT SPEC : Y. A11. 345

ISSUE DATE : 2023.10.31

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
李蓓	程杰	李博文	



DONGGUAN BOHONG TECHNOLOGY CO., LTD



TECHNOLOGY CO.
FOR APPROVAL

CUSTOMER'S P/N	
PRODUCT SPEC	
ELECTRONIC DRAWING	

[illegible]


DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Huako Shing	CUSTOMER'S P/N	19.10.03.6891U19	
ISSUE DATE	2023.10.31	PRODUCT SPEC	Y. A11. 345	
1.MATERIAL:				
NO	ITEM	TYPE	SUPPLIERS	UL FILE NO
1	Disk	MnZn-Ferrite G43. 5*5. 2*T0. 6	LX	/
2	Wire	<u>xxUEW-FLZ@0. 07*72P</u>	JJY	/
3	Tin	Sn99. 3:Cu0. 7	SY	/
4	Electronic yellow glue	BE885-9007	BR	/
5	High temperat ure adhesive tape	PF* (d) (g) 8mm	YH	/
6	Double- sided glue	42*8*0. 1	DL	/

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Huako Shing	CUSTOMER'S P/N	19.10.03.6891U19
ISSUE DATE	2023.10.31	PRODUCT SPEC	Y. A11. 345

2.DIMENSION:



Note:


- 1.The windings should be tightly wound and the gap should not be more than 1/2 diameter
- 2.The coil must not exceed the edge of the ferrite disk;
- 3.The coil appearance is neat, and the parts used in the products meet the requirements of environmental specifications: RoHS, HF;
- 4.High temperature adhesive tape use 8mm width;

ISSUE BY	李蓓	CHECK BY	程杰	APPROVAL BY	李博文
----------	----	----------	----	-------------	-----

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Huako Shing	CUSTOMER'S P/N	1910.03.6891U19
ISSUE DATE	2023.10.31	PRODUCT SPEC	Y. A11. 345

4.CIRCUIT DIAGRAM



“ • ”: POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.07*72P	10	/	CCW


6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.5uH±10%	LCR1062 100KHz/1V AT 25°C±2°C


DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Huako Shing	CUSTOMER'S P/N	1910.03.6891U19
ISSUE DATE	2023.10.31	PRODUCT SPEC	Y. A11. 345

7.THE PACKING WAY



1. Pearl cotton specifications:
355*235*65mm*20 bars;
2. 16 pcs per cell, 320 pcs per plate;
3. 5 trays per carton;
4. Total per case: 1600 pcs;



DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Huako Shing	CUSTOMER'S P/N	1910.03.6891U19	
ISSUE DATE	2023.10.31	PRODUCT SPEC	Y. A11. 345	
Memorandum				
Serial number	Content	Method	Sign	Date
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				