




Test Graphs







11AC20SISO\_Ant1\_5260




11AC20SISO\_Ant1\_5300



11AC20SISO\_Ant1\_5320




11AC20SISO\_Ant1\_5500




11AC20SISO\_Ant1\_5580




11AC20SISO\_Ant1\_5785




11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230




11AC40SISO\_Ant1\_5270




11AC40SISO\_Ant1\_5310




11AC40SISO\_Ant1\_5510




11AC40SISO\_Ant1\_5550



11AC40SISO\_Ant1\_5670




11AC40SISO\_Ant1\_5755







11AC40SISO\_Ant1\_5795




11AC80SISO\_Ant1\_5210




11AC80SISO\_Ant1\_5290



11AC80SISO\_Ant1\_5530



11AC80SISO\_Ant1\_5775






## Appendix C: Maximum conducted output power


### Test Result Channel Power

| Test Mode  | Antenna | Frequency[MHz] | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | EIRP Limit [dBm] | Verdict |
|------------|---------|----------------|---------------------|----------------|-----------------|--------------|-------------|------------------|---------|
| 11AC20SISO | Ant1    | 5180           | 14.65               | 94.89          | 0.23            | 14.88        | ≤23.98      | ---              | PASS    |
|            |         | 5220           | 13.69               | 95.62          | 0.19            | 13.88        | ≤23.98      | ---              | PASS    |
|            |         | 5240           | 13.93               | 95.62          | 0.19            | 14.12        | ≤23.98      | ---              | PASS    |
|            |         | 5260           | 14.58               | 95.59          | 0.20            | 14.78        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5300           | 14.36               | 94.89          | 0.23            | 14.59        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5320           | 14.14               | 94.89          | 0.23            | 14.37        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5500           | 14.25               | 95.62          | 0.19            | 14.44        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5580           | 14.60               | 95.62          | 0.19            | 14.79        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5700           | 14.27               | 94.89          | 0.23            | 14.50        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5745           | 13.31               | 95.62          | 0.19            | 13.50        | ≤30.00      | ---              | PASS    |
|            |         | 5785           | 14.23               | 95.62          | 0.19            | 14.42        | ≤30.00      | ---              | PASS    |
|            |         | 5825           | 14.01               | 95.62          | 0.19            | 14.20        | ≤30.00      | ---              | PASS    |
| 11AC40SISO | Ant1    | 5190           | 14.49               | 91.55          | 0.38            | 14.87        | ≤23.98      | ---              | PASS    |
|            |         | 5230           | 13.85               | 91.43          | 0.39            | 14.24        | ≤23.98      | ---              | PASS    |
|            |         | 5270           | 13.56               | 91.43          | 0.39            | 13.95        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5310           | 13.59               | 91.55          | 0.38            | 13.97        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5510           | 14.10               | 91.43          | 0.39            | 14.49        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5550           | 14.07               | 91.55          | 0.38            | 14.45        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5670           | 14.42               | 91.55          | 0.38            | 14.80        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5755           | 12.35               | 91.55          | 0.38            | 12.73        | ≤30.00      | ---              | PASS    |
|            |         | 5795           | 13.30               | 91.55          | 0.38            | 13.68        | ≤30.00      | ---              | PASS    |
| 11AC80SISO | Ant1    | 5210           | 14.37               | 95.54          | 0.20            | 14.57        | ≤23.98      | ---              | PASS    |
|            |         | 5290           | 13.58               | 95.54          | 0.20            | 13.78        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5530           | 14.25               | 94.64          | 0.24            | 14.49        | ≤23.98      | ≤26.99           | PASS    |
|            |         | 5775           | 13.22               | 95.54          | 0.20            | 13.42        | ≤30.00      | ---              | PASS    |

Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs Channel Power







11AC20SISO\_Ant1\_5260




11AC20SISO\_Ant1\_5300



11AC20SISO\_Ant1\_5320



11AC20SISO\_Ant1\_5500



11AC20SISO\_Ant1\_5580