





11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290



Appendix D: Maximum power spectral density


Test Result


TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11AC20SISO	Ant1	5180	4.68	≤11.00	PASS
		5220	3.16	≤11.00	PASS
		5240	3.61	≤11.00	PASS
		5260	3.28	≤11.00	PASS
		5300	2.97	≤11.00	PASS
		5320	3	≤11.00	PASS
		5500	3.92	≤11.00	PASS
		5580	4.21	≤11.00	PASS
		5700	3.14	≤11.00	PASS
		5745	0.95	≤30.00	PASS
		5785	0.27	≤30.00	PASS
		5825	0.78	≤30.00	PASS
11AC40SISO	Ant1	5190	1.25	≤11.00	PASS
		5230	0.54	≤11.00	PASS
		5270	-0.19	≤11.00	PASS
		5310	0.42	≤11.00	PASS
		5510	0.87	≤11.00	PASS
		5550	0.89	≤11.00	PASS
		5670	0.91	≤11.00	PASS
		5755	-2.14	≤30.00	PASS
		5795	-2.45	≤30.00	PASS
11AC80SISO	Ant1	5210	-1.27	≤11.00	PASS
		5290	-2.27	≤11.00	PASS
		5530	-0.97	≤11.00	PASS
		5775	-3.51	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs







11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190

