









The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China











LTE FDD Band 4-10MHz Channel Bandwidth

Low Channel



QPSK

16QAM





0.15MHz~30MHz

0.15MHz~30MHz




30MHz~1GHz


30MHz~1GHz




1GHz~3GHz


1GHz~3GHz






LTE FDD Band 4-10MHz Channel Bandwidth
High Channel










The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.


TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com


Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China






LTE FDD Band 4-15MHz Channel Bandwidth
High Channel










The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.


TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com


Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China





LTE FDD Band 4-20MHz Channel Bandwidth
High Channel





**Radiated Measurement:****Remark:**

1. We were tested all RB Configuration refer 3GPP TS136 521 for each Channel Bandwidth of LTE FDD Band 4; recorded worst case for each Channel Bandwidth of LTE FDD Band 4.
2. $EIRP = P_{Mea}(dBm) - P_{cl}(dB) + G_a(dBi)$
3. We were not recorded other points as values lower than limits.
4. $Margin = Limit - EIRP$

Test Model No.: S25 Ultra

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3421.4	-44.26	4.02	3.00	12.5	-35.78	-13.00	22.78	H
5132.1	-48.8	5.11	3.00	13.38	-40.53	-13.00	27.53	H
3421.4	-52.12	4.02	3.00	12.5	-43.64	-13.00	30.64	V
5132.1	-49.06	5.11	3.00	13.38	-40.79	-13.00	27.79	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.21	4.02	3.00	12.45	-35.78	-13.00	22.78	H
5197.5	-48.62	5.11	3.00	13.38	-40.35	-13.00	27.35	H
3465.0	-49.52	4.02	3.00	12.45	-41.09	-13.00	28.09	V
5197.5	-46.66	5.11	3.00	13.38	-38.39	-13.00	25.39	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-43.88	4.02	3.00	12.21	-35.69	-13.00	22.69	H
5262.9	-46.75	5.11	3.00	13.26	-38.6	-13.00	25.6	H
3508.6	-47.89	4.02	3.00	12.21	-39.7	-13.00	26.7	V
5262.9	-48.06	5.11	3.00	13.26	-39.91	-13.00	26.91	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3423.0	-48.72	4.02	3.00	12.5	-40.24	-13.00	27.24	H
5134.5	-51.71	5.11	3.00	13.38	-43.44	-13.00	30.44	H
3423.0	-52.83	4.02	3.00	12.5	-44.35	-13.00	31.35	V
5134.5	-48.14	5.11	3.00	13.38	-39.87	-13.00	26.87	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.53	4.02	3.00	12.45	-36.1	-13.00	23.1	H
5197.5	-46.91	5.11	3.00	13.38	-38.64	-13.00	25.64	H
3465.0	-49.83	4.02	3.00	12.45	-41.4	-13.00	28.4	V
5197.5	-48.28	5.11	3.00	13.38	-40.01	-13.00	27.01	V



LTE FDD Band 4_Channel Bandwidth 3MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.98	4.02	3.00	12.21	-34.79	-13.00	21.79	H
5260.5	-48.46	5.11	3.00	13.26	-40.31	-13.00	27.31	H
3507.0	-49.56	4.02	3.00	12.21	-41.37	-13.00	28.37	V
5260.5	-48.16	5.11	3.00	13.26	-40.01	-13.00	27.01	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3425.0	-46.68	4.02	3.00	12.5	-38.2	-13.00	25.2	H
5137.5	-49.46	5.11	3.00	13.38	-41.19	-13.00	28.19	H
3425.0	-54.07	4.02	3.00	12.5	-45.59	-13.00	32.59	V
5137.5	-53.2	5.11	3.00	13.38	-44.93	-13.00	31.93	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.11	4.02	3.00	12.45	-35.68	-13.00	22.68	H
5197.5	-47.24	5.11	3.00	13.38	-38.97	-13.00	25.97	H
3465.0	-50.28	4.02	3.00	12.45	-41.85	-13.00	28.85	V
5197.5	-47.16	5.11	3.00	13.38	-38.89	-13.00	25.89	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-41.43	4.02	3.00	12.21	-33.24	-13.00	20.24	H
5257.5	-47.84	5.11	3.00	13.26	-39.69	-13.00	26.69	H
3505.0	-49.25	4.02	3.00	12.21	-41.06	-13.00	28.06	V
5257.5	-47.62	5.11	3.00	13.26	-39.47	-13.00	26.47	V

LTE FDD Band 4_Channel Bandwidth 10MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3430.0	-48.61	4.02	3.00	12.5	-40.13	-13.00	27.13	H
5145.0	-52.54	5.11	3.00	13.38	-44.27	-13.00	31.27	H
3430.0	-52.76	4.02	3.00	12.5	-44.28	-13.00	31.28	V
5145.0	-51.23	5.11	3.00	13.38	-42.96	-13.00	29.96	V

LTE FDD Band 4_Channel Bandwidth 10MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.12	4.02	3.00	12.45	-35.69	-13.00	22.69	H
5197.5	-47.39	5.11	3.00	13.38	-39.12	-13.00	26.12	H
3465.0	-48.61	4.02	3.00	12.45	-40.18	-13.00	27.18	V
5197.5	-48.19	5.11	3.00	13.38	-39.92	-13.00	26.92	V



LTE FDD Band 4 Channel Bandwidth 10MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-42.86	4.02	3.00	12.21	-34.67	-13.00	21.67	H
5250.0	-47.53	5.11	3.00	13.26	-39.38	-13.00	26.38	H
3500.0	-49.01	4.02	3.00	12.21	-40.82	-13.00	27.82	V
5250.0	-48.72	5.11	3.00	13.26	-40.57	-13.00	27.57	V

LTE FDD Band 4 Channel Bandwidth 15MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3435.0	-48.34	4.02	3.00	12.5	-39.86	-13.00	26.86	H
5152.5	-52.56	5.11	3.00	13.38	-44.29	-13.00	31.29	H
3435.0	-51.04	4.02	3.00	12.5	-42.56	-13.00	29.56	V
5152.5	-54.76	5.11	3.00	13.38	-46.49	-13.00	33.49	V

LTE FDD Band 4 Channel Bandwidth 15MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.32	4.02	3.00	12.45	-35.89	-13.00	22.89	H
5197.5	-47.44	5.11	3.00	13.38	-39.17	-13.00	26.17	H
3465.0	-50.73	4.02	3.00	12.45	-42.3	-13.00	29.3	V
5197.5	-47.95	5.11	3.00	13.38	-39.68	-13.00	26.68	V

LTE FDD Band 4 Channel Bandwidth 15MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-43.07	4.02	3.00	12.21	-34.88	-13.00	21.88	H
5242.5	-46.79	5.11	3.00	13.26	-38.64	-13.00	25.64	H
3495.0	-49.82	4.02	3.00	12.21	-41.63	-13.00	28.63	V
5242.5	-47.69	5.11	3.00	13.26	-39.54	-13.00	26.54	V

LTE FDD Band 4 Channel Bandwidth 20MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3440.0	-50.92	4.02	3.00	12.5	-42.44	-13.00	29.44	H
5160.0	-51.57	5.11	3.00	13.38	-43.3	-13.00	30.3	H
3440.0	-51.05	4.02	3.00	12.5	-42.57	-13.00	29.57	V
5160.0	-50.03	5.11	3.00	13.38	-41.76	-13.00	28.76	V

LTE FDD Band 4 Channel Bandwidth 20MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-40.74	4.02	3.00	12.45	-32.31	-13.00	19.31	H
5197.5	-47.73	5.11	3.00	13.38	-39.46	-13.00	26.46	H
3465.0	-49.48	4.02	3.00	12.45	-41.05	-13.00	28.05	V
5197.5	-47.42	5.11	3.00	13.38	-39.15	-13.00	26.15	V



LTE FDD Band 4 Channel Bandwidth 20MHz QPSK High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-42.65	4.02	3.00	12.21	-34.46	-13.00	21.46	H
5235.0	-47.18	5.11	3.00	13.26	-39.03	-13.00	26.03	H
3490.0	-48.58	4.02	3.00	12.21	-40.39	-13.00	27.39	V
5235.0	-48.6	5.11	3.00	13.26	-40.45	-13.00	27.45	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3421.4	-50.57	4.02	3.00	12.5	-42.09	-13.00	29.09	H
5132.1	-51.78	5.11	3.00	13.38	-43.51	-13.00	30.51	H
3421.4	-53.76	4.02	3.00	12.5	-45.28	-13.00	32.28	V
5132.1	-49.98	5.11	3.00	13.38	-41.71	-13.00	28.71	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.89	4.02	3.00	12.45	-36.46	-13.00	23.46	H
5197.5	-48.01	5.11	3.00	13.38	-39.74	-13.00	26.74	H
3465.0	-49.5	4.02	3.00	12.45	-41.07	-13.00	28.07	V
5197.5	-46.46	5.11	3.00	13.38	-38.19	-13.00	25.19	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.07	4.02	3.00	12.21	-33.88	-13.00	20.88	H
5262.9	-46.99	5.11	3.00	13.26	-38.84	-13.00	25.84	H
3508.6	-49.85	4.02	3.00	12.21	-41.66	-13.00	28.66	V
5262.9	-48.38	5.11	3.00	13.26	-40.23	-13.00	27.23	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3423.0	-48.09	4.02	3.00	12.5	-39.61	-13.00	26.61	H
5134.5	-50.95	5.11	3.00	13.38	-42.68	-13.00	29.68	H
3423.0	-53.71	4.02	3.00	12.5	-45.23	-13.00	32.23	V
5134.5	-51.82	5.11	3.00	13.38	-43.55	-13.00	30.55	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.06	4.02	3.00	12.45	-35.63	-13.00	22.63	H
5197.5	-48.08	5.11	3.00	13.38	-39.81	-13.00	26.81	H
3465.0	-50.2	4.02	3.00	12.45	-41.77	-13.00	28.77	V
5197.5	-46.94	5.11	3.00	13.38	-38.67	-13.00	25.67	V



LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.36	4.02	3.00	12.21	-34.17	-13.00	21.17	H
5260.5	-47.13	5.11	3.00	13.26	-38.98	-13.00	25.98	H
3507.0	-48.79	4.02	3.00	12.21	-40.6	-13.00	27.6	V
5260.5	-47.22	5.11	3.00	13.26	-39.07	-13.00	26.07	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3425.0	-47.65	4.02	3.00	12.5	-39.17	-13.00	26.17	H
5137.5	-53.49	5.11	3.00	13.38	-45.22	-13.00	32.22	H
3425.0	-49.72	4.02	3.00	12.5	-41.24	-13.00	28.24	V
5137.5	-48.91	5.11	3.00	13.38	-40.64	-13.00	27.64	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-43.62	4.02	3.00	12.45	-35.19	-13.00	22.19	H
5197.5	-48.41	5.11	3.00	13.38	-40.14	-13.00	27.14	H
3465.0	-48.73	4.02	3.00	12.45	-40.3	-13.00	27.3	V
5197.5	-47.28	5.11	3.00	13.38	-39.01	-13.00	26.01	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-43.19	4.02	3.00	12.21	-35	-13.00	22	H
5257.5	-48.06	5.11	3.00	13.26	-39.91	-13.00	26.91	H
3505.0	-49.25	4.02	3.00	12.21	-41.06	-13.00	28.06	V
5257.5	-48.1	5.11	3.00	13.26	-39.95	-13.00	26.95	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3430.0	-47.19	4.02	3.00	12.5	-38.71	-13.00	25.71	H
5145.0	-48.89	5.11	3.00	13.38	-40.62	-13.00	27.62	H
3430.0	-51.25	4.02	3.00	12.5	-42.77	-13.00	29.77	V
5145.0	-50.54	5.11	3.00	13.38	-42.27	-13.00	29.27	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.62	4.02	3.00	12.45	-36.19	-13.00	23.19	H
5197.5	-48.19	5.11	3.00	13.38	-39.92	-13.00	26.92	H
3465.0	-49.88	4.02	3.00	12.45	-41.45	-13.00	28.45	V
5197.5	-47.28	5.11	3.00	13.38	-39.01	-13.00	26.01	V



LTE FDD Band 4 Channel Bandwidth 10MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-41.69	4.02	3.00	12.21	-33.5	-13.00	20.5	H
5250.0	-47.42	5.11	3.00	13.26	-39.27	-13.00	26.27	H
3500.0	-49.73	4.02	3.00	12.21	-41.54	-13.00	28.54	V
5250.0	-48.25	5.11	3.00	13.26	-40.1	-13.00	27.1	V

LTE FDD Band 4 Channel Bandwidth 15MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3435.0	-46.45	4.02	3.00	12.5	-37.97	-13.00	24.97	H
5152.5	-51.19	5.11	3.00	13.38	-42.92	-13.00	29.92	H
3435.0	-52.82	4.02	3.00	12.5	-44.34	-13.00	31.34	V
5152.5	-51.51	5.11	3.00	13.38	-43.24	-13.00	30.24	V

LTE FDD Band 4 Channel Bandwidth 15MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.68	4.02	3.00	12.45	-36.25	-13.00	23.25	H
5197.5	-46.38	5.11	3.00	13.38	-38.11	-13.00	25.11	H
3465.0	-50.05	4.02	3.00	12.45	-41.62	-13.00	28.62	V
5197.5	-47.32	5.11	3.00	13.38	-39.05	-13.00	26.05	V

LTE FDD Band 4 Channel Bandwidth 15MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.53	4.02	3.00	12.21	-34.34	-13.00	21.34	H
5242.5	-47.86	5.11	3.00	13.26	-39.71	-13.00	26.71	H
3495.0	-49.2	4.02	3.00	12.21	-41.01	-13.00	28.01	V
5242.5	-48.76	5.11	3.00	13.26	-40.61	-13.00	27.61	V

LTE FDD Band 4 Channel Bandwidth 20MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3440.0	-47.3	4.02	3.00	12.5	-38.82	-13.00	25.82	H
5160.0	-50.92	5.11	3.00	13.38	-42.65	-13.00	29.65	H
3440.0	-50.14	4.02	3.00	12.5	-41.66	-13.00	28.66	V
5160.0	-51.85	5.11	3.00	13.38	-43.58	-13.00	30.58	V

LTE FDD Band 4 Channel Bandwidth 20MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.37	4.02	3.00	12.45	-35.94	-13.00	22.94	H
5197.5	-46.82	5.11	3.00	13.38	-38.55	-13.00	25.55	H
3465.0	-48.91	4.02	3.00	12.45	-40.48	-13.00	27.48	V
5197.5	-48.56	5.11	3.00	13.38	-40.29	-13.00	27.29	V



LTE FDD Band 4 Channel Bandwidth 20MHz 16QAM High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-41.13	4.02	3.00	12.21	-32.94	-13.00	19.94	H
5235.0	-47.31	5.11	3.00	13.26	-39.16	-13.00	26.16	H
3490.0	-48.63	4.02	3.00	12.21	-40.44	-13.00	27.44	V
5235.0	-48.72	5.11	3.00	13.26	-40.57	-13.00	27.57	V

All modes of operation were investigated and the worst-case emissions are reported.
Series Model No.: X24 Ultra

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.56	4.02	3.00	12.21	-34.37	-13.00	21.37	H
5262.9	-46.56	5.11	3.00	13.26	-38.41	-13.00	25.41	H
3508.6	-48.86	4.02	3.00	12.21	-40.67	-13.00	27.67	V
5262.9	-48.56	5.11	3.00	13.26	-40.41	-13.00	27.41	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.81	4.02	3.00	12.21	-34.62	-13.00	21.62	H
5260.5	-47	5.11	3.00	13.26	-38.85	-13.00	25.85	H
3507.0	-48.28	4.02	3.00	12.21	-40.09	-13.00	27.09	V
5260.5	-47.99	5.11	3.00	13.26	-39.84	-13.00	26.84	V

LTE FDD Band 4 Channel Bandwidth 5MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.64	4.02	3.00	12.21	-34.45	-13.00	21.45	H
5257.5	-46.96	5.11	3.00	13.26	-38.81	-13.00	25.81	H
3505.0	-48.79	4.02	3.00	12.21	-40.6	-13.00	27.6	V
5257.5	-48.19	5.11	3.00	13.26	-40.04	-13.00	27.04	V

LTE FDD Band 4 Channel Bandwidth 10MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-42.52	4.02	3.00	12.21	-34.33	-13.00	21.33	H
5250.0	-46.55	5.11	3.00	13.26	-38.4	-13.00	25.4	H
3500.0	-49.16	4.02	3.00	12.21	-40.97	-13.00	27.97	V
5250.0	-48.26	5.11	3.00	13.26	-40.11	-13.00	27.11	V

LTE FDD Band 4 Channel Bandwidth 15MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.87	4.02	3.00	12.21	-34.68	-13.00	21.68	H
5242.5	-46.82	5.11	3.00	13.26	-38.67	-13.00	25.67	H
3495.0	-48.79	4.02	3.00	12.21	-40.6	-13.00	27.6	V
5242.5	-47.99	5.11	3.00	13.26	-39.84	-13.00	26.84	V



LTE FDD Band 4 Channel Bandwidth 20MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.08	4.02	3.00	12.21	-34.89	-13.00	21.89	H
5235.0	-46.76	5.11	3.00	13.26	-38.61	-13.00	25.61	H
3490.0	-48.76	4.02	3.00	12.21	-40.57	-13.00	27.57	V
5235.0	-48.66	5.11	3.00	13.26	-40.51	-13.00	27.51	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-43.1	4.02	3.00	12.21	-34.91	-13.00	21.91	H
5262.9	-46.84	5.11	3.00	13.26	-38.69	-13.00	25.69	H
3508.6	-48.72	4.02	3.00	12.21	-40.53	-13.00	27.53	V
5262.9	-48.35	5.11	3.00	13.26	-40.2	-13.00	27.2	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-43.37	4.02	3.00	12.21	-35.18	-13.00	22.18	H
5260.5	-47.21	5.11	3.00	13.26	-39.06	-13.00	26.06	H
3507.0	-48.98	4.02	3.00	12.21	-40.79	-13.00	27.79	V
5260.5	-48.73	5.11	3.00	13.26	-40.58	-13.00	27.58	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.51	4.02	3.00	12.21	-34.32	-13.00	21.32	H
5257.5	-47.17	5.11	3.00	13.26	-39.02	-13.00	26.02	H
3505.0	-49.11	4.02	3.00	12.21	-40.92	-13.00	27.92	V
5257.5	-48.73	5.11	3.00	13.26	-40.58	-13.00	27.58	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-43.33	4.02	3.00	12.21	-35.14	-13.00	22.14	H
5250.0	-46.88	5.11	3.00	13.26	-38.73	-13.00	25.73	H
3500.0	-48.76	4.02	3.00	12.21	-40.57	-13.00	27.57	V
5250.0	-48.62	5.11	3.00	13.26	-40.47	-13.00	27.47	V

LTE FDD Band 4 Channel Bandwidth 15MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.67	4.02	3.00	12.21	-34.48	-13.00	21.48	H
5242.5	-47.26	5.11	3.00	13.26	-39.11	-13.00	26.11	H
3495.0	-48.38	4.02	3.00	12.21	-40.19	-13.00	27.19	V
5242.5	-48.06	5.11	3.00	13.26	-39.91	-13.00	26.91	V



LTE FDD Band 4 Channel Bandwidth 20MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.11	4.02	3.00	12.21	-34.92	-13.00	21.92	H
5235.0	-47.11	5.11	3.00	13.26	-38.96	-13.00	25.96	H
3490.0	-48.8	4.02	3.00	12.21	-40.61	-13.00	27.61	V
5235.0	-48.04	5.11	3.00	13.26	-39.89	-13.00	26.89	V

Series Model No.: C24 Ultra

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.46	4.02	3.00	12.21	-34.27	-13.00	21.27	H
5262.9	-46.47	5.11	3.00	13.26	-38.32	-13.00	25.32	H
3508.6	-48.74	4.02	3.00	12.21	-40.55	-13.00	27.55	V
5262.9	-48.56	5.11	3.00	13.26	-40.41	-13.00	27.41	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.46	4.02	3.00	12.21	-34.27	-13.00	21.27	H
5260.5	-46.52	5.11	3.00	13.26	-38.37	-13.00	25.37	H
3507.0	-49.07	4.02	3.00	12.21	-40.88	-13.00	27.88	V
5260.5	-48.47	5.11	3.00	13.26	-40.32	-13.00	27.32	V

LTE FDD Band 4 Channel Bandwidth 5MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-43.05	4.02	3.00	12.21	-34.86	-13.00	21.86	H
5257.5	-47.27	5.11	3.00	13.26	-39.12	-13.00	26.12	H
3505.0	-48.36	4.02	3.00	12.21	-40.17	-13.00	27.17	V
5257.5	-48.68	5.11	3.00	13.26	-40.53	-13.00	27.53	V

LTE FDD Band 4 Channel Bandwidth 10MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-43.08	4.02	3.00	12.21	-34.89	-13.00	21.89	H
5250.0	-46.69	5.11	3.00	13.26	-38.54	-13.00	25.54	H
3500.0	-48.41	4.02	3.00	12.21	-40.22	-13.00	27.22	V
5250.0	-48.22	5.11	3.00	13.26	-40.07	-13.00	27.07	V

LTE FDD Band 4 Channel Bandwidth 15MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.69	4.02	3.00	12.21	-34.5	-13.00	21.5	H
5242.5	-47.06	5.11	3.00	13.26	-38.91	-13.00	25.91	H
3495.0	-49.06	4.02	3.00	12.21	-40.87	-13.00	27.87	V
5242.5	-48.3	5.11	3.00	13.26	-40.15	-13.00	27.15	V



LTE FDD Band 4 Channel Bandwidth 20MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.1	4.02	3.00	12.21	-34.91	-13.00	21.91	H
5235.0	-46.68	5.11	3.00	13.26	-38.53	-13.00	25.53	H
3490.0	-49.22	4.02	3.00	12.21	-41.03	-13.00	28.03	V
5235.0	-48.58	5.11	3.00	13.26	-40.43	-13.00	27.43	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.85	4.02	3.00	12.21	-34.66	-13.00	21.66	H
5262.9	-46.61	5.11	3.00	13.26	-38.46	-13.00	25.46	H
3508.6	-48.59	4.02	3.00	12.21	-40.4	-13.00	27.4	V
5262.9	-47.88	5.11	3.00	13.26	-39.73	-13.00	26.73	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-43.28	4.02	3.00	12.21	-35.09	-13.00	22.09	H
5260.5	-46.67	5.11	3.00	13.26	-38.52	-13.00	25.52	H
3507.0	-48.32	4.02	3.00	12.21	-40.13	-13.00	27.13	V
5260.5	-47.93	5.11	3.00	13.26	-39.78	-13.00	26.78	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.96	4.02	3.00	12.21	-34.77	-13.00	21.77	H
5257.5	-46.72	5.11	3.00	13.26	-38.57	-13.00	25.57	H
3505.0	-48.88	4.02	3.00	12.21	-40.69	-13.00	27.69	V
5257.5	-47.9	5.11	3.00	13.26	-39.75	-13.00	26.75	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-43.1	4.02	3.00	12.21	-34.91	-13.00	21.91	H
5250.0	-46.76	5.11	3.00	13.26	-38.61	-13.00	25.61	H
3500.0	-49.04	4.02	3.00	12.21	-40.85	-13.00	27.85	V
5250.0	-48.01	5.11	3.00	13.26	-39.86	-13.00	26.86	V

LTE FDD Band 4 Channel Bandwidth 15MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.98	4.02	3.00	12.21	-34.79	-13.00	21.79	H
5242.5	-46.91	5.11	3.00	13.26	-38.76	-13.00	25.76	H
3495.0	-49.04	4.02	3.00	12.21	-40.85	-13.00	27.85	V
5242.5	-48.36	5.11	3.00	13.26	-40.21	-13.00	27.21	V



LTE FDD Band 4 Channel Bandwidth 20MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-42.7	4.02	3.00	12.21	-34.51	-13.00	21.51	H
5235.0	-46.36	5.11	3.00	13.26	-38.21	-13.00	25.21	H
3490.0	-48.39	4.02	3.00	12.21	-40.2	-13.00	27.2	V
5235.0	-47.97	5.11	3.00	13.26	-39.82	-13.00	26.82	V

Series Model No.: C25

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.97	4.02	3.00	12.21	-34.78	-13.00	21.78	H
5262.9	-46.7	5.11	3.00	13.26	-38.55	-13.00	25.55	H
3508.6	-48.44	4.02	3.00	12.21	-40.25	-13.00	27.25	V
5262.9	-48.59	5.11	3.00	13.26	-40.44	-13.00	27.44	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-43.31	4.02	3.00	12.21	-35.12	-13.00	22.12	H
5260.5	-46.93	5.11	3.00	13.26	-38.78	-13.00	25.78	H
3507.0	-49.06	4.02	3.00	12.21	-40.87	-13.00	27.87	V
5260.5	-47.85	5.11	3.00	13.26	-39.7	-13.00	26.7	V

LTE FDD Band 4 Channel Bandwidth 5MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-43.08	4.02	3.00	12.21	-34.89	-13.00	21.89	H
5257.5	-46.62	5.11	3.00	13.26	-38.47	-13.00	25.47	H
3505.0	-49.07	4.02	3.00	12.21	-40.88	-13.00	27.88	V
5257.5	-48.36	5.11	3.00	13.26	-40.21	-13.00	27.21	V

LTE FDD Band 4 Channel Bandwidth 10MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-42.8	4.02	3.00	12.21	-34.61	-13.00	21.61	H
5250.0	-46.87	5.11	3.00	13.26	-38.72	-13.00	25.72	H
3500.0	-49.17	4.02	3.00	12.21	-40.98	-13.00	27.98	V
5250.0	-47.87	5.11	3.00	13.26	-39.72	-13.00	26.72	V

LTE FDD Band 4 Channel Bandwidth 15MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-43.2	4.02	3.00	12.21	-35.01	-13.00	22.01	H
5242.5	-46.37	5.11	3.00	13.26	-38.22	-13.00	25.22	H
3495.0	-48.93	4.02	3.00	12.21	-40.74	-13.00	27.74	V
5242.5	-48.77	5.11	3.00	13.26	-40.62	-13.00	27.62	V



LTE FDD Band 4 Channel Bandwidth 20MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.04	4.02	3.00	12.21	-34.85	-13.00	21.85	H
5235.0	-47.26	5.11	3.00	13.26	-39.11	-13.00	26.11	H
3490.0	-48.41	4.02	3.00	12.21	-40.22	-13.00	27.22	V
5235.0	-48.6	5.11	3.00	13.26	-40.45	-13.00	27.45	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-43.01	4.02	3.00	12.21	-34.82	-13.00	21.82	H
5262.9	-47.19	5.11	3.00	13.26	-39.04	-13.00	26.04	H
3508.6	-48.33	4.02	3.00	12.21	-40.14	-13.00	27.14	V
5262.9	-48.25	5.11	3.00	13.26	-40.1	-13.00	27.1	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.98	4.02	3.00	12.21	-34.79	-13.00	21.79	H
5260.5	-47.11	5.11	3.00	13.26	-38.96	-13.00	25.96	H
3507.0	-48.9	4.02	3.00	12.21	-40.71	-13.00	27.71	V
5260.5	-48.54	5.11	3.00	13.26	-40.39	-13.00	27.39	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.49	4.02	3.00	12.21	-34.3	-13.00	21.3	H
5257.5	-47.1	5.11	3.00	13.26	-38.95	-13.00	25.95	H
3505.0	-48.44	4.02	3.00	12.21	-40.25	-13.00	27.25	V
5257.5	-47.9	5.11	3.00	13.26	-39.75	-13.00	26.75	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-42.59	4.02	3.00	12.21	-34.4	-13.00	21.4	H
5250.0	-46.52	5.11	3.00	13.26	-38.37	-13.00	25.37	H
3500.0	-48.83	4.02	3.00	12.21	-40.64	-13.00	27.64	V
5250.0	-48.72	5.11	3.00	13.26	-40.57	-13.00	27.57	V

LTE FDD Band 4 Channel Bandwidth 15MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.9	4.02	3.00	12.21	-34.71	-13.00	21.71	H
5242.5	-46.74	5.11	3.00	13.26	-38.59	-13.00	25.59	H
3495.0	-48.45	4.02	3.00	12.21	-40.26	-13.00	27.26	V
5242.5	-48.34	5.11	3.00	13.26	-40.19	-13.00	27.19	V



LTE FDD Band 4 Channel Bandwidth 20MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.18	4.02	3.00	12.21	-34.99	-13.00	21.99	H
5235.0	-47.06	5.11	3.00	13.26	-38.91	-13.00	25.91	H
3490.0	-48.46	4.02	3.00	12.21	-40.27	-13.00	27.27	V
5235.0	-48.14	5.11	3.00	13.26	-39.99	-13.00	26.99	V

Series Model No.: I15 Ultra

LTE FDD Band 4 Channel Bandwidth 1.4MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-43.34	4.02	3.00	12.21	-35.15	-13.00	22.15	H
5262.9	-46.61	5.11	3.00	13.26	-38.46	-13.00	25.46	H
3508.6	-48.82	4.02	3.00	12.21	-40.63	-13.00	27.63	V
5262.9	-48.29	5.11	3.00	13.26	-40.14	-13.00	27.14	V

LTE FDD Band 4 Channel Bandwidth 3MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-43.05	4.02	3.00	12.21	-34.86	-13.00	21.86	H
5260.5	-46.71	5.11	3.00	13.26	-38.56	-13.00	25.56	H
3507.0	-48.36	4.02	3.00	12.21	-40.17	-13.00	27.17	V
5260.5	-48.57	5.11	3.00	13.26	-40.42	-13.00	27.42	V

LTE FDD Band 4 Channel Bandwidth 5MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.91	4.02	3.00	12.21	-34.72	-13.00	21.72	H
5257.5	-46.84	5.11	3.00	13.26	-38.69	-13.00	25.69	H
3505.0	-48.43	4.02	3.00	12.21	-40.24	-13.00	27.24	V
5257.5	-48.48	5.11	3.00	13.26	-40.33	-13.00	27.33	V

LTE FDD Band 4 Channel Bandwidth 10MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-43.29	4.02	3.00	12.21	-35.1	-13.00	22.1	H
5250.0	-46.57	5.11	3.00	13.26	-38.42	-13.00	25.42	H
3500.0	-48.36	4.02	3.00	12.21	-40.17	-13.00	27.17	V
5250.0	-47.95	5.11	3.00	13.26	-39.8	-13.00	26.8	V

LTE FDD Band 4 Channel Bandwidth 15MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-43.23	4.02	3.00	12.21	-35.04	-13.00	22.04	H
5242.5	-47	5.11	3.00	13.26	-38.85	-13.00	25.85	H
3495.0	-48.56	4.02	3.00	12.21	-40.37	-13.00	27.37	V
5242.5	-48.11	5.11	3.00	13.26	-39.96	-13.00	26.96	V



LTE FDD Band 4 Channel Bandwidth 20MHz QPSK

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-43.1	4.02	3.00	12.21	-34.91	-13.00	21.91	H
5235.0	-46.9	5.11	3.00	13.26	-38.75	-13.00	25.75	H
3490.0	-48.71	4.02	3.00	12.21	-40.52	-13.00	27.52	V
5235.0	-48.43	5.11	3.00	13.26	-40.28	-13.00	27.28	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-42.41	4.02	3.00	12.21	-34.22	-13.00	21.22	H
5262.9	-47.18	5.11	3.00	13.26	-39.03	-13.00	26.03	H
3508.6	-49.05	4.02	3.00	12.21	-40.86	-13.00	27.86	V
5262.9	-48.55	5.11	3.00	13.26	-40.4	-13.00	27.4	V

LTE FDD Band 4 Channel Bandwidth 3MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-43.26	4.02	3.00	12.21	-35.07	-13.00	22.07	H
5260.5	-47.07	5.11	3.00	13.26	-38.92	-13.00	25.92	H
3507.0	-48.26	4.02	3.00	12.21	-40.07	-13.00	27.07	V
5260.5	-48.67	5.11	3.00	13.26	-40.52	-13.00	27.52	V

LTE FDD Band 4 Channel Bandwidth 5MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.92	4.02	3.00	12.21	-34.73	-13.00	21.73	H
5257.5	-46.42	5.11	3.00	13.26	-38.27	-13.00	25.27	H
3505.0	-48.84	4.02	3.00	12.21	-40.65	-13.00	27.65	V
5257.5	-48.65	5.11	3.00	13.26	-40.5	-13.00	27.5	V

LTE FDD Band 4 Channel Bandwidth 10MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-42.64	4.02	3.00	12.21	-34.45	-13.00	21.45	H
5250.0	-46.63	5.11	3.00	13.26	-38.48	-13.00	25.48	H
3500.0	-48.55	4.02	3.00	12.21	-40.36	-13.00	27.36	V
5250.0	-47.99	5.11	3.00	13.26	-39.84	-13.00	26.84	V

LTE FDD Band 4 Channel Bandwidth 15MHz 16QAM

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-42.84	4.02	3.00	12.21	-34.65	-13.00	21.65	H
5242.5	-46.85	5.11	3.00	13.26	-38.7	-13.00	25.7	H
3495.0	-48.56	4.02	3.00	12.21	-40.37	-13.00	27.37	V
5242.5	-48.2	5.11	3.00	13.26	-40.05	-13.00	27.05	V