



Antenna Specification

Model: JYANT-24G1X4

V 1.0

SHENZHEN JOYE SENTECH CO., LTD

April 2023

VersionUpdatedRecord

Version	Update	Writer	Approval	Time
V1.0	document creating for the first time	wqyu	Xuchen	April 4, 2023

Catalog


1	Electrical Characteristics	4
1.1	Brief Characteristics	4
1.2	Parameter of S11	4
1.3	Parameter of VSWR	5
1.4	Antenna Pattern	5
2	Antenna Picture	6
3	Antenna Size	6
4	Manufacturer Information	6

1 Electrical Characteristics


1.1 Brief Characteristics

JYANT-24G1X4	Specification
Frequency Range	24~24.25GHz
Working Frequency	$24.1 \pm 0.94\text{GHz}$
Impedance	$50\ \Omega$
Gain	9 dBi
VSWR	<2
Operation Temperature	$-40\sim 85^{\circ}\text{C}$

1.2 Parameter of S11




1.3 Parameter of VSWR




1.4 Antenna Pattern


The radar sensor uses a directional, integrated and separated Tx- /Rx-Patch antenna with a normalized relative TX antenna gain pattern as shown in the following figure and a TX antenna gain of 9 dBi in the main beam.



2 Antenna Picture



3 Antenna Size



4 Manufacturer Information

Company Name	SHENZHEN JOYE SENTECH CO., LTD
Address	Room 706, Building-615, Bagualing Industrial Zone, Bagua 2nd Road, Futian, Shenzhen
Telephone	86 0755 82280148