

RF Test Data for Bluetooth LE (Conducted Measurements)

| General Description of EUT | |
|--|-------------------------|
| Product Name: | SMART WATCH |
| Test Model: | X27 |
| Sample ID: | HC-C-202411-0306-01-01# |
| Environmental Conditions | |
| Temperature: | 24.2°C |
| Relative Humidity: | 45% |
| Test Voltage: | DC 3.8V |
| Test Engineer: | ZKN Zhou |
| Note: For a more detailed features description, please refer to the report TBR-C-202411-0306-18 The report only show the worst case data. | |

Contents


| | |
|---|----|
| 1.Duty Cycle..... | 3 |
| 2.Maximum Conducted Output Power | 7 |
| 3.-6dB Bandwidth..... | 11 |
| 4.Occupied Channel Bandwidth..... | 15 |
| 5.Maximum Power Spectral Density Level..... | 19 |
| 6.Band Edge..... | 23 |
| 7.Conducted RF Spurious Emission..... | 28 |
| 8.Restrict Band..... | 35 |

1. Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-----------|-----------------|---------|----------------|------------------------|-----------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | 87.2 | 0.59 | 0.46 |
| NVNT | BLE 1Mbps | 2440 | Ant1 | 87.6 | 0.57 | 0.46 |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 87.2 | 0.59 | 0.46 |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 45.2 | 3.45 | 0.88 |
| NVNT | BLE 2Mbps | 2440 | Ant1 | 45.6 | 3.41 | 0.88 |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 45.2 | 3.45 | 0.88 |



Test Graphs



Duty Cycle NVNT BLE 1Mbps 2402MHz Ant1



Duty Cycle NVNT BLE 1Mbps 2440MHz Ant1








2. Maximum Conducted Output Power


| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | 6.917 | 30 | Pass |
| NVNT | BLE 1Mbps | 2440 | Ant1 | 6.405 | 30 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 5.979 | 30 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 7.082 | 30 | Pass |
| NVNT | BLE 2Mbps | 2440 | Ant1 | 6.619 | 30 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 6.228 | 30 | Pass |

Test Graphs


Power NVNT BLE 1Mbps 2402MHz Ant1




Power NVNT BLE 1Mbps 2440MHz Ant1





Power NVNT BLE 1Mbps 2480MHz Ant1



Power NVNT BLE 2Mbps 2402MHz Ant1






3.-6dB Bandwidth


| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|-----------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | 0.66 | 0.5 | Pass |
| NVNT | BLE 1Mbps | 2440 | Ant1 | 0.65 | 0.5 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 0.66 | 0.5 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 1.13 | 0.5 | Pass |
| NVNT | BLE 2Mbps | 2440 | Ant1 | 1.13 | 0.5 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 1.09 | 0.5 | Pass |



Test Graphs



-6dB Bandwidth NVNT BLE 1Mbps 2402MHz Ant1



-6dB Bandwidth NVNT BLE 1Mbps 2440MHz Ant1








4.Occupied Channel Bandwidth


| Condition | Mode | Frequency (MHz) | Antenna | 99% OBW (MHz) |
|-----------|-----------|-----------------|---------|---------------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | 1.019 |
| NVNT | BLE 1Mbps | 2440 | Ant1 | 1.026 |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 1.037 |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2.015 |
| NVNT | BLE 2Mbps | 2440 | Ant1 | 2.028 |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2.012 |



Test Graphs

OBW NVNT BLE 1Mbps 2402MHz Ant1




OBW NVNT BLE 1Mbps 2440MHz Ant1






OBW NVNT BLE 2Mbps 2440MHz Ant1



OBW NVNT BLE 2Mbps 2480MHz Ant1




5. Maximum Power Spectral Density Level


| Condition | Mode | Frequency (MHz) | Antenna | Max PSD (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|-----------------|---------|---------------|-------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | -3.623 | 8 | Pass |
| NVNT | BLE 1Mbps | 2440 | Ant1 | -3.973 | 8 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | -4.436 | 8 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | -4.194 | 8 | Pass |
| NVNT | BLE 2Mbps | 2440 | Ant1 | -4.637 | 8 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | -4.953 | 8 | Pass |



Test Graphs



PSD NVNT BLE 1Mbps 2402MHz Ant1



PSD NVNT BLE 1Mbps 2440MHz Ant1








6.Band Edge


| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-----------|-----------------|---------|-----------------|-------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | -60.09 | -20 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | -42.55 | -20 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | -59.65 | -20 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | -45.05 | -20 | Pass |



Test Graphs

Band Edge NVNT BLE 1Mbps 2402MHz Ant1 Ref




Band Edge NVNT BLE 1Mbps 2402MHz Ant1 Emission








Band Edge NVNT BLE 2Mbps 2402MHz Ant1 Ref



Band Edge NVNT BLE 2Mbps 2402MHz Ant1 Emission






7. Conducted RF Spurious Emission


| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-----------|-----------------|---------|-----------------|-------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | -47.87 | -20 | Pass |
| NVNT | BLE 1Mbps | 2440 | Ant1 | -48.02 | -20 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | -46.65 | -20 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | -47.93 | -20 | Pass |
| NVNT | BLE 2Mbps | 2440 | Ant1 | -47.59 | -20 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | -46.96 | -20 | Pass |

Test Graphs


Tx. Spurious NVNT BLE 1Mbps 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 1Mbps 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 1Mbps 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 1Mbps 2440MHz Ant1 Emission




Tx. Spurious NVNT BLE 1Mbps 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 1Mbps 2480MHz Ant1 Emission




Tx. Spurious NVNT BLE 2Mbps 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 2Mbps 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 2Mbps 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 2Mbps 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 2Mbps 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 2Mbps 2480MHz Ant1 Emission




8.Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|--------------|-----------------|---------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2310 | -55.89 | 2 | - | 41.37 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2310 | -65.6 | 2 | 0.59 | 32.25 | Average | 54 | Pass |
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2353.776 | -47.76 | 2 | - | 49.5 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2353.968 | -55.85 | 2 | 0.59 | 42 | Average | 54 | Pass |
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2390 | -50.42 | 2 | - | 46.84 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2402 | Ant1 | 2390 | -59.7 | 2 | 0.59 | 38.15 | Average | 54 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2483.5 | -42.74 | 2 | - | 54.52 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2483.5 | -47.61 | 2 | 0.59 | 50.24 | Average | 54 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2483.512 | -42.74 | 2 | - | 54.52 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2483.512 | -47.61 | 2 | 0.59 | 50.24 | Average | 54 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2500 | -57.27 | 2 | - | 39.99 | Peak | 74 | Pass |
| NVNT | BLE 1Mbps | 2480 | Ant1 | 2500 | -64.5 | 2 | 0.59 | 33.35 | Average | 54 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2310 | -58.45 | 2 | - | 38.81 | Peak | 74 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2310 | -65.87 | 2 | 3.45 | 34.84 | Average | 54 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2388.816 | -43.35 | 2 | - | 53.91 | Peak | 74 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2353.872 | -58.55 | 2 | 3.45 | 42.16 | Average | 54 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2390 | -50.92 | 2 | - | 46.34 | Peak | 74 | Pass |
| NVNT | BLE 2Mbps | 2402 | Ant1 | 2390 | -61.67 | 2 | 3.45 | 39.04 | Average | 54 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2483.5 | -44.87 | 2 | - | 52.39 | Peak | 74 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2483.5 | -53.86 | 2 | 3.45 | 46.85 | Average | 54 | Pass |
| NVNT | BLE | 2480 | Ant1 | 2483.656 | -44.02 | 2 | - | 53.24 | Peak | 74 | Pass |


| | | | | | | | | | | | |
|------|--------------|------|------|---------|--------|---|------|-------|---------|----|------|
| | 2Mbps | | | | | | | | | | |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2484.16 | -52.74 | 2 | 3.45 | 47.97 | Average | 54 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2500 | -57.04 | 2 | - | 40.22 | Peak | 74 | Pass |
| NVNT | BLE 2Mbps | 2480 | Ant1 | 2500 | -65.19 | 2 | 3.45 | 35.52 | Average | 54 | Pass |

Test Graphs


Restrict Band NVNT BLE 1Mbps 2402MHz Ant1 Peak




Restrict Band NVNT BLE 1Mbps 2402MHz Ant1 Average




Restrict Band NVNT BLE 1Mbps 2480MHz Ant1 Peak




Restrict Band NVNT BLE 1Mbps 2480MHz Ant1 Average




Restrict Band NVNT BLE 2Mbps 2402MHz Ant1 Peak




Restrict Band NVNT BLE 2Mbps 2402MHz Ant1 Average



Restrict Band NVNT BLE 2Mbps 2480MHz Ant1 Peak



Restrict Band NVNT BLE 2Mbps 2480MHz Ant1 Average



-----END OF REPORT-----