

RADIATED SPURIOUS EMISSION

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.45	-28.50	7.40	9.72	-30.82	-13.00	-17.82	H
2473.51	-26.86	8.30	10.86	-29.42	-13.00	-16.42	H
3298.63	-25.75	7.20	11.57	-30.12	-13.00	-17.12	H
1648.45	-26.26	7.40	9.72	-28.58	-13.00	-15.58	V
2473.51	-29.02	8.30	10.86	-31.58	-13.00	-18.58	V
3298.63	-28.07	7.20	11.57	-32.44	-13.00	-19.44	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.81	-28.22	7.40	9.72	-30.54	-13.00	-17.54	H
2509.37	-25.98	8.30	10.86	-28.54	-13.00	-15.54	H
3345.29	-25.97	7.20	11.57	-30.34	-13.00	-17.34	H
1672.81	-29.57	7.40	9.72	-31.89	-13.00	-18.89	V
2509.37	-26.47	8.30	10.86	-29.03	-13.00	-16.03	V
3345.29	-25.79	7.20	11.57	-30.16	-13.00	-17.16	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.32	-28.71	7.40	9.72	-31.03	-13.00	-18.03	H
2544.68	-28.75	8.30	10.86	-31.31	-13.00	-18.31	H
3392.80	-27.95	7.20	11.57	-32.32	-13.00	-19.32	H
1696.32	-27.81	7.40	9.72	-30.13	-13.00	-17.13	V
2544.68	-29.29	8.30	10.86	-31.85	-13.00	-18.85	V
3392.80	-26.85	7.20	11.57	-31.22	-13.00	-18.22	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.01	-27.56	7.40	9.72	-29.88	-13.00	-16.88	H
2475.99	-26.98	8.30	10.86	-29.54	-13.00	-16.54	H
3301.28	-25.60	7.20	11.57	-29.97	-13.00	-16.97	H
1650.01	-27.64	7.40	9.72	-29.96	-13.00	-16.96	V
2475.99	-28.63	8.30	10.86	-31.19	-13.00	-18.19	V
3301.28	-26.02	7.20	11.57	-30.39	-13.00	-17.39	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.10	-27.69	7.40	9.72	-30.01	-13.00	-17.01	H
2508.87	-28.30	8.30	10.86	-30.86	-13.00	-17.86	H
3345.74	-26.34	7.20	11.57	-30.71	-13.00	-17.71	H
1672.10	-27.34	7.40	9.72	-29.66	-13.00	-16.66	V
2508.87	-28.69	8.30	10.86	-31.25	-13.00	-18.25	V
3345.74	-28.78	7.20	11.57	-33.15	-13.00	-20.15	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.46	-29.55	7.40	9.72	-31.87	-13.00	-18.87	H
2541.72	-29.10	8.30	10.86	-31.66	-13.00	-18.66	H
3389.19	-25.54	7.20	11.57	-29.91	-13.00	-16.91	H
1694.46	-26.99	7.40	9.72	-29.31	-13.00	-16.31	V
2541.72	-28.79	8.30	10.86	-31.35	-13.00	-18.35	V
3389.19	-26.39	7.20	11.57	-30.76	-13.00	-17.76	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.50	-25.27	7.40	9.72	-27.59	-13.00	-14.59	H
2478.64	-28.44	8.30	10.86	-31.00	-13.00	-18.00	H
3305.31	-26.49	7.20	11.57	-30.86	-13.00	-17.86	H
1652.50	-30.87	7.40	9.72	-33.19	-13.00	-20.19	V
2478.64	-27.17	8.30	10.86	-29.73	-13.00	-16.73	V
3305.31	-24.27	7.20	11.57	-28.64	-13.00	-15.64	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.41	-28.69	7.40	9.72	-31.01	-13.00	-18.01	H
2508.74	-29.82	8.30	10.86	-32.38	-13.00	-19.38	H
3345.56	-25.78	7.20	11.57	-30.15	-13.00	-17.15	H
1672.41	-27.60	7.40	9.72	-29.92	-13.00	-16.92	V
2508.74	-26.22	8.30	10.86	-28.78	-13.00	-15.78	V
3345.56	-24.55	7.20	11.57	-28.92	-13.00	-15.92	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.10	-27.18	7.40	9.72	-29.50	-13.00	-16.50	H
2538.65	-26.42	8.30	10.86	-28.98	-13.00	-15.98	H
3385.43	-28.61	7.20	11.57	-32.98	-13.00	-19.98	H
1692.10	-27.17	7.40	9.72	-29.49	-13.00	-16.49	V
2538.65	-26.06	8.30	10.86	-28.62	-13.00	-15.62	V
3385.43	-26.40	7.20	11.57	-30.77	-13.00	-17.77	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.80	-28.76	7.40	9.72	-31.08	-13.00	-18.08	H
2486.29	-26.02	8.30	10.86	-28.58	-13.00	-15.58	H
3315.21	-25.88	7.20	11.57	-30.25	-13.00	-17.25	H
1657.80	-28.51	7.40	9.72	-30.83	-13.00	-17.83	V
2486.29	-29.72	8.30	10.86	-32.28	-13.00	-19.28	V
3315.21	-26.04	7.20	11.57	-30.41	-13.00	-17.41	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.16	-28.20	7.40	9.72	-30.52	-13.00	-17.52	H
2509.06	-27.76	8.30	10.86	-30.32	-13.00	-17.32	H
3345.12	-27.02	7.20	11.57	-31.39	-13.00	-18.39	H
1672.16	-27.48	7.40	9.72	-29.80	-13.00	-16.80	V
2509.06	-27.18	8.30	10.86	-29.74	-13.00	-16.74	V
3345.12	-27.93	7.20	11.57	-32.30	-13.00	-19.30	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.46	-29.02	7.40	9.72	-31.34	-13.00	-18.34	H
2531.52	-30.04	8.30	10.86	-32.60	-13.00	-19.60	H
3375.84	-26.18	7.20	11.57	-30.55	-13.00	-17.55	H
1687.46	-28.61	7.40	9.72	-30.93	-13.00	-17.93	V
2531.52	-30.02	8.30	10.86	-32.58	-13.00	-19.58	V
3375.84	-27.08	7.20	11.57	-31.45	-13.00	-18.45	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5004.96	-26.30	8.00	15.86	-34.16	-25.00	-9.16	H
7507.55	-28.26	8.30	19.28	-39.24	-25.00	-14.24	H
10010.32	-27.83	8.10	23.19	-42.92	-25.00	-17.92	H
5004.96	-29.70	8.00	15.86	-37.56	-25.00	-12.56	V
7507.55	-29.53	8.30	19.28	-40.51	-25.00	-15.51	V
10010.32	-28.32	8.10	23.19	-43.41	-25.00	-18.41	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.03	-30.78	8.00	15.86	-38.64	-25.00	-13.64	H
7605.08	-28.25	8.30	19.28	-39.23	-25.00	-14.23	H
10140.03	-27.72	8.10	23.19	-42.81	-25.00	-17.81	H
5070.03	-31.46	8.00	15.86	-39.32	-25.00	-14.32	V
7605.08	-27.37	8.30	19.28	-38.35	-25.00	-13.35	V
10140.03	-26.03	8.10	23.19	-41.12	-25.00	-16.12	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.90	-28.37	8.00	15.86	-36.23	-25.00	-11.23	H
7701.57	-25.69	8.30	19.28	-36.67	-25.00	-11.67	H
10268.23	-23.88	8.10	23.19	-38.97	-25.00	-13.97	H
5133.90	-32.00	8.00	15.86	-39.86	-25.00	-14.86	V
7701.57	-29.13	8.30	19.28	-40.11	-25.00	-15.11	V
10268.23	-28.78	8.10	23.19	-43.87	-25.00	-18.87	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.49	-30.83	8.00	15.86	-38.69	-25.00	-13.69	H
7515.72	-28.72	8.30	19.28	-39.70	-25.00	-14.70	H
10020.51	-26.66	8.10	23.19	-41.75	-25.00	-16.75	H
5010.49	-30.34	8.00	15.86	-38.20	-25.00	-13.20	V
7515.72	-27.81	8.30	19.28	-38.79	-25.00	-13.79	V
10020.51	-24.95	8.10	23.19	-40.04	-25.00	-15.04	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.60	-27.42	8.00	15.86	-35.28	-25.00	-10.28	H
7604.74	-29.22	8.30	19.28	-40.20	-25.00	-15.20	H
10140.05	-24.04	8.10	23.19	-39.13	-25.00	-14.13	H
5069.60	-29.87	8.00	15.86	-37.73	-25.00	-12.73	V
7604.74	-26.28	8.30	19.28	-37.26	-25.00	-12.26	V
10140.05	-24.73	8.10	23.19	-39.82	-25.00	-14.82	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.17	-30.90	8.00	15.86	-38.76	-25.00	-13.76	H
7693.92	-29.10	8.30	19.28	-40.08	-25.00	-15.08	H
10258.58	-28.10	8.10	23.19	-43.19	-25.00	-18.19	H
5129.17	-29.81	8.00	15.86	-37.67	-25.00	-12.67	V
7693.92	-26.88	8.30	19.28	-37.86	-25.00	-12.86	V
10258.58	-27.89	8.10	23.19	-42.98	-25.00	-17.98	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.57	-28.49	8.00	15.86	-36.35	-25.00	-11.35	H
7524.13	-27.45	8.30	19.28	-38.43	-25.00	-13.43	H
10031.88	-25.51	8.10	23.19	-40.60	-25.00	-15.60	H
5015.57	-28.66	8.00	15.86	-36.52	-25.00	-11.52	V
7524.13	-26.24	8.30	19.28	-37.22	-25.00	-12.22	V
10031.88	-26.23	8.10	23.19	-41.32	-25.00	-16.32	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.73	-30.24	8.00	15.86	-38.10	-25.00	-13.10	H
7604.68	-28.31	8.30	19.28	-39.29	-25.00	-14.29	H
10139.88	-26.39	8.10	23.19	-41.48	-25.00	-16.48	H
5069.73	-28.39	8.00	15.86	-36.25	-25.00	-11.25	V
7604.68	-26.17	8.30	19.28	-37.15	-25.00	-12.15	V
10139.88	-26.48	8.10	23.19	-41.57	-25.00	-16.57	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.43	-28.60	8.00	15.86	-36.46	-25.00	-11.46	H
7523.82	-28.18	8.30	19.28	-39.16	-25.00	-14.16	H
10031.88	-27.19	8.10	23.19	-42.28	-25.00	-17.28	H
5123.43	-31.25	8.00	15.86	-39.11	-25.00	-14.11	V
7523.82	-29.17	8.30	19.28	-40.15	-25.00	-15.15	V
10031.88	-25.52	8.10	23.19	-40.61	-25.00	-15.61	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.15	-28.38	8.00	15.86	-36.24	-25.00	-11.24	H
7531.01	-29.45	8.30	19.28	-40.43	-25.00	-15.43	H
10258.89	-25.95	8.10	23.19	-41.04	-25.00	-16.04	H
5021.15	-31.76	8.00	15.86	-39.62	-25.00	-14.62	V
7531.01	-29.86	8.30	19.28	-40.84	-25.00	-15.84	V
10258.89	-28.09	8.10	23.19	-43.18	-25.00	-18.18	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.07	-26.64	8.00	15.86	-34.50	-25.00	-9.50	H
7604.67	-25.81	8.30	19.28	-36.79	-25.00	-11.79	H
10140.02	-27.22	8.10	23.19	-42.31	-25.00	-17.31	H
5070.07	-29.30	8.00	15.86	-37.16	-25.00	-12.16	V
7604.67	-26.04	8.30	19.28	-37.02	-25.00	-12.02	V
10140.02	-28.89	8.10	23.19	-43.98	-25.00	-18.98	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.95	-30.20	8.00	15.86	-38.06	-25.00	-13.06	H
7678.00	-25.62	8.30	19.28	-36.60	-25.00	-11.60	H
10237.74	-25.36	8.10	23.19	-40.45	-25.00	-15.45	H
5118.95	-27.74	8.00	15.86	-35.60	-25.00	-10.60	V
7678.00	-25.90	8.30	19.28	-36.88	-25.00	-11.88	V
10237.74	-26.70	8.10	23.19	-41.79	-25.00	-16.79	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4996.84	-30.57	7.90	15.86	-38.53	-25.00	-13.53	H
7495.66	-33.28	9.00	19.28	-43.56	-25.00	-18.56	H
9993.97	-32.10	8.70	23.19	-46.59	-25.00	-21.59	H
4996.84	-31.03	7.90	15.86	-38.99	-25.00	-13.99	V
7495.66	-32.34	9.00	19.28	-42.62	-25.00	-17.62	V
9993.97	-29.88	8.70	23.19	-44.37	-25.00	-19.37	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.07	-34.26	7.90	15.86	-42.22	-25.00	-17.22	H
7779.24	-33.01	9.00	19.28	-43.29	-25.00	-18.29	H
10371.99	-28.74	8.70	23.19	-43.23	-25.00	-18.23	H
5186.07	-35.27	7.90	15.86	-43.23	-25.00	-18.23	V
7779.24	-32.69	9.00	19.28	-42.97	-25.00	-17.97	V
10371.99	-32.75	8.70	23.19	-47.24	-25.00	-22.24	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5374.95	-32.74	7.90	15.86	-40.70	-25.00	-15.70	H
8062.56	-33.56	9.00	19.28	-43.84	-25.00	-18.84	H
10750.11	-31.90	8.70	23.19	-46.39	-25.00	-21.39	H
5374.95	-32.40	7.90	15.86	-40.36	-25.00	-15.36	V
8062.56	-32.23	9.00	19.28	-42.51	-25.00	-17.51	V
10750.11	-31.69	8.70	23.19	-46.18	-25.00	-21.18	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5001.90	-31.43	7.90	15.86	-39.39	-25.00	-14.39	H
7502.95	-35.04	9.00	19.28	-45.32	-25.00	-20.32	H
10004.25	-28.80	8.70	23.19	-43.29	-25.00	-18.29	H
5001.90	-35.79	7.90	15.86	-43.75	-25.00	-18.75	V
7502.95	-30.54	9.00	19.28	-40.82	-25.00	-15.82	V
10004.25	-30.21	8.70	23.19	-44.70	-25.00	-19.70	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.09	-32.91	7.90	15.86	-40.87	-25.00	-15.87	H
7779.34	-33.83	9.00	19.28	-44.11	-25.00	-19.11	H
10372.05	-33.32	8.70	23.19	-47.81	-25.00	-22.81	H
5186.09	-33.10	7.90	15.86	-41.06	-25.00	-16.06	V
7779.34	-35.18	9.00	19.28	-45.46	-25.00	-20.46	V
10372.05	-30.39	8.70	23.19	-44.88	-25.00	-19.88	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.02	-33.07	7.90	15.86	-41.03	-25.00	-16.03	H
8054.80	-30.89	9.00	19.28	-41.17	-25.00	-16.17	H
10740.11	-29.34	8.70	23.19	-43.83	-25.00	-18.83	H
5370.02	-32.47	7.90	15.86	-40.43	-25.00	-15.43	V
8054.80	-34.44	9.00	19.28	-44.72	-25.00	-19.72	V
10740.11	-29.22	8.70	23.19	-43.71	-25.00	-18.71	V

LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5007.26	-31.43	7.90	15.86	-39.39	-25.00	-14.39	H
7510.52	-34.04	9.00	19.28	-44.32	-25.00	-19.32	H
10014.37	-29.59	8.70	23.19	-44.08	-25.00	-19.08	H
5007.26	-33.14	7.90	15.86	-41.10	-25.00	-16.10	V
7510.52	-33.18	9.00	19.28	-43.46	-25.00	-18.46	V
10014.37	-30.13	8.70	23.19	-44.62	-25.00	-19.62	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.87	-30.82	7.90	15.86	-38.78	-25.00	-13.78	H
7779.31	-31.81	9.00	19.28	-42.09	-25.00	-17.09	H
10371.86	-33.44	8.70	23.19	-47.93	-25.00	-22.93	H
5185.87	-33.85	7.90	15.86	-41.81	-25.00	-16.81	V
7779.31	-33.32	9.00	19.28	-43.60	-25.00	-18.60	V
10371.86	-28.94	8.70	23.19	-43.43	-25.00	-18.43	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5364.79	-34.32	7.90	15.86	-42.28	-25.00	-17.28	H
8047.50	-32.29	9.00	19.28	-42.57	-25.00	-17.57	H
10729.91	-33.59	8.70	23.19	-48.08	-25.00	-23.08	H
5364.79	-31.55	7.90	15.86	-39.51	-25.00	-14.51	V
8047.50	-33.05	9.00	19.28	-43.33	-25.00	-18.33	V
10729.91	-32.81	8.70	23.19	-47.30	-25.00	-22.30	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5011.99	-32.62	7.90	15.86	-40.58	-25.00	-15.58	H
7518.25	-32.61	9.00	19.28	-42.89	-25.00	-17.89	H
10024.11	-29.97	8.70	23.19	-44.46	-25.00	-19.46	H
5011.99	-34.85	7.90	15.86	-42.81	-25.00	-17.81	V
7518.25	-34.02	9.00	19.28	-44.30	-25.00	-19.30	V
10024.11	-32.98	8.70	23.19	-47.47	-25.00	-22.47	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.25	-33.37	7.90	15.86	-41.33	-25.00	-16.33	H
7779.34	-32.15	9.00	19.28	-42.43	-25.00	-17.43	H
10372.05	-31.30	8.70	23.19	-45.79	-25.00	-20.79	H
5186.25	-32.89	7.90	15.86	-40.85	-25.00	-15.85	V
7779.34	-30.74	9.00	19.28	-41.02	-25.00	-16.02	V
10372.05	-33.03	8.70	23.19	-47.52	-25.00	-22.52	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.18	-34.34	7.90	15.86	-42.30	-25.00	-17.30	H
8040.25	-31.56	9.00	19.28	-41.84	-25.00	-16.84	H
10719.84	-32.71	8.70	23.19	-47.20	-25.00	-22.20	H
5360.18	-31.38	7.90	15.86	-39.34	-25.00	-14.34	V
8040.25	-31.51	9.00	19.28	-41.79	-25.00	-16.79	V
10719.84	-29.20	8.70	23.19	-43.69	-25.00	-18.69	V

※※※※※END OF THE REPORT※※※※※