



CH144 26 dB Bandwidth



Date: 9.JAN.2025 11:14:57

99 % Occupied Bandwidth




Date: 9.JAN.2025 11:14:36

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	40.350	22.100
116	5580	40.150	21.400
140	5700	40.150	22.100
144	5720	35.399	19.800

CH100




Date: 19.SEP.2024 12:30:40

CH116
26 dB Bandwidth




Date: 19.SEP.2024 12:32:25

CH140




Date: 19.SEP.2024 12:34:07


99 % Occupied Bandwidth



Date: 19.SEP.2024 12:30:26




Date: 19.SEP.2024 12:32:10




Date: 19.SEP.2024 12:33:52

CH144 26 dB Bandwidth



Date: 9.JAN.2025 11:35:03

99 % Occupied Bandwidth




Date: 9.JAN.2025 11:34:42

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	50.194	60.600
110	5550	57.798	60.600
134	5670	58.394	44.800
142	5710	47.598	45.000

CH102




Date: 19.SEP.2024 14:49:21

CH110
26 dB Bandwidth




Date: 19.SEP.2024 14:53:04

CH134




Date: 19.SEP.2024 14:57:07


99 % Occupied Bandwidth



Date: 19.SEP.2024 14:42:57




Date: 19.SEP.2024 14:50:22




Date: 19.SEP.2024 14:53:46

CH142 26 dB Bandwidth



Date: 9.JAN.2025 11:38:51

99 % Occupied Bandwidth




Date: 9.JAN.2025 11:37:06

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	156.992	77.600
122	5610	154.390	77.200
138	5690	173.400	77.200

CH106




Date: 19.SEP.2024 15:23:00

CH122
26 dB Bandwidth




Date: 19.SEP.2024 15:24:31

CH138




Date: 9.JAN.2025 11:39:46


99 % Occupied Bandwidth



Date: 19.SEP.2024 15:22:27



Date: 19.SEP.2024 15:23:56




Date: 9.JAN.2025 11:39:29

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	33.399	21.400
116	5580	39.799	21.100
140	5700	36.997	21.000
144	5720	31.489	19.700

CH100




Date: 19.SEP.2024 12:49:15

CH116
26 dB Bandwidth




Date: 19.SEP.2024 12:50:36

CH140




Date: 19.SEP.2024 12:52:13


99 % Occupied Bandwidth



Date: 19.SEP.2024 12:49:16




Date: 19.SEP.2024 12:50:19




Date: 19.SEP.2024 12:51:55

CH144 26 dB Bandwidth



Date: 9.JAN.2025 11:41:12

99 % Occupied Bandwidth




Date: 9.JAN.2025 11:40:45

Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	50.190	59.600
110	5550	42.397	59.000
134	5670	40.590	56.000
142	5710	39.900	42.000

CH102




Date: 19.SEP.2024 15:09:50

CH110
26 dB Bandwidth




Date: 19.SEP.2024 15:13:23

CH134




Date: 19.SEP.2024 15:16:16


99 % Occupied Bandwidth



Date: 19.SEP.2024 15:07:46




Date: 19.SEP.2024 15:10:44




Date: 19.SEP.2024 15:14:10

CH142 26 dB Bandwidth



Date: 9.JAN.2025 11:44:29

99 % Occupied Bandwidth




Date: 9.JAN.2025 11:41:57

Test Mode UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	141.196	78.400
122	5610	136.200	78.000
138	5690	157.800	78.400

CH106




Date: 19.SEP.2024 15:35:07

CH122
26 dB Bandwidth




Date: 19.SEP.2024 15:37:29

CH138




Date: 9.JAN.2025 11:48:28


99 % Occupied Bandwidth



Date: 19.SEP.2024 15:34:31



Date: 19.SEP.2024 15:36:18



Date: 9.JAN.2025 11:48:09

APPENDIX E MAXIMUM OUTPUT POWER

Test Mode	UNII-2A_TX IEEE 802.11a_Ant.1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.03	1.15	14.18	23.98	0.2500	Complies
60	5300	13.86	1.15	15.01	23.98	0.2500	Complies
64	5320	13.22	1.15	14.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11a_Ant.2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.29	1.15	15.44	23.98	0.2500	Complies
60	5300	14.64	1.15	15.79	23.98	0.2500	Complies
64	5320	14.23	1.15	15.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11a_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	23.98	0.2500	Complies
60	5300	18.42	23.98	0.2500	Complies
64	5320	17.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.28	1.19	15.47	23.98	0.2500	Complies
60	5300	14.27	1.19	15.46	23.98	0.2500	Complies
64	5320	13.69	1.19	14.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.21	1.19	15.40	23.98	0.2500	Complies
60	5300	14.49	1.19	15.68	23.98	0.2500	Complies
64	5320	14.73	1.19	15.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.45	23.98	0.2500	Complies
60	5300	18.58	23.98	0.2500	Complies
64	5320	18.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.04	1.21	14.25	23.98	0.2500	Complies
62	5310	12.69	1.21	13.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.33	1.21	14.54	23.98	0.2500	Complies
62	5310	12.62	1.21	13.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.41	23.98	0.2500	Complies
62	5310	16.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.27	1.22	17.49	23.98	0.2500	Complies
60	5300	15.94	1.22	17.16	23.98	0.2500	Complies
64	5320	14.98	1.22	16.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.87	1.22	16.09	23.98	0.2500	Complies
60	5300	14.56	1.22	15.78	23.98	0.2500	Complies
64	5320	14.74	1.22	15.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.85	23.98	0.2500	Complies
60	5300	19.53	23.98	0.2500	Complies
64	5320	19.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.79	1.21	15.00	23.98	0.2500	Complies
62	5310	12.77	1.21	13.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.87	1.21	14.08	23.98	0.2500	Complies
62	5310	12.58	1.21	13.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.57	23.98	0.2500	Complies
62	5310	16.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.98	1.33	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.83	1.33	12.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.19	1.44	17.63	23.98	0.2500	Complies
60	5300	15.98	1.44	17.42	23.98	0.2500	Complies
64	5320	15.05	1.44	16.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.74	1.44	16.18	23.98	0.2500	Complies
60	5300	14.58	1.44	16.02	23.98	0.2500	Complies
64	5320	14.72	1.44	16.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.97	23.98	0.2500	Complies
60	5300	19.78	23.98	0.2500	Complies
64	5320	19.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.34	1.45	16.79	23.98	0.2500	Complies
62	5310	12.79	1.45	14.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.33	1.45	15.78	23.98	0.2500	Complies
62	5310	12.68	1.45	14.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.32	23.98	0.2500	Complies
62	5310	17.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.83	1.51	16.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.49	1.51	16.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Ant.1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.81	1.15	16.96	23.98	0.2500	Complies
116	5580	15.31	1.15	16.46	23.98	0.2500	Complies
140	5700	13.47	1.15	14.62	23.98	0.2500	Complies
144	5720	15.83	1.15	16.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Ant.2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.42	1.15	17.57	23.98	0.2500	Complies
116	5580	15.62	1.15	16.77	23.98	0.2500	Complies
140	5700	12.86	1.15	14.01	23.98	0.2500	Complies
144	5720	15.54	1.15	16.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.28	23.98	0.2500	Complies
116	5580	19.62	23.98	0.2500	Complies
140	5700	17.33	23.98	0.2500	Complies
144	5720	19.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	1.19	16.20	23.98	0.2500	Complies
116	5580	15.78	1.19	16.97	23.98	0.2500	Complies
140	5700	13.28	1.19	14.47	23.98	0.2500	Complies
144	5720	15.46	1.19	16.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.73	1.19	15.92	23.98	0.2500	Complies
116	5580	15.08	1.19	16.27	23.98	0.2500	Complies
140	5700	12.63	1.19	13.82	23.98	0.2500	Complies
144	5720	15.18	1.19	16.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.07	23.98	0.2500	Complies
116	5580	19.64	23.98	0.2500	Complies
140	5700	17.17	23.98	0.2500	Complies
144	5720	19.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Ant.1
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.53	1.21	14.74	23.98	0.2500	Complies
110	5550	15.79	1.21	17.00	23.98	0.2500	Complies
134	5670	14.23	1.21	15.44	23.98	0.2500	Complies
142	5710	15.06	1.21	16.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Ant.2
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.01	1.21	14.22	23.98	0.2500	Complies
110	5550	14.31	1.21	15.52	23.98	0.2500	Complies
134	5670	13.12	1.21	14.33	23.98	0.2500	Complies
142	5710	14.67	1.21	15.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.50	23.98	0.2500	Complies
110	5550	19.34	23.98	0.2500	Complies
134	5670	17.93	23.98	0.2500	Complies
142	5710	19.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	1.22	16.23	23.98	0.2500	Complies
116	5580	15.78	1.22	17.00	23.98	0.2500	Complies
140	5700	13.44	1.22	14.66	23.98	0.2500	Complies
144	5720	15.87	1.22	17.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.16	1.22	16.38	23.98	0.2500	Complies
116	5580	15.53	1.22	16.75	23.98	0.2500	Complies
140	5700	12.61	1.22	13.83	23.98	0.2500	Complies
144	5720	15.21	1.22	16.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.31	23.98	0.2500	Complies
116	5580	19.88	23.98	0.2500	Complies
140	5700	17.27	23.98	0.2500	Complies
144	5720	19.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.62	1.21	14.83	23.98	0.2500	Complies
110	5550	16.14	1.21	17.35	23.98	0.2500	Complies
134	5670	14.98	1.21	16.19	23.98	0.2500	Complies
142	5710	15.09	1.21	16.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.04	1.21	14.25	23.98	0.2500	Complies
110	5550	13.97	1.21	15.18	23.98	0.2500	Complies
134	5670	12.09	1.21	13.30	23.98	0.2500	Complies
142	5710	14.63	1.21	15.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.56	23.98	0.2500	Complies
110	5550	19.41	23.98	0.2500	Complies
134	5670	17.99	23.98	0.2500	Complies
142	5710	19.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.61	1.33	15.94	23.98	0.2500	Complies
122	5610	14.74	1.33	16.07	23.98	0.2500	Complies
138	5690	14.68	1.33	16.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.41	1.33	15.74	23.98	0.2500	Complies
122	5610	14.03	1.33	15.36	23.98	0.2500	Complies
138	5690	14.64	1.33	15.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.86	23.98	0.2500	Complies
122	5610	18.74	23.98	0.2500	Complies
138	5690	19.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.02	1.44	17.46	23.98	0.2500	Complies
116	5580	15.75	1.44	17.19	23.98	0.2500	Complies
140	5700	12.01	1.44	13.45	23.98	0.2500	Complies
144	5720	15.71	1.44	17.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.05	1.44	17.49	23.98	0.2500	Complies
116	5580	15.42	1.44	16.86	23.98	0.2500	Complies
140	5700	11.36	1.44	12.80	23.98	0.2500	Complies
144	5720	15.27	1.44	16.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.48	23.98	0.2500	Complies
116	5580	20.04	23.98	0.2500	Complies
140	5700	16.14	23.98	0.2500	Complies
144	5720	19.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.44	1.45	14.89	23.98	0.2500	Complies
110	5550	14.57	1.45	16.02	23.98	0.2500	Complies
134	5670	14.08	1.45	15.53	23.98	0.2500	Complies
142	5710	14.41	1.45	15.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.11	1.45	14.56	23.98	0.2500	Complies
110	5550	14.10	1.45	15.55	23.98	0.2500	Complies
134	5670	13.78	1.45	15.23	23.98	0.2500	Complies
142	5710	14.16	1.45	15.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.74	23.98	0.2500	Complies
110	5550	18.80	23.98	0.2500	Complies
134	5670	18.39	23.98	0.2500	Complies
142	5710	18.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.57	1.51	16.08	23.98	0.2500	Complies
122	5610	14.88	1.51	16.39	23.98	0.2500	Complies
138	5690	14.65	1.51	16.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.31	1.51	15.82	23.98	0.2500	Complies
122	5610	14.23	1.51	15.74	23.98	0.2500	Complies
138	5690	14.16	1.51	15.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.96	23.98	0.2500	Complies
122	5610	19.09	23.98	0.2500	Complies
138	5690	18.93	23.98	0.2500	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F POWER SPECTRAL DENSITY


Test Mode UNII-2A_TX IEEE 802.11a_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.39	1.15	3.54	10.10	Complies
60	5300	-3.91	1.15	-2.76	10.10	Complies
64	5320	2.16	1.15	3.31	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11a_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.75	1.15	3.90	10.10	Complies
60	5300	0.28	1.15	1.43	10.10	Complies
64	5320	2.22	1.15	3.37	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11a_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.73	10.10	Complies
60	5300	2.83	10.10	Complies
64	5320	6.35	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.15	1.22	3.37	10.10	Complies
60	5300	-2.46	1.22	-1.24	10.10	Complies
64	5320	-5.11	1.22	-3.89	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11ac (VHT20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.81	1.22	7.03	10.10	Complies
60	5300	0.26	1.22	1.48	10.10	Complies
64	5320	-1.73	1.22	-0.51	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11ac (VHT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.58	10.10	Complies
60	5300	3.34	10.10	Complies
64	5320	1.13	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.71	1.21	-2.50	10.10	Complies
62	5310	-1.68	1.21	-0.47	10.10	Complies

CH54




CH62




Test Mode UNII-2A_TX IEEE 802.11ac (VHT40)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.21	1.21	1.00	10.10	Complies
62	5310	2.06	1.21	3.27	10.10	Complies

CH54



CH62




Test Mode UNII-2A_TX IEEE 802.11ac (VHT40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.60	10.10	Complies
62	5310	4.80	10.10	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.33	1.33	-7.00	10.10	Complies



Date: 19_SEP.2024 15:21:49

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Ant.2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.20	1.33	-4.87	10.10	Complies




Date: 19_SEP.2024 16:51:34

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.79	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.68	1.44	3.12	10.10	Complies
60	5300	-1.14	1.44	0.30	10.10	Complies
64	5320	-3.94	1.44	-2.50	10.10	Complies



Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.35	1.44	4.79	10.10	Complies
60	5300	0.95	1.44	2.39	10.10	Complies
64	5320	-1.83	1.44	-0.39	10.10	Complies




Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.04	10.10	Complies
60	5300	4.48	10.10	Complies
64	5320	1.69	10.10	Complies


Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.98	1.45	-0.53	10.10	Complies
62	5310	-2.03	1.45	-0.58	10.10	Complies

CH54




CH62




Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.92	1.45	3.37	10.10	Complies
62	5310	0.73	1.45	2.18	10.10	Complies

CH54



CH62




Test Mode UNII-2A_TX IEEE 802.11ax (HE40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.85	10.10	Complies
62	5310	4.02	10.10	Complies

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.67	1.51	-7.16	10.10	Complies



Date: 19_SEP.2024 15:34:02

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.50	1.51	-3.99	10.10	Complies



Date: 19_SEP.2024 16:44:29


Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.28	10.10	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Ant.1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.85	1.15	-0.70	10.10	Complies
116	5580	4.66	1.15	5.81	10.10	Complies
140	5700	1.74	1.15	2.89	10.10	Complies
144	5720	-0.76	1.15	0.39	10.10	Complies

CH100




Date: 19.SEP.2024 11:41:02

CH116




Date: 19.SEP.2024 11:43:34

CH140



Date: 19.SEP.2024 11:45:41

CH144




Date: 9.JAN.2025 11:27:39

Test Mode UNII-2C_TX IEEE 802.11a_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.67	1.15	0.48	10.10	Complies
116	5580	5.00	1.15	6.15	10.10	Complies
140	5700	-1.40	1.15	-0.25	10.10	Complies
144	5720	1.03	1.15	2.18	10.10	Complies

CH100




Date: 19.SEP.2024 15:49:21

CH116




Date: 19.SEP.2024 15:49:57

CH140



Date: 19.SEP.2024 15:50:27

CH144



Date: 9.JAN.2025 11:51:20


Test Mode UNII-2C_TX IEEE 802.11a_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.94	10.10	Complies
116	5580	8.99	10.10	Complies
140	5700	4.60	10.10	Complies
144	5720	4.38	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.55	1.22	1.77	10.10	Complies
116	5580	4.71	1.22	5.93	10.10	Complies
140	5700	0.19	1.22	1.41	10.10	Complies
144	5720	-4.14	1.22	-2.92	10.10	Complies

CH100




Date: 19.SEP.2024 12:30:56

CH116




Date: 19.SEP.2024 12:32:40

CH140



Date: 19.SEP.2024 12:34:22

CH144




Date: 9.JAN.2025 11:35:19

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.52	1.22	-0.30	10.10	Complies
116	5580	4.59	1.22	5.81	10.10	Complies
140	5700	-1.26	1.22	-0.04	10.10	Complies
144	5720	-4.27	1.22	-3.05	10.10	Complies

CH100




Date: 19.SEP.2024 16:06:15

CH116




Date: 19.SEP.2024 16:07:32

CH140



Date: 19.SEP.2024 16:08:07

CH144



Date: 9.JAN.2025 11:53:02


Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.86	10.10	Complies
116	5580	8.88	10.10	Complies
140	5700	3.75	10.10	Complies
144	5720	0.02	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.32	1.21	1.53	10.10	Complies
110	5550	0.63	1.21	1.84	10.10	Complies
134	5670	-7.46	1.21	-6.25	10.10	Complies
142	5710	-1.81	1.21	-0.60	10.10	Complies

CH102




Date: 19.SEP.2024 14:43:37

CH110




Date: 19.SEP.2024 14:50:58

CH134



Date: 19.SEP.2024 14:54:23

CH142




Date: 9.JAN.2025 11:37:44

Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.16	1.21	1.37	10.10	Complies
110	5550	0.84	1.21	2.05	10.10	Complies
134	5670	-7.05	1.21	-5.84	10.10	Complies
142	5710	-1.38	1.21	-0.17	10.10	Complies

CH102




Date: 19.SEP.2024 16:33:26

CH110




Date: 19.SEP.2024 16:34:23

CH134



Date: 19.SEP.2024 16:35:26

CH142




Date: 9.JAN.2025 11:54:33

Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.46	10.10	Complies
110	5550	4.95	10.10	Complies
134	5670	-3.03	10.10	Complies
142	5710	2.63	10.10	Complies


Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.08	1.33	-4.75	10.10	Complies
122	5610	-6.16	1.33	-4.83	10.10	Complies
138	5690	-6.65	1.33	-5.32	10.10	Complies



Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.28	1.33	-5.95	10.10	Complies
122	5610	-6.44	1.33	-5.11	10.10	Complies
138	5690	-7.15	1.33	-5.82	10.10	Complies




Test Mode UNII-2C_TX IEEE 802.11ac (VHT80)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.29	10.10	Complies
122	5610	-1.95	10.10	Complies
138	5690	-2.55	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.54	1.44	2.98	10.10	Complies
116	5580	4.50	1.44	5.94	10.10	Complies
140	5700	0.70	1.44	2.14	10.10	Complies
144	5720	-5.71	1.44	-4.27	10.10	Complies

CH100




Date: 19.SEP.2024 12:49:31

CH116




Date: 19.SEP.2024 12:50:52

CH140



Date: 19.SEP.2024 12:52:28

CH144




Date: 9.JAN.2025 11:41:28

Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.38	1.44	1.82	10.10	Complies
116	5580	3.78	1.44	5.22	10.10	Complies
140	5700	-0.04	1.44	1.40	10.10	Complies
144	5720	-5.58	1.44	-4.14	10.10	Complies

CH100




Date: 19.SEP.2024 16:17:18

CH116




Date: 19.SEP.2024 16:18:03

CH140



Date: 19.SEP.2024 16:18:45

CH144



Date: 9.JAN.2025 11:55:51


Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.45	10.10	Complies
116	5580	8.60	10.10	Complies
140	5700	4.79	10.10	Complies
144	5720	-1.20	10.10	Complies

Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Ant.1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.16	1.45	1.61	10.10	Complies
110	5550	0.06	1.45	1.51	10.10	Complies
134	5670	-7.64	1.45	-6.19	10.10	Complies
142	5710	-1.03	1.45	0.42	10.10	Complies

CH102




Date: 19.SEP.2024 15:08:28

CH110




Date: 19.SEP.2024 15:11:18

CH134



Date: 19.SEP.2024 15:14:53

CH142




Date: 9.JAN.2025 11:42:45

Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Ant.2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.22	1.45	1.67	10.10	Complies
110	5550	0.21	1.45	1.66	10.10	Complies
134	5670	-7.63	1.45	-6.18	10.10	Complies
142	5710	-1.00	1.45	-0.45	10.10	Complies

CH102




Date: 19.SEP.2024 16:39:34

CH110




Date: 19.SEP.2024 16:40:20

CH134



Date: 19.SEP.2024 16:42:29

CH142




Date: 9.JAN.2025 11:56:38

Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.65	10.10	Complies
110	5550	4.59	10.10	Complies
134	5670	-3.18	10.10	Complies
142	5710	3.44	10.10	Complies


Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.74	1.51	-4.23	10.10	Complies
122	5610	-5.65	1.51	-4.14	10.10	Complies
138	5690	-7.38	1.51	-5.87	10.10	Complies



Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Ant.2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.08	1.51	-5.57	10.10	Complies
122	5610	-6.56	1.51	-5.05	10.10	Complies
138	5690	-6.33	1.51	-4.82	10.10	Complies



Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.84	10.10	Complies
122	5610	-1.56	10.10	Complies
138	5690	-2.30	10.10	Complies

End of Test Report