



Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.55	0.34	-5.21	10.12	Complies
116	5580	1.10	0.34	1.44	10.12	Complies
140	5700	0.03	0.34	0.37	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-8.10	0.34	-7.76	10.12	Complies
116	5580	1.70	0.34	2.04	10.12	Complies
140	5700	-1.48	0.34	-1.14	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.29	10.12	Complies
116	5580	4.76	10.12	Complies
140	5700	2.69	10.12	Complies


Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.55	3.84	-2.71	10.12	Complies
110	5550	-5.94	3.84	-2.10	10.12	Complies
134	5670	-6.88	3.84	-3.04	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.04	3.84	-1.20	10.12	Complies
110	5550	-7.97	3.84	-4.13	10.12	Complies
134	5670	-5.58	3.84	-1.74	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.12	10.12	Complies
110	5550	0.02	10.12	Complies
134	5670	0.67	10.12	Complies

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Main Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.95	0.58	-3.37	10.12	Complies
116	5580	-3.27	0.58	-2.69	10.12	Complies
140	5700	-6.79	0.58	-6.21	10.12	Complies



Date: 22.AUG.2024 12:18:16




Date: 22.AUG.2024 12:21:31




Date: 22.AUG.2024 12:22:33

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.20	0.58	-2.62	10.12	Complies
116	5580	-1.23	0.58	-0.65	10.12	Complies
140	5700	-4.42	0.58	-3.84	10.12	Complies



Date: 22.AUG.2024 16:56:53



Date: 22.AUG.2024 16:57:34




Date: 22.AUG.2024 18:54:19

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.03	10.12	Complies
116	5580	1.46	10.12	Complies
140	5700	-1.86	10.12	Complies

Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Main Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-15.02	0.68	-14.34	10.12	Complies
110	5550	-15.31	0.68	-14.63	10.12	Complies
134	5670	-17.37	0.68	-16.69	10.12	Complies



Date: 22.AUG.2024 12:45:01




Date: 22.AUG.2024 12:46:36




Date: 22.AUG.2024 12:48:56

Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-14.57	0.68	-13.89	10.12	Complies
110	5550	-13.66	0.68	-12.98	10.12	Complies
134	5670	-14.69	0.68	-14.01	10.12	Complies



Date: 22.AUG.2024 17:05:04



Date: 22.AUG.2024 17:06:40



Date: 22.AUG.2024 17:07:39


Test Mode UNII-2C_TX IEEE 802.11ac (VHT40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-11.10	10.12	Complies
110	5550	-10.72	10.12	Complies
134	5670	-12.14	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-16.75	4.53	-12.22	10.12	Complies
122	5610	-19.40	4.53	-14.87	10.12	Complies

CH106



Date: 22.AUG.2024 14:21:57

CH122




Date: 22.AUG.2024 14:23:04

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Aux Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-15.89	4.53	-11.36	10.12	Complies
122	5610	-18.83	4.53	-14.30	10.12	Complies

CH106



Date: 22.AUG.2024 17:13:52

CH122




Date: 22.AUG.2024 17:14:28

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.76	10.12	Complies
122	5610	-11.57	10.12	Complies


Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-12.96	3.10	-9.86	10.12	Complies
116	5580	-8.89	3.10	-5.79	10.12	Complies
140	5700	-14.46	3.10	-11.36	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-10.72	3.10	-7.62	10.12	Complies
116	5580	-6.70	3.10	-3.60	10.12	Complies
140	5700	-12.95	3.10	-9.85	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.59	10.12	Complies
116	5580	-1.55	10.12	Complies
140	5700	-7.53	10.12	Complies


Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-15.05	3.30	-11.75	10.12	Complies
110	5550	-13.06	3.30	-9.76	10.12	Complies
134	5670	-16.40	3.30	-13.10	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-13.97	3.30	-10.67	10.12	Complies
110	5550	-14.05	3.30	-10.75	10.12	Complies
134	5670	-14.70	3.30	-11.40	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-8.17	10.12	Complies
110	5550	-7.22	10.12	Complies
134	5670	-9.16	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-12.35	3.86	-8.49	10.12	Complies
122	5610	-13.09	3.86	-9.23	10.12	Complies

CH106



Date: 22.AUG.2024 15:44:59

CH122




Date: 22.AUG.2024 15:48:35

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Aux Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-10.42	3.86	-6.56	10.12	Complies
122	5610	-10.60	3.86	-6.74	10.12	Complies

CH106



Date: 22.AUG.2024 17:41:27

CH122




Date: 22.AUG.2024 17:42:34

Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.41	10.12	Complies
122	5610	-4.80	10.12	Complies


Test Mode	UNII-3_TX IEEE 802.11a_Main Ant.
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.14	0.29	-2.85	29.12	Complies
157	5785	-2.55	0.29	-2.26	29.12	Complies
165	5825	-2.89	0.29	-2.60	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11a_Aux Ant.
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.98	0.29	-3.69	29.12	Complies
157	5785	-0.78	0.29	-0.49	29.12	Complies
165	5825	-2.56	0.29	-2.27	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11a_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.24	29.12	Complies
157	5785	1.73	29.12	Complies
165	5825	0.58	29.12	Complies

Test Mode UNII-3_TX IEEE 802.11n(HT20)_Main Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.07	0.34	-5.73	29.12	Complies
157	5785	-5.51	0.34	-5.17	29.12	Complies
165	5825	-4.22	0.34	-3.88	29.12	Complies

CH149




Date: 22.AUG.2024 11:16:47

CH157



Date: 22.AUG.2024 11:37:45

CH165




Date: 22.AUG.2024 11:38:46

Test Mode UNII-3_TX IEEE 802.11n(HT20)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.09	0.34	-5.75	29.12	Complies
157	5785	-4.20	0.34	-3.86	29.12	Complies
165	5825	-5.05	0.34	-4.71	29.12	Complies

CH149




Date: 22.AUG.2024 16:38:52

CH157



Date: 22.AUG.2024 16:39:58

CH165




Date: 22.AUG.2024 16:40:31

Test Mode UNII-3_TX IEEE 802.11n(HT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.73	29.12	Complies
157	5785	-1.45	29.12	Complies
165	5825	-1.26	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11n(HT40)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.42	3.84	-5.58	29.12	Complies
159	5795	-9.79	3.84	-5.95	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11n(HT40)_Aux Ant.
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.28	3.84	-4.44	29.12	Complies
159	5795	-10.03	3.84	-6.19	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11n(HT40)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.96	29.12	Complies
159	5795	-3.06	29.12	Complies

Test Mode UNII-3_TX IEEE 802.11ac (VHT20)_Main Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.44	0.58	-6.86	29.12	Complies
157	5785	-7.18	0.58	-6.60	29.12	Complies
165	5825	-7.51	0.58	-6.93	29.12	Complies

CH149




Date: 22.AUG.2024 12:23:45

CH157



Date: 22.AUG.2024 12:27:01

CH165




Date: 22.AUG.2024 12:29:21

Test Mode UNII-3_TX IEEE 802.11ac (VHT20)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.17	0.58	-4.59	29.12	Complies
157	5785	-5.26	0.58	-4.68	29.12	Complies
165	5825	-5.18	0.58	-4.60	29.12	Complies

CH149




Date: 22.AUG.2024 16:19:25

CH157



Date: 22.AUG.2024 17:00:04

CH165




Date: 22.AUG.2024 17:00:46

Test Mode UNII-3_TX IEEE 802.11ac (VHT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.57	29.12	Complies
157	5785	-2.52	29.12	Complies
165	5825	-2.60	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-16.81	0.68	-16.13	29.12	Complies
159	5795	-15.43	0.68	-14.75	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-14.73	0.68	-14.05	29.12	Complies
159	5795	-16.39	0.68	-15.71	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-11.96	29.12	Complies
159	5795	-12.19	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-20.62	4.53	-16.09	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-20.22	4.53	-15.69	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.88	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-14.19	3.10	-11.09	29.12	Complies
157	5785	-13.52	3.10	-10.42	29.12	Complies
165	5825	-14.41	3.10	-11.31	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-12.41	3.10	-9.31	29.12	Complies
157	5785	-13.96	3.10	-10.86	29.12	Complies
165	5825	-13.23	3.10	-10.13	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.10	29.12	Complies
157	5785	-7.62	29.12	Complies
165	5825	-7.67	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-15.99	3.30	-12.69	29.12	Complies
159	5795	-14.80	3.30	-11.50	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-13.79	3.30	-10.49	29.12	Complies
159	5795	-15.51	3.30	-12.21	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.44	29.12	Complies
159	5795	-8.83	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-19.36	3.86	-15.50	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-16.69	3.86	-12.83	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.96	29.12	Complies

End of Test Report