



Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.28	0.34	-0.94	10.12	Complies
60	5300	-4.67	0.34	-4.33	10.12	Complies
64	5320	-5.09	0.34	-4.75	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.55	0.34	-0.21	10.12	Complies
60	5300	-4.90	0.34	-4.56	10.12	Complies
64	5320	-5.19	0.34	-4.85	10.12	Complies




Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.45	10.12	Complies
60	5300	-1.43	10.12	Complies
64	5320	-1.79	10.12	Complies

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-6.85	3.84	-3.01	10.12	Complies
62	5310	-5.93	3.84	-2.09	10.12	Complies

CH54



Date: 22.AUG.2024 11:57:32

CH62




Date: 22.AUG.2024 11:59:22

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Aux Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.61	3.84	-1.77	10.12	Complies
62	5310	-4.92	3.84	-1.08	10.12	Complies

CH54



Date: 22.AUG.2024 18:51:31

CH62




Date: 22.AUG.2024 18:52:14

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.67	10.12	Complies
62	5310	1.46	10.12	Complies


Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.61	0.58	-3.03	10.12	Complies
60	5300	-5.13	0.58	-4.55	10.12	Complies
64	5320	-5.26	0.58	-4.68	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-5.19	0.58	-4.61	10.12	Complies
60	5300	-5.84	0.58	-5.26	10.12	Complies
64	5320	-5.29	0.58	-4.71	10.12	Complies




Test Mode	UNII-2A_TX IEEE 802.11ac (VHT20)_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.74	10.12	Complies
60	5300	-1.88	10.12	Complies
64	5320	-1.68	10.12	Complies

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-9.21	0.68	-8.53	10.12	Complies
62	5310	-9.27	0.68	-8.59	10.12	Complies




Date: 22.AUG.2024 12:40:06




Date: 22.AUG.2024 12:42:52

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-8.38	0.68	-7.70	10.12	Complies
62	5310	-7.47	0.68	-6.79	10.12	Complies



Date: 22.AUG.2024 17:03:23




Date: 22.AUG.2024 17:04:04

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.09	10.12	Complies
62	5310	-4.59	10.12	Complies


Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-16.66	4.53	-12.13	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-17.47	4.53	-12.94	10.12	Complies




Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-9.51	10.12	Complies


Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-13.68	3.10	-10.58	10.12	Complies
60	5300	-12.98	3.10	-9.88	10.12	Complies
64	5320	-16.58	3.10	-13.48	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-13.60	3.10	-10.50	10.12	Complies
60	5300	-12.27	3.10	-9.17	10.12	Complies
64	5320	-14.89	3.10	-11.79	10.12	Complies





Test Mode	UNII-2A_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-7.53	10.12	Complies
60	5300	-6.50	10.12	Complies
64	5320	-9.54	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.34	3.30	-2.04	10.12	Complies
62	5310	-10.89	3.30	-7.59	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.53	3.30	-2.23	10.12	Complies
62	5310	-11.75	3.30	-8.45	10.12	Complies




Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.88	10.12	Complies
62	5310	-4.99	10.12	Complies


Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-11.88	3.86	-8.02	10.12	Complies



Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-9.37	3.86	-5.51	10.12	Complies




Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.58	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11a_Main Ant.
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.99	0.29	-1.70	10.12	Complies
116	5580	-0.79	0.29	-0.50	10.12	Complies
140	5700	-1.19	0.29	-0.90	10.12	Complies
144	5720	3.39	0.29	3.68	10.12	Complies

CH100




Date: 22.AUG.2024 11:07:58

CH116




Date: 22.AUG.2024 11:09:43

CH140



Date: 22.AUG.2024 11:12:15

CH144




Date: 9.JAN.2025 15:01:30

Test Mode	UNII-2C_TX IEEE 802.11a_Aux Ant.
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.96	0.29	-0.67	10.12	Complies
116	5580	1.45	0.29	1.74	10.12	Complies
140	5700	1.40	0.29	1.69	10.12	Complies
144	5720	1.18	0.29	1.47	10.12	Complies

CH100




Date: 22.AUG.2024 18:45:13

CH116




Date: 22.AUG.2024 18:19:46

CH140



Date: 22.AUG.2024 18:20:22

CH144



Date: 9.JAN.2025 15:44:16


Test Mode	UNII-2C_TX IEEE 802.11a_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.86	10.12	Complies
116	5580	3.78	10.12	Complies
140	5700	3.60	10.12	Complies
144	5720	5.66	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.55	0.34	-5.21	10.12	Complies
116	5580	1.10	0.34	1.44	10.12	Complies
140	5700	0.03	0.34	0.37	10.12	Complies
144	5720	1.19	0.34	1.53	10.12	Complies

CH100




Date: 22.AUG.2024 11:33:02

CH116




Date: 22.AUG.2024 11:34:10

CH140



Date: 22.AUG.2024 11:35:16

CH144




Date: 9.JAN.2025 15:03:12

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Aux Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-8.10	0.34	-7.76	10.12	Complies
116	5580	1.70	0.34	2.04	10.12	Complies
140	5700	-1.48	0.34	-1.14	10.12	Complies
144	5720	-8.10	0.34	-7.76	10.12	Complies

CH100




Date: 22.AUG.2024 16:35:58

CH116




Date: 22.AUG.2024 18:49:46

CH140



Date: 22.AUG.2024 16:37:58

CH144



Date: 9.JAN.2025 15:44:54


Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.29	10.12	Complies
116	5580	4.76	10.12	Complies
140	5700	2.69	10.12	Complies
144	5720	1.08	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.55	3.84	-2.71	10.12	Complies
110	5550	-5.94	3.84	-2.10	10.12	Complies
134	5670	-6.88	3.84	-3.04	10.12	Complies
142	5710	-1.21	3.84	2.63	10.12	Complies

CH102




Date: 22.AUG.2024 12:00:36

CH110




Date: 22.AUG.2024 12:01:47

CH134



Date: 22.AUG.2024 12:02:55

CH142




Date: 9.JAN.2025 15:07:48

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Aux Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.04	3.84	-1.20	10.12	Complies
110	5550	-7.97	3.84	-4.13	10.12	Complies
134	5670	-5.58	3.84	-1.74	10.12	Complies
142	5710	-3.77	3.84	0.07	10.12	Complies

CH102




Date: 22.AUG.2024 18:53:02

CH110




Date: 22.AUG.2024 16:47:15

CH134



Date: 22.AUG.2024 16:47:55

CH142



Date: 9.JAN.2025 15:46:13


Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.12	10.12	Complies
110	5550	0.02	10.12	Complies
134	5670	0.67	10.12	Complies
142	5710	4.45	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT20)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.95	0.58	-3.37	10.12	Complies
116	5580	-3.27	0.58	-2.69	10.12	Complies
140	5700	-6.79	0.58	-6.21	10.12	Complies
144	5720	-2.04	0.58	-1.46	10.12	Complies

CH100




Date: 22.AUG.2024 12:18:16

CH116




Date: 22.AUG.2024 12:21:31

CH140



Date: 22.AUG.2024 12:22:33

CH144




Date: 9.JAN.2025 15:04:47

Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.20	0.58	-2.62	10.12	Complies
116	5580	-1.23	0.58	-0.65	10.12	Complies
140	5700	-4.42	0.58	-3.84	10.12	Complies
144	5720	-4.84	0.58	-4.26	10.12	Complies

CH100




Date: 22.AUG.2024 16:16:53

CH116




Date: 22.AUG.2024 16:17:34

CH140



Date: 22.AUG.2024 18:15:19

CH144



Date: 9.JAN.2025 15:45:30


Test Mode UNII-2C_TX IEEE 802.11ac (VHT20)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.03	10.12	Complies
116	5580	1.46	10.12	Complies
140	5700	-1.86	10.12	Complies
144	5720	0.26	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-15.02	0.68	-14.34	10.12	Complies
110	5550	-15.31	0.68	-14.63	10.12	Complies
134	5670	-17.37	0.68	-16.69	10.12	Complies
142	5710	-13.77	0.68	-13.09	10.12	Complies

CH102




Date: 22.AUG.2024 12:45:01

CH110




Date: 22.AUG.2024 12:46:36

CH134



Date: 22.AUG.2024 12:48:56

CH142




Date: 9.JAN.2025 15:12:59

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Aux Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-14.57	0.68	-13.89	10.12	Complies
110	5550	-13.66	0.68	-12.98	10.12	Complies
134	5670	-14.69	0.68	-14.01	10.12	Complies
142	5710	-15.96	0.68	-15.28	10.12	Complies

CH102




Date: 22.AUG.2024 17:05:04

CH110




Date: 22.AUG.2024 17:06:40

CH134



Date: 22.AUG.2024 17:07:39

CH142




Date: 9.JAN.2025 15:47:49

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT40)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-11.10	10.12	Complies
110	5550	-10.72	10.12	Complies
134	5670	-12.14	10.12	Complies
142	5710	-11.11	10.12	Complies


Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-16.75	4.53	-12.22	10.12	Complies
122	5610	-19.40	4.53	-14.87	10.12	Complies
138	5690	-19.25	4.53	-14.72	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-15.89	4.53	-11.36	10.12	Complies
122	5610	-18.83	4.53	-14.30	10.12	Complies
138	5690	-19.57	4.53	-15.04	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.76	10.12	Complies
122	5610	-11.57	10.12	Complies
138	5690	-11.87	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-12.96	3.10	-9.86	10.12	Complies
116	5580	-8.89	3.10	-5.79	10.12	Complies
140	5700	-14.46	3.10	-11.36	10.12	Complies
144	5720	-14.99	3.10	-11.89	10.12	Complies

CH100




Date: 22.AUG.2024 14:54:27

CH116




Date: 22.AUG.2024 14:55:54

CH140



Date: 22.AUG.2024 14:57:29

CH144




Date: 9.JAN.2025 15:18:12

Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Aux Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-10.72	3.10	-7.62	10.12	Complies
116	5580	-6.70	3.10	-3.60	10.12	Complies
140	5700	-12.95	3.10	-9.85	10.12	Complies
144	5720	-18.08	3.10	-14.98	10.12	Complies

CH100




Date: 22.AUG.2024 17:27:12

CH116




Date: 22.AUG.2024 17:28:12

CH140



Date: 22.AUG.2024 17:28:51

CH144



Date: 9.JAN.2025 15:49:04


Test Mode	UNII-2C_TX IEEE 802.11ax (HE20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.59	10.12	Complies
116	5580	-1.55	10.12	Complies
140	5700	-7.53	10.12	Complies
144	5720	-10.29	10.12	Complies

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-15.05	3.30	-11.75	10.12	Complies
110	5550	-13.06	3.30	-9.76	10.12	Complies
134	5670	-16.40	3.30	-13.10	10.12	Complies
142	5710	-15.65	3.30	-12.35	10.12	Complies

CH102




Date: 22.AUG.2024 15:12:37

CH110




Date: 22.AUG.2024 15:14:24

CH134



Date: 22.AUG.2024 15:15:57

CH142




Date: 9.JAN.2025 15:21:08

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Aux Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-13.97	3.30	-10.67	10.12	Complies
110	5550	-14.05	3.30	-10.75	10.12	Complies
134	5670	-14.70	3.30	-11.40	10.12	Complies
142	5710	-18.84	3.30	-15.54	10.12	Complies

CH102




Date: 22.AUG.2024 17:36:02

CH110




Date: 22.AUG.2024 17:36:35

CH134



Date: 22.AUG.2024 17:37:21

CH142




Date: 9.JAN.2025 15:49:45

Test Mode	UNII-2C_TX IEEE 802.11ax (HE40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-8.17	10.12	Complies
110	5550	-7.22	10.12	Complies
134	5670	-9.16	10.12	Complies
142	5710	-10.79	10.12	Complies


Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-12.35	3.86	-8.49	10.12	Complies
122	5610	-13.09	3.86	-9.23	10.12	Complies
138	5690	-18.75	3.86	-14.89	10.12	Complies



Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-10.42	3.86	-6.56	10.12	Complies
122	5610	-10.60	3.86	-6.74	10.12	Complies
138	5690	-21.83	3.86	-17.97	10.12	Complies




Test Mode	UNII-2C_TX IEEE 802.11ax (HE80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.41	10.12	Complies
122	5610	-4.80	10.12	Complies
138	5690	-13.28	10.12	Complies


Test Mode	UNII-3_TX IEEE 802.11a_Main Ant.
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.14	0.29	-2.85	29.12	Complies
157	5785	-2.55	0.29	-2.26	29.12	Complies
165	5825	-2.89	0.29	-2.60	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11a_Aux Ant.
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.98	0.29	-3.69	29.12	Complies
157	5785	-0.78	0.29	-0.49	29.12	Complies
165	5825	-2.56	0.29	-2.27	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11a_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.24	29.12	Complies
157	5785	1.73	29.12	Complies
165	5825	0.58	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11n(HT20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.07	0.34	-5.73	29.12	Complies
157	5785	-5.51	0.34	-5.17	29.12	Complies
165	5825	-4.22	0.34	-3.88	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11n(HT20)_Aux Ant.
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.09	0.34	-5.75	29.12	Complies
157	5785	-4.20	0.34	-3.86	29.12	Complies
165	5825	-5.05	0.34	-4.71	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11n(HT20)_Total
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.73	29.12	Complies
157	5785	-1.45	29.12	Complies
165	5825	-1.26	29.12	Complies

Test Mode UNII-3_TX IEEE 802.11n(HT40)_Main Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.42	3.84	-5.58	29.12	Complies
159	5795	-9.79	3.84	-5.95	29.12	Complies

CH151



Date: 22.AUG.2024 12:04:18

CH159




Date: 22.AUG.2024 12:06:00

Test Mode UNII-3_TX IEEE 802.11n(HT40)_Aux Ant.


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.28	3.84	-4.44	29.12	Complies
159	5795	-10.03	3.84	-6.19	29.12	Complies

CH151



Date: 22.AUG.2024 16:48:32

CH159




Date: 22.AUG.2024 16:49:04

Test Mode UNII-3_TX IEEE 802.11n(HT40)_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.96	29.12	Complies
159	5795	-3.06	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ac (VHT20)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.44	0.58	-6.86	29.12	Complies
157	5785	-7.18	0.58	-6.60	29.12	Complies
165	5825	-7.51	0.58	-6.93	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ac (VHT20)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.17	0.58	-4.59	29.12	Complies
157	5785	-5.26	0.58	-4.68	29.12	Complies
165	5825	-5.18	0.58	-4.60	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ac (VHT20)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.57	29.12	Complies
157	5785	-2.52	29.12	Complies
165	5825	-2.60	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-16.81	0.68	-16.13	29.12	Complies
159	5795	-15.43	0.68	-14.75	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-14.73	0.68	-14.05	29.12	Complies
159	5795	-16.39	0.68	-15.71	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ac (VHT40)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-11.96	29.12	Complies
159	5795	-12.19	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-20.62	4.53	-16.09	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Aux Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-20.22	4.53	-15.69	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ac (VHT80)_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.88	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-14.19	3.10	-11.09	29.12	Complies
157	5785	-13.52	3.10	-10.42	29.12	Complies
165	5825	-14.41	3.10	-11.31	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-12.41	3.10	-9.31	29.12	Complies
157	5785	-13.96	3.10	-10.86	29.12	Complies
165	5825	-13.23	3.10	-10.13	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ax (HE20)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.10	29.12	Complies
157	5785	-7.62	29.12	Complies
165	5825	-7.67	29.12	Complies


Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-15.99	3.30	-12.69	29.12	Complies
159	5795	-14.80	3.30	-11.50	29.12	Complies



Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-13.79	3.30	-10.49	29.12	Complies
159	5795	-15.51	3.30	-12.21	29.12	Complies




Test Mode	UNII-3_TX IEEE 802.11ax (HE40)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.44	29.12	Complies
159	5795	-8.83	29.12	Complies

Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-19.36	3.86	-15.50	29.12	Complies



Date: 22.AUG.2024 15:51:58

Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Aux Ant.
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-16.69	3.86	-12.83	29.12	Complies



Date: 22.AUG.2024 17:43:17

Test Mode	UNII-3_TX IEEE 802.11ax (HE80)_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.96	29.12	Complies

End of Test Report