


Test Mode	IEEE 802.11ax (HE40)	Test Date	2025/1/9
Test Frequency	5710MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11420.00	47.87	7.49	55.36	74.00	-18.64	peak	
2	*	11420.00	36.44	7.49	43.93	54.00	-10.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2025/1/9
Test Frequency	5710MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11420.00	48.78	7.49	56.27	74.00	-17.73	peak	
2	*	11420.00	37.65	7.49	45.14	54.00	-8.86	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/8/28
Test Frequency	5755MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	47.70	7.57	55.27	74.00	-18.73	peak	
2	*	11510.00	37.92	7.57	45.49	54.00	-8.51	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/8/28
Test Frequency	5755MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11510.00	48.46	7.57	56.03	74.00	-17.97	peak	
2	*	11510.00	38.09	7.57	45.66	54.00	-8.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/8/28
Test Frequency	5795MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	48.05	7.61	55.66	74.00	-18.34	peak	
2	*	11590.00	38.09	7.61	45.70	54.00	-8.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/8/28
Test Frequency	5795MHz	Polarization	Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	47.22	7.61	54.83	74.00	-19.17	peak	
2	*	11590.00	38.17	7.61	45.78	54.00	-8.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5210MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	46.67	6.78	53.45	68.20	-14.75	peak	

REMARKS:
 (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5210MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	48.03	6.78	54.81	68.20	-13.39	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5290MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.00	46.63	6.85	53.48	68.20	-14.72	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.


Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5290MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.00	47.09	6.85	53.94	68.20	-14.26	peak	

REMARKS:
 (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5530MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11060.00	48.27	7.15	55.42	74.00	-18.58	peak	
2	*	11060.00	37.95	7.15	45.10	54.00	-8.90	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5530MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11060.00	47.66	7.15	54.81	74.00	-19.19	peak	
2	*	11060.00	38.02	7.15	45.17	54.00	-8.83	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5610MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11220.00	47.08	7.30	54.38	74.00	-19.62	peak	
2	*	11220.00	38.46	7.30	45.76	54.00	-8.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5610MHz	Polarization	Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11220.00	47.99	7.30	55.29	74.00	-18.71	peak	
2	*	11220.00	38.56	7.30	45.86	54.00	-8.14	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/1/9
Test Frequency	5690MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11380.00	49.09	7.45	56.54	74.00	-17.46	peak	
2	*	11380.00	37.64	7.45	45.09	54.00	-8.91	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2025/1/9
Test Frequency	5690MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11380.00	48.07	7.45	55.52	74.00	-18.48	peak	
2	*	11380.00	36.44	7.45	43.89	54.00	-10.11	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5775MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.00	47.49	7.58	55.07	74.00	-18.93	peak	
2	*	11550.00	38.03	7.58	45.61	54.00	-8.39	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/8/28
Test Frequency	5775MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11550.00	48.08	7.58	55.66	74.00	-18.34	peak	
2	*	11550.00	37.95	7.58	45.53	54.00	-8.47	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


Test Mode	IEEE 802.11ac (VHT80)	Test Date	2024/8/28
Test Frequency	5610MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	26404.00	37.53	-2.20	35.33	68.20	-32.87	peak	

REMARKS:
 (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2024/8/28
Test Frequency	5610MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	35094.00	37.81	-2.38	35.43	68.20	-32.77	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH

Test Mode	UNII-1_TX IEEE 802.11a_Main Ant.
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	28.050	17.400
40	5200	27.500	17.300
48	5240	26.399	17.400

CH36




Date: 15.AUG.2024 11:24:12

CH40
26 dB Bandwidth




Date: 15.AUG.2024 11:25:20

CH48




Date: 15.AUG.2024 11:26:31


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:23:50



Date: 15.AUG.2024 11:24:55




Date: 15.AUG.2024 11:26:00

Test Mode	UNII-1_TX IEEE 802.11n (HT20)_Main Ant.
-----------	---


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.298	18.100
40	5200	22.100	18.000
48	5240	22.199	18.000

CH36




Date: 15.AUG.2024 11:53:32

CH40
26 dB Bandwidth




Date: 15.AUG.2024 11:54:53

CH48




Date: 15.AUG.2024 11:56:07


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:53:03



Date: 15.AUG.2024 11:54:27




Date: 15.AUG.2024 11:55:37

Test Mode	UNII-1_TX IEEE 802.11n (HT40)_Main Ant.
-----------	---


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	58.396	37.400
46	5230	58.600	37.400

CH38




Date: 15.AUG.2024 12:23:09

CH46 26 dB Bandwidth




Date: 15.AUG.2024 12:31:17

99 % Occupied Bandwidth



Date: 15.AUG.2024 12:22:32




Date: 15.AUG.2024 12:29:53

Test Mode	UNII-1_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	---


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	92.398	76.800

CH42 26 dB Bandwidth



Date: 15.AUG.2024 15:44:37

99 % Occupied Bandwidth




Date: 15.AUG.2024 15:42:27

Test Mode	UNII-1_TX IEEE 802.11ax (HE20)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.050	19.200
40	5200	21.800	19.200
48	5240	22.200	19.200

CH36




Date: 15.AUG.2024 16:23:47

CH40
26 dB Bandwidth




Date: 15.AUG.2024 16:25:56

CH48




Date: 15.AUG.2024 16:27:11


99 % Occupied Bandwidth



Date: 15.AUG.2024 16:23:21



Date: 15.AUG.2024 16:25:30




Date: 15.AUG.2024 16:26:46

Test Mode	UNII-1_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.600	38.000
46	5230	40.500	38.200

CH38




Date: 15.AUG.2024 16:46:10

CH46 26 dB Bandwidth




Date: 15.AUG.2024 16:48:01

99 % Occupied Bandwidth



Date: 15.AUG.2024 16:45:35




Date: 15.AUG.2024 16:47:24

Test Mode	UNII-1_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	85.996	77.600

CH42 26 dB Bandwidth



Date: 15.AUG.2024 17:16:27

99 % Occupied Bandwidth




Date: 15.AUG.2024 17:15:17

Test Mode	UNII-2A_TX IEEE 802.11a_Main Ant.
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	27.800	17.300
60	5300	30.850	18.000
64	5320	29.690	17.600

CH52




Date: 15.AUG.2024 11:27:36

CH60
26 dB Bandwidth




Date: 15.AUG.2024 11:29:31

CH64




Date: 15.AUG.2024 11:30:47


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:27:14



Date: 15.AUG.2024 11:29:10




Date: 15.AUG.2024 11:30:21

Test Mode	UNII-2A_TX IEEE 802.11n (HT20)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.490	18.000
60	5300	25.550	18.100
64	5320	22.490	18.100

CH52




Date: 15.AUG.2024 11:57:05

CH60
26 dB Bandwidth




Date: 15.AUG.2024 11:58:06

CH64




Date: 15.AUG.2024 11:59:07


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:56:39



Date: 15.AUG.2024 11:57:42




Date: 15.AUG.2024 11:58:40

Test Mode	UNII-2A_TX IEEE 802.11n (HT40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	53.498	37.400
62	5310	58.200	37.400

CH54




Date: 15.AUG.2024 12:37:21

CH62 26 dB Bandwidth




Date: 15.AUG.2024 12:39:43

99 % Occupied Bandwidth



Date: 15.AUG.2024 12:36:40




Date: 15.AUG.2024 12:39:00

Test Mode	UNII-2A_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	93.206	76.400

CH58 26 dB Bandwidth



Date: 15.AUG.2024 15:46:40

99 % Occupied Bandwidth




Date: 15.AUG.2024 15:45:43

Test Mode UNII-2A_TX IEEE 802.11ax (HE20)_Main Ant.


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.900	19.200
60	5300	21.890	19.200
64	5320	21.900	19.200

CH52




Date: 15.AUG.2024 16:28:17

CH60
26 dB Bandwidth




Date: 15.AUG.2024 16:29:23

CH64




Date: 15.AUG.2024 16:31:21


99 % Occupied Bandwidth



Date: 15.AUG.2024 16:27:52



Date: 15.AUG.2024 16:28:57




Date: 15.AUG.2024 16:30:54

Test Mode	UNII-2A_TX IEEE 802.11ax (HE40)_Main Ant.
-----------	---


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.800	38.200
62	5310	40.300	38.200

CH54




Date: 15.AUG.2024 16:49:21

CH62 26 dB Bandwidth




Date: 15.AUG.2024 16:50:59

99 % Occupied Bandwidth



Date: 15.AUG.2024 16:48:45




Date: 15.AUG.2024 16:50:22

Test Mode	UNII-2A_TX IEEE 802.11ax (HE80)_Main Ant.
-----------	---


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	87.190	78.000

CH58 26 dB Bandwidth



Date: 15.AUG.2024 17:18:13

99 % Occupied Bandwidth




Date: 15.AUG.2024 17:17:28

Test Mode	UNII-2C_TX IEEE 802.11a_Main Ant.
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	37.050	20.300
116	5580	37.605	22.000
140	5700	36.998	20.700
144	5720	30.690	18.000

CH100




Date: 15.AUG.2024 11:32:40

CH116
26 dB Bandwidth




Date: 15.AUG.2024 11:34:50

CH140




Date: 15.AUG.2024 11:36:00


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:32:23




Date: 15.AUG.2024 11:34:24




Date: 15.AUG.2024 11:35:42

CH144 26 dB Bandwidth



Date: 9.JAN.2025 16:40:55

99 % Occupied Bandwidth




Date: 9.JAN.2025 16:40:31

Test Mode	UNII-2C_TX IEEE 802.11n (HT20)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.290	18.300
116	5580	24.890	18.100
140	5700	21.999	18.100
144	5720	22.789	18.400

CH100




Date: 15.AUG.2024 12:00:08

CH116
26 dB Bandwidth




Date: 15.AUG.2024 12:01:23

CH140




Date: 15.AUG.2024 12:02:27


99 % Occupied Bandwidth



Date: 15.AUG.2024 11:59:40




Date: 15.AUG.2024 12:00:54




Date: 15.AUG.2024 12:01:59

CH144 26 dB Bandwidth



Date: 9.JAN.2025 16:41:59

99 % Occupied Bandwidth




Date: 9.JAN.2025 16:41:33

Test Mode	UNII-2C_TX IEEE 802.11n (HT40)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	57.790	37.800
110	5550	59.799	37.600
134	5670	59.500	39.000
142	5710	50.398	37.600

CH102




Date: 15.AUG.2024 12:45:00

CH110
26 dB Bandwidth




Date: 15.AUG.2024 12:48:49

CH134




Date: 15.AUG.2024 12:54:04


99 % Occupied Bandwidth



Date: 15.AUG.2024 12:45:00




Date: 15.AUG.2024 12:48:20




Date: 15.AUG.2024 12:56:07

CH142 26 dB Bandwidth



Date: 9.JAN.2025 16:45:43

99 % Occupied Bandwidth




Date: 9.JAN.2025 16:43:48

Test Mode	UNII-2C_TX IEEE 802.11ac (VHT80)_Main Ant.
-----------	--


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	87.190	76.000
122	5610	98.198	76.400
138	5690	113.998	76.400

CH106




Date: 15.AUG.2024 16:06:05

CH122
26 dB Bandwidth




Date: 15.AUG.2024 16:11:48

CH138




Date: 9.JAN.2025 16:49:11


99 % Occupied Bandwidth



Date: 15.AUG.2024 16:04:41



Date: 15.AUG.2024 16:10:44




Date: 9.JAN.2025 16:48:41

Test Mode UNII-2C_TX IEEE 802.11ax (HE20)_Main Ant.


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.850	19.200
116	5580	21.850	19.200
140	5700	24.150	19.300
144	5720	21.450	19.200

CH100




Date: 15.AUG.2024 16:32:18

CH116
26 dB Bandwidth




Date: 15.AUG.2024 16:34:33

CH140




Date: 15.AUG.2024 16:36:18


99 % Occupied Bandwidth



Date: 15.AUG.2024 16:31:52




Date: 15.AUG.2024 16:34:07




Date: 15.AUG.2024 16:35:53

CH144 26 dB Bandwidth



Date: 9.JAN.2025 16:51:30

99 % Occupied Bandwidth




Date: 9.JAN.2025 16:51:03

Test Mode UNII-2C_TX IEEE 802.11ax (HE40)_Main Ant.


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.906	38.200
110	5550	54.500	38.400
134	5670	56.600	38.200
142	5710	40.008	38.200

CH102




Date: 15.AUG.2024 17:05:04

CH110
26 dB Bandwidth




Date: 15.AUG.2024 16:54:38

CH134




Date: 15.AUG.2024 16:56:05


99 % Occupied Bandwidth



Date: 15.AUG.2024 17:03:29




Date: 15.AUG.2024 16:53:59




Date: 15.AUG.2024 16:55:34

CH142 26 dB Bandwidth



Date: 9.JAN.2025 16:53:38

99 % Occupied Bandwidth



Date: 9.JAN.2025 16:53:01