

[illegible]

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:23:42

Ref 20 dBm *Att 30 dB SWT 20 ms 5.182000000 GHz
 *RBW 200 kHz Marker 1 [T1] 4.33 dBm
 *VBW 1 MHz
 1.18 MHz

20 Offset 10.5 dB
 10
 0
 -10
 -20
 -30
 -40
 -50
 -60
 -70
 -80

SWP 1000 1000
 1
 2
 3

OBW 7.600000000 MHz
 Temp 1 [T1 OBW] -32 dBm
 5.171150000 GHz
 Temp 2 [T1 OBW] -40 dBm
 5.188750000 GHz


1.18 MHz
 3dB

Center 5.18 GHz 5 MHz/ Span 50 MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:42:10

[illegible]

802.11n20 mode, 5240MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:51:39

Ref 20 dBm *Att 30 dB SWT 20 ms 5.186400000 GHz


RBW 500 kHz 3.55 dBm
VBW 2 MHz

Marker 1 [T1] 5.171900000 GHz
Temp 1 [T1 CHW] -1.58 dBm
Temp 2 [T1 CHW] -1.58 dBm
Temp 3 [T1 CHW] -1.58 dBm

SWP 1000 5000


Center 5.19 GHz 10 MHz/ Span 100 MHz

802.11n40 mode, 5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:03:13

802.11ac20 mode, 5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:26:09

802.11ac20 mode, 5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:35:44

802.11ac20 mode, 5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:40:35

802.11 ac40 mode, 5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:46:38

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:41:48


802.11ac80 mode, 5210MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:59:49


Chain 4:

802.11a mode, 5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:28:38

802.11a mode, 5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:33:12

802.11a mode, 5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:38:30

802.11n20 mode, 5180MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:43:24

[illegible]

Ref 20 dBm *Att 30 dB SWT 20 ms 5.244350000 GHz

Marker 1 [T1] 2.21 dBm

1 [T1 CHW] -1.00 dBm


2 [T1 CHW] -1.00 dBm

SWP 1000 Hz

Center 5.24 GHz Span 50 MHz


Page 191 of 285

802.11n40 mode, 5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:10:26

802.11n40 mode, 5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:15:57

802.11ac20 mode, 5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 13:20:46

802.11ac20 mode, 5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 13:25:57

802.11ac20 mode, 5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:30:39

802.11 ac40 mode, 5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:36:15

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 13:41:48

802.11ac80 mode, 5210MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 13:47:26

5725-5850 MHz Band


Chain 1:

802.11a mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:43:17

802.11a mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:44:30

802.11a mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 19:45:46

802.11n20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 19:18:45

802.11 n20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:20:21

802.11 n20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:24:28

802.11n40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 19:26:54

802.11n40 mode, 5795MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 19:29:10

802.11 ac20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:30:42

802.11ac20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:31:58

802.11ac20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:33:14

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:35:41

802.11ac40 mode, 5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:38:06


802.11ac80 mode, 5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 19:40:25


Chain 2:

802.11a mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:25:47

802.11a mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:44:05

802.11a mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:36:19

802.11n20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:40:36

802.11 n20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:45:44

802.11 n20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:53:12

802.11n40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:13:11

802.11n40 mode, 5795MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:20:38

802.11 ac20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:25:18

802.11ac20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:29:55

802.11ac20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 14:35:24

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 15:11:59

802.11ac40 mode, 5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 15:18:13


802.11ac80 mode, 5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 15:25:02


Chain 3:

802.11a mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:39:51

802.11a mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:44:05

802.11a mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 09:47:52

802.11n20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 09:56:11

802.11n20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:00:42

802.11n20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:04:49

802.11n40 mode, 5755MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:20:47

802.11n40 mode, 5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:27:36


Ref: 20 dBm Att: 30 dB RBW: 200 kHz VBW: 1 MHz SWT: 20 ms MaxHz: 1 [T1] 4.58 dBm 5.748300000 GHz

20 Offset: 10.5 dB

SWP: 1000 Hz 1000 Hz 1000 Hz


Center: 5.745 GHz Span: 50 MHz

802.11ac20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:46:24

802.11ac20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:50:27

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:57:20

802.11ac40 mode, 5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:03:42


802.11ac80 mode, 5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:16:29


Chain 4:

802.11a mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:15:28

802.11a mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:33:06

802.11a mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 14:37:11

802.11n20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 14:41:45

802.11n20 mode, 5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:46:25

802.11n20 mode, 5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:50:39

802.11n40 mode, 5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:26:50

802.11n40 mode, 5795MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:33:27

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 15:38:11


802.11ac20 mode, 5785MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 15:43:15


802.11ac20 mode, 5825MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:47:22

802.11ac40 mode, 5755MHz


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:53:34

802.11ac40 mode, 5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 16:00:38

802.11ac80 mode, 5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 16:07:02

Conducted Transmitter Output Power*Test Mode: Transmitting*

Band	Mode	Frequency (MHz)	Output Power					Limit (dBm)
			Chain 1	Chain 2	Chain 3	Chain 4	Total	
5150-5250 MHz	802.11 a	5180	22.707	23.418	23.296	23.505	/	≤30.00
		5200	22.994	23.443	23.083	23.455	/	
		5240	22.575	23.448	23.053	23.172	/	
	802.11 n20	5180	22.754	23.313	23.124	23.411	29.18	
		5200	22.928	23.269	23.065	23.191	29.14	
		5240	22.779	23.207	23.196	23.395	29.17	
	802.11 n40	5190	22.967	23.236	23.189	23.483	29.24	
		5230	22.877	23.026	23.027	23.038	29.01	
	802.11 ac20	5180	22.526	23.062	23.145	23.434	29.07	
		5200	22.988	23.168	23.223	23.037	29.13	
		5240	22.744	22.951	23.094	22.882	28.94	
	802.11 ac40	5190	22.964	23.344	23.117	23.415	29.23	
		5230	22.876	23.317	23.111	23.113	29.13	
	802.11 ac80	5210	23.352	23.142	23.543	23.475	29.40	

Band	Mode	Frequency (MHz)	Output Power					Limit (dBm)
			Chain 1	Chain 2	Chain 3	Chain 4	Total	
5725-5850 MHz	802.11 a	5745	23.032	23.262	23.485	22.908	/	≤30.00
		5785	23.144	23.512	23.468	23.491	/	
		5825	23.424	23.372	23.332	22.923	/	
	802.11 n20	5745	23.156	23.355	23.279	22.805	29.17	
		5785	23.183	23.481	22.902	22.841	29.13	
		5825	23.335	23.086	23.041	22.792	29.09	
	802.11 n40	5755	23.249	23.722	23.441	22.995	29.38	
		5795	23.106	23.084	22.975	22.953	29.05	
	802.11 ac20	5745	23.019	23.686	23.378	22.906	29.28	
		5785	23.017	23.097	23.039	22.808	29.01	
		5825	23.361	23.018	23.069	23.056	29.15	
	802.11 ac40	5755	23.134	23.627	23.221	22.958	29.26	
		5795	23.474	22.898	22.881	23.052	29.10	
	802.11 ac80	5775	23.583	23.774	23.663	23.301	29.60	

Note:

1. The maximum antenna gain is 6dBi for band 1, 6dBi for band 4.

2. The maximum antenna gain is 6dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4;

So: Directional gain = GANT + Array Gain = 6dBi, no RF out power limit was reduced.

Power Spectral Density

Test Mode: Transmitting

Band	Mode	Frequency (MHz)	Result (dBm/MHz)					Limit (dBm/MHz)
			Chain 1	Chain 2	Chain 3	Chain 4	Total	
5150-5250 MHz	802.11 a	5180	6.90	6.72	6.80	6.35	/	≤17.00
		5200	6.84	5.87	6.36	5.97	/	
		5240	6.19	4.79	5.62	4.89	/	
	802.11 n20	5180	2.60	2.03	2.39	1.73	8.22	≤11.00
		5200	2.02	1.81	1.99	1.59	7.88	
		5240	1.95	0.18	1.03	0.34	6.95	
	802.11 n40	5190	-2.37	-2.75	-2.56	-3.04	3.35	
		5230	-0.48	-2.11	-1.44	-1.99	4.56	
	802.11 ac20	5180	0.35	0.11	0.05	-0.24	6.09	
		5200	2.52	1.40	1.70	1.45	7.81	
		5240	1.84	0.46	0.75	0.33	6.91	
	802.11 ac40	5190	-4.79	-3.65	-3.71	-4.12	1.98	
		5230	-2.53	-2.17	-1.26	-2.25	4.00	
	802.11 ac80	5210	-7.49	-7.61	-7.36	-8.03	-1.59	

Band	Mode	Frequency (MHz)	Result (dBm/500kHz)					Limit (dBm/500kHz)
			Chain 1	Chain 2	Chain 3	Chain 4	Total	
5725-5850 MHz	802.11 a	5745	3.84	4.29	4.10	2.62	/	≤30.00
		5785	3.48	3.72	3.57	3.69	/	
		5825	2.62	2.74	2.77	4.52	/	
	802.11 n20	5745	-0.47	-0.40	-0.18	-2.11	5.29	≤24.00
		5785	-0.41	-0.69	-0.60	-0.83	5.39	
		5825	-1.00	0.30	-1.35	-0.50	5.43	
	802.11 n40	5755	-3.04	-3.21	-3.01	-4.52	2.62	
		5795	-3.22	-4.06	-3.49	-3.51	2.46	
	802.11 ac20	5745	-0.37	-0.56	-0.62	-1.80	5.22	
		5785	-0.87	-0.79	-0.92	-0.70	5.20	
		5825	-1.10	-1.75	-1.50	-0.04	4.97	
	802.11 ac40	5755	-3.03	-3.29	-3.25	-4.39	2.56	
		5795	-3.23	-3.8	-3.52	-3.20	2.59	
	802.11 ac80	5775	-6.55	-6.68	-6.3	-7.25	-0.66	

Note:

1. The maximum antenna gain is 6 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(\text{NANT/NSS})$ dB.


So: Directional gain = GANT + Array Gain = $6 + 10 \cdot \log(4/1) = 12\text{dBi} > 6\text{dBi}$, so power spectral density limit was reduced 6dB.

2. Note: Result= reading +duty cycle factor

5150MHz-5250 MHz Band:


Chain 1:

802.11a mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 18:43:34

802.11a mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 18:50:32

802.11a mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 18:55:42

802.11n20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:06:08

802.11n20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:11:13

802.11n20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:16:46

802.11n40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:23:01

802.11n40 mode, Power spectral density-5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:29:20

802.11 ac20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 25.APR.2024 19:45:20

802.11ac20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 25.APR.2024 19:51:49

802.11 ac20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 25.APR.2024 19:58:34

802.11 ac40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:43:21

802.11 ac40 mode, Power spectral density-5230MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:45:31


802.11 ac80 mode, Power spectral density-5210MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 26.APR.2024 09:41:38


Chain 2:

802.11a mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 10:49:42

802.11a mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 10:53:42

802.11a mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 10:58:58

802.11n20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:04:07

802.11n20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:11:35

802.11n20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:16:24

802.11n40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 11:21:51

802.11n40 mode, Power spectral density-5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 11:27:54

802.11 ac20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:34:13

802.11ac20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:39:46

802.11 ac20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:45:28

802.11 ac40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 11:54:02

802.11 ac40 mode, Power spectral density-5230MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 12:00:45


802.11 ac80 mode, Power spectral density-5210MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:19:01


Chain 3:

802.11a mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 16:08:59

802.11a mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 16:22:11

802.11a mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:26:38

802.11n20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:45:28

802.11n20 mode, Power spectral density-5200MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 20.APR.2024 16:45:28

802.11n20 mode, Power spectral density-5240MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 16:55:08