




Power NVNT ac40 5795MHz




Power NVNT ax20 5745MHz




Power NVNT ax20 5785MHz




Power NVNT ax20 5825MHz



Power NVNT ax40 5755MHz



Power NVNT ax40 5795MHz




-26dB Bandwidth


Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	26.09	Pass
NVNT	a	5200	26.68	Pass
NVNT	a	5240	25.87	Pass
NVNT	n20	5180	27.04	Pass
NVNT	n20	5200	27.97	Pass
NVNT	n20	5240	27.38	Pass
NVNT	n40	5190	47.81	Pass
NVNT	n40	5230	46.61	Pass
NVNT	ac20	5180	27.16	Pass
NVNT	ac20	5200	27.05	Pass
NVNT	ac20	5240	27.22	Pass
NVNT	ac40	5190	47.76	Pass
NVNT	ac40	5230	47.40	Pass
NVNT	ax20	5180	25.15	Pass
NVNT	ax20	5200	25.15	Pass
NVNT	ax20	5240	26.34	Pass
NVNT	ax40	5190	45.13	Pass
NVNT	ax40	5230	45.50	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz




-26dB Bandwidth NVNT a 5200MHz




-26dB Bandwidth NVNT a 5240MHz




-26dB Bandwidth NVNT n20 5180MHz




-26dB Bandwidth NVNT n20 5200MHz




-26dB Bandwidth NVNT n20 5240MHz




-26dB Bandwidth NVNT n40 5190MHz




-26dB Bandwidth NVNT n40 5230MHz




-26dB Bandwidth NVNT ac20 5180MHz




-26dB Bandwidth NVNT ac20 5200MHz




-26dB Bandwidth NVNT ac20 5240MHz




-26dB Bandwidth NVNT ac40 5190MHz




-26dB Bandwidth NVNT ac40 5230MHz




-26dB Bandwidth NVNT ax20 5180MHz




-26dB Bandwidth NVNT ax20 5200MHz




-26dB Bandwidth NVNT ax20 5240MHz



-26dB Bandwidth NVNT ax40 5190MHz



-26dB Bandwidth NVNT ax40 5230MHz




-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.36	0.5	Pass
NVNT	a	5785	16.39	0.5	Pass
NVNT	a	5825	16.39	0.5	Pass
NVNT	n20	5745	17.60	0.5	Pass
NVNT	n20	5785	17.62	0.5	Pass
NVNT	n20	5825	17.61	0.5	Pass
NVNT	n40	5755	36.40	0.5	Pass
NVNT	n40	5795	36.42	0.5	Pass
NVNT	ac20	5745	17.60	0.5	Pass
NVNT	ac20	5785	17.61	0.5	Pass
NVNT	ac20	5825	17.62	0.5	Pass
NVNT	ac40	5755	36.38	0.5	Pass
NVNT	ac40	5795	36.38	0.5	Pass
NVNT	ax20	5745	18.93	0.5	Pass
NVNT	ax20	5785	19.06	0.5	Pass
NVNT	ax20	5825	18.95	0.5	Pass
NVNT	ax40	5755	38.02	0.5	Pass
NVNT	ax40	5795	38.17	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz




-6dB Bandwidth NVNT a 5785MHz




-6dB Bandwidth NVNT a 5825MHz




-6dB Bandwidth NVNT n20 5745MHz




-6dB Bandwidth NVNT n20 5785MHz




-6dB Bandwidth NVNT n20 5825MHz




-6dB Bandwidth NVNT n40 5755MHz




-6dB Bandwidth NVNT n40 5795MHz




-6dB Bandwidth NVNT ac20 5745MHz




-6dB Bandwidth NVNT ac20 5785MHz




-6dB Bandwidth NVNT ac20 5825MHz




-6dB Bandwidth NVNT ac40 5755MHz




-6dB Bandwidth NVNT ac40 5795MHz




-6dB Bandwidth NVNT ax20 5745MHz




-6dB Bandwidth NVNT ax20 5785MHz




-6dB Bandwidth NVNT ax20 5825MHz



-6dB Bandwidth NVNT ax40 5755MHz




-6dB Bandwidth NVNT ax40 5795MHz




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.781
NVNT	a	5200	16.812
NVNT	a	5240	16.777
NVNT	n20	5180	17.933
NVNT	n20	5200	17.989
NVNT	n20	5240	17.941
NVNT	n40	5190	36.589
NVNT	n40	5230	36.511
NVNT	ac20	5180	17.940
NVNT	ac20	5200	17.967
NVNT	ac20	5240	17.913
NVNT	ac40	5190	36.586
NVNT	ac40	5230	36.470
NVNT	ax20	5180	19.055
NVNT	ax20	5200	19.070
NVNT	ax20	5240	19.055
NVNT	ax40	5190	37.894
NVNT	ax40	5230	37.919
NVNT	a	5745	16.908
NVNT	a	5785	16.948
NVNT	a	5825	16.893
NVNT	n20	5745	18.048
NVNT	n20	5785	18.095
NVNT	n20	5825	18.092
NVNT	n40	5755	36.815
NVNT	n40	5795	36.871
NVNT	ac20	5745	18.039
NVNT	ac20	5785	18.084
NVNT	ac20	5825	18.074
NVNT	ac40	5755	36.844
NVNT	ac40	5795	36.864
NVNT	ax20	5745	19.196
NVNT	ax20	5785	19.150
NVNT	ax20	5825	19.142
NVNT	ax40	5755	38.078
NVNT	ax40	5795	38.063


Test Graphs OBW NVNT a 5180MHz




OBW NVNT a 5200MHz




OBW NVNT a 5240MHz




OBW NVNT n20 5180MHz




OBW NVNT n20 5200MHz




OBW NVNT n20 5240MHz




OBW NVNT n40 5190MHz




OBW NVNT n40 5230MHz




OBW NVNT ac20 5180MHz




OBW NVNT ac20 5200MHz




OBW NVNT ac20 5240MHz




OBW NVNT ac40 5190MHz




OBW NVNT ac40 5230MHz




OBW NVNT ax20 5180MHz




OBW NVNT ax20 5200MHz




OBW NVNT ax20 5240MHz




OBW NVNT ax40 5190MHz




OBW NVNT ax40 5230MHz




Test Graphs OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz




OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz




OBW NVNT ac40 5795MHz




OBW NVNT ax20 5745MHz




OBW NVNT ax20 5785MHz




OBW NVNT ax20 5825MHz



OBW NVNT ax40 5755MHz



OBW NVNT ax40 5795MHz



Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	1.85	0	1.85	11	Pass
NVNT	a	5200	1.69	0	1.69	11	Pass
NVNT	a	5240	1.28	0	1.28	11	Pass
NVNT	n20	5180	1.72	0	1.72	11	Pass
NVNT	n20	5200	1.80	0.12	1.92	11	Pass
NVNT	n20	5240	1.92	0.12	2.04	11	Pass
NVNT	n40	5190	-1.49	0	-1.49	11	Pass
NVNT	n40	5230	-0.31	0	-0.31	11	Pass
NVNT	ac20	5180	1.59	0.1	1.69	11	Pass
NVNT	ac20	5200	1.88	0	1.88	11	Pass
NVNT	ac20	5240	1.80	0	1.80	11	Pass
NVNT	ac40	5190	-1.41	0.09	-1.32	11	Pass
NVNT	ac40	5230	-1.20	0	-1.20	11	Pass
NVNT	ax20	5180	1.84	0.11	1.95	11	Pass
NVNT	ax20	5200	2.29	0	2.29	11	Pass
NVNT	ax20	5240	2.20	0.13	2.33	11	Pass
NVNT	ax40	5190	-0.79	0	-0.79	11	Pass
NVNT	ax40	5230	-0.63	0	-0.63	11	Pass

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	-2.24	0	-2.24	-2.33	30	Pass
NVNT	a	5785	-3.72	0	-3.72	-3.81	30	Pass
NVNT	a	5825	-3.30	0	-3.30	-3.39	30	Pass
NVNT	n20	5745	-1.93	0	-1.93	-2.02	30	Pass
NVNT	n20	5785	-2.23	0	-2.23	-2.32	30	Pass
NVNT	n20	5825	-2.70	0.09	-2.61	-2.70	30	Pass
NVNT	n40	5755	-5.90	0	-5.90	-5.99	30	Pass
NVNT	n40	5795	-6.15	0	-6.15	-6.24	30	Pass
NVNT	ac20	5745	-2.96	0	-2.96	-3.05	30	Pass
NVNT	ac20	5785	-3.21	0	-3.21	-3.30	30	Pass
NVNT	ac20	5825	-3.69	0.1	-3.59	-3.68	30	Pass
NVNT	ac40	5755	-5.86	0	-5.86	-5.95	30	Pass
NVNT	ac40	5795	-6.17	0	-6.17	-6.26	30	Pass
NVNT	ax20	5745	-2.68	0.1	-2.58	-2.67	30	Pass
NVNT	ax20	5785	-2.89	0	-2.89	-2.98	30	Pass
NVNT	ax20	5825	-3.36	0.1	-3.26	-3.35	30	Pass
NVNT	ax40	5755	-5.52	0	-5.52	-5.61	30	Pass
NVNT	ax40	5795	-5.19	0	-5.19	-5.28	30	Pass


Note: Total PSD(dBm/500kHz)=Total PSD(dBm/510kHz)+10log(500kHz/510kHz)

Test Graphs


PSD NVNT a 5180MHz




PSD NVNT a 5200MHz




PSD NVNT a 5240MHz




PSD NVNT n20 5180MHz




PSD NVNT n20 5200MHz




PSD NVNT n20 5240MHz




PSD NVNT n40 5190MHz




PSD NVNT n40 5230MHz




PSD NVNT ac20 5180MHz




PSD NVNT ac20 5200MHz




PSD NVNT ac20 5240MHz




PSD NVNT ac40 5190MHz




PSD NVNT ac40 5230MHz




PSD NVNT ax20 5180MHz




PSD NVNT ax20 5200MHz




PSD NVNT ax20 5240MHz



PSD NVNT ax40 5190MHz




PSD NVNT ax40 5230MHz




Test Graphs


PSD NVNT a 5745MHz




PSD NVNT a 5785MHz




PSD NVNT a 5825MHz




PSD NVNT n20 5745MHz




PSD NVNT n20 5785MHz




PSD NVNT n20 5825MHz




PSD NVNT n40 5755MHz




PSD NVNT n40 5795MHz




PSD NVNT ac20 5745MHz



PSD NVNT ac20 5785MHz




PSD NVNT ac20 5825MHz




PSD NVNT ac40 5755MHz




PSD NVNT ac40 5795MHz




PSD NVNT ax20 5745MHz




PSD NVNT ax20 5785MHz




PSD NVNT ax20 5825MHz



PSD NVNT ax40 5755MHz



PSD NVNT ax40 5795MHz



Appendix B: Photographs of Test Setup

Please refer to document Appendix No.: TCT250619E056-A

Appendix C: Photographs of EUT

Please refer to document Appendix No.: TCT250619E056-B & TCT250619E056-C

*****END OF REPORT*****