

Appendix Test Data

|                  |                  |                    |             |
|------------------|------------------|--------------------|-------------|
| Report No.:      | 1816C40007512501 | Test Sample No.:   | 1-2-2       |
| Start Test Date: | 2024.09.23       | Finish Test Date:  | 2024.09.23  |
| Test Engineer:   | Joker Huang      | Auditor:           | Justin Feng |
| Temperature:     | 23.1℃            | Relative Humidity: | 55%         |
| Pressure:        | 101kPa           |                    |             |


Appendix A: 20dB Bandwidth

Test Result


| TestMode | Antenna | Frequency[MHz] | 20db<br>EBW[MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|----------|---------|----------------|------------------|----------|----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.810            | 2401.568 | 2402.378 | ---        | ---     |
| DH5      | Ant1    | 2441           | 0.840            | 2440.535 | 2441.375 | ---        | ---     |
| DH5      | Ant1    | 2480           | 0.846            | 2479.532 | 2480.378 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.311            | 2401.307 | 2402.618 | ---        | ---     |
| 2DH5     | Ant1    | 2441           | 1.350            | 2440.295 | 2441.645 | ---        | ---     |
| 2DH5     | Ant1    | 2480           | 1.350            | 2479.292 | 2480.642 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.320            | 2401.310 | 2402.630 | ---        | ---     |
| 3DH5     | Ant1    | 2441           | 1.320            | 2440.310 | 2441.630 | ---        | ---     |
| 3DH5     | Ant1    | 2480           | 1.314            | 2479.316 | 2480.630 | ---        | ---     |




## Test Graphs



DH5-Ant1-2402



DH5-Ant1-2441



DH5-Ant1-2480

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






2DH5-Ant1-2402



2DH5-Ant1-2441



2DH5-Ant1-2480

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahongcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






3DH5-Ant1-2402



3DH5-Ant1-2441



3DH5-Ant1-2480

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com




## Appendix B: 99% Occupied Bandwidth

### Test Result


| TestMode | Antenna | Frequency[MHz] | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|----------|---------|----------------|-----------|-----------|-----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.77258   | 2401.5866 | 2402.3592 | ---        | ---     |
| DH5      | Ant1    | 2441           | 0.76500   | 2440.5922 | 2441.3572 | ---        | ---     |
| DH5      | Ant1    | 2480           | 0.76215   | 2479.5888 | 2480.3510 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.1945    | 2401.3718 | 2402.5663 | ---        | ---     |
| 2DH5     | Ant1    | 2441           | 1.1953    | 2440.3711 | 2441.5664 | ---        | ---     |
| 2DH5     | Ant1    | 2480           | 1.1847    | 2479.3738 | 2480.5585 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.2075    | 2401.3610 | 2402.5685 | ---        | ---     |
| 3DH5     | Ant1    | 2441           | 1.1959    | 2440.3713 | 2441.5672 | ---        | ---     |
| 3DH5     | Ant1    | 2480           | 1.2006    | 2479.3621 | 2480.5627 | ---        | ---     |




## Test Graphs



DH5-Ant1-2402



DH5-Ant1-2441



DH5-Ant1-2480


## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com






2DH5-Ant1-2402




2DH5-Ant1-2441




2DH5-Ant1-2480






3DH5-Ant1-2402



3DH5-Ant1-2441



3DH5-Ant1-2480



## Appendix C: Maximum Conducted Output Power

### Test Result Peak

| Test Mode | Antenna | Frequency[MHz] | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|-----------|---------|----------------|---------------------------|----------------------|---------|
| DH5       | Ant1    | 2402           | 0.92                      | ≤20.97               | PASS    |
| DH5       | Ant1    | 2441           | 2.08                      | ≤20.97               | PASS    |
| DH5       | Ant1    | 2480           | 0.84                      | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2402           | 0.67                      | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2441           | 1.76                      | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2480           | 0.40                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2402           | 0.93                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2441           | 2.21                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2480           | 0.92                      | ≤20.97               | PASS    |



## Test Graphs



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com






2DH5-Ant1-2402-PASS



2DH5-Ant1-2441-PASS



2DH5-Ant1-2480-PASS






3DH5-Ant1-2402-PASS



3DH5-Ant1-2441-PASS



3DH5-Ant1-2480-PASS




## Appendix D: Carrier frequency separation

### Test Result

| TestMode | Antenna | Frequency[MHz] | Result[MHz] | Limit[MHz] | Verdict |
|----------|---------|----------------|-------------|------------|---------|
| DH5      | Ant1    | Hop            | 1.008       | ≥0.576     | PASS    |
| 2DH5     | Ant1    | Hop            | 0.996       | ≥0.900     | PASS    |
| 3DH5     | Ant1    | Hop            | 0.994       | ≥0.880     | PASS    |



## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com




## Appendix E: Dwell Time

### Test Result

| TestMode | Antenna | Frequency[MHz] | BurstWidth<br>[ms] | TotalHops<br>[Num] | Result[s] | Limit[s] | Verdict |
|----------|---------|----------------|--------------------|--------------------|-----------|----------|---------|
| DH1      | Ant1    | Hop            | 0.374              | 116                | 0.043     | ≤0.4     | PASS    |
| DH3      | Ant1    | Hop            | 1.630              | 58                 | 0.095     | ≤0.4     | PASS    |
| DH5      | Ant1    | Hop            | 2.878              | 40                 | 0.115     | ≤0.4     | PASS    |
| 2DH1     | Ant1    | Hop            | 0.383              | 112                | 0.043     | ≤0.4     | PASS    |
| 2DH3     | Ant1    | Hop            | 1.634              | 70                 | 0.114     | ≤0.4     | PASS    |
| 2DH5     | Ant1    | Hop            | 2.883              | 55                 | 0.159     | ≤0.4     | PASS    |
| 3DH1     | Ant1    | Hop            | 0.381              | 126                | 0.048     | ≤0.4     | PASS    |
| 3DH3     | Ant1    | Hop            | 1.633              | 51                 | 0.083     | ≤0.4     | PASS    |
| 3DH5     | Ant1    | Hop            | 2.884              | 42                 | 0.121     | ≤0.4     | PASS    |



## Test Graphs





## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotek.com





Hotline  
400-003-0500  
www.anbotek.com






## DH5-Ant1-Hop-PASS







2DH1-Ant1-Hop-PASS





2DH3-Ant1-Hop-PASS







## 2DH5-Ant1-Hop-PASS





3DH1-Ant1-Hop-PASS



3DH3-Ant1-Hop-PASS



## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com





### 3DH5-Ant1-Hop-PASS




## Appendix F: Number of Hopping Channel

### Test Result


| TestMode | Antenna | Frequency[MHz] | Result[Num] | Limit[Num] | Verdict |
|----------|---------|----------------|-------------|------------|---------|
| DH5      | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 2DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 3DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |




## Test Graphs



DH5-Ant1-Hop-PASS



2DH5-Ant1-Hop-PASS



3DH5-Ant1-Hop-PASS

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com




## Appendix G: Conducted Band edge

### Test Result


| TestMode | Antenna | ChName | Frequency[MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | Low    | 2402           | 0.41           | -57.4        | ≤-19.59     | PASS    |
| DH5      | Ant1    | High   | 2480           | 0.31           | -56.94       | ≤-19.69     | PASS    |
| DH5      | Ant1    | Low    | Hop_2402       | 0.41           | -56.56       | ≤-19.59     | PASS    |
| DH5      | Ant1    | High   | Hop_2480       | 1.19           | -56.3        | ≤-18.81     | PASS    |
| 2DH5     | Ant1    | Low    | 2402           | -3.47          | -57.27       | ≤-23.47     | PASS    |
| 2DH5     | Ant1    | High   | 2480           | -4.52          | -55.87       | ≤-24.52     | PASS    |
| 2DH5     | Ant1    | Low    | Hop_2402       | -4.20          | -56.77       | ≤-24.2      | PASS    |
| 2DH5     | Ant1    | High   | Hop_2480       | -2.67          | -55.77       | ≤-22.67     | PASS    |
| 3DH5     | Ant1    | Low    | 2402           | -4.62          | -56.58       | ≤-24.62     | PASS    |
| 3DH5     | Ant1    | High   | 2480           | -3.77          | -57.47       | ≤-23.77     | PASS    |
| 3DH5     | Ant1    | Low    | Hop_2402       | -4.06          | -56.21       | ≤-24.06     | PASS    |
| 3DH5     | Ant1    | High   | Hop_2480       | -3.38          | -56.08       | ≤-23.38     | PASS    |




## Test Graphs



DH5-Ant1-2402-PASS



DH5-Ant1-2480-PASS



DH5-Ant1-Hop\_2402-PASS


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






DH5-Ant1-Hop\_2480-PASS




2DH5-Ant1-2402-PASS




2DH5-Ant1-2480-PASS






2DH5-Ant1-Hop\_2402-PASS



2DH5-Ant1-Hop\_2480-PASS



3DH5-Ant1-2402-PASS


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






3DH5-Ant1-2480-PASS



3DH5-Ant1-Hop\_2402-PASS



3DH5-Ant1-Hop\_2480-PASS

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com



## Appendix H: Conducted Spurious Emission

### Test Result


| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402           | 0~Reference     | -0.26          | -0.26        | ---         | PASS    |
| DH5      | Ant1    | 2402           | 30~1000         | -0.26          | -62.47       | ≤-20.26     | PASS    |
| DH5      | Ant1    | 2402           | 1000~26500      | -0.26          | -52.91       | ≤-20.26     | PASS    |
| DH5      | Ant1    | 2441           | 0~Reference     | 1.04           | 1.04         | ---         | PASS    |
| DH5      | Ant1    | 2441           | 30~1000         | 1.04           | -68.43       | ≤-18.96     | PASS    |
| DH5      | Ant1    | 2441           | 1000~26500      | 1.04           | -54.01       | ≤-18.96     | PASS    |
| DH5      | Ant1    | 2480           | 0~Reference     | -0.17          | -0.17        | ---         | PASS    |
| DH5      | Ant1    | 2480           | 30~1000         | -0.17          | -68.54       | ≤-20.17     | PASS    |
| DH5      | Ant1    | 2480           | 1000~26500      | -0.17          | -53.92       | ≤-20.17     | PASS    |
| 2DH5     | Ant1    | 2402           | 0~Reference     | -5.61          | -5.61        | ---         | PASS    |
| 2DH5     | Ant1    | 2402           | 30~1000         | -5.61          | -68.84       | ≤-25.61     | PASS    |
| 2DH5     | Ant1    | 2402           | 1000~26500      | -5.61          | -53.24       | ≤-25.61     | PASS    |
| 2DH5     | Ant1    | 2441           | 0~Reference     | -3.64          | -3.64        | ---         | PASS    |
| 2DH5     | Ant1    | 2441           | 30~1000         | -3.64          | -68.47       | ≤-23.64     | PASS    |
| 2DH5     | Ant1    | 2441           | 1000~26500      | -3.64          | -52.98       | ≤-23.64     | PASS    |
| 2DH5     | Ant1    | 2480           | 0~Reference     | -3.40          | -3.40        | ---         | PASS    |
| 2DH5     | Ant1    | 2480           | 30~1000         | -3.40          | -68.14       | ≤-23.4      | PASS    |
| 2DH5     | Ant1    | 2480           | 1000~26500      | -3.40          | -53.63       | ≤-23.4      | PASS    |
| 3DH5     | Ant1    | 2402           | 0~Reference     | -3.44          | -3.44        | ---         | PASS    |
| 3DH5     | Ant1    | 2402           | 30~1000         | -3.44          | -67.99       | ≤-23.44     | PASS    |
| 3DH5     | Ant1    | 2402           | 1000~26500      | -3.44          | -53.67       | ≤-23.44     | PASS    |
| 3DH5     | Ant1    | 2441           | 0~Reference     | -4.47          | -4.47        | ---         | PASS    |
| 3DH5     | Ant1    | 2441           | 30~1000         | -4.47          | -68.89       | ≤-24.47     | PASS    |
| 3DH5     | Ant1    | 2441           | 1000~26500      | -4.47          | -53.45       | ≤-24.47     | PASS    |
| 3DH5     | Ant1    | 2480           | 0~Reference     | -5.36          | -5.36        | ---         | PASS    |
| 3DH5     | Ant1    | 2480           | 30~1000         | -5.36          | -68.83       | ≤-25.36     | PASS    |
| 3DH5     | Ant1    | 2480           | 1000~26500      | -5.36          | -53.01       | ≤-25.36     | PASS    |




## Test Graphs



DH5-Ant1-2402-0~Reference-PASS



DH5-Ant1-2402-30~1000-PASS



DH5-Ant1-2402-1000~26500-PASS

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






DH5-Ant1-2441-0~Reference-PASS



DH5-Ant1-2441-30~1000-PASS




DH5-Ant1-2441-1000~26500-PASS






DH5-Ant1-2480-0~Reference-PASS




DH5-Ant1-2480-30~1000-PASS




DH5-Ant1-2480-1000~26500-PASS






2DH5-Ant1-2402-0~Reference-PASS



2DH5-Ant1-2402-30~1000-PASS



2DH5-Ant1-2402-1000~26500-PASS


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






2DH5-Ant1-2441-0~Reference-PASS



2DH5-Ant1-2441-30~1000-PASS



2DH5-Ant1-2441-1000~26500-PASS


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS



2DH5-Ant1-2480-1000~26500-PASS

## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






3DH5-Ant1-2402-0~Reference-PASS



3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~26500-PASS






3DH5-Ant1-2441-0~Reference-PASS




3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant1-2441-1000~26500-PASS






3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS




## Appendix I: Duty Cycle

### Test Result


| TestMode | Antenna | Frequency[MHz] | ON Time<br>[ms] | Period<br>[ms] | Duty Cycle<br>[%] | Duty Cycle<br>Factor[dB] |
|----------|---------|----------------|-----------------|----------------|-------------------|--------------------------|
| DH5      | Ant1    | 2402           | 2.88            | 3.74           | 77.01             | 1.13                     |
| DH5      | Ant1    | 2441           | 2.88            | 3.75           | 76.80             | 1.15                     |
| DH5      | Ant1    | 2480           | 2.88            | 3.75           | 76.80             | 1.15                     |
| 2DH5     | Ant1    | 2402           | 2.88            | 3.75           | 76.80             | 1.15                     |
| 2DH5     | Ant1    | 2441           | 2.89            | 3.75           | 77.07             | 1.13                     |
| 2DH5     | Ant1    | 2480           | 2.88            | 3.75           | 76.80             | 1.15                     |
| 3DH5     | Ant1    | 2402           | 2.88            | 3.74           | 77.01             | 1.13                     |
| 3DH5     | Ant1    | 2441           | 2.89            | 3.75           | 77.07             | 1.13                     |
| 3DH5     | Ant1    | 2480           | 2.88            | 3.75           | 76.80             | 1.15                     |




## Test Graphs



NTNV-DH5-Ant1-2402



NTNV-DH5-Ant1-2441



NTNV-DH5-Ant1-2480


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahqcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline  
400-003-0500  
www.anbotech.com






NTVN-2DH5-Ant1-2402



NTVN-2DH5-Ant1-2441



NTVN-2DH5-Ant1-2480


## Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China,  
Tel: (86)0755-26066440 Email: service@anbotech.com




Hotline  
400-003-0500  
www.anbotech.com






NTNV-3DH5-Ant1-2402



NTNV-3DH5-Ant1-2441



NTNV-3DH5-Ant1-2480

---End---

