













n70 (30MHz-18GHz) 5M DFT-s-OFDM
QPSK Inner_1RB_Left_Midn70 (30MHz-18GHz) 5M DFT-s-OFDM
QPSK Inner_1RB_Right_Midn70 (30MHz-18GHz) 5M DFT-s-OFDM
QPSK Inner_1RB_Left_Highn70 (30MHz-18GHz) 5M DFT-s-OFDM
QPSK Inner_1RB_Right_Highn70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner_1RB_Left_Lown70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner_1RB_Right_Low

n70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner 1RB Left Midn70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner 1RB Right Midn70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner 1RB Left Highn70 (30MHz-18GHz) 10M DFT-s-OFDM
QPSK Inner 1RB Right Highn70 (30MHz-18GHz) 15M DFT-s-OFDM
QPSK Inner 1RB Left Midn70 (30MHz-18GHz) 15M DFT-s-OFDM
QPSK Inner 1RB Right Mid

2.6. Band Edge

2.6.1. Requirement

n2, n5

According to FCC section 24.238(a), for operations in the 1850–1910MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dBm a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

n5,

According to FCC section 22.917(a), for operations in the 824–849MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dBm a 100kHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

n7, 41

According to FCC section 27.53(m) (4), for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.



n12, 71

According to FCC section 27.53(g), for operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

n48

Part 96.41(e)(1)(i)

For channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz.

Part 96.41(e)(1)(ii)

For channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz.

Part 96.41(e)(2)

For CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

n66

According to FCC section 27.53(h), for operations in the 1710–1755 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dBm 1 MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be

employed.


n77 (3700-3980MHz)

According to FCC section 27.53(l) (2) for, for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (l)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1-megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

n77 (3450-3550MHz)

According to FCC section 27.53(n) (2) for,for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

2.6.2. Test Description




The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.


2.6.3. Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.


2.6.4. Test Result

The center frequency of spectrum is the band edge frequency and span is 2MHz, Record the max trace into the test report.







n70 5M DFT-s-OFDM QPSK Outer_Full High




n70 5M DFT-s-OFDM QPSK Edge_1RB_Right High




n70 10M DFT-s-OFDM QPSK Outer_Full Low




n70 10M DFT-s-OFDM QPSK Edge_1RB_Left Low




n70 10M DFT-s-OFDM QPSK Outer_Full High




n70 10M DFT-s-OFDM QPSK Edge_1RB_Right High




n70 15M DFT-s-OFDM QPSK Outer_Full Low



n70 15M DFT-s-OFDM QPSK Edge_1RB_Left Low



n70 15M DFT-s-OFDM QPSK Outer_Full High



n70 15M DFT-s-OFDM QPSK Edge_1RB_Right High

2.7. Radiated Spurious Emissions

2.7.1. Requirement

According to FCC section 24.238(a) for n2, n25, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Additional to FCC section 22.917(a) for n5, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.

According to FCC section 27.53(h) for n66, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

According to FCC section 27.53(m)(4) for n7, n41, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.


According to FCC section 27.53(g) for n12, n71, for operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB.

According to FCC section 96.41(e) for n48, the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.


According to FCC section 27.53(l)(2) for n77, for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

According to FCC section 27.53(n)(2) for n77, for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

2.7.2. Test Description



(For the test frequency from 30MHz to 1GHz)



(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.



In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: When doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.7.3. Test procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.

2.7.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. Test Antenna height is varied from 1m to 4m above the ground, and the Turn Table is actuated to turn from 0° to 360°, both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze



reading is the final values which contain the data of A_{TOT} .

Note1: The power of the EUT transmitting frequency should be ignored.


Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band; only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.

Note4: Both SISO and MIMO are tested, and the data in the report is the worst (SISO).




Internal Antenna




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	87.230	-68.56	-13.00	360.0	H	PASS
2	1943.737	-34.22	-13.00	360.0	H	NA
3	3025.677	-54.05	-13.00	18.0	H	PASS
4	4708.783	-49.66	-13.00	163.0	H	PASS
5	7341.262	-44.26	-13.00	154.4	H	PASS
6	13678.814	-39.01	-13.00	115.4	H	PASS

N2 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-61.96	-13.00	0.0	V	PASS
2	1957.823	-19.40	-13.00	0.0	V	NA
3	3120.895	-53.53	-13.00	38.0	V	PASS
4	4697.581	-49.42	-13.00	2.1	V	PASS
5	7318.858	-44.71	-13.00	46.9	V	PASS
6	12382.179	-39.32	-13.00	38.0	V	PASS

N2 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	81.410	-69.24	-13.00	0.0	H	PASS
2	1943.097	-33.69	-13.00	0.0	H	NA
3	3123.695	-52.82	-13.00	2.1	H	PASS
4	4733.988	-49.61	-13.00	179.9	H	PASS
5	8077.796	-44.25	-13.00	272.5	H	PASS
6	12356.974	-39.11	-13.00	49.1	H	PASS

N2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-61.01	-13.00	360.0	V	PASS
2	1953.982	-19.69	-13.00	360.0	V	NA
3	3123.695	-54.25	-13.00	216.8	V	PASS
4	4927.223	-48.85	-13.00	140.0	V	PASS
5	7338.462	-45.12	-13.00	51.3	V	PASS
6	13460.375	-38.50	-13.00	86.2	V	PASS

N2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.720	-68.39	-13.00	360.0	H	PASS
2	1942.457	-34.38	-13.00	360.0	H	NA
3	3787.416	-49.75	-13.00	309.4	H	PASS
4	4899.218	-48.50	-13.00	175.8	H	PASS
5	8170.213	-44.02	-13.00	132.1	H	PASS
6	13488.380	-37.65	-13.00	1.8	H	PASS

N2 380000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	75.590	-62.44	-13.00	0.0	V	PASS
2	1956.543	-18.93	-13.00	0.0	V	NA
3	3134.897	-53.02	-13.00	187.4	V	PASS
4	4672.377	-50.26	-13.00	116.5	V	PASS
5	7327.260	-45.03	-13.00	222.7	V	PASS
6	12401.782	-39.07	-13.00	240.5	V	PASS

N2 380000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	872.930	-51.33	-13.00	0.0	H	NA
2	1649.220	-41.28	-13.00	99.3	H	PASS
3	3123.695	-53.48	-13.00	140.0	H	PASS
4	4725.586	-48.79	-13.00	307.4	H	PASS
5	9111.184	-41.12	-13.00	165.9	H	PASS
6	12407.383	-39.09	-13.00	19.6	H	PASS

N5 166800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	874.870	-36.84	-13.00	0.0	V	NA
2	1683.153	-42.26	-13.00	183.1	V	PASS
3	3129.296	-53.37	-13.00	71.5	V	PASS
4	4635.970	-50.19	-13.00	62.9	V	PASS
5	7041.608	-45.39	-13.00	71.5	V	PASS
6	11704.455	-39.32	-13.00	132.3	V	PASS

N5 166800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	879.720	-51.56	-13.00	360.0	H	NA
2	1658.824	-41.57	-13.00	43.0	H	PASS
3	3132.097	-53.78	-13.00	26.1	H	PASS
4	4523.950	-50.81	-13.00	360.0	H	PASS
5	7360.866	-43.60	-13.00	350.6	H	PASS
6	12410.184	-38.71	-13.00	114.3	H	PASS

N5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	887.480	-37.56	-13.00	360.0	V	NA
2	1689.556	-42.38	-13.00	127.1	V	PASS
3	3132.097	-53.51	-13.00	115.5	V	PASS
4	4675.177	-50.00	-13.00	10.3	V	PASS
5	7360.866	-44.93	-13.00	283.3	V	PASS
6	12404.583	-38.44	-13.00	10.3	V	PASS

N5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	829.280	-51.96	-13.00	360.0	H	NA
2	882.630	-50.07	-13.00	360.0	H	NA
3	1659.464	-23.92	-13.00	294.1	H	PASS
4	4719.985	-49.33	-13.00	121.7	H	PASS
5	7170.431	-45.36	-13.00	121.7	H	PASS
6	13479.978	-38.93	-13.00	269.0	H	PASS

N5 167800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	829.280	-31.44	-13.00	360.0	V	NA
2	887.480	-36.45	-13.00	360.0	V	NA
3	1659.464	-26.25	-13.00	333.6	V	PASS
4	3199.882	-53.66	-13.00	316.2	V	PASS
5	4717.121	-49.23	-13.00	229.3	V	PASS
6	10363.393	-39.11	-13.00	211.8	V	PASS

N5 167800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	102.750	-67.03	-25.00	360.0	H	PASS
2	2582.713	-38.95	-25.00	360.0	H	NA
3	3126.496	-54.03	-25.00	231.6	H	PASS
4	4930.024	-49.58	-25.00	57.9	H	PASS
5	7341.262	-44.89	-25.00	71.3	H	PASS
6	12396.181	-38.59	-25.00	152.8	H	PASS

N7 502000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.690	-67.67	-25.00	0.0	V	PASS
2	2210.084	-38.54	-25.00	0.0	V	PASS
3	3132.097	-53.09	-25.00	154.8	V	PASS
4	4711.584	-50.02	-25.00	360.0	V	PASS
5	7234.843	-45.42	-25.00	22.0	V	PASS
6	13426.769	-39.57	-25.00	74.5	V	PASS

N7 502000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.540	-67.89	-25.00	0.0	H	PASS
2	2216.487	-39.16	-25.00	0.0	H	PASS
3	3123.695	-53.80	-25.00	360.0	H	PASS
4	4714.384	-48.98	-25.00	99.7	H	PASS
5	7232.042	-44.80	-25.00	153.2	H	PASS
6	11768.867	-40.00	-25.00	349.6	H	PASS

N7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.690	-67.39	-25.00	360.0	V	PASS
2	2268.988	-38.48	-25.00	360.0	V	PASS
3	3118.094	-53.57	-25.00	140.4	V	PASS
4	4703.182	-50.59	-25.00	153.5	V	PASS
5	7304.855	-45.12	-25.00	86.5	V	PASS
6	10869.904	-40.13	-25.00	324.6	V	PASS

N7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.540	-67.16	-25.00	360.0	H	PASS
2	2266.427	-38.48	-25.00	360.0	H	PASS
3	3140.498	-54.31	-25.00	9.5	H	PASS
4	4708.783	-49.36	-25.00	338.0	H	PASS
5	7352.464	-44.34	-25.00	127.1	H	PASS
6	10948.318	-38.95	-25.00	140.1	H	PASS

N7 512000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.810	-67.73	-25.00	0.0	V	PASS
2	2205.602	-38.86	-25.00	0.0	V	PASS
3	3120.895	-54.05	-25.00	74.1	V	PASS
4	4725.586	-49.88	-25.00	359.5	V	PASS
5	7498.091	-45.16	-25.00	233.6	V	PASS
6	13673.213	-38.42	-25.00	74.1	V	PASS

N7 512000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	738.809	-51.77	-13.00	360.0	H	NA
2	1806.669	-41.70	-13.00	74.3	H	PASS
3	3191.478	-54.25	-13.00	344.6	H	PASS
4	4753.351	-49.72	-13.00	188.3	H	PASS
5	8638.008	-42.37	-13.00	237.9	H	PASS
6	13446.849	-39.16	-13.00	336.2	H	PASS

N12 140800 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	740.751	-33.45	-13.00	360.0	V	NA
2	1684.495	-41.95	-13.00	351.2	V	PASS
3	3012.803	-54.02	-13.00	179.9	V	PASS
4	5123.025	-50.21	-13.00	262.9	V	PASS
5	7371.874	-45.08	-13.00	114.0	V	PASS
6	13684.057	-38.48	-13.00	196.7	V	PASS

N12 140800 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	735.896	-54.22	-13.00	360.0	H	NA
2	1674.358	-41.91	-13.00	2.0	H	PASS
3	3123.705	-53.66	-13.00	309.9	H	PASS
4	4762.593	-50.06	-13.00	84.7	H	PASS
5	7350.310	-44.26	-13.00	129.9	H	PASS
6	11700.140	-38.89	-13.00	360.0	H	PASS

N12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	734.925	-36.59	-13.00	360.0	V	NA
2	2274.025	-37.72	-13.00	244.7	V	PASS
3	3129.866	-53.94	-13.00	29.8	V	PASS
4	4691.738	-49.48	-13.00	46.1	V	PASS
5	7316.423	-44.60	-13.00	272.5	V	PASS
6	13459.172	-39.00	-13.00	223.4	V	PASS

N12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	732.983	-57.27	-13.00	360.0	H	NA
2	1789.063	-42.67	-13.00	248.7	H	PASS
3	3120.624	-54.07	-13.00	239.5	H	PASS
4	4734.867	-49.66	-13.00	182.9	H	PASS
5	7960.272	-44.58	-13.00	31.8	H	PASS
6	13690.218	-37.34	-13.00	115.0	H	PASS
1	732.983	-57.27	-13.00	360.0	H	NA

N12 142200 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	735.896	-37.02	-13.00	360.0	V	NA
2	1538.313	-41.13	-13.00	339.8	V	PASS
3	3129.866	-54.25	-13.00	295.6	V	PASS
4	4959.752	-50.35	-13.00	94.5	V	PASS
5	8160.512	-43.78	-13.00	51.0	V	PASS
6	13579.316	-38.14	-13.00	278.8	V	PASS

N12 142200 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	75.590	-69.60	-13.00	0.0	H	PASS
2	1865.018	-31.16	-13.00	0.0	H	NA
3	3126.496	-53.77	-13.00	338.5	H	PASS
4	4750.791	-50.48	-13.00	166.6	H	PASS
5	7327.260	-44.11	-13.00	17.7	H	PASS
6	13552.791	-38.83	-13.00	329.6	H	PASS

N25 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-61.63	-13.00	360.0	V	PASS
2	1863.982	-18.46	-13.00	360.0	V	NA
3	3840.626	-53.76	-13.00	316.1	V	PASS
4	5109.256	-49.36	-13.00	198.8	V	PASS
5	7346.863	-45.18	-13.00	68.1	V	PASS
6	13566.794	-38.48	-13.00	333.4	V	PASS

N25 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.690	-68.64	-13.00	360.0	H	PASS
2	1883.737	-33.07	-13.00	360.0	H	NA
3	3115.294	-54.23	-13.00	334.1	H	PASS
4	4750.791	-49.84	-13.00	342.8	H	PASS
5	7915.366	-44.61	-13.00	45.4	H	PASS
6	13591.999	-38.83	-13.00	54.0	H	PASS

N25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-60.94	-13.00	0.0	V	PASS
2	1881.942	-18.99	-13.00	0.0	V	NA
3	3143.299	-53.58	-13.00	249.8	V	PASS
4	6187.452	-48.52	-13.00	300.9	V	PASS
5	9755.301	-40.89	-13.00	104.6	V	PASS
6	13575.195	-38.39	-13.00	181.6	V	PASS

N25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	75.590	-65.24	-13.00	0.0	H	PASS
2	1901.500	-31.14	-13.00	0.0	H	NA
3	3134.897	-53.23	-13.00	188.4	H	PASS
4	6170.649	-48.79	-13.00	86.6	H	PASS
5	7430.878	-44.60	-13.00	103.7	H	PASS
6	13138.316	-38.19	-13.00	360.0	H	PASS

N25 381000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	73.650	-61.71	-13.00	360.0	V	PASS
2	1903.543	-17.84	-13.00	360.0	V	NA
3	3134.897	-53.11	-13.00	124.4	V	PASS
4	4753.592	-49.37	-13.00	167.6	V	PASS
5	8038.589	-44.01	-13.00	167.6	V	PASS
6	13586.398	-39.32	-13.00	237.3	V	PASS

N25 381000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-67.21	-25.00	0.0	H	PASS
2	2274.025	-41.46	-25.00	0.0	H	PASS
3	3120.624	-54.70	-25.00	187.1	H	PASS
4	4728.706	-48.61	-25.00	358.7	H	PASS
5	7356.471	-44.86	-25.00	360.0	H	PASS
6	12421.004	-38.88	-25.00	162.1	H	PASS

N41 503202 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.649	-67.52	-25.00	360.0	V	PASS
2	2267.623	-42.39	-25.00	360.0	V	PASS
3	3114.463	-54.43	-25.00	139.7	V	PASS
4	4722.545	-49.21	-25.00	127.4	V	PASS
5	7359.552	-44.57	-25.00	115.2	V	PASS
6	11034.727	-39.77	-25.00	14.8	V	PASS

N41 503202 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-68.30	-25.00	0.0	H	PASS
2	2573.324	-41.97	-25.00	0.0	H	PASS
3	3123.705	-53.70	-25.00	23.1	H	PASS
4	4728.706	-48.96	-25.00	136.5	H	PASS
5	7347.229	-45.97	-25.00	162.9	H	PASS
6	13573.155	-39.30	-25.00	282.6	H	PASS

N41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-67.43	-25.00	0.0	V	PASS
2	2309.770	-42.14	-25.00	0.0	V	PASS
3	3136.027	-54.34	-25.00	257.5	V	PASS
4	4731.786	-48.45	-25.00	2.0	V	PASS
5	7325.665	-45.36	-25.00	32.8	V	PASS
6	12405.601	-38.33	-25.00	8.2	V	PASS

N41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.562	-69.17	-25.00	360.0	H	PASS
2	2574.391	-41.85	-25.00	360.0	H	PASS
3	3126.785	-53.48	-25.00	265.4	H	PASS
4	4725.625	-48.63	-25.00	327.2	H	PASS
5	7337.988	-45.61	-25.00	228.2	H	PASS
6	13588.558	-39.14	-25.00	17.3	H	PASS

N41 534000 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.678	-68.58	-25.00	360.0	V	PASS
2	2232.411	-42.69	-25.00	360.0	V	PASS
3	3129.866	-54.62	-25.00	30.3	V	PASS
4	4728.706	-49.03	-25.00	155.6	V	PASS
5	7211.682	-45.57	-25.00	42.2	V	PASS
6	11783.317	-39.51	-25.00	0.0	V	PASS

N41 534000 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	144.460	-64.54	-13.00	360.0	H	PASS
2	2422.009	-37.89	-13.00	360.0	H	PASS
3	3120.895	-53.08	-13.00	44.0	H	PASS
4	4742.390	-48.38	-13.00	350.9	H	PASS
5	7355.265	-43.07	-13.00	314.9	H	PASS
6	13471.577	-38.15	-13.00	162.7	H	PASS

N66 344000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-63.48	-13.00	0.0	V	PASS
2	2332.373	-39.24	-13.00	0.0	V	PASS
3	3129.296	-54.15	-13.00	249.4	V	PASS
4	4745.190	-48.31	-13.00	196.0	V	PASS
5	7414.075	-43.96	-13.00	63.1	V	PASS
6	11729.660	-38.41	-13.00	63.1	V	PASS

N66 344000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	81.410	-63.97	-13.00	0.0	H	PASS
2	2227.371	-38.44	-13.00	0.0	H	PASS
3	3109.693	-52.59	-13.00	21.4	H	PASS
4	4736.789	-48.13	-13.00	48.1	H	PASS
5	7299.254	-44.12	-13.00	234.6	H	PASS
6	11768.867	-38.63	-13.00	146.6	H	PASS

N66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-62.97	-13.00	360.0	V	PASS
2	2274.750	-38.42	-13.00	360.0	V	PASS
3	3120.895	-53.61	-13.00	279.3	V	PASS
4	4742.390	-47.97	-13.00	189.4	V	PASS
5	7324.459	-43.72	-13.00	357.9	V	PASS
6	12396.181	-37.51	-13.00	118.3	V	PASS

N66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	75.590	-65.42	-13.00	0.0	H	PASS
2	2267.067	-38.33	-13.00	0.0	H	PASS
3	3140.498	-53.11	-13.00	316.0	H	PASS
4	4739.589	-47.71	-13.00	147.4	H	PASS
5	7352.464	-43.34	-13.00	355.0	H	PASS
6	14810.220	-38.62	-13.00	111.8	H	PASS

N66 354000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-63.55	-13.00	0.0	V	PASS
2	2422.009	-38.71	-13.00	0.0	V	PASS
3	3560.575	-51.90	-13.00	64.2	V	PASS
4	4736.789	-48.19	-13.00	335.2	V	PASS
5	7310.456	-43.78	-13.00	91.6	V	PASS
6	13477.178	-37.88	-13.00	27.6	V	PASS

N66 354000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	80.440	-65.02	-13.00	0.0	H	PASS
2	2392.557	-38.09	-13.00	0.0	H	PASS
3	2832.442	-53.61	-13.00	230.4	H	PASS
4	4739.589	-48.62	-13.00	186.7	H	PASS
5	7419.676	-44.47	-13.00	360.0	H	PASS
6	13426.769	-37.74	-13.00	70.6	H	PASS

N71 133100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	664.380	-35.22	-13.00	360.0	V	NA
2	1850.260	-41.95	-13.00	360.0	V	PASS
3	3204.910	-54.11	-13.00	144.4	V	PASS
4	4733.988	-48.50	-13.00	287.4	V	PASS
5	7324.459	-44.17	-13.00	296.3	V	PASS
6	13482.779	-37.77	-13.00	198.0	V	PASS

N71 133100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	678.930	-45.53	-13.00	360.0	H	NA
2	2427.131	-38.53	-13.00	360.0	H	PASS
3	3129.296	-53.75	-13.00	50.8	H	PASS
4	4736.789	-48.23	-13.00	244.9	H	PASS
5	7360.866	-42.55	-13.00	104.2	H	PASS
6	12376.578	-38.20	-13.00	165.2	H	PASS

N71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	678.930	-35.26	-13.00	0.0	V	NA
2	1370.708	-38.37	-13.00	0.0	V	PASS
3	3207.710	-53.05	-13.00	295.2	V	PASS
4	4750.791	-47.56	-13.00	268.1	V	PASS
5	8041.389	-43.98	-13.00	188.3	V	PASS
6	11144.354	-37.96	-13.00	108.3	V	PASS

N71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	700.270	-46.59	-13.00	0.0	H	NA
2	1788.796	-42.24	-13.00	0.0	H	PASS
3	3120.895	-51.85	-13.00	44.4	H	PASS
4	4739.589	-48.01	-13.00	344.1	H	PASS
5	7310.456	-42.91	-13.00	299.4	H	PASS
6	12880.669	-38.31	-13.00	18.5	H	PASS

N71 139100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	694.450	-38.55	-13.00	360.0	V	NA
2	1666.507	-41.01	-13.00	360.0	V	PASS
3	3129.296	-52.65	-13.00	0.5	V	PASS
4	4736.789	-47.96	-13.00	31.6	V	PASS
5	7304.855	-44.44	-13.00	111.3	V	PASS
6	13589.198	-37.70	-13.00	102.4	V	PASS

N71 139100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-67.22	-25.00	360.0	H	PASS
2	2270.824	-41.90	-25.00	360.0	H	PASS
3	3216.123	-54.45	-25.00	17.7	H	PASS
4	4725.625	-49.07	-25.00	290.0	H	PASS
5	7334.907	-44.64	-25.00	30.0	H	PASS
6	12895.419	-39.49	-25.00	79.1	H	PASS

N77 633334 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-68.27	-25.00	0.0	V	PASS
2	2255.885	-42.17	-25.00	0.0	V	PASS
3	3123.705	-54.46	-25.00	21.7	V	PASS
4	4728.706	-48.92	-25.00	242.2	V	PASS
5	7328.746	-44.54	-25.00	218.0	V	PASS
6	12433.327	-38.97	-25.00	314.3	V	PASS

N77 633334 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-68.26	-13.00	0.0	H	PASS
2	2309.770	-42.23	-13.00	0.0	H	PASS
3	3129.866	-53.54	-13.00	184.1	H	PASS
4	4728.706	-48.40	-13.00	22.8	H	PASS
5	7341.068	-45.08	-13.00	159.6	H	PASS
6	12390.198	-39.65	-13.00	22.8	H	PASS

N77 650000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.649	-68.44	-13.00	360.0	V	PASS
2	2250.017	-41.54	-13.00	270.5	V	PASS
3	3120.624	-55.62	-13.00	156.3	V	PASS
4	4734.867	-50.31	-13.00	144.0	V	PASS
5	7334.907	-45.46	-13.00	119.8	V	PASS
6	13502.300	-39.57	-13.00	33.5	V	PASS

N77 650000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-67.65	-13.00	360.0	H	PASS
2	2274.025	-42.00	-13.00	360.0	H	PASS
3	3136.027	-54.50	-13.00	326.0	H	PASS
4	4648.610	-50.34	-13.00	141.9	H	PASS
5	8095.819	-44.24	-13.00	166.1	H	PASS
6	11777.155	-39.62	-13.00	326.0	H	PASS

N77 656000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.649	-68.17	-13.00	67.7	V	PASS
2	2295.899	-42.00	-13.00	219.1	V	PASS
3	3111.382	-54.93	-13.00	358.6	V	PASS
4	4725.625	-50.72	-13.00	328.8	V	PASS
5	7322.585	-45.10	-13.00	328.8	V	PASS
6	13591.638	-39.54	-13.00	360.0	V	PASS

N77 656000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	99.910	-67.67	-13.00	0.0	H	PASS
2	2445.815	-41.70	-13.00	0.0	H	PASS
3	3132.947	-54.25	-13.00	8.5	H	PASS
4	4725.625	-50.18	-13.00	227.0	H	PASS
5	8089.658	-44.71	-13.00	8.5	H	PASS
6	13591.638	-39.12	-13.00	202.1	H	PASS

N77 662000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-68.10	-13.00	360.0	V	PASS
2	2204.668	-41.39	-13.00	360.0	V	PASS
3	3123.705	-54.88	-13.00	68.0	V	PASS
4	4026.325	-51.41	-13.00	216.0	V	PASS
5	7334.907	-44.70	-13.00	1.2	V	PASS
6	13680.976	-39.21	-13.00	105.5	V	PASS

N77 662000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-68.86	-25.00	0.0	H	PASS
2	2457.019	-42.62	-25.00	0.0	H	PASS
3	3123.705	-53.44	-25.00	168.3	H	PASS
4	4728.706	-49.02	-25.00	354.6	H	PASS
5	7307.181	-45.16	-25.00	168.3	H	PASS
6	12393.279	-39.36	-25.00	204.7	H	PASS

N78 633334 (3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-69.01	-25.00	360.0	V	PASS
2	2403.668	-42.14	-25.00	360.0	V	PASS
3	3123.705	-53.60	-25.00	227.8	V	PASS
4	4725.625	-48.59	-25.00	118.5	V	PASS
5	7337.988	-45.21	-25.00	70.1	V	PASS
6	13591.638	-39.34	-25.00	1.9	V	PASS

N78 633334 (3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-67.79	-13.00	360.0	H	PASS
2	2263.888	-42.27	-13.00	360.0	H	PASS
3	3126.785	-53.88	-13.00	290.7	H	PASS
4	4731.786	-49.51	-13.00	327.9	H	PASS
5	7313.343	-45.58	-13.00	19.7	H	PASS
6	16009.922	-39.10	-13.00	0.0	H	PASS

N78 650000 (3700-3800) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.678	-67.99	-13.00	0.0	V	PASS
2	2570.123	-42.63	-13.00	0.0	V	PASS
3	3120.624	-54.41	-13.00	145.8	V	PASS
4	4725.625	-48.86	-13.00	132.8	V	PASS
5	7359.552	-44.30	-13.00	231.0	V	PASS
6	13588.558	-39.97	-13.00	305.3	V	PASS

N78 650000 (3700-3800) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.707	-68.64	-13.00	360.0	H	PASS
2	2269.757	-41.80	-13.00	360.0	H	PASS
3	3126.785	-54.01	-13.00	70.3	H	PASS
4	4882.737	-50.01	-13.00	44.6	H	PASS
5	7877.095	-44.90	-13.00	290.0	H	PASS
6	13483.817	-40.31	-13.00	352.1	H	PASS

DC_2A_n5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-67.79	-13.00	360.0	V	PASS
2	2395.132	-42.35	-13.00	360.0	V	PASS
3	3123.705	-52.49	-13.00	288.2	V	PASS
4	5169.234	-50.26	-13.00	275.5	V	PASS
5	7362.633	-45.17	-13.00	163.2	V	PASS
6	13554.671	-38.75	-13.00	163.2	V	PASS

DC_2A_n5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-68.03	-25.00	0.0	H	PASS
2	2362.588	-42.36	-25.00	0.0	H	PASS
3	3129.866	-54.26	-25.00	173.0	H	PASS
4	4651.690	-48.92	-25.00	286.3	H	PASS
5	7328.746	-45.01	-25.00	74.4	H	PASS
6	12387.117	-38.34	-25.00	86.7	H	PASS

DC_2A_n41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.707	-66.90	-25.00	0.0	V	PASS
2	2241.480	-42.64	-25.00	0.0	V	PASS
3	3132.947	-54.61	-25.00	240.7	V	PASS
4	4993.639	-50.24	-25.00	228.4	V	PASS
5	7356.471	-44.94	-25.00	240.7	V	PASS
6	12365.553	-39.60	-25.00	166.7	V	PASS

DC_2A_n41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	142.633	-64.07	-40.00	360.0	H	PASS
2	2348.549	-43.54	-40.00	360.0	H	PASS
3	3120.624	-61.98	-40.00	283.8	H	PASS
4	4990.558	-54.67	-40.00	99.7	H	PASS
5	7984.917	-53.08	-40.00	261.6	H	PASS
6	13493.059	-46.25	-40.00	224.7	H	PASS


DC_2A_n48 641666 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G
H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	146.517	-63.36	-40.00	0.0	V	PASS
2	2394.995	-44.21	-40.00	0.0	V	PASS
3	3120.624	-62.40	-40.00	60.4	V	PASS
4	4990.558	-56.98	-40.00	132.3	V	PASS
5	8018.804	-52.14	-40.00	267.3	V	PASS
6	12399.440	-46.51	-40.00	132.3	V	PASS


DC_2A_n48 641666 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G

V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.720	-65.83	-13.00	0.0	H	PASS
2	2271.549	-38.37	-13.00	0.0	H	PASS
3	3213.312	-53.32	-13.00	184.9	H	PASS
4	4733.988	-48.91	-13.00	44.4	H	PASS
5	7346.863	-43.77	-13.00	332.8	H	PASS
6	13676.014	-37.64	-13.00	341.7	H	PASS

DC_2A_n66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-62.42	-13.00	0.0	V	PASS
2	2265.786	-37.91	-13.00	0.0	V	PASS
3	3207.710	-54.43	-13.00	183.9	V	PASS
4	4733.988	-47.41	-13.00	254.0	V	PASS
5	7341.262	-44.11	-13.00	192.8	V	PASS
6	10900.709	-38.98	-13.00	131.6	V	PASS

DC_2A_n66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.630	-66.56	-25.00	0.0	H	PASS
2	2163.986	-37.78	-25.00	0.0	H	PASS
3	3129.296	-52.94	-25.00	338.1	H	PASS
4	4918.822	-48.28	-25.00	338.1	H	PASS
5	7226.441	-43.95	-25.00	155.9	H	PASS
6	13474.377	-38.40	-25.00	221.3	H	PASS

DC_2A_n77 633334(3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.570	-66.11	-25.00	360.0	V	PASS
2	2265.786	-37.00	-25.00	360.0	V	PASS
3	3123.695	-53.11	-25.00	298.2	V	PASS
4	4647.172	-49.60	-25.00	124.8	V	PASS
5	7948.973	-44.56	-25.00	271.0	V	PASS
6	12393.381	-38.46	-25.00	311.6	V	PASS

DC_2A_n77 633334(3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.660	-66.79	-13.00	0.0	H	PASS
2	2251.701	-41.44	-13.00	41.4	H	PASS
3	3123.695	-54.28	-13.00	173.5	H	PASS
4	4742.390	-48.45	-13.00	217.8	H	PASS
5	7215.239	-45.14	-13.00	208.4	H	PASS
6	10407.820	-39.21	-13.00	34.5	H	PASS

DC_2A_n77 656000(3700-3980) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	98.870	-68.76	-13.00	0.0	V	PASS
2	761.380	-66.69	-13.00	0.0	V	NA
3	1777.911	-45.09	-13.00	26.9	V	PASS
4	3134.897	-53.10	-13.00	144.1	V	PASS
5	7400.073	-44.63	-13.00	118.4	V	PASS
6	11007.129	-38.03	-13.00	101.4	V	PASS

DC_2A_n77 656000(3700-3980) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	95.960	-66.35	-25.00	360.0	H	PASS
2	2278.591	-37.49	-25.00	360.0	H	PASS
3	3129.296	-53.30	-25.00	154.2	H	PASS
4	4896.418	-48.90	-25.00	35.9	H	PASS
5	7517.694	-45.10	-25.00	141.2	H	PASS
6	13620.004	-38.75	-25.00	349.9	H	PASS

DC_2A_n78 633334 100MHz 3450-3550 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.540	-64.67	-25.00	0.0	V	PASS
2	2286.275	-37.12	-25.00	0.0	V	PASS
3	3126.496	-52.92	-25.00	258.5	V	PASS
4	4952.428	-48.99	-25.00	206.1	V	PASS
5	8074.995	-44.09	-25.00	192.7	V	PASS
6	12418.585	-39.06	-25.00	49.2	V	PASS

DC_2A_n78 633334 100MHz 3450-3550 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-68.46	-13.00	360.0	H	PASS
2	2274.558	-42.18	-13.00	360.0	H	PASS
3	3108.302	-54.23	-13.00	358.1	H	PASS
4	4318.984	-51.03	-13.00	255.0	H	PASS
5	7378.036	-46.00	-13.00	217.5	H	PASS
6	13585.477	-39.58	-13.00	181.0	H	PASS

DC_2A_n78 650000 100MHz 3700-3800 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	101.852	-67.06	-13.00	0.0	V	PASS
2	2281.494	-42.01	-13.00	0.0	V	PASS
3	3129.866	-54.75	-13.00	131.2	V	PASS
4	4710.222	-50.80	-13.00	229.0	V	PASS
5	9802.480	-39.07	-13.00	302.3	V	PASS
6	15982.196	-39.26	-13.00	56.9	V	PASS

DC_2A_n78 650000 100MHz 3700-3800 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	143.490	-64.16	-13.00	360.0	H	PASS
2	1521.168	-39.97	-13.00	360.0	H	PASS
3	3115.294	-54.18	-13.00	138.3	H	PASS
4	4733.988	-48.90	-13.00	103.2	H	PASS
5	9819.713	-38.29	-13.00	208.7	H	PASS
6	13591.999	-36.97	-13.00	0.9	H	PASS

DC_5A_n2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	74.620	-63.23	-13.00	360.0	V	PASS
2	2379.112	-38.86	-13.00	360.0	V	PASS
3	3123.695	-53.64	-13.00	121.7	V	PASS
4	5106.456	-49.24	-13.00	25.7	V	PASS
5	7366.467	-44.16	-13.00	25.7	V	PASS
6	11757.665	-39.06	-13.00	51.8	V	PASS

DC_5A_n2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.570	-67.64	-13.00	360.0	H	PASS
2	2436.094	-41.10	-13.00	247.5	H	PASS
3	3132.097	-54.41	-13.00	318.7	H	PASS
4	4274.704	-50.67	-13.00	103.7	H	PASS
5	7346.863	-43.79	-13.00	78.2	H	PASS
6	13491.180	-38.84	-13.00	112.3	H	PASS

DC_5A_n12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	752.650	-64.78	-13.00	360.0	V	PASS
2	1663.305	-45.72	-13.00	320.9	V	PASS
3	3123.695	-54.22	-13.00	74.0	V	PASS
4	4893.617	-34.09	-13.00	288.8	V	PASS
5	8004.983	-42.94	-13.00	180.4	V	PASS
6	13479.978	-37.76	-13.00	280.4	V	PASS

DC_5A_n12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.570	-67.64	-13.00	296.6	H	PASS
2	2249.780	-41.98	-13.00	184.7	H	PASS
3	3126.496	-54.02	-13.00	88.6	H	PASS
4	4736.789	-50.76	-13.00	88.6	H	PASS
5	7330.060	-46.41	-13.00	75.6	H	PASS
6	13566.794	-39.75	-13.00	32.4	H	PASS

DC_5A_n71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.510	-68.01	-13.00	0.0	V	PASS
2	766.350	-65.26	-13.00	0.0	V	NA
3	2252.981	-41.56	-13.00	255.5	V	PASS
4	3916.239	-50.80	-13.00	20.2	V	PASS
5	7307.656	-44.66	-13.00	29.1	V	PASS
6	11149.955	-38.92	-13.00	11.8	V	PASS

DC_5A_n71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V