






Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-67.67	-25.00	360.0	H	PASS
2	2246.282	-42.19	-25.00	360.0	H	PASS
3	3123.705	-54.11	-25.00	358.1	H	PASS
4	4648.610	-49.73	-25.00	252.4	H	PASS
5	7368.794	-45.09	-25.00	276.6	H	PASS
6	13591.638	-39.58	-25.00	227.5	H	PASS

DC_66A_n7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.562	-68.55	-25.00	0.0	V	PASS
2	2331.110	-42.40	-25.00	0.0	V	PASS
3	3136.027	-54.19	-25.00	303.2	V	PASS
4	4728.706	-49.88	-25.00	328.1	V	PASS
5	7393.439	-45.07	-25.00	352.1	V	PASS
6	11188.758	-38.11	-25.00	32.0	V	PASS


DC_66A_n7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.810	-67.00	-13.00	0.0	H	PASS
2	2292.037	-41.55	-13.00	187.1	H	PASS
3	3132.097	-53.37	-13.00	342.5	H	PASS
4	4745.190	-50.01	-13.00	264.7	H	PASS
5	6506.710	-47.37	-13.00	290.4	H	PASS
6	13499.582	-38.24	-13.00	350.9	H	PASS

DC_66A_n25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G

H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	99.840	-66.83	-13.00	0.0	V	PASS
2	762.350	-64.00	-13.00	0.0	V	NA
3	1524.370	-44.22	-13.00	62.6	V	PASS
4	3129.296	-53.14	-13.00	74.3	V	PASS
5	7066.812	-45.80	-13.00	0.5	V	PASS
6	11141.553	-39.32	-13.00	56.7	V	PASS

DC_66A_n25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G


V

External antenna




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-68.33	-13.00	80.9	H	PASS
2	2569.590	-39.43	-13.00	141.5	H	PASS
3	2831.046	-54.57	-13.00	297.4	H	PASS
4	4282.016	-51.87	-13.00	310.0	H	PASS
5	7217.844	-46.38	-13.00	272.1	H	PASS
6	13493.059	-40.09	-13.00	360.0	H	PASS

N2 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	102.750	-67.35	-13.00	48.9	V	PASS
2	2322.129	-42.11	-13.00	140.4	V	PASS
3	3134.897	-54.43	-13.00	217.5	V	PASS
4	4717.185	-50.92	-13.00	208.8	V	PASS
5	7268.449	-45.76	-13.00	185.4	V	PASS
6	12903.073	-39.52	-13.00	185.4	V	PASS

N2 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	98.939	-68.36	-13.00	304.5	H	PASS
2	2307.102	-39.50	-13.00	200.3	H	PASS
3	3564.233	-54.74	-13.00	78.4	H	PASS
4	4904.301	-51.04	-13.00	40.8	H	PASS
5	7960.272	-45.80	-13.00	78.4	H	PASS
6	12393.279	-39.34	-13.00	12.5	H	PASS

N2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-66.48	-13.00	306.2	V	PASS
2	2290.564	-41.80	-13.00	256.3	V	PASS
3	3117.544	-54.72	-13.00	174.0	V	PASS
4	4898.140	-50.24	-13.00	149.8	V	PASS
5	7852.450	-45.17	-13.00	158.2	V	PASS
6	15994.519	-40.08	-13.00	63.2	V	PASS

N2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-67.24	-13.00	273.5	H	PASS
2	2262.821	-38.84	-13.00	189.0	H	PASS
3	3129.866	-54.18	-13.00	39.9	H	PASS
4	4953.591	-49.33	-13.00	39.9	H	PASS
5	7867.854	-45.51	-13.00	92.4	H	PASS
6	13693.299	-40.42	-13.00	39.9	H	PASS

N2 380000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-68.33	-13.00	67.4	V	PASS
2	2260.687	-41.55	-13.00	196.4	V	PASS
3	3129.866	-54.58	-13.00	278.6	V	PASS
4	4935.107	-51.25	-13.00	278.6	V	PASS
5	9103.181	-42.87	-13.00	291.2	V	PASS
6	16000.680	-39.76	-13.00	352.1	V	PASS

N2 380000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	872.890	-50.15	-13.00	49.2	H	NA
2	1798.133	-46.26	-13.00	159.3	H	PASS
3	3123.705	-54.64	-13.00	277.9	H	PASS
4	4925.865	-51.14	-13.00	304.6	H	PASS
5	7273.295	-45.24	-13.00	277.9	H	PASS
6	11167.193	-39.53	-13.00	264.5	H	PASS

N5 166800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	874.745	-33.50	-13.00	48.0	V	NA
2	1664.221	-45.05	-13.00	182.6	V	PASS
3	3111.382	-54.73	-13.00	273.0	V	PASS
4	5468.054	-51.56	-13.00	305.3	V	PASS
5	7211.682	-46.66	-13.00	305.3	V	PASS
6	15991.438	-39.36	-13.00	360.0	V	PASS

N5 166800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	879.270	-50.15	-13.00	298.5	H	NA
2	1754.385	-46.60	-13.00	183.2	H	PASS
3	2837.207	-54.71	-13.00	41.1	H	PASS
4	4676.335	-50.96	-13.00	41.1	H	PASS
5	7874.015	-45.82	-13.00	41.1	H	PASS
6	13557.752	-40.77	-13.00	80.9	H	PASS

N5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	879.513	-33.25	-13.00	360.0	V	NA
2	1675.959	-45.79	-13.00	200.3	V	PASS
3	3129.866	-53.76	-13.00	68.0	V	PASS
4	4716.383	-50.72	-13.00	55.3	V	PASS
5	7439.648	-46.19	-13.00	55.3	V	PASS
6	12414.843	-39.34	-13.00	33.6	V	PASS

N5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	829.964	-50.11	-13.00	292.9	H	NA
2	1712.237	-47.32	-13.00	207.0	H	PASS
3	3912.342	-52.76	-13.00	77.9	H	PASS
4	7353.391	-45.17	-13.00	104.7	H	PASS
5	11062.452	-40.67	-13.00	90.5	H	PASS
6	14753.031	-39.54	-13.00	90.5	H	PASS

N5 167800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	829.919	-39.61	-13.00	50.0	V	NA
2	1787.462	-46.54	-13.00	157.8	V	PASS
3	3132.947	-55.68	-13.00	279.8	V	PASS
4	4873.495	-50.58	-13.00	296.9	V	PASS
5	7301.020	-46.20	-13.00	296.9	V	PASS
6	13674.815	-39.55	-13.00	360.0	V	PASS

N5 167800 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.036	-67.35	-25.00	360.0	H	PASS
2	2416.472	-38.40	-25.00	360.0	H	PASS
3	3114.463	-54.95	-25.00	120.7	H	PASS
4	4269.694	-52.23	-25.00	120.7	H	PASS
5	7328.746	-46.11	-25.00	108.4	H	PASS
6	13496.139	-38.59	-25.00	302.2	H	PASS

N7 502000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.213	-66.35	-25.00	0.0	V	PASS
2	2218.540	-38.26	-25.00	0.0	V	PASS
3	3126.785	-53.80	-25.00	21.3	V	PASS
4	4731.786	-50.34	-25.00	34.3	V	PASS
5	7276.375	-46.00	-25.00	21.3	V	PASS
6	13477.656	-39.78	-25.00	8.8	V	PASS

N7 502000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.036	-66.87	-25.00	0.0	H	PASS
2	2286.829	-38.83	-25.00	0.0	H	PASS
3	2837.207	-54.30	-25.00	20.9	H	PASS
4	4694.819	-50.26	-25.00	300.0	H	PASS
5	7359.552	-45.70	-25.00	313.0	H	PASS
6	12957.031	-39.72	-25.00	180.7	H	PASS

N7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.183	-66.82	-25.00	360.0	V	PASS
2	2270.290	-38.48	-25.00	360.0	V	PASS
3	3111.382	-54.14	-25.00	221.2	V	PASS
4	4636.287	-51.35	-25.00	69.1	V	PASS
5	7353.391	-45.35	-25.00	19.6	V	PASS
6	12396.359	-39.41	-25.00	246.1	V	PASS

N7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




REPORT No.: SZ24050224W06




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.065	-67.28	-25.00	360.0	H	PASS
2	2409.003	-38.18	-25.00	360.0	H	PASS
3	3028.206	-54.32	-25.00	238.0	H	PASS
4	4725.625	-50.06	-25.00	197.8	H	PASS
5	7310.262	-45.17	-25.00	32.3	H	PASS
6	13493.059	-39.81	-25.00	184.8	H	PASS

N7 512000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.065	-67.85	-25.00	0.0	V	PASS
2	2263.888	-37.95	-25.00	0.0	V	PASS
3	3126.785	-52.80	-25.00	21.3	V	PASS
4	4777.996	-49.73	-25.00	337.4	V	PASS
5	7368.794	-44.56	-25.00	324.7	V	PASS
6	11308.902	-40.65	-25.00	135.9	V	PASS

N7 512000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-67.84	-13.00	360.0	H	PASS
2	2284.161	-41.22	-13.00	360.0	H	PASS
3	4891.978	-50.30	-13.00	216.0	H	PASS
4	7279.456	-45.37	-13.00	302.3	H	PASS
5	9765.513	-39.62	-13.00	302.3	H	PASS
6	13499.220	-39.71	-13.00	68.8	H	PASS

N12 140800 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.562	-68.80	-13.00	360.0	V	PASS
2	2268.156	-41.50	-13.00	360.0	V	PASS
3	3123.705	-54.29	-13.00	352.3	V	PASS
4	4901.220	-50.79	-13.00	328.3	V	PASS
5	6709.542	-48.36	-13.00	253.6	V	PASS
6	12402.521	-40.18	-13.00	115.9	V	PASS

N12 140800 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	101.852	-68.52	-13.00	0.0	H	PASS
2	2296.966	-42.04	-13.00	0.0	H	PASS
3	3123.705	-54.49	-13.00	81.9	H	PASS
4	4719.464	-50.39	-13.00	167.4	H	PASS
5	7350.310	-45.70	-13.00	241.7	H	PASS
6	12337.828	-40.05	-13.00	69.6	H	PASS

N12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	113.504	-69.40	-13.00	0.0	V	PASS
2	2244.682	-41.99	-13.00	0.0	V	PASS
3	3117.544	-53.03	-13.00	272.3	V	PASS
4	4968.994	-50.39	-13.00	359.5	V	PASS
5	7341.068	-45.93	-13.00	73.3	V	PASS
6	11780.236	-38.74	-13.00	272.3	V	PASS

N12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	112.533	-69.39	-13.00	0.0	H	PASS
2	2249.483	-41.63	-13.00	0.0	H	PASS
3	3123.705	-53.77	-13.00	43.2	H	PASS
4	4676.335	-49.91	-13.00	353.3	H	PASS
5	7405.761	-46.18	-13.00	290.9	H	PASS
6	13566.993	-39.74	-13.00	180.1	H	PASS

N12 142200 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-67.14	-13.00	360.0	V	PASS
2	2254.285	-42.76	-13.00	360.0	V	PASS
3	3117.544	-53.98	-13.00	181.0	V	PASS
4	4895.059	-49.86	-13.00	327.9	V	PASS
5	7402.681	-44.78	-13.00	2.1	V	PASS
6	12393.279	-40.11	-13.00	266.6	V	PASS

N12 142200 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-67.20	-13.00	360.0	H	PASS
2	2283.628	-39.28	-13.00	360.0	H	PASS
3	2834.127	-54.42	-13.00	101.0	H	PASS
4	4722.545	-50.42	-13.00	126.7	H	PASS
5	7233.247	-45.77	-13.00	326.4	H	PASS
6	12414.843	-39.33	-13.00	188.4	H	PASS

N25 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	112.533	-68.31	-13.00	360.0	V	PASS
2	2244.148	-42.23	-13.00	360.0	V	PASS
3	3129.866	-54.84	-13.00	326.8	V	PASS
4	4704.061	-50.85	-13.00	91.1	V	PASS
5	7867.854	-44.27	-13.00	214.6	V	PASS
6	11801.800	-39.42	-13.00	190.0	V	PASS

N25 372000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-67.09	-13.00	0.0	H	PASS
2	2266.022	-39.35	-13.00	0.0	H	PASS
3	3906.181	-51.71	-13.00	82.6	H	PASS
4	4888.898	-50.36	-13.00	296.0	H	PASS
5	7929.466	-45.05	-13.00	45.8	H	PASS
6	13594.719	-40.04	-13.00	209.0	H	PASS

N25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	102.823	-68.74	-13.00	0.0	V	PASS
2	2215.872	-40.83	-13.00	0.0	V	PASS
3	3129.866	-54.31	-13.00	156.5	V	PASS
4	4725.625	-50.87	-13.00	57.6	V	PASS
5	7294.859	-44.75	-13.00	354.3	V	PASS
6	13480.736	-39.40	-13.00	169.5	V	PASS

N25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-67.96	-13.00	0.0	H	PASS
2	2245.215	-42.40	-13.00	0.0	H	PASS
3	3120.624	-54.64	-13.00	184.4	H	PASS
4	4713.303	-50.32	-13.00	58.8	H	PASS
5	7334.907	-45.53	-13.00	122.0	H	PASS
6	9756.271	-40.25	-13.00	197.0	H	PASS

N25 381000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-68.17	-13.00	360.0	V	PASS
2	2164.121	-42.56	-13.00	360.0	V	PASS
3	3188.398	-54.30	-13.00	216.0	V	PASS
4	4771.834	-51.16	-13.00	130.1	V	PASS
5	7331.826	-46.23	-13.00	93.3	V	PASS
6	11767.914	-39.25	-13.00	0.0	V	PASS

N25 381000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-68.28	-25.00	360.0	H	PASS
2	2263.888	-42.55	-25.00	360.0	H	PASS
3	3139.108	-53.64	-25.00	327.6	H	PASS
4	5095.299	-49.27	-25.00	178.1	H	PASS
5	7260.972	-45.29	-25.00	252.1	H	PASS
6	13579.316	-39.88	-25.00	93.7	H	PASS

N41 503202 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-68.12	-25.00	360.0	V	PASS
2	2267.089	-41.87	-25.00	360.0	V	PASS
3	3123.705	-53.68	-25.00	68.3	V	PASS
4	4023.245	-51.50	-25.00	204.4	V	PASS
5	7307.181	-46.30	-25.00	118.1	V	PASS
6	13576.235	-39.61	-25.00	68.3	V	PASS

N41 503202 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.707	-68.30	-25.00	0.0	H	PASS
2	2239.346	-42.89	-25.00	0.0	H	PASS
3	3132.947	-53.71	-25.00	131.3	H	PASS
4	4725.625	-49.83	-25.00	131.3	H	PASS
5	7350.310	-45.19	-25.00	305.0	H	PASS
6	12387.117	-39.67	-25.00	192.7	H	PASS

N41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-68.57	-25.00	0.0	V	PASS
2	2300.167	-42.48	-25.00	0.0	V	PASS
3	3132.947	-54.23	-25.00	297.5	V	PASS
4	4728.706	-49.46	-25.00	334.7	V	PASS
5	7341.068	-44.46	-25.00	8.2	V	PASS
6	11068.614	-39.78	-25.00	135.0	V	PASS

N41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-68.34	-25.00	0.0	H	PASS
2	2429.276	-42.61	-25.00	0.0	H	PASS
3	3136.027	-54.41	-25.00	232.2	H	PASS
4	4728.706	-50.25	-25.00	144.8	H	PASS
5	7861.692	-44.05	-25.00	219.5	H	PASS
6	11928.106	-39.50	-25.00	232.2	H	PASS

N41 534000 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	102.823	-67.61	-25.00	360.0	V	PASS
2	2382.327	-42.02	-25.00	360.0	V	PASS
3	3129.866	-53.21	-25.00	278.2	V	PASS
4	4935.107	-50.22	-25.00	44.6	V	PASS
5	7319.504	-44.18	-25.00	143.2	V	PASS
6	13597.800	-39.38	-25.00	81.4	V	PASS

N41 534000 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.540	-68.18	-13.00	0.0	H	PASS
2	2292.677	-42.62	-13.00	0.0	H	PASS
3	3134.897	-54.72	-13.00	307.1	H	PASS
4	4529.551	-49.90	-13.00	43.7	H	PASS
5	6677.541	-46.80	-13.00	9.3	H	PASS
6	13667.612	-39.55	-13.00	208.3	H	PASS

N66 344000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.600	-67.40	-13.00	0.0	V	PASS
2	1634.494	-46.88	-13.00	0.0	V	PASS
3	3134.897	-53.58	-13.00	322.2	V	PASS
4	4882.415	-49.72	-13.00	184.9	V	PASS
5	7442.080	-44.52	-13.00	15.2	V	PASS
6	12891.871	-40.18	-13.00	287.4	V	PASS

N66 344000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.720	-66.67	-13.00	360.0	H	PASS
2	2254.262	-41.88	-13.00	360.0	H	PASS
3	3120.895	-54.22	-13.00	296.6	H	PASS
4	4938.425	-49.90	-13.00	34.2	H	PASS
5	7405.674	-44.89	-13.00	319.3	H	PASS
6	11777.269	-38.77	-13.00	310.4	H	PASS

N66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	112.450	-68.48	-13.00	360.0	V	PASS
2	1655.622	-47.03	-13.00	360.0	V	PASS
3	3126.496	-53.66	-13.00	193.8	V	PASS
4	4731.187	-48.30	-13.00	64.8	V	PASS
5	8117.003	-43.45	-13.00	351.1	V	PASS
6	13586.398	-39.30	-13.00	307.4	V	PASS

N66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.810	-67.66	-13.00	360.0	H	PASS
2	2198.559	-42.79	-13.00	360.0	H	PASS
3	3115.294	-54.68	-13.00	51.8	H	PASS
4	4747.991	-49.54	-13.00	163.3	H	PASS
5	6708.347	-45.58	-13.00	251.4	H	PASS
6	13594.799	-39.77	-13.00	69.4	H	PASS

N66 354000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.630	-67.81	-13.00	0.0	V	PASS
2	2237.615	-41.68	-13.00	0.0	V	PASS
3	3129.296	-54.08	-13.00	117.3	V	PASS
4	4739.589	-49.08	-13.00	314.8	V	PASS
5	7358.065	-45.42	-13.00	306.4	V	PASS
6	11161.157	-38.34	-13.00	288.9	V	PASS

N66 354000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.580	-67.08	-13.00	360.0	H	PASS
2	2403.134	-38.15	-13.00	360.0	H	PASS
3	2840.288	-52.99	-13.00	7.2	H	PASS
4	4765.673	-50.55	-13.00	358.1	H	PASS
5	7307.181	-45.83	-13.00	352.1	H	PASS
6	11786.397	-40.01	-13.00	0.0	H	PASS

N71 133100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.609	-66.96	-13.00	360.0	V	PASS
2	2272.424	-38.70	-13.00	360.0	V	PASS
3	3126.785	-53.38	-13.00	0.1	V	PASS
4	4719.464	-50.01	-13.00	113.0	V	PASS
5	7310.262	-45.78	-13.00	175.1	V	PASS
6	11814.123	-40.47	-13.00	340.2	V	PASS

N71 133100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.154	-67.70	-13.00	349.7	H	PASS
2	2265.488	-38.85	-13.00	360.0	H	PASS
3	3139.108	-53.57	-13.00	97.3	H	PASS
4	4913.543	-50.37	-13.00	250.6	H	PASS
5	7224.005	-45.49	-13.00	136.0	H	PASS
6	11783.317	-40.38	-13.00	174.0	H	PASS

N71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.272	-67.42	-13.00	0.0	V	PASS
2	2293.765	-38.27	-13.00	0.0	V	PASS
3	2840.288	-54.06	-13.00	290.4	V	PASS
4	4568.514	-51.29	-13.00	58.8	V	PASS
5	7301.020	-45.33	-13.00	173.7	V	PASS
6	11154.871	-39.64	-13.00	200.1	V	PASS

N71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.242	-67.86	-13.00	0.0	H	PASS
2	2297.499	-38.29	-13.00	0.0	H	PASS
3	3136.027	-54.15	-13.00	236.3	H	PASS
4	4543.869	-50.28	-13.00	312.5	H	PASS
5	7331.826	-45.78	-13.00	210.6	H	PASS
6	13573.155	-39.51	-13.00	32.4	H	PASS

N71 139100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.757	-66.93	-13.00	360.0	V	PASS
2	2265.488	-38.83	-13.00	360.0	V	PASS
3	3126.785	-53.52	-13.00	352.1	V	PASS
4	4999.800	-50.43	-13.00	352.1	V	PASS
5	8074.255	-44.02	-13.00	159.5	V	PASS
6	13767.233	-40.22	-13.00	274.8	V	PASS

N71 139100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	98.939	-68.78	-25.00	307.4	H	PASS
2	2307.102	-42.11	-25.00	200.6	H	PASS
3	3749.070	-52.57	-25.00	72.3	H	PASS
4	4734.867	-50.66	-25.00	109.1	H	PASS
5	7291.778	-45.91	-25.00	72.3	H	PASS
6	13499.220	-39.90	-25.00	60.0	H	PASS

N77 633334 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-68.14	-25.00	3.4	V	PASS
2	2253.218	-42.46	-25.00	98.7	V	PASS
3	3136.027	-54.94	-25.00	231.2	V	PASS
4	4741.028	-50.67	-25.00	218.9	V	PASS
5	9402.000	-40.82	-25.00	231.2	V	PASS
6	13739.508	-40.39	-25.00	194.7	V	PASS

N77 633334 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.600	-68.23	-13.00	33.1	H	PASS
2	2416.246	-42.33	-13.00	103.4	H	PASS
3	3123.695	-55.22	-13.00	197.0	H	PASS
4	4733.988	-49.83	-13.00	216.0	H	PASS
5	7377.669	-45.68	-13.00	179.7	H	PASS
6	12410.184	-39.27	-13.00	188.6	H	PASS

N77 650000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.570	-68.41	-13.00	103.8	V	PASS
2	2299.720	-42.35	-13.00	198.6	V	PASS
3	2832.442	-54.63	-13.00	323.6	V	PASS
4	4739.589	-50.19	-13.00	285.0	V	PASS
5	7307.656	-44.64	-13.00	310.6	V	PASS
6	10318.203	-39.97	-13.00	298.4	V	PASS

N77 650000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.630	-68.06	-13.00	315.8	H	PASS
2	2241.457	-41.79	-13.00	198.3	H	PASS
3	3020.076	-55.76	-13.00	119.5	H	PASS
4	4680.778	-50.81	-13.00	108.2	H	PASS
5	8100.200	-44.97	-13.00	108.2	H	PASS
6	13577.996	-40.22	-13.00	99.8	H	PASS

N77 656000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.810	-68.49	-13.00	327.2	V	PASS
2	2284.354	-42.03	-13.00	234.8	V	PASS
3	3115.294	-55.79	-13.00	196.0	V	PASS
4	4733.988	-50.49	-13.00	178.7	V	PASS
5	7302.055	-46.09	-13.00	187.4	V	PASS
6	12342.971	-40.66	-13.00	66.5	V	PASS

N77 656000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	106.630	-67.56	-13.00	334.4	H	PASS
2	2413.045	-42.34	-13.00	267.2	H	PASS
3	3129.296	-54.40	-13.00	187.6	H	PASS
4	4736.789	-49.79	-13.00	196.2	H	PASS
5	7229.242	-45.57	-13.00	170.5	H	PASS
6	13583.597	-40.19	-13.00	170.5	H	PASS

N77 662000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.690	-68.28	-13.00	37.5	V	PASS
2	2335.574	-41.73	-13.00	127.9	V	PASS
3	3126.496	-55.59	-13.00	207.8	V	PASS
4	4739.589	-50.48	-13.00	225.1	V	PASS
5	7394.472	-45.89	-13.00	216.5	V	PASS
6	12418.585	-41.01	-13.00	290.6	V	PASS

N77 662000 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	101.780	-68.44	-25.00	330.8	H	PASS
2	2395.118	-42.00	-25.00	248.8	H	PASS
3	2840.844	-54.37	-25.00	133.4	H	PASS
4	4655.574	-51.22	-25.00	121.8	H	PASS
5	7232.042	-46.39	-25.00	121.8	H	PASS
6	11777.269	-40.00	-25.00	63.9	H	PASS

N78 633334 (3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.720	-67.91	-25.00	25.9	V	PASS
2	2274.750	-41.62	-25.00	116.6	V	PASS
3	3140.498	-55.21	-25.00	214.1	V	PASS
4	4655.574	-50.76	-25.00	214.1	V	PASS
5	7324.459	-45.91	-25.00	194.8	V	PASS
6	11149.955	-39.30	-25.00	205.5	V	PASS

N78 633334 (3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.690	-68.29	-13.00	26.5	H	PASS
2	2270.908	-42.50	-13.00	112.1	H	PASS
3	2840.844	-55.19	-13.00	202.1	H	PASS
4	5095.254	-50.48	-13.00	167.2	H	PASS
5	10267.794	-39.18	-13.00	167.2	H	PASS
6	16042.444	-39.13	-13.00	300.6	H	PASS

N78 650000 (3700-3800) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	107.600	-68.51	-13.00	318.3	V	PASS
2	2397.679	-42.71	-13.00	221.9	V	PASS
3	3146.099	-55.02	-13.00	110.6	V	PASS
4	4745.190	-50.07	-13.00	93.3	V	PASS
5	7335.661	-45.44	-13.00	101.9	V	PASS
6	13583.597	-39.73	-13.00	33.1	V	PASS

N78 650000 (3700-3800) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	99.910	-67.61	-13.00	360.0	H	PASS
2	2253.751	-42.23	-13.00	360.0	H	PASS
3	3299.300	-54.90	-13.00	18.4	H	PASS
4	4725.625	-50.83	-13.00	43.8	H	PASS
5	7325.665	-45.56	-13.00	1.2	H	PASS
6	11795.639	-39.43	-13.00	18.4	H	PASS

DC_2A_n5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-67.15	-13.00	0.0	V	PASS
2	2321.507	-41.78	-13.00	0.0	V	PASS
3	3028.206	-54.25	-13.00	59.9	V	PASS
4	4904.301	-49.73	-13.00	145.1	V	PASS
5	7482.777	-45.04	-13.00	307.2	V	PASS
6	11811.042	-39.81	-13.00	232.9	V	PASS

DC_2A_n5 167300 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	102.823	-68.70	-25.00	360.0	V	PASS
2	2579.193	-42.43	-25.00	360.0	V	PASS
3	3136.027	-54.43	-25.00	119.7	V	PASS
4	4722.545	-49.54	-25.00	328.7	V	PASS
5	7310.262	-44.30	-25.00	44.6	V	PASS
6	13588.558	-39.24	-25.00	168.4	V	PASS

DC_2A_n41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	113.504	-68.56	-25.00	360.0	H	PASS
2	2286.829	-41.37	-25.00	360.0	H	PASS
3	3117.544	-54.03	-25.00	53.7	H	PASS
4	5098.380	-49.15	-25.00	358.0	H	PASS
5	7408.842	-45.46	-25.00	251.2	H	PASS
6	13585.477	-39.50	-25.00	176.8	H	PASS


DC_2A_n41 518598 40MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-70.02	-40.00	0.0	V	PASS
2	2180.380	-47.21	-40.00	0.0	V	PASS
3	2831.046	-62.40	-40.00	137.4	V	PASS
4	4682.496	-58.09	-40.00	255.7	V	PASS
5	7359.552	-52.99	-40.00	223.8	V	PASS
6	11706.301	-46.00	-40.00	326.5	V	PASS

DC_2A_n48 641666 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G


H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	98.939	-67.45	-40.00	0.0	H	PASS
2	2300.501	-43.55	-40.00	0.0	H	PASS
3	3136.027	-62.86	-40.00	359.9	H	PASS
4	4737.948	-56.77	-40.00	286.8	H	PASS
5	7344.149	-52.22	-40.00	174.2	H	PASS
6	13693.299	-46.07	-40.00	40.2	H	PASS


DC_2A_n48 641666 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz 30M-18G

V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	92.596	-68.11	-13.00	360.0	H	PASS
2	2261.220	-38.82	-13.00	360.0	H	PASS
3	3561.152	-54.39	-13.00	337.6	H	PASS
4	4716.383	-50.18	-13.00	27.7	H	PASS
5	7362.633	-45.72	-13.00	27.7	H	PASS
6	13493.059	-39.27	-13.00	248.0	H	PASS

DC_2A_n66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.272	-67.46	-13.00	0.0	V	PASS
2	2263.354	-38.91	-13.00	0.0	V	PASS
3	3126.785	-54.36	-13.00	58.1	V	PASS
4	4774.915	-50.51	-13.00	354.1	V	PASS
5	7341.068	-45.32	-13.00	270.1	V	PASS
6	11795.639	-40.04	-13.00	210.2	V	PASS

DC_2A_n66 349000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	100.881	-67.97	-25.00	360.0	H	PASS
2	2272.424	-42.44	-25.00	360.0	H	PASS
3	3129.866	-54.60	-25.00	57.1	H	PASS
4	4728.706	-49.32	-25.00	164.7	H	PASS
5	7310.262	-44.98	-25.00	234.6	H	PASS
6	13582.396	-38.67	-25.00	246.8	H	PASS

DC_2A_n77 633334(3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-67.58	-25.00	360.0	V	PASS
2	2263.888	-41.99	-25.00	360.0	V	PASS
3	3561.152	-54.08	-25.00	215.6	V	PASS
4	4642.448	-49.94	-25.00	113.7	V	PASS
5	7350.310	-45.45	-25.00	28.9	V	PASS
6	10353.911	-38.55	-25.00	40.4	V	PASS

DC_2A_n77 633334(3450-3550) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	99.875	-67.35	-13.00	0.0	H	PASS
2	2410.070	-38.67	-13.00	0.0	H	PASS
3	3117.544	-52.17	-13.00	91.6	H	PASS
4	4734.867	-50.49	-13.00	223.9	H	PASS
5	7331.826	-45.65	-13.00	104.2	H	PASS
6	13582.396	-40.10	-13.00	79.0	H	PASS

DC_2A_n77 656000(3700-3980) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.609	-66.84	-13.00	360.0	V	PASS
2	2456.485	-38.56	-13.00	360.0	V	PASS
3	2840.288	-54.38	-13.00	290.3	V	PASS
4	4660.932	-51.09	-13.00	53.1	V	PASS
5	7230.166	-45.87	-13.00	4.4	V	PASS
6	13483.817	-40.12	-13.00	223.8	V	PASS

DC_2A_n77 656000(3700-3980) 100MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS
30kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	103.794	-67.43	-25.00	0.0	V	PASS
2	2250.017	-42.41	-25.00	0.0	V	PASS
3	3117.544	-54.46	-25.00	21.3	V	PASS
4	4728.706	-49.36	-25.00	126.1	V	PASS
5	7273.295	-45.85	-25.00	21.3	V	PASS
6	13573.155	-39.22	-25.00	8.5	V	PASS

DC_2A_n78 633334 100MHz 3450-3550 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	97.968	-68.32	-25.00	360.0	H	PASS
2	2352.451	-41.84	-25.00	360.0	H	PASS
3	3123.705	-54.53	-25.00	306.7	H	PASS
4	4642.448	-49.69	-25.00	181.0	H	PASS
5	8163.593	-43.15	-25.00	0.9	H	PASS
6	11761.752	-39.32	-25.00	350.9	H	PASS

DC_2A_n78 633334 100MHz 3450-3550 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	142.520	-61.04	-13.00	360.0	H	PASS
2	2199.840	-38.15	-13.00	360.0	H	PASS
3	3115.294	-54.49	-13.00	45.4	H	PASS
4	4733.988	-47.97	-13.00	272.1	H	PASS
5	7234.843	-43.48	-13.00	245.2	H	PASS
6	13505.183	-38.21	-13.00	306.4	H	PASS

DC_2A_n78 650000 100MHz 3700-3800 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	75.590	-63.00	-13.00	0.0	V	PASS
2	2298.439	-37.84	-13.00	0.0	V	PASS
3	3134.897	-53.70	-13.00	316.9	V	PASS
4	4742.390	-48.11	-13.00	8.9	V	PASS
5	7330.060	-43.65	-13.00	236.9	V	PASS
6	13446.372	-37.64	-13.00	193.7	V	PASS

DC_2A_n78 650000 100MHz 3700-3800 DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 30kHz
30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	111.562	-68.02	-13.00	0.0	H	PASS
2	2429.810	-41.66	-13.00	0.0	H	PASS
3	3145.269	-54.10	-13.00	45.1	H	PASS
4	4294.339	-51.38	-13.00	107.2	H	PASS
5	7396.519	-45.40	-13.00	119.1	H	PASS
6	11792.559	-39.57	-13.00	266.7	H	PASS

DC_5A_n2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	104.765	-67.76	-13.00	0.0	V	PASS
2	2303.368	-41.38	-13.00	0.0	V	PASS
3	3120.624	-54.80	-13.00	204.4	V	PASS
4	4728.706	-50.18	-13.00	20.5	V	PASS
5	7304.101	-45.61	-13.00	216.7	V	PASS
6	10625.005	-39.18	-13.00	179.9	V	PASS

DC_5A_n2 376000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-68.48	-13.00	360.0	H	PASS
2	2253.218	-41.83	-13.00	360.0	H	PASS
3	3015.883	-53.99	-13.00	351.2	H	PASS
4	4950.510	-50.67	-13.00	276.6	H	PASS
5	7214.763	-45.58	-13.00	79.5	H	PASS
6	11780.236	-38.83	-13.00	128.2	H	PASS

DC_5A_n12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-67.83	-13.00	0.0	V	PASS
2	2389.797	-43.03	-13.00	0.0	V	PASS
3	3126.785	-53.51	-13.00	354.8	V	PASS
4	4509.982	-51.18	-13.00	295.0	V	PASS
5	7350.310	-44.86	-13.00	360.0	V	PASS
6	12427.165	-40.00	-13.00	232.5	V	PASS

DC_5A_n12 141500 10MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	99.875	-67.46	-13.00	0.0	H	PASS
2	2408.469	-37.58	-13.00	0.0	H	PASS
3	3126.785	-54.57	-13.00	237.2	H	PASS
4	4916.623	-49.95	-13.00	275.5	H	PASS
5	7344.149	-45.58	-13.00	84.5	H	PASS
6	12904.661	-40.15	-13.00	358.1	H	PASS

DC_5A_n71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.698	-67.21	-13.00	360.0	V	PASS
2	2283.094	-38.64	-13.00	360.0	V	PASS
3	3120.624	-53.01	-13.00	136.3	V	PASS
4	4947.429	-50.27	-13.00	9.5	V	PASS
5	7347.229	-45.46	-13.00	275.1	V	PASS
6	13557.752	-40.21	-13.00	351.5	V	PASS

DC_5A_n71 136100 5MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V




Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	110.591	-68.73	-25.00	0.0	H	PASS
2	2297.499	-42.34	-25.00	0.0	H	PASS
3	3136.027	-53.57	-25.00	228.0	H	PASS
4	5086.057	-50.25	-25.00	277.1	H	PASS
5	7415.003	-45.52	-25.00	105.3	H	PASS
6	13585.477	-39.47	-25.00	358.0	H	PASS

DC_66A_n7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	105.736	-68.08	-25.00	0.0	V	PASS
2	2294.298	-42.62	-25.00	0.0	V	PASS
3	3123.705	-54.46	-25.00	230.1	V	PASS
4	5391.038	-49.83	-25.00	167.7	V	PASS
5	7270.214	-45.94	-25.00	7.7	V	PASS
6	11955.831	-39.55	-25.00	155.5	V	PASS


DC_66A_n7 507000 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G V



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	108.649	-68.27	-13.00	0.0	H	PASS
2	2443.681	-42.34	-13.00	0.0	H	PASS
3	3129.866	-53.13	-13.00	281.3	H	PASS
4	4707.141	-49.48	-13.00	281.3	H	PASS
5	7347.229	-45.31	-13.00	331.1	H	PASS
6	11139.468	-39.83	-13.00	131.8	H	PASS

DC_66A_n25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G

H



Num	Freq(MHz)	PK	limit PK	Degree	Antenna	Verdict
1	109.620	-67.82	-13.00	360.0	V	PASS
2	2275.625	-42.68	-13.00	360.0	V	PASS
3	3126.785	-53.89	-13.00	76.8	V	PASS
4	4734.867	-49.86	-13.00	213.0	V	PASS
5	7350.310	-45.56	-13.00	351.2	V	PASS
6	13576.235	-38.97	-13.00	76.8	V	PASS

DC_66A_n25 376500 20MHz DFT-S-OFDM QPSK RB Size-1 RB Offset-1 SCS 15kHz 30M-18G

V



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



REPORT No.: SZ24050224W06

4. Test Equipment Utilized

4.1 Conducted Test Equipment

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Attenuator 1	(N/A.)	10dB	Resnet	N/A	N/A
Attenuator 2	(N/A.)	3dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2024.09.18	2025.09.17
System Simulator	6262012906	MT8000A	Anritsu	2024.06.03	2025.06.02
System Simulator	6261830572	MT8821C	Anritsu	2024.01.25	2025.01.24
System Simulator	MY58300665	E7515B	Anritsu	2024.09.18	2025.09.17
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	S02217710100089001	KMT-36LF1A0	KOMEG	2024.09.18	2025.09.17
Test system	N/A	WCS FCC V22.02.041801	CeSheng	N/A	N/A

**4.2 Radiated Test Equipment**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Receiver	101052	ESPI	R&S	2024.06.03	2025.06.02
LISN	8127449	NSLK 8127	Schwarzbeck	2024.02.02	2025.02.01
10dB Pulse Limiter	VTSD 9561 F-B #206	VTSD 9561-F	SCHWARZBECK	2024.05.30	2025.05.29
System Simulator	152038	CMW500	R&S	2023.09.19	2024.09.18
System Simulator	6262148249	MT8000A	anritsu	2024.06.30	2025.06.29
System Simulator	6261830572	MT8821C	anritsu	2024.01.25	2025.01.24
RF Coaxial Cable(DC-100MHz)	MRE04	BNC	Qualwave	2024.07.02	2025.07.01

_____ END OF REPORT _____

