



Antenna Specification

Specifications Summary




ITEM	SPEC.	
Model Name	ISM 2.4 GHz	
Center Frequency	2.402GHz 2.440GHz 2.480GHz	2.94 dBi 2.76 dBi 2.73 dBi
MAX. GAIN	2.94 dBi	
Polarization	Horizontal	
Azimuth Beam Pattern	Omni- directional	
Impedance	50 Ω	
Antenna Length	41 mm	

Antenna Photo & Length





Radiation pattern: Antenna 1 . XZ Plane at f = 2.402GHz




Co-cross polarization field (dBi)

Solid line: vertical polarization

Dash line: horizontal polarization

Total field (dBi)

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .402GHz



Co-cross polarization field (dBi)




Solid line: vertical polarization

Dash line: horizontal polarization

Total field (dBi)

UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .402GHz



Co-cross polarization field (dBi)




Solid line: vertical polarization

Dash line: horizontal polarization

Total field (dBi)

UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .440GHz



Co-cross polarization field (dBi)

Solid line: vertical polarization


Dash line: horizontal polarization

Total field (dBi)


UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .440GHz


2440.0MHz Hpol(E1-XZ), Max= 1.11dBi



2440.0MHz Hpol(E2-YZ), Max= -6.17dBi



Hpol(H-XY), Max= -4.42dBi, CirD=23.03



Co-cross polarization field (dBi)

Solid line: vertical polarization


Dash line: horizontal polarization

Total field (dBi)


UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .440GHz


2440.0MHz Vpol(E1-XZ), Max= -5.05dBi



2440.0MHz Vpol(E2-YZ), Max= -2.58dBi



Vpol(H-XY), Max= 1.94dBi, CirD=37.98



Co-cross polarization field (dBi)




Solid line: vertical polarization

Dash line: horizontal polarization

Total field (dBi)

UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .480GHz



Co-cross polarization field (dBi)

Total field (dBi)


Solid line: vertical polarization

Dash line: horizontal polarization


UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .480GHz


2480.0MHz Hpol(E1-XZ), Max= 1.53dBi



2480.0MHz Hpol(E2-YZ), Max= -6.63dBi



Hpol(H-XY), Max= -4.39dBi, CirD=32.23



Co-cross polarization field (dBi)

Solid line: vertical polarization


Dash line: horizontal polarization

Total field (dBi)


UCI CENTER FOR RF DESIGN AND CHARACTERIZATION

Radiation pattern: Antenna 1 . XZ Plane at f = 2 .480GHz


2480.0MHz Vpol(E1-XZ), Max= -4.21dBi



2480.0MHz Vpol(E2-YZ), Max= -4.18dBi



Vpol(H-XY), Max= 2.22dBi, CirD=37.05



Co-cross polarization field (dBi)

Solid line: vertical polarization

Dash line: horizontal polarization

Total field (dBi)

UCI CENTER FOR RF DESIGN AND CHARACTERIZATION