


Wireless Microphone

Type-C Receiver
user Manual




Introduction

Thanks for choosing our product.
This product is a smart wireless microphone that provides professional-grade recording output,Plug and play,no app required,Multiples usages:it can be used in online live broad-cast,video vlog shooting,program interview,recording,video teaching and other occasions.
The wireless microphone consist of two parts,one is microph-one transmitter,the other one is Apple receiver(See as below picture)



ID Illustration




- ① Windproof net
② Microphone indicator
③ Microphone charging port
④ Microphone clip
⑤ Switch button


⑥ Apple port to connect the phone
⑦ Receiver Indicator
⑧ Reset key of receiver
⑨ Apple port of receiver
- *The microphone is equipped with a built-in battery,which can be used only after being charged.
The power of apple receiver is supplied by phone ⑨Apple port is for phone charging!

How to use


Step1:Connect the receiver to the phone with Apple port.The connection is successful if the phone displays a small icon.




Step 2:Press switch button of microphone,the indicator will turn to green ,and then the power is turn on.



Step 3:The indicator red light of receiver keeps always on,then open the phone camera,live app of other apps,and then to use the microphone to receive sounds.



Special Note:
For the use of@receiver port:there is no battery in Apple receiver,and no need to recharge during live,if the phone is low power during live,it can be recharged directly through receiver port.



About UI

Microphone Transmitter

Function	How to use	Mode of light
Power on	Press switch key once	Green light on
Power off	Press switch button about 3-4 seconds	Green light on for 1second
Charging	Charging with Lightning cable	Red lights keeps on when charging, and light off when fully charged
Paining		Green light flashed slowly
Prired		Green light keeps on
Low battery alarm	Battery is below 20%	Blue light flashed slowly
Reset	Press reset key once	

Apple Receiver

Function	How to use	mode of light
Power on	Plug in the device	Red light on
Power off	plug off the device	Light off
paining		Red light flashes slowly
prired		Red light on

Packing list

Content of packing:
(1) Microphone transmitter
(2) Apple receiver
(3) Lightning charging cable
(4) User manual.

FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any inte rference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interferenceto radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.