



Appendix B: Maximum conducted output power


Test Result Peak

Test Mode	Antenna	Frequency [MHz]	Conducted Peak Power [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	-7.66	≤30	PASS
		2441	-8.64	≤30	PASS
		2480	-8.49	≤30	PASS
2DH5	Ant1	2402	-7.35	≤20.97	PASS
		2441	-8.28	≤20.97	PASS
		2480	-8.25	≤20.97	PASS
3DH5	Ant1	2402	-6.7	≤20.97	PASS
		2441	-7.77	≤20.97	PASS
		2480	-8.13	≤20.97	PASS

Test Graphs







Appendix C: Carrier frequency separation

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
DH5	Ant1	Hop	0.996	≥ 0.636	PASS
2DH5	Ant1	Hop	1	≥ 0.856	PASS
3DH5	Ant1	Hop	1.002	≥ 0.864	PASS

Test Graphs



Appendix D: Time of occupancy


Test Result


Test Mode	Antenna	Frequency [MHz]	BurstWidth [ms]	Hops in 31.6s [Num]	Result [s]	Limit [s]	Verdict
DH1	Ant1	Hop	0.405	313	0.127	≤0.4	PASS
DH3	Ant1	Hop	1.662	164	0.273	≤0.4	PASS
DH5	Ant1	Hop	2.91	115	0.335	≤0.4	PASS
2DH1	Ant1	Hop	0.442	315	0.139	≤0.4	PASS
2DH3	Ant1	Hop	1.666	160	0.267	≤0.4	PASS
2DH5	Ant1	Hop	2.915	120	0.350	≤0.4	PASS
3DH1	Ant1	Hop	0.418	315	0.132	≤0.4	PASS
3DH3	Ant1	Hop	1.667	159	0.265	≤0.4	PASS
3DH5	Ant1	Hop	2.916	101	0.295	≤0.4	PASS


Notes:


1. Period time = $0.4s * 79 = 31.6s$
2. Result (Time of occupancy) = BurstWidth[ms] * Hops in 31.6s [Num]


Test Graphs















Appendix E: Number of hopping channels

Test Result


Test Mode	Antenna	Frequency [MHz]	Result [Num]	Limit [Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS


Test Graphs




Appendix F: Band edge measurements


Test Graphs









2DH5 Ant1 High Hop 2480



3DH5 Ant1 Low 2402



3DH5 Ant1 High 2480



Appendix G: Conducted Spurious Emission

Test Graphs



















----End of Report----