



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Automatic Intelligent Medicine Dispenser

Test Model: GS01

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	BT Ant	1.026	N/A	Pass
NVNT	1-DH5	2441	BT Ant	0.999	N/A	Pass
NVNT	1-DH5	2480	BT Ant	1.027	N/A	Pass
NVNT	2-DH5	2402	BT Ant	1.284	N/A	Pass
NVNT	2-DH5	2441	BT Ant	1.313	N/A	Pass
NVNT	2-DH5	2480	BT Ant	1.28	N/A	Pass
NVNT	3-DH5	2402	BT Ant	1.303	N/A	Pass
NVNT	3-DH5	2441	BT Ant	1.302	N/A	Pass
NVNT	3-DH5	2480	BT Ant	1.303	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz BT Ant




-20dB Bandwidth NVNT 1-DH5 2441MHz BT Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz BT Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz BT Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz BT Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz BT Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz BT Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz BT Ant







A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	BT Ant	0.26	21	Pass
NVNT	1-DH5	2441	BT Ant	1.09	21	Pass
NVNT	1-DH5	2480	BT Ant	0.79	21	Pass
NVNT	2-DH5	2402	BT Ant	0.05	21	Pass
NVNT	2-DH5	2441	BT Ant	0.69	21	Pass
NVNT	2-DH5	2480	BT Ant	4.31	21	Pass
NVNT	3-DH5	2402	BT Ant	3.94	21	Pass
NVNT	3-DH5	2441	BT Ant	4.67	21	Pass
NVNT	3-DH5	2480	BT Ant	4.56	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz BT Ant




Power NVNT 1-DH5 2441MHz BT Ant






Power NVNT 1-DH5 2480MHz BT Ant




Power NVNT 2-DH5 2402MHz BT Ant






Power NVNT 2-DH5 2441MHz BT Ant




Power NVNT 2-DH5 2480MHz BT Ant







Power NVNT 3-DH5 2402MHz BT Ant



Power NVNT 3-DH5 2441MHz BT Ant







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	BT Ant	2401.972	2403.164	1.192	0.685	Pass
NVNT	2-DH5	BT Ant	2402.012	2403.142	1.13	0.875	Pass
NVNT	3-DH5	BT Ant	2402.17	2403.164	0.994	0.869	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz BT Ant



CFS NVNT 2-DH5 2402MHz BT Ant







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	BT Ant	2.882	305.492	106	31600	400	Pass
NVNT	2-DH5	2402	BT Ant	2.885	337.545	117	31600	400	Pass
NVNT	3-DH5	2402	BT Ant	2.886	297.258	103	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz BT Ant One Burst




Dwell NVNT 1-DH5 2402MHz BT Ant Accumulated






Dwell NVNT 2-DH5 2402MHz BT Ant One Burst




Dwell NVNT 2-DH5 2402MHz BT Ant Accumulated






Dwell NVNT 3-DH5 2402MHz BT Ant One Burst



Dwell NVNT 3-DH5 2402MHz BT Ant Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	BT Ant	79	15	Pass
NVNT	2-DH5	BT Ant	79	15	Pass
NVNT	3-DH5	BT Ant	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz BT Ant




Hopping No. NVNT 2-DH5 2402MHz BT Ant





Hopping No. NVNT 3-DH5 2402MHz BT Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	No-Hopping	-56.12	-20	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	-56.73	-20	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	-53.95	-20	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	-60.32	-20	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	-55.88	-20	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	-60.49	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz BT Ant No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz BT Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz BT Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz BT Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz BT Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz BT Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz BT Ant No-Hopping Ref



Band Edge NVNT 2-DH5 2480MHz BT Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2402MHz BT Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz BT Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz BT Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz BT Ant No-Hopping Emission



**(Hopping)**


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	Hopping	-59.79	-20	Pass
NVNT	1-DH5	2480	BT Ant	Hopping	-60.62	-20	Pass
NVNT	2-DH5	2402	BT Ant	Hopping	-53.55	-20	Pass
NVNT	2-DH5	2480	BT Ant	Hopping	-55.75	-20	Pass
NVNT	3-DH5	2402	BT Ant	Hopping	-54.25	-20	Pass
NVNT	3-DH5	2480	BT Ant	Hopping	-55.36	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz BT Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz BT Ant Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	-54.12	-20	Pass
NVNT	1-DH5	2441	BT Ant	-54.03	-20	Pass
NVNT	1-DH5	2480	BT Ant	-55.39	-20	Pass
NVNT	2-DH5	2402	BT Ant	-54.25	-20	Pass
NVNT	2-DH5	2441	BT Ant	-55.72	-20	Pass
NVNT	2-DH5	2480	BT Ant	-57.93	-20	Pass
NVNT	3-DH5	2402	BT Ant	-58.29	-20	Pass
NVNT	3-DH5	2441	BT Ant	-58.87	-20	Pass
NVNT	3-DH5	2480	BT Ant	-58.56	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz BT Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz BT Ant Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	BT Ant	76.88	1.14	0.35
NVNT	1-DH5	2441	BT Ant	76.88	1.14	0.35
NVNT	1-DH5	2480	BT Ant	76.88	1.14	0.35
NVNT	2-DH5	2402	BT Ant	76.99	1.14	0.35
NVNT	2-DH5	2441	BT Ant	76.96	1.14	0.35
NVNT	2-DH5	2480	BT Ant	76.99	1.14	0.35
NVNT	3-DH5	2402	BT Ant	77.04	1.13	0.35
NVNT	3-DH5	2441	BT Ant	77.01	1.13	0.35
NVNT	3-DH5	2480	BT Ant	77.04	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz BT Ant




Duty Cycle NVNT 1-DH5 2441MHz BT Ant






Duty Cycle NVNT 1-DH5 2480MHz BT Ant




Duty Cycle NVNT 2-DH5 2402MHz BT Ant






Duty Cycle NVNT 2-DH5 2441MHz BT Ant




Duty Cycle NVNT 2-DH5 2480MHz BT Ant






Duty Cycle NVNT 3-DH5 2402MHz BT Ant




Duty Cycle NVNT 3-DH5 2441MHz BT Ant





Duty Cycle NVNT 3-DH5 2480MHz BT Ant





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	BT Ant	No-Hopping	2310	-50.56	2.48	47.15	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2310	-57.86	2.48	39.85	Average	54	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2359.632	-47.56	2.48	50.15	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2388.24	-57.39	2.48	40.32	Average	54	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2390	-49.54	2.48	48.17	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2390	-57.39	2.48	40.32	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.5	-49.86	2.48	47.85	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.5	-55.74	2.48	41.97	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2487.664	-46.16	2.48	51.55	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.512	-55.74	2.48	41.97	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2500	-49.37	2.48	48.34	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2500	-57.07	2.48	40.64	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2310	-48.04	2.48	49.67	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2310	-57.87	2.48	39.84	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2341.392	-47.66	2.48	50.05	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2389.392	-57.39	2.48	40.32	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2390	-48.74	2.48	48.97	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2390	-57.56	2.48	40.15	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.5	-49.22	2.48	48.49	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.5	-53.56	2.48	44.15	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2486.056	-47.13	2.48	50.58	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.512	-53.56	2.48	44.15	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2500	-48.89	2.48	48.82	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2500	-57.08	2.48	40.63	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2310	-50.08	2.48	47.63	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2310	-57.79	2.48	39.92	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2320.848	-47.71	2.48	50.00	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2389.776	-57.3	2.48	40.41	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2390	-50.53	2.48	47.18	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2390	-57.41	2.48	40.30	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.5	-50.46	2.48	47.25	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.5	-53.5	2.48	44.21	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2484.28	-46.95	2.48	50.76	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.512	-53.5	2.48	44.21	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2500	-50.81	2.48	46.90	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2500	-57.23	2.48	40.48	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz BT Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz BT Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz BT Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz BT Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz BT Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz BT Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz BT Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz BT Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz BT Ant No-Hopping Average

