

|                                                        |                                          |
|--------------------------------------------------------|------------------------------------------|
| <b>Case No. :</b> <u>GTS20241121026-1-03</u>           |                                          |
| <b>Ambient Condition:</b> <u>22</u> °C, <u>59</u> %RH, |                                          |
| <b>According Standard:</b> <u>■Part15C</u>             |                                          |
| <b>Test Date:</b> <u>2024.11.29</u>                    | <b>Test Engineer:</b> <u>Evan ouyang</u> |

## Appendix C.1: DTS Bandwidth

### Test Result

| TestMode  | Antenna | Frequency[MHz] | DTS BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412           | 7.520        | 2409.480 | 2417.000 | 0.5        | PASS    |
|           |         | 2437           | 8.040        | 2433.000 | 2441.040 | 0.5        | PASS    |
|           |         | 2462           | 6.120        | 2459.440 | 2465.560 | 0.5        | PASS    |
| 11G       | Ant1    | 2412           | 8.800        | 2411.360 | 2420.160 | 0.5        | PASS    |
|           |         | 2437           | 16.440       | 2428.720 | 2445.160 | 0.5        | PASS    |
|           |         | 2462           | 10.000       | 2458.520 | 2468.520 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412           | 9.400        | 2411.360 | 2420.760 | 0.5        | PASS    |
|           |         | 2437           | 17.640       | 2428.120 | 2445.760 | 0.5        | PASS    |
|           |         | 2462           | 9.600        | 2458.880 | 2468.480 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2422           | 10.960       | 2413.520 | 2424.480 | 0.5        | PASS    |
|           |         | 2437           | 12.480       | 2418.680 | 2431.160 | 0.5        | PASS    |
|           |         | 2452           | 13.840       | 2455.360 | 2469.200 | 0.5        | PASS    |

## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437



11B\_Ant1\_2462




## 11G\_Ant1\_2462




## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452




## Appendix C.2: Occupied Channel Bandwidth

### Test Result

| TestMode  | Antenna | Channel<br>Frequency[MHz] | OCB<br>[MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|---------------------------|--------------|-----------|-----------|------------|---------|
| 11B       | Ant1    | 2412                      | 12.326       | 2406.7183 | 2419.0443 | ---        | ---     |
|           |         | 2437                      | 13.452       | 2430.1301 | 2443.5821 | ---        | ---     |
|           |         | 2462                      | 11.769       | 2456.5189 | 2468.2879 | ---        | ---     |
| 11G       | Ant1    | 2412                      | 16.381       | 2404.2871 | 2420.6681 | ---        | ---     |
|           |         | 2437                      | 17.139       | 2428.2143 | 2445.3533 | ---        | ---     |
|           |         | 2462                      | 16.049       | 2454.1430 | 2470.1920 | ---        | ---     |
| 11N20SISO | Ant1    | 2412                      | 17.366       | 2403.7271 | 2421.0931 | ---        | ---     |
|           |         | 2437                      | 18.053       | 2427.8783 | 2445.9313 | ---        | ---     |
|           |         | 2462                      | 17.058       | 2453.6286 | 2470.6866 | ---        | ---     |
| 11N40SISO | Ant1    | 2422                      | 34.588       | 2404.7534 | 2439.3414 | ---        | ---     |
|           |         | 2437                      | 37.518       | 2417.8190 | 2455.3370 | ---        | ---     |
|           |         | 2452                      | 35.881       | 2434.3865 | 2470.2675 | ---        | ---     |

## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462



11G\_Ant1\_2412




11G\_Ant1\_2437




## 11G\_Ant1\_2462



## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452



### Appendix C.3: Maximum conducted output power

| Test Mode | Antenna | Frequency[MHz] | Peak power [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|------------------|-------------|---------|
| 11B       | Ant1    | 2412           | 8.10             | ≤30.00      | PASS    |
|           |         | 2437           | 8.03             | ≤30.00      | PASS    |
|           |         | 2462           | 8.62             | ≤30.00      | PASS    |
| 11G       | Ant1    | 2412           | 8.54             | ≤30.00      | PASS    |
|           |         | 2437           | 8.40             | ≤30.00      | PASS    |
|           |         | 2462           | 8.64             | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2412           | 7.65             | ≤30.00      | PASS    |
|           |         | 2437           | 8.55             | ≤30.00      | PASS    |
|           |         | 2462           | 8.93             | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2422           | 7.75             | ≤30.00      | PASS    |
|           |         | 2437           | 7.88             | ≤30.00      | PASS    |
|           |         | 2452           | 8.48             | ≤30.00      | PASS    |


## Appendix C.4: Maximum power spectral density

### Test Result


| TestMode  | Antenna | Frequency[MHz] | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|----------------|----------------------|-----------------|---------|
| 11B       | Ant1    | 2412           | -16.38               | ≤8.00           | PASS    |
|           |         | 2437           | -16.36               | ≤8.00           | PASS    |
|           |         | 2462           | -14.95               | ≤8.00           | PASS    |
| 11G       | Ant1    | 2412           | -22.07               | ≤8.00           | PASS    |
|           |         | 2437           | -23.95               | ≤8.00           | PASS    |
|           |         | 2462           | -20.45               | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2412           | -22.23               | ≤8.00           | PASS    |
|           |         | 2437           | -23.48               | ≤8.00           | PASS    |
|           |         | 2462           | -19.91               | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2422           | -22.24               | ≤8.00           | PASS    |
|           |         | 2437           | -24.27               | ≤8.00           | PASS    |
|           |         | 2452           | -24.09               | ≤8.00           | PASS    |

## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437



11B\_Ant1\_2462



11G\_Ant1\_2412



11G\_Ant1\_2437




11G\_Ant1\_2462




11N20SISO\_Ant1\_2412




11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462



11N40SISO\_Ant1\_2422



11N40SISO\_Ant1\_2437



11N40SISO\_Ant1\_2452




## Appendix C.5: Band edge measurements

### Test Result


| TestMode  | Antenna | ChName | Frequency[MHz] | RefLevel[dBm] | Result[dBm] | Limit[dBm]    | Verdict |
|-----------|---------|--------|----------------|---------------|-------------|---------------|---------|
| 11B       | Ant1    | Low    | 2412           | -2.56         | -50.76      | $\leq -22.56$ | PASS    |
|           |         | High   | 2462           | -1.47         | -48.88      | $\leq -21.47$ | PASS    |
| 11G       | Ant1    | Low    | 2412           | -9.75         | -49.74      | $\leq -29.75$ | PASS    |
|           |         | High   | 2462           | -8.99         | -49.16      | $\leq -28.99$ | PASS    |
| 11N20SISO | Ant1    | Low    | 2412           | -10.54        | -44.08      | $\leq -30.54$ | PASS    |
|           |         | High   | 2462           | -9.25         | -49.45      | $\leq -29.25$ | PASS    |
| 11N40SISO | Ant1    | Low    | 2422           | -10.89        | -45.89      | $\leq -30.89$ | PASS    |
|           |         | High   | 2452           | -11.08        | -48.46      | $\leq -31.08$ | PASS    |

## Test Graphs


11B\_Ant1\_Low\_2412




11B\_Ant1\_High\_2462




11G\_Ant1\_Low\_2412




11G\_Ant1\_High\_2462




11N20SISO\_Ant1\_Low\_2412




## 11N20SISO\_Ant1\_High\_2462



## 11N40SISO\_Ant1\_Low\_2422



## 11N40SISO\_Ant1\_High\_2452





## Appendix C.6: Conducted Spurious Emission

### Test Result

| TestMode  | Antenna | Frequency[MHz] | FreqRange [Mhz] | RefLevel [dBm] | Result [dBm] | Limit [dBm]   | Verdict |
|-----------|---------|----------------|-----------------|----------------|--------------|---------------|---------|
| 11B       | Ant1    | 2412           | Reference       | -3.58          | -3.58        | ---           | PASS    |
|           |         |                | 30~1000         | -3.58          | -60.04       | $\leq -23.58$ | PASS    |
|           |         |                | 1000~26500      | -3.58          | -47.4        | $\leq -23.58$ | PASS    |
|           |         | 2437           | Reference       | -3.60          | -3.60        | ---           | PASS    |
|           |         |                | 30~1000         | -3.60          | -61.11       | $\leq -23.6$  | PASS    |
|           |         |                | 1000~26500      | -3.60          | -46.96       | $\leq -23.6$  | PASS    |
|           |         | 2462           | Reference       | -2.93          | -2.93        | ---           | PASS    |
|           |         |                | 30~1000         | -2.93          | -37.36       | $\leq -22.93$ | PASS    |
|           |         |                | 1000~26500      | -2.93          | -45.78       | $\leq -22.93$ | PASS    |
| 11G       | Ant1    | 2412           | Reference       | -10.96         | -10.96       | ---           | PASS    |
|           |         |                | 30~1000         | -10.96         | -61.13       | $\leq -30.96$ | PASS    |
|           |         |                | 1000~26500      | -10.96         | -48.3        | $\leq -30.96$ | PASS    |
|           |         | 2437           | Reference       | -13.21         | -13.21       | ---           | PASS    |
|           |         |                | 30~1000         | -13.21         | -60.36       | $\leq -33.21$ | PASS    |
|           |         |                | 1000~26500      | -13.21         | -47.48       | $\leq -33.21$ | PASS    |
|           |         | 2462           | Reference       | -9.98          | -9.98        | ---           | PASS    |
|           |         |                | 30~1000         | -9.98          | -60.44       | $\leq -29.98$ | PASS    |
|           |         |                | 1000~26500      | -9.98          | -48.28       | $\leq -29.98$ | PASS    |
| 11N20SISO | Ant1    | 2412           | Reference       | -12.02         | -12.02       | ---           | PASS    |
|           |         |                | 30~1000         | -12.02         | -60.47       | $\leq -32.02$ | PASS    |
|           |         |                | 1000~26500      | -12.02         | -46.64       | $\leq -32.02$ | PASS    |
|           |         | 2437           | Reference       | -13.01         | -13.01       | ---           | PASS    |
|           |         |                | 30~1000         | -13.01         | -60.9        | $\leq -33.01$ | PASS    |
|           |         |                | 1000~26500      | -13.01         | -40.63       | $\leq -33.01$ | PASS    |
|           |         | 2462           | Reference       | -10.45         | -10.45       | ---           | PASS    |
|           |         |                | 30~1000         | -10.45         | -60.54       | $\leq -30.45$ | PASS    |
|           |         |                | 1000~26500      | -10.45         | -47          | $\leq -30.45$ | PASS    |
| 11N40SISO | Ant1    | 2422           | Reference       | -12.61         | -12.61       | ---           | PASS    |
|           |         |                | 30~1000         | -12.61         | -60.92       | $\leq -32.61$ | PASS    |
|           |         |                | 1000~26500      | -12.61         | -38.22       | $\leq -32.61$ | PASS    |
|           |         | 2437           | Reference       | -13.38         | -13.38       | ---           | PASS    |
|           |         |                | 30~1000         | -13.38         | -60.09       | $\leq -33.38$ | PASS    |
|           |         |                | 1000~26500      | -13.38         | -34.39       | $\leq -33.38$ | PASS    |
|           |         | 2452           | Reference       | -12.29         | -12.29       | ---           | PASS    |
|           |         |                | 30~1000         | -12.29         | -60.57       | $\leq -32.29$ | PASS    |
|           |         |                | 1000~26500      | -12.29         | -47.62       | $\leq -32.29$ | PASS    |

## Test Graphs






## 11B\_Ant1\_2437\_1000~26500




## 11B\_Ant1\_2462\_0~Reference



## 11B\_Ant1\_2462\_30~1000




11B\_Ant1\_2462\_1000~26500



11G\_Ant1\_2412\_0~Reference



## 11G\_Ant1\_2412\_30~1000




## 11G\_Ant1\_2412\_1000~26500



## 11G\_Ant1\_2437\_0~Reference



11G\_Ant1\_2437\_30~1000




11G\_Ant1\_2437\_1000~26500




## 11G\_Ant1\_2462\_0~Reference



## 11G\_Ant1\_2462\_30~1000




## 11G\_Ant1\_2462\_1000~26500




11N20SISO\_Ant1\_2412\_0~Reference



11N20SISO\_Ant1\_2412\_30~1000




## 11N20SISO\_Ant1\_2412\_1000~26500




## 11N20SISO\_Ant1\_2437\_0~Reference




## 11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500




11N20SISO\_Ant1\_2462\_0~Reference



## 11N20SISO\_Ant1\_2462\_30~1000




## 11N20SISO\_Ant1\_2462\_1000~26500



## 11N40SISO\_Ant1\_2422\_0~Reference



11N40SISO\_Ant1\_2422\_30~1000




11N40SISO\_Ant1\_2422\_1000~26500




## 11N40SISO\_Ant1\_2437\_0~Reference



## 11N40SISO\_Ant1\_2437\_30~1000




## 11N40SISO\_Ant1\_2437\_1000~26500



11N40SISO\_Ant1\_2452\_0~Reference



11N40SISO\_Ant1\_2452\_30~1000





## Appendix C.7: Emissions in Restricted Bands

### Test Result

| TestMode      | Antenna | ChName | Frequenc<br>y[MHz] | Detector | Freq<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Verdict |
|---------------|---------|--------|--------------------|----------|---------------|-----------------|----------------|--------------------|-------------------|---------|
| 11B           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.61          | ≤-41.20        | 45.59              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.960      | -49.27          | ≤-41.20        | 45.93              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.27          | ≤-41.20        | 45.93              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -45.84          | ≤-21.20        | 49.36              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2320.930      | -39.6           | ≤-21.20        | 55.60              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -49.64          | ≤-21.20        | 45.56              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.16          | ≤-41.20        | 46.04              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.950      | -48.91          | ≤-41.20        | 46.29              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.91          | ≤-41.20        | 46.29              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -49.06          | ≤-21.20        | 46.14              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2492.250      | -41.64          | ≤-21.20        | 53.56              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -47.22          | ≤-21.20        | 47.98              | ≤74               | PASS    |
| 11G           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.65          | ≤-41.20        | 45.55              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.310      | -49.23          | ≤-41.20        | 45.97              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.26          | ≤-41.20        | 45.94              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -46.57          | ≤-21.20        | 48.63              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2371.630      | -40.99          | ≤-21.20        | 54.21              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -46.12          | ≤-21.20        | 49.08              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.27          | ≤-41.20        | 45.93              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.620      | -49             | ≤-41.20        | 46.20              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -49.04          | ≤-41.20        | 46.16              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -42.13          | ≤-21.20        | 53.07              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2494.340      | -41.18          | ≤-21.20        | 54.02              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -46.99          | ≤-21.20        | 48.21              | ≤74               | PASS    |
| 11N20SIS<br>O | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.62          | ≤-41.20        | 45.58              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.960      | -49.25          | ≤-41.20        | 45.95              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.25          | ≤-41.20        | 45.95              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -48.46          | ≤-21.20        | 46.74              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2384.500      | -40.8           | ≤-21.20        | 54.40              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -41.04          | ≤-21.20        | 54.16              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.15          | ≤-41.20        | 46.05              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.950      | -48.9           | ≤-41.20        | 46.30              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.9           | ≤-41.20        | 46.30              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -49.97          | ≤-21.20        | 45.23              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2491.150      | -40.32          | ≤-21.20        | 54.88              | ≤74               | PASS    |


|               |      |      |      |      |          |        |               |       |           |      |
|---------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|               |      |      |      | Peak | 2500.000 | -48.18 | $\leq -21.20$ | 47.02 | $\leq 74$ | PASS |
| 11N40SIS<br>O | Ant1 | Low  | 2422 | AV   | 2310.000 | -49.63 | $\leq -41.20$ | 45.57 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2322.490 | -48.39 | $\leq -41.20$ | 46.81 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2390.000 | -49.23 | $\leq -41.20$ | 45.97 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2310.000 | -45.46 | $\leq -21.20$ | 49.74 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2334.060 | -41.16 | $\leq -21.20$ | 54.04 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2390.000 | -46.21 | $\leq -21.20$ | 48.99 | $\leq 74$ | PASS |
|               |      | High | 2452 | AV   | 2483.500 | -49.17 | $\leq -41.20$ | 46.03 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2499.070 | -49.02 | $\leq -41.20$ | 46.18 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2500.000 | -49.05 | $\leq -41.20$ | 46.15 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2483.500 | -43.56 | $\leq -21.20$ | 51.64 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2498.960 | -40.73 | $\leq -21.20$ | 54.47 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2500.000 | -43.28 | $\leq -21.20$ | 51.92 | $\leq 74$ | PASS |

## Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

## Test Graphs


11B\_Ant1\_Low\_2412\_AV




11B\_Ant1\_Low\_2412\_Peak




11B\_Ant1\_High\_2462\_AV




11B\_Ant1\_High\_2462\_Peak




11G\_Ant1\_Low\_2412\_AV




## 11G\_Ant1\_Low\_2412\_Peak




## 11G\_Ant1\_High\_2462\_AV




## 11G\_Ant1\_High\_2462\_Peak




## 11N20SISO\_Ant1\_High\_2462\_AV



## 11N20SISO\_Ant1\_High\_2462\_Peak



## 11N40SISO\_Ant1\_Low\_2422\_AV



## 11N40SISO\_Ant1\_High\_2452\_Peak

