


① DC Power Input (18V-3A)

② Speaker Output Socket



- ③ Network Debug Port
- ④ ARC Audio Input Port
- ⑤ Speaker Volume Knob
- ⑥ Multi-function multiplex port 1: (USB debugging, analogue audio input and output interface)
- ⑦ Line in Audio Input Port
- ⑧ Line out Audio Output Port
- ⑨ Multi-function multiplex port 2: (reserved for IR, Bluetooth program update interface)
- ⑩ Status Indicator (Red light when power-up, blue light means power-up successfully)

⑪ Main Power Switch

⑫ Hole for Screw Mounting

⑬ Users Manual

Install the speakers in the speaker output socket, connect the DC power supply, turn on the switch and select the channel:

1. Bluetooth Connection: within 2 meters of the device DampfHubX, use mobile phone to search for the Bluetooth name DAMPF, and enter the password 1212.
2. HDMI Connection: Choose a TV which with ARC function, connect the TV and DampfHubX with HDMI cable.
3. Network Port Connection: Connect the network port with a network cable
4. AUX Connection: Choose the 3.5MM cable to connect.

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter