



802.11n(HT20)_MCH_5785MHz_MIMO_NTNV




802.11n(HT20)_MCH_5785MHz_MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21381.3	-38.15	-21.20	16.95	Pass	Peak	7	21381.3	-50.15	-41.20	8.95	Pass	AVG
2	22205.8	-39.84	-21.20	18.64	Pass	Peak	8	22205.8	-52.41	-41.20	11.21	Pass	AVG
3	23515.65	-39.50	-27.00	12.50	Pass	Peak	9	23515.65	/	-27.00	/	/	AVG
4	24312.95	-34.94	-27.00	7.94	Pass	Peak	10	24312.95	/	-27.00	/	/	AVG
5	25106	-35.59	-27.00	8.59	Pass	Peak	11	25106	/	-27.00	/	/	AVG
6	25907.55	-33.98	-27.00	6.98	Pass	Peak	12	25907.55	/	-27.00	/	/	AVG


802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT20)_HCH_5825MHz_Ant1_NTN




802.11n(HT20) HCH 5825MHz Ant2 NTV




802.11n(HT20)_HCH_5825MHz_Ant2_NTV



802.11n(HT20) HCH 5825MHz MIMO NTNV




802.11n(HT20) HCH 5825MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21305.65	-37.69	-21.20	16.49	Pass	Peak	7	21305.65	-49.84	-41.20	8.64	Pass	AVG
2	22222.8	-40.22	-21.20	19.02	Pass	Peak	8	22222.8	-52.43	-41.20	11.23	Pass	AVG
3	23515.65	-39.10	-27.00	12.10	Pass	Peak	9	23515.65	/	-27.00	/	/	AVG
4	24319.75	-34.67	-27.00	7.67	Pass	Peak	10	24319.75	/	-27.00	/	/	AVG
5	25090.7	-36.94	-27.00	9.94	Pass	Peak	11	25090.7	/	-27.00	/	/	AVG
6	25904.15	-34.01	-27.00	7.01	Pass	Peak	12	25904.15	/	-27.00	/	/	AVG


802.11n(HT20) HCH 5825MHz MIMO_NTNV



802.11n(HT40) LCH 5190MHz MIMO_NTNV




802.11n(HT40) LCH 5190MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4988.000	-51.97	-21.20	30.77	Pass	Peak	7	4988.000	-58.42	-41.20	17.22	Pass	AVG
2	5025.500	-51.27	-21.20	30.07	Pass	Peak	8	5025.500	-58.03	-41.20	16.83	Pass	AVG
3	5058.500	-49.84	-21.20	28.64	Pass	Peak	9	5058.500	-57.73	-41.20	16.53	Pass	AVG
4	5085.000	-49.98	-21.20	28.78	Pass	Peak	10	5085.000	-57.77	-41.20	16.57	Pass	AVG
5	5112.000	-50.09	-21.20	28.89	Pass	Peak	11	5112.000	-58.12	-41.20	16.92	Pass	AVG
6	5136.500	-51.16	-21.20	29.96	Pass	Peak	12	5136.500	-58.26	-41.20	17.06	Pass	AVG

802.11n(HT40) HCH 5230MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21207.05	-37.82	-21.20	16.62	Pass	Peak	7	21207.05	-48.70	-41.20	7.50	Pass	AVG
2	22074.05	-39.99	-21.20	18.79	Pass	Peak	8	22074.05	-50.23	-41.20	9.03	Pass	AVG
3	23050.7	-39.55	-21.20	18.35	Pass	Peak	9	23050.7	-50.69	-41.20	9.49	Pass	AVG
4	24302.75	-35.61	-27.00	8.61	Pass	Peak	10	24302.75	/	-27.00	/	/	AVG
5	25068.6	-36.13	-27.00	9.13	Pass	Peak	11	25068.6	/	-27.00	/	/	AVG
6	25891.4	-33.49	-27.00	6.49	Pass	Peak	12	25891.4	/	-27.00	/	/	AVG


802.11n(HT40) HCH 5230MHz MIMO NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN



802.11n(HT40) LCH 5755MHz MIMO NTN




802.11n(HT40) LCH_5755MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21320.95	-37.95	-21.20	16.75	Pass	Peak	7	21320.95	-48.95	-41.20	7.75	Pass	AVG
2	22250	-40.58	-21.20	19.38	Pass	Peak	8	22250	-51.35	-41.20	10.15	Pass	AVG
3	23166.3	-39.46	-27.00	12.46	Pass	Peak	9	23166.3	/	-27.00	/	/	AVG
4	24308.7	-35.70	-27.00	8.70	Pass	Peak	10	24308.7	/	-27.00	/	/	AVG
5	25133.2	-36.52	-27.00	9.52	Pass	Peak	11	25133.2	/	-27.00	/	/	AVG
6	25916.05	-34.44	-27.00	7.44	Pass	Peak	12	25916.05	/	-27.00	/	/	AVG

802.11n(HT40) LCH_5755MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-50.36	-27.00	23.36	Pass	Peak	3	5725.000	-43.69	27.00	70.69	Pass	Peak
2	5720.325	-38.21	16.34	54.55	Pass	Peak							


802.11n(HT40) HCH 5795MHz Ant1 NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40) HCH 5795MHz Ant2 NTV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV



802.11n(HT40) HCH 5795MHz MIMO NTNV




802.11n(HT40) HCH 5795MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21214.7	-37.82	-21.20	16.62	Pass	Peak	7	21214.7	-49.10	-41.20	7.90	Pass	AVG
2	22055.35	-39.99	-21.20	18.79	Pass	Peak	8	22055.35	-50.89	-41.20	9.69	Pass	AVG
3	23201.15	-39.65	-27.00	12.65	Pass	Peak	9	23201.15	/	-27.00	/	/	AVG
4	24289.15	-35.67	-27.00	8.67	Pass	Peak	10	24289.15	/	-27.00	/	/	AVG
5	25131.5	-36.06	-27.00	9.06	Pass	Peak	11	25131.5	/	-27.00	/	/	AVG
6	25899.9	-33.69	-27.00	6.69	Pass	Peak	12	25899.9	/	-27.00	/	/	AVG


802.11n(HT40) HCH 5795MHz MIMO NTN



802.11ac(VHT20) LCH 5180MHz MIMO NTN




802.11ac(VHT20) LCH 5180MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4719.500	-55.01	-21.20	33.81	Pass	Peak	7	4719.500	-62.47	-41.20	21.27	Pass	AVG
2	5013.500	-55.11	-21.20	33.91	Pass	Peak	8	5013.500	-62.11	-41.20	20.91	Pass	AVG
3	5042.500	-54.74	-21.20	33.54	Pass	Peak	9	5042.500	-61.95	-41.20	20.75	Pass	AVG
4	5080.000	-54.64	-21.20	33.44	Pass	Peak	10	5080.000	-61.65	-41.20	20.45	Pass	AVG
5	5102.000	-54.59	-21.20	33.39	Pass	Peak	11	5102.000	-62.03	-41.20	20.83	Pass	AVG
6	5131.500	-54.83	-21.20	33.63	Pass	Peak	12	5131.500	-62.10	-41.20	20.90	Pass	AVG

802.11ac(VHT20) MCH 5200MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21420.4	-41.74	-27.00	14.74	Pass	Peak	7	21420.4	/	-27.00	/	/	AVG
2	22326.5	-43.91	-21.20	22.71	Pass	Peak	8	22326.5	-55.99	-41.20	14.79	Pass	AVG
3	23540.3	-42.80	-27.00	15.80	Pass	Peak	9	23540.3	/	-27.00	/	/	AVG
4	24324.85	-39.55	-27.00	12.55	Pass	Peak	10	24324.85	/	-27.00	/	/	AVG
5	25095.8	-41.05	-27.00	14.05	Pass	Peak	11	25095.8	/	-27.00	/	/	AVG
6	25871	-37.94	-27.00	10.94	Pass	Peak	12	25871	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5240MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21298	-41.58	-21.20	20.38	Pass	Peak	7	21298	-53.51	-41.20	12.31	Pass	AVG
2	22333.3	-43.83	-21.20	22.63	Pass	Peak	8	22333.3	-56.06	-41.20	14.86	Pass	AVG
3	23515.65	-43.76	-27.00	16.76	Pass	Peak	9	23515.65	/	-27.00	/	/	AVG
4	24302.75	-39.45	-27.00	12.45	Pass	Peak	10	24302.75	/	-27.00	/	/	AVG
5	25389.05	-38.28	-27.00	11.28	Pass	Peak	11	25389.05	/	-27.00	/	/	AVG
6	26216.95	-40.22	-27.00	13.22	Pass	Peak	12	26216.95	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5240MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5354.160	-53.73	-21.20	32.53	Pass	Peak	7	5354.160	-61.11	-41.20	19.91	Pass	AVG
2	5367.600	-53.91	-21.20	32.71	Pass	Peak	8	5367.600	-60.97	-41.20	19.77	Pass	AVG
3	5379.120	-53.27	-21.20	32.07	Pass	Peak	9	5379.120	-61.20	-41.20	20.00	Pass	AVG
4	5393.040	-54.25	-21.20	33.05	Pass	Peak	10	5393.040	-62.04	-41.20	20.84	Pass	AVG
5	5401.920	-54.56	-21.20	33.36	Pass	Peak	11	5401.920	-61.94	-41.20	20.74	Pass	AVG
6	5417.760	-54.91	-21.20	33.71	Pass	Peak	12	5417.760	-62.41	-41.20	21.21	Pass	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20) LCH 5745MHz Ant2 NTN




802.11ac(VHT20) LCH 5745MHz Ant2 NTN



802.11ac(VHT20) LCH 5745MHz MIMO NTN




802.11ac(VHT20) LCH 5745MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21231.7	-41.84	-21.20	20.64	Pass	Peak	7	21231.7	-54.17	-41.20	12.97	Pass	AVG
2	22037.5	-44.51	-21.20	23.31	Pass	Peak	8	22037.5	-55.96	-41.20	14.76	Pass	AVG
3	23246.2	-43.63	-27.00	16.63	Pass	Peak	9	23246.2	/	-27.00	/	/	AVG
4	24325.7	-40.35	-27.00	13.35	Pass	Peak	10	24325.7	/	-27.00	/	/	AVG
5	25094.1	-40.41	-27.00	13.41	Pass	Peak	11	25094.1	/	-27.00	/	/	AVG
6	25921.15	-37.92	-27.00	10.92	Pass	Peak	12	25921.15	/	-27.00	/	/	AVG


802.11ac(VHT20) LCH 5745MHz MIMO NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant2 NTN



802.11ac(VHT20) MCH 5785MHz MIMO NTN




802.11ac(VHT20) MCH 5785MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21396.6	-42.00	-21.20	20.80	Pass	Peak	7	21396.6	-54.06	-41.20	12.86	Pass	AVG
2	22167.55	-44.44	-21.20	23.24	Pass	Peak	8	22167.55	-56.30	-41.20	15.10	Pass	AVG
3	23058.35	-43.59	-21.20	22.39	Pass	Peak	9	23058.35	-56.19	-41.20	14.99	Pass	AVG
4	24318.9	-39.37	-27.00	12.37	Pass	Peak	10	24318.9	/	-27.00	/	/	AVG
5	25086.45	-40.99	-27.00	13.99	Pass	Peak	11	25086.45	/	-27.00	/	/	AVG
6	25855.7	-37.92	-27.00	10.92	Pass	Peak	12	25855.7	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5825MHz Ant1 NTN




2025-08-18 18:45:55


802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN



802.11ac(VHT20) HCH 5825MHz MIMO NTN




802.11ac(VHT20) HCH 5825MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21368.55	-42.19	-21.20	20.99	Pass	Peak	7	21368.55	-54.08	-41.20	12.88	Pass	AVG
2	22304.4	-44.45	-21.20	23.25	Pass	Peak	8	22304.4	-56.47	-41.20	15.27	Pass	AVG
3	23173.1	-43.29	-27.00	16.29	Pass	Peak	9	23173.1	/	-27.00	/	/	AVG
4	24301.05	-39.01	-27.00	12.01	Pass	Peak	10	24301.05	/	-27.00	/	/	AVG
5	25072	-40.37	-27.00	13.37	Pass	Peak	11	25072	/	-27.00	/	/	AVG
6	25936.45	-37.46	-27.00	10.46	Pass	Peak	12	25936.45	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH 5825MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-49.39	27.00	76.39	Pass	Peak	3	5925.000	-54.18	-27.00	27.18	Pass	Peak
2	5862.360	-46.69	13.54	60.23	Pass	Peak							

802.11ac(VHT40) LCH 5190MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19416.95	-45.19	-21.20	23.99	Pass	Peak	7	19416.95	-56.35	-41.20	15.15	Pass	AVG
2	21291.2	-42.17	-21.20	20.97	Pass	Peak	8	21291.2	-52.63	-41.20	11.43	Pass	AVG
3	22094.45	-43.56	-21.20	22.36	Pass	Peak	9	22094.45	-54.67	-41.20	13.47	Pass	AVG
4	23255.55	-42.97	-27.00	15.97	Pass	Peak	10	23255.55	/	-27.00	/	/	AVG
5	24352.05	-39.21	-27.00	12.21	Pass	Peak	11	24352.05	/	-27.00	/	/	AVG
6	25841.25	-37.36	-27.00	10.36	Pass	Peak	12	25841.25	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH 5190MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4989.000	-54.01	-21.20	32.81	Pass	Peak	7	4989.000	-62.31	-41.20	21.11	Pass	AVG
2	5031.500	-53.98	-21.20	32.78	Pass	Peak	8	5031.500	-62.06	-41.20	20.86	Pass	AVG
3	5055.000	-54.73	-21.20	33.53	Pass	Peak	9	5055.000	-61.90	-41.20	20.70	Pass	AVG
4	5078.000	-54.93	-21.20	33.73	Pass	Peak	10	5078.000	-61.90	-41.20	20.70	Pass	AVG
5	5110.000	-54.37	-21.20	33.17	Pass	Peak	11	5110.000	-61.76	-41.20	20.56	Pass	AVG
6	5149.500	-53.51	-21.20	32.31	Pass	Peak	12	5149.500	-62.01	-41.20	20.81	Pass	AVG

802.11ac(VHT40) HCH 5230MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21264	-41.30	-21.20	20.10	Pass	Peak	7	21264	-52.54	-41.20	11.34	Pass	AVG
2	22063	-43.28	-21.20	22.08	Pass	Peak	8	22063	-54.56	-41.20	13.36	Pass	AVG
3	23557.3	-42.81	-27.00	15.81	Pass	Peak	9	23557.3	/	-27.00	/	/	AVG
4	24361.4	-39.09	-27.00	12.09	Pass	Peak	10	24361.4	/	-27.00	/	/	AVG
5	25129.8	-40.92	-27.00	13.92	Pass	Peak	11	25129.8	/	-27.00	/	/	AVG
6	25913.5	-38.09	-27.00	11.09	Pass	Peak	12	25913.5	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5230MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.920	-53.10	-21.20	31.90	Pass	Peak	7	5350.920	-61.59	-41.20	20.39	Pass	AVG
2	5360.100	-53.36	-21.20	32.16	Pass	Peak	8	5360.100	-61.78	-41.20	20.58	Pass	AVG
3	5369.280	-54.26	-21.20	33.06	Pass	Peak	9	5369.280	-61.96	-41.20	20.76	Pass	AVG
4	5387.640	-54.31	-21.20	33.11	Pass	Peak	10	5387.640	-62.01	-41.20	20.81	Pass	AVG
5	5397.900	-54.96	-21.20	33.76	Pass	Peak	11	5397.900	-62.17	-41.20	20.97	Pass	AVG
6	5454.870	-54.57	-21.20	33.37	Pass	Peak	12	5454.870	-61.82	-41.20	20.62	Pass	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV



802.11ac(VHT40) LCH 5755MHz MIMO NTN




802.11ac(VHT40) LCH 5755MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21309.9	-41.74	-21.20	20.54	Pass	Peak	7	21309.9	-52.94	-41.20	11.74	Pass	AVG
2	22176.05	-43.94	-21.20	22.74	Pass	Peak	8	22176.05	-55.28	-41.20	14.08	Pass	AVG
3	23202	-43.69	-27.00	16.69	Pass	Peak	9	23202	/	-27.00	/	/	AVG
4	24321.45	-39.66	-27.00	12.66	Pass	Peak	10	24321.45	/	-27.00	/	/	AVG
5	25094.95	-40.65	-27.00	13.65	Pass	Peak	11	25094.95	/	-27.00	/	/	AVG
6	25946.65	-38.26	-27.00	11.26	Pass	Peak	12	25946.65	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH 5755MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-54.52	-27.00	27.52	Pass	Peak	3	5725.000	-43.40	27.00	70.40	Pass	Peak
2	5722.355	-38.71	20.97	59.68	Pass	Peak							


802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN



802.11ac(VHT40) HCH 5795MHz MIMO NTN




802.11ac(VHT40) HCH 5795MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21269.95	-41.82	-21.20	20.62	Pass	Peak	7	21269.95	-52.82	-41.20	11.62	Pass	AVG
2	22377.5	-43.70	-21.20	22.50	Pass	Peak	8	22377.5	-55.30	-41.20	14.10	Pass	AVG
3	23190.95	-43.14	-27.00	16.14	Pass	Peak	9	23190.95	/	-27.00	/	/	AVG
4	24295.95	-39.31	-27.00	12.31	Pass	Peak	10	24295.95	/	-27.00	/	/	AVG
5	25072.85	-40.77	-27.00	13.77	Pass	Peak	11	25072.85	/	-27.00	/	/	AVG
6	25871.85	-38.07	-27.00	11.07	Pass	Peak	12	25871.85	/	-27.00	/	/	AVG

802.11ac(VHT40) HCH 5795MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-49.63	27.00	76.63	Pass	Peak	3	5925.000	-54.79	-27.00	27.79	Pass	Peak
2	5859.890	-44.51	14.23	58.74	Pass	Peak							


802.11ac(VHT80) MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80) MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80) MCH_5210MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21418.7	-41.61	-27.00	14.61	Pass	Peak	7	21418.7	/	-27.00	/	/	AVG
2	22221.1	-44.07	-21.20	22.87	Pass	Peak	8	22221.1	-53.37	-41.20	12.17	Pass	AVG
3	23538.6	-43.60	-27.00	16.60	Pass	Peak	9	23538.6	/	-27.00	/	/	AVG
4	24318.05	-39.38	-27.00	12.38	Pass	Peak	10	24318.05	/	-27.00	/	/	AVG
5	25145.95	-40.47	-27.00	13.47	Pass	Peak	11	25145.95	/	-27.00	/	/	AVG
6	25933.9	-38.08	-27.00	11.08	Pass	Peak	12	25933.9	/	-27.00	/	/	AVG

802.11ac(VHT80) MCH_5210MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4735.500	-54.82	-21.20	33.62	Pass	Peak	7	4735.500	-62.58	-41.20	21.38	Pass	AVG
2	5004.000	-55.02	-21.20	33.82	Pass	Peak	8	5004.000	-62.18	-41.20	20.98	Pass	AVG
3	5039.000	-53.91	-21.20	32.71	Pass	Peak	9	5039.000	-61.95	-41.20	20.75	Pass	AVG
4	5073.500	-53.63	-21.20	32.43	Pass	Peak	10	5073.500	-61.71	-41.20	20.51	Pass	AVG
5	5106.000	-54.21	-21.20	33.01	Pass	Peak	11	5106.000	-62.04	-41.20	20.84	Pass	AVG
6	5148.000	-51.86	-21.20	30.66	Pass	Peak	12	5148.000	-61.41	-41.20	20.21	Pass	AVG


802.11ac(VHT80) MCH 5210MHz MIMO NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN




802.11ac(VHT80) MCH 5775MHz Ant2 NTN




802.11ac(VHT80) MCH 5775MHz Ant2 NTN




802.11ac(VHT80) MCH 5775MHz Ant2 NTN



802.11ac(VHT80) MCH 5775MHz MIMO NTN




802.11ac(VHT80) MCH_5775MHz MIMO_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21202.8	-42.31	-21.20	21.11	Pass	Peak	7	21202.8	-51.51	-41.20	10.31	Pass	AVG
2	22131	-44.03	-21.20	22.83	Pass	Peak	8	22131	-53.50	-41.20	12.30	Pass	AVG
3	23561.55	-43.86	-27.00	16.86	Pass	Peak	9	23561.55	/	-27.00	/	/	AVG
4	24334.2	-39.64	-27.00	12.64	Pass	Peak	10	24334.2	/	-27.00	/	/	AVG
5	25536.95	-38.08	-27.00	11.08	Pass	Peak	11	25536.95	/	-27.00	/	/	AVG
6	26391.2	-39.44	-27.00	12.44	Pass	Peak	12	26391.2	/	-27.00	/	/	AVG

802.11ac(VHT80) MCH_5775MHz MIMO_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-55.59	-27.00	28.59	Pass	Peak	3	5725.000	-44.06	27.00	71.06	Pass	Peak
2	5724.525	-43.36	25.92	69.28	Pass	Peak							

802.11ac(VHT80) MCH 5775MHz MIMO NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-51.48	27.00	78.48	Pass	AVG	3	5925.000	-54.91	-27.00	27.91	Pass	AVG
2	5855.150	-48.08	15.56	63.64	Pass	AVG							

6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	Tx Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.040	5150 to 5250	Pass
				120	5180.060	5150 to 5250	Pass
				138	5180.100	5150 to 5250	Pass
			-30	120	5180.080	5150 to 5250	Pass
			-20	120	5180.060	5150 to 5250	Pass
			-10	120	5180.080	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5180.040	5150 to 5250	Pass
			40	120	5180.040	5150 to 5250	Pass
			50	120	5180.040	5150 to 5250	Pass
		5200	20	102	5200.040	5150 to 5250	Pass
				120	5200.040	5150 to 5250	Pass
				138	5200.020	5150 to 5250	Pass
			-30	120	5200.060	5150 to 5250	Pass
			-20	120	5200.060	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5200.040	5150 to 5250	Pass
			10	120	5200.020	5150 to 5250	Pass
			30	120	5200.040	5150 to 5250	Pass
			40	120	5200.040	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
		5240	20	102	5240.060	5150 to 5250	Pass
				120	5240.060	5150 to 5250	Pass
				138	5240.060	5150 to 5250	Pass
			-30	120	5240.040	5150 to 5250	Pass
			-20	120	5239.980	5150 to 5250	Pass
			-10	120	5240.040	5150 to 5250	Pass
			0	120	5240.040	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5240.000	5150 to 5250	Pass
			50	120	5240.040	5150 to 5250	Pass
		5745	20	102	5745.080	5725 to 5850	Pass
				120	5745.060	5725 to 5850	Pass
				138	5745.040	5725 to 5850	Pass
			-30	120	5745.080	5725 to 5850	Pass
			-20	120	5745.020	5725 to 5850	Pass
			-10	120	5745.060	5725 to 5850	Pass
			0	120	5745.040	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.060	5725 to 5850	Pass
			40	120	5745.080	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
		5785	20	102	5785.040	5725 to 5850	Pass
				120	5785.060	5725 to 5850	Pass

				138	5785.040	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.080	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.080	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
			50	120	5785.040	5725 to 5850	Pass
		5825	20	102	5825.040	5725 to 5850	Pass
				120	5825.020	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5825.040	5725 to 5850	Pass
			-20	120	5825.040	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5825.080	5725 to 5850	Pass
			10	120	5825.040	5725 to 5850	Pass
			30	120	5825.020	5725 to 5850	Pass
			40	120	5825.060	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	20	102	5180.060	5150 to 5250	Pass
				120	5180.040	5150 to 5250	Pass
				138	5180.060	5150 to 5250	Pass
			-30	120	5180.040	5150 to 5250	Pass
			-20	120	5180.060	5150 to 5250	Pass
			-10	120	5180.040	5150 to 5250	Pass
			0	120	5180.040	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5180.040	5150 to 5250	Pass
			40	120	5180.000	5150 to 5250	Pass
			50	120	5180.040	5150 to 5250	Pass
		5200	20	102	5200.020	5150 to 5250	Pass
				120	5200.020	5150 to 5250	Pass
				138	5200.000	5150 to 5250	Pass
			-30	120	5200.040	5150 to 5250	Pass
			-20	120	5200.060	5150 to 5250	Pass
			-10	120	5200.040	5150 to 5250	Pass
			0	120	5200.000	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5200.000	5150 to 5250	Pass
			40	120	5200.040	5150 to 5250	Pass
			50	120	5200.020	5150 to 5250	Pass
		5240	20	102	5240.000	5150 to 5250	Pass
				120	5240.040	5150 to 5250	Pass
				138	5240.040	5150 to 5250	Pass
			-30	120	5240.060	5150 to 5250	Pass
			-20	120	5240.020	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass
			0	120	5240.040	5150 to 5250	Pass
			10	120	5240.040	5150 to 5250	Pass
			30	120	5239.980	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5745	20	102	5745.060	5725 to 5850	Pass
				120	5745.060	5725 to 5850	Pass
				138	5745.080	5725 to 5850	Pass
			-30	120	5745.080	5725 to 5850	Pass
			-20	120	5745.080	5725 to 5850	Pass
			-10	120	5745.020	5725 to 5850	Pass

			0	120	5745.000	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.020	5725 to 5850	Pass
			40	120	5745.060	5725 to 5850	Pass
			50	120	5745.040	5725 to 5850	Pass
		5785	20	102	5785.040	5725 to 5850	Pass
				120	5785.000	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.040	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass
			0	120	5785.040	5725 to 5850	Pass
			10	120	5785.060	5725 to 5850	Pass
			30	120	5785.040	5725 to 5850	Pass
			40	120	5785.040	5725 to 5850	Pass
			50	120	5785.060	5725 to 5850	Pass
		5825	20	102	5825.020	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5825.000	5725 to 5850	Pass
			-30	120	5825.020	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5825.000	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5825.040	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	20	102	5190.080	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
				138	5190.120	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.040	5150 to 5250	Pass
			-10	120	5190.040	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.080	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.120	5150 to 5250	Pass
		5230	20	102	5230.040	5150 to 5250	Pass
				120	5230.080	5150 to 5250	Pass
				138	5230.080	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.080	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.000	5150 to 5250	Pass
			10	120	5230.080	5150 to 5250	Pass
			30	120	5230.000	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
		5755	20	102	5755.040	5725 to 5850	Pass
				120	5755.080	5725 to 5850	Pass
				138	5755.120	5725 to 5850	Pass
			-30	120	5755.080	5725 to 5850	Pass
			-20	120	5755.080	5725 to 5850	Pass
			-10	120	5755.080	5725 to 5850	Pass
			0	120	5755.080	5725 to 5850	Pass
			10	120	5755.080	5725 to 5850	Pass
			30	120	5755.040	5725 to 5850	Pass
			40	120	5755.080	5725 to 5850	Pass

			50	120	5755.040	5725 to 5850	Pass
		5795	20	102	5795.080	5725 to 5850	Pass
				120	5795.080	5725 to 5850	Pass
				138	5795.000	5725 to 5850	Pass
				-30	5794.960	5725 to 5850	Pass
			-20	120	5795.080	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
			30	120	5795.080	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	20	102	5180.040	5150 to 5250	Pass
				120	5180.080	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
				-30	5180.080	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
			-10	120	5180.060	5150 to 5250	Pass
			0	120	5180.060	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5180.040	5150 to 5250	Pass
			40	120	5180.060	5150 to 5250	Pass
			50	120	5180.000	5150 to 5250	Pass
		5200	20	102	5200.020	5150 to 5250	Pass
				120	5200.020	5150 to 5250	Pass
				138	5200.040	5150 to 5250	Pass
				-30	5200.040	5150 to 5250	Pass
			-20	120	5200.060	5150 to 5250	Pass
			-10	120	5200.060	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.000	5150 to 5250	Pass
			40	120	5200.020	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
		5240	20	102	5240.080	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5240.020	5150 to 5250	Pass
				-30	5240.020	5150 to 5250	Pass
			-20	120	5240.040	5150 to 5250	Pass
			-10	120	5240.060	5150 to 5250	Pass
			0	120	5239.980	5150 to 5250	Pass
			10	120	5240.040	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5240.040	5150 to 5250	Pass
			50	120	5240.040	5150 to 5250	Pass
		5745	20	102	5744.980	5725 to 5850	Pass
				120	5745.040	5725 to 5850	Pass
				138	5745.060	5725 to 5850	Pass
				-30	5745.060	5725 to 5850	Pass
			-20	120	5745.060	5725 to 5850	Pass
			-10	120	5745.020	5725 to 5850	Pass
			0	120	5745.040	5725 to 5850	Pass
			10	120	5745.040	5725 to 5850	Pass
			30	120	5745.040	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass
		5785	20	102	5785.000	5725 to 5850	Pass
				120	5785.060	5725 to 5850	Pass
				138	5785.040	5725 to 5850	Pass

			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.060	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.040	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.000	5725 to 5850	Pass
			50	120	5785.040	5725 to 5850	Pass
		5825	20	102	5825.020	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5825.040	5725 to 5850	Pass
			-30	120	5825.020	5725 to 5850	Pass
			-20	120	5825.000	5725 to 5850	Pass
			-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.040	5725 to 5850	Pass
			10	120	5825.000	5725 to 5850	Pass
			30	120	5825.020	5725 to 5850	Pass
			40	120	5825.040	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	20	102	5190.080	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
				138	5190.080	5150 to 5250	Pass
			-30	120	5190.080	5150 to 5250	Pass
			-20	120	5190.040	5150 to 5250	Pass
			-10	120	5190.120	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.040	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.040	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.040	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5230.040	5150 to 5250	Pass
			10	120	5230.080	5150 to 5250	Pass
			30	120	5230.040	5150 to 5250	Pass
			40	120	5230.080	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
		5755	20	102	5755.080	5725 to 5850	Pass
				120	5755.160	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.080	5725 to 5850	Pass
			-20	120	5755.080	5725 to 5850	Pass
			-10	120	5755.160	5725 to 5850	Pass
			0	120	5755.120	5725 to 5850	Pass
			10	120	5755.120	5725 to 5850	Pass
			30	120	5755.080	5725 to 5850	Pass
			40	120	5755.080	5725 to 5850	Pass
			50	120	5755.080	5725 to 5850	Pass
		5795	20	102	5795.120	5725 to 5850	Pass
				120	5795.160	5725 to 5850	Pass
				138	5795.080	5725 to 5850	Pass
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5795.080	5725 to 5850	Pass
			-10	120	5795.160	5725 to 5850	Pass
			0	120	5795.120	5725 to 5850	Pass

802.11ac (VHT80)	MIMO		10	120	5795.040	5725 to 5850	Pass
			30	120	5795.080	5725 to 5850	Pass
			40	120	5795.080	5725 to 5850	Pass
			50	120	5795.080	5725 to 5850	Pass
		5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.075	5150 to 5250	Pass
				138	5210.150	5150 to 5250	Pass
			-30	120	5210.075	5150 to 5250	Pass
			-20	120	5210.075	5150 to 5250	Pass
			-10	120	5210.150	5150 to 5250	Pass
			0	120	5210.075	5150 to 5250	Pass
			10	120	5210.075	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.075	5150 to 5250	Pass
			50	120	5210.150	5150 to 5250	Pass
		5775	20	102	5775.075	5725 to 5850	Pass
				120	5775.075	5725 to 5850	Pass
				138	5775.075	5725 to 5850	Pass
			-30	120	5775.150	5725 to 5850	Pass
			-20	120	5775.075	5725 to 5850	Pass
			-10	120	5775.150	5725 to 5850	Pass
			0	120	5775.075	5725 to 5850	Pass
			10	120	5775.075	5725 to 5850	Pass
			30	120	5775.075	5725 to 5850	Pass
			40	120	5775.075	5725 to 5850	Pass
			50	120	5775.075	5725 to 5850	Pass