




802.11ax(HEW40) LCH 6445MHz SU_Ant2_NTNV




802.11ax(HEW40) LCH 6445MHz SU_MIMO_NTNV




802.11ax(HEW40)_MCH_6485MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6485MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6485MHz_SU_MIMO_NTNV




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV






4.2.5 PSD


802.11ax(HEW20) LCH_6535MHz_SU_Ant1_NTNV




802.11ax(HEW20) LCH_6535MHz_SU_Ant2_NTNV




802.11ax(HEW20) LCH 6535MHz SU_MIMO_NTNV




802.11ax(HEW20) MCH 6695MHz SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6695MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6695MHz_SU_MIMO_NTNV




802.11ax(HEW20)_HCH_6855MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6855MHz_SU_Ant2_NTNV




802.11ax(HEW20) HCH 6855MHz SU_MIMO_NTNV




802.11ax(HEW40) LCH 6565MHz SU_Ant1_NTNV




802.11ax(HEW40) LCH_6565MHz_SU_Ant2_NTNV




802.11ax(HEW40) LCH_6565MHz_SU_MIMO_NTNV




802.11ax(HEW40)_MCH_6685MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6685MHz_SU_Ant2_NTNV




802.11ax(HEW40) MCH 6685MHz SU MIMO_NTNV




802.11ax(HEW40) HCH 6845MHz SU Ant1_NTNV




802.11ax(HEW40)_HCH_6845MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6845MHz_SU_MIMO_NTNV




802.11ax(HEW80) LCH_6625MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6625MHz_SU_Ant2_NTNV




802.11ax(HEW80) LCH 6625MHz SU_MIMO_NTNV




802.11ax(HEW80) MCH 6705MHz SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_SU_Ant2_NTNV




802.11ax(HEW80)_MCH_6705MHz_SU_MIMO_NTNV




802.11ax(HEW80)_HCH_6785MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6785MHz_SU_Ant2_NTNV




802.11ax(HEW80) HCH 6785MHz SU_MIMO_NTNV




802.11ax(HEW160) MCH 6665MHz SU_Ant1_NTNV



802.11ax(HEW160)_MCH_6665MHz_SU_Ant2_NTNV




802.11ax(HEW160)_MCH_6665MHz_SU_MIMO_NTNV




4.2.6 E.I.R.PSD


802.11ax(HEW20) LCH_6535MHz_SU_Ant1_NTNV




802.11ax(HEW20) LCH_6535MHz_SU_Ant2_NTNV




802.11ax(HEW20) LCH 6535MHz SU_MIMO_NTNV




802.11ax(HEW20) MCH 6695MHz SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6695MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6695MHz_SU_MIMO_NTNV




802.11ax(HEW20)_HCH_6855MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6855MHz_SU_Ant2_NTNV




802.11ax(HEW20) HCH 6855MHz SU_MIMO_NTNV




802.11ax(HEW40) LCH 6565MHz SU_Ant1_NTNV




802.11ax(HEW40) LCH_6565MHz_SU_Ant2_NTNV




802.11ax(HEW40) LCH_6565MHz_SU_MIMO_NTNV




802.11ax(HEW40)_MCH_6685MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6685MHz_SU_Ant2_NTNV




802.11ax(HEW40) MCH 6685MHz SU MIMO NTN




802.11ax(HEW40) HCH 6845MHz SU Ant1 NTN




802.11ax(HEW40)_HCH_6845MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6845MHz_SU_MIMO_NTNV




802.11ax(HEW80) LCH_6625MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6625MHz_SU_Ant2_NTNV




802.11ax(HEW80) LCH 6625MHz SU_MIMO_NTNV




802.11ax(HEW80) MCH 6705MHz SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_SU_Ant2_NTNV




802.11ax(HEW80)_MCH_6705MHz_SU_MIMO_NTNV




802.11ax(HEW80)_HCH_6785MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6785MHz_SU_Ant2_NTNV




802.11ax(HEW80) HCH 6785MHz SU_MIMO_NTNV




802.11ax(HEW160) MCH 6665MHz SU_Ant1_NTNV



802.11ax(HEW160) MCH_6665MHz_SU_Ant2_NTNV




802.11ax(HEW160) MCH_6665MHz_SU_MIMO_NTNV




4.2.7 PSD


802.11ax(HEW20) LCH_6895MHz_SU_Ant1_NTNV




802.11ax(HEW20) LCH_6895MHz_SU_Ant2_NTNV




802.11ax(HEW20) LCH 6895MHz SU_MIMO_NTNV




802.11ax(HEW20) MCH 6995MHz SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6995MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6995MHz_SU_MIMO_NTNV




802.11ax(HEW20)_HCH_7115MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_7115MHz_SU_Ant2_NTNV




802.11ax(HEW20) HCH 7115MHz SU_MIMO_NTNV




802.11ax(HEW40) LCH 6925MHz SU_Ant1_NTNV




802.11ax(HEW40) LCH 6925MHz SU_Ant2_NTNV




802.11ax(HEW40) LCH 6925MHz SU_MIMO_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_Ant2_NTNV




802.11ax(HEW40) MCH 7005MHz SU MIMO_NTNV




802.11ax(HEW40) HCH 7085MHz SU Ant1_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_MIMO_NTNV




802.11ax(HEW80) LCH_6945MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6945MHz_SU_Ant2_NTNV




802.11ax(HEW80) LCH 6945MHz SU_MIMO_NTNV




802.11ax(HEW80) HCH 7025MHz SU_Ant1_NTNV




802.11ax(HEW80)_HCH_7025MHz_SU_Ant2_NTNV




802.11ax(HEW80)_HCH_7025MHz_SU_MIMO_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_Ant2_NTNV






4.2.8 E.I.R.PSD


802.11ax(HEW20) LCH_6895MHz_SU_Ant1_NTNV




802.11ax(HEW20) LCH_6895MHz_SU_Ant2_NTNV




802.11ax(HEW20) LCH 6895MHz SU_MIMO_NTNV




802.11ax(HEW20) MCH 6995MHz SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6995MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6995MHz_SU_MIMO_NTNV




802.11ax(HEW20)_HCH_7115MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_7115MHz_SU_Ant2_NTNV




802.11ax(HEW20) HCH 7115MHz SU_MIMO_NTNV




802.11ax(HEW40) LCH 6925MHz SU_Ant1_NTNV




802.11ax(HEW40) LCH_6925MHz_SU_Ant2_NTNV




802.11ax(HEW40) LCH_6925MHz_SU_MIMO_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_MIMO_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_MIMO_NTNV




802.11ax(HEW80) LCH_6945MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6945MHz_SU_Ant2_NTNV




802.11ax(HEW80) LCH 6945MHz SU_MIMO_NTNV




802.11ax(HEW80) HCH 7025MHz SU_Ant1_NTNV




802.11ax(HEW80)_HCH_7025MHz_SU_Ant2_NTNV




802.11ax(HEW80)_HCH_7025MHz_SU_MIMO_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV



802.11ax(HEW160)_MCH_6985MHz_SU_Ant2_NTNV





5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
ENV	Mode	Tx Type	Frequency (MHz)	RU	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	MIMO	5955	SU	20	102	5955.000	5925 to 6425	Pass
						120	5955.040	5925 to 6425	Pass
						138	5955.000	5925 to 6425	Pass
					-30	120	5955.020	5925 to 6425	Pass
						120	5955.000	5925 to 6425	Pass
						120	5954.980	5925 to 6425	Pass
					-10	120	5955.000	5925 to 6425	Pass
						120	5955.000	5925 to 6425	Pass
						120	5955.000	5925 to 6425	Pass
					0	120	5955.040	5925 to 6425	Pass
						120	5954.980	5925 to 6425	Pass
						120	5955.000	5925 to 6425	Pass
			6175	SU	20	102	6174.960	5925 to 6425	Pass
						120	6175.000	5925 to 6425	Pass
						138	6174.980	5925 to 6425	Pass
					-30	120	6174.960	5925 to 6425	Pass
						120	6175.020	5925 to 6425	Pass
						120	6175.040	5925 to 6425	Pass
					-10	120	6175.020	5925 to 6425	Pass
						120	6175.040	5925 to 6425	Pass
						120	6175.040	5925 to 6425	Pass
					0	120	6174.960	5925 to 6425	Pass
						120	6174.900	5925 to 6425	Pass
						120	6174.980	5925 to 6425	Pass
			6415	SU	20	102	6415.000	5925 to 6425	Pass
						120	6414.980	5925 to 6425	Pass
						138	6414.980	5925 to 6425	Pass
					-30	120	6415.040	5925 to 6425	Pass
						120	6414.960	5925 to 6425	Pass
						120	6415.000	5925 to 6425	Pass
					-10	120	6414.980	5925 to 6425	Pass
						120	6414.980	5925 to 6425	Pass
						120	6414.960	5925 to 6425	Pass
					0	120	6415.000	5925 to 6425	Pass
						120	6414.960	5925 to 6425	Pass
						120	6414.960	5925 to 6425	Pass
	802.11ax (HEW40)	MIMO	5965	SU	20	102	5965.000	5925 to 6425	Pass
						120	5965.000	5925 to 6425	Pass
						138	5964.960	5925 to 6425	Pass
					-30	120	5964.960	5925 to 6425	Pass
						120	5965.000	5925 to 6425	Pass
						120	5965.040	5925 to 6425	Pass
					-10	120	5965.000	5925 to 6425	Pass
						120	5965.000	5925 to 6425	Pass
						120	5965.120	5925 to 6425	Pass
					0	120	5965.040	5925 to 6425	Pass
						120	5965.040	5925 to 6425	Pass
						120	5965.040	5925 to 6425	Pass
			6165	SU	20	102	6165.000	5925 to 6425	Pass
						120	6165.040	5925 to 6425	Pass
						138	6165.080	5925 to 6425	Pass
					-30	120	6165.040	5925 to 6425	Pass
						120	6165.040	5925 to 6425	Pass

					-10	120	6165.000	5925 to 6425	Pass
					0	120	6165.080	5925 to 6425	Pass
					10	120	6164.960	5925 to 6425	Pass
					30	120	6165.040	5925 to 6425	Pass
					40	120	6165.080	5925 to 6425	Pass
					50	120	6165.080	5925 to 6425	Pass
			6405	SU	20	102	6405.080	5925 to 6425	Pass
						120	6405.080	5925 to 6425	Pass
						138	6405.040	5925 to 6425	Pass
					-30	120	6405.080	5925 to 6425	Pass
					-20	120	6405.080	5925 to 6425	Pass
					-10	120	6405.040	5925 to 6425	Pass
					0	120	6405.040	5925 to 6425	Pass
					10	120	6405.080	5925 to 6425	Pass
					30	120	6405.040	5925 to 6425	Pass
					40	120	6404.960	5925 to 6425	Pass
					50	120	6405.040	5925 to 6425	Pass
	802.11ax (HEW80)	MIMO	5985	SU	20	102	5985.075	5925 to 6425	Pass
						120	5985.075	5925 to 6425	Pass
						138	5985.000	5925 to 6425	Pass
					-30	120	5985.075	5925 to 6425	Pass
					-20	120	5985.225	5925 to 6425	Pass
					-10	120	5985.075	5925 to 6425	Pass
					0	120	5985.075	5925 to 6425	Pass
					10	120	5985.075	5925 to 6425	Pass
					30	120	5985.075	5925 to 6425	Pass
					40	120	5985.075	5925 to 6425	Pass
					50	120	5985.075	5925 to 6425	Pass
			6145	SU	20	102	6145.075	5925 to 6425	Pass
						120	6145.150	5925 to 6425	Pass
						138	6145.075	5925 to 6425	Pass
					-30	120	6145.075	5925 to 6425	Pass
					-20	120	6145.000	5925 to 6425	Pass
					-10	120	6145.000	5925 to 6425	Pass
					0	120	6145.000	5925 to 6425	Pass
					10	120	6145.000	5925 to 6425	Pass
					30	120	6145.075	5925 to 6425	Pass
					40	120	6145.000	5925 to 6425	Pass
					50	120	6145.075	5925 to 6425	Pass
			6385	SU	20	102	6385.075	5925 to 6425	Pass
						120	6385.075	5925 to 6425	Pass
						138	6384.925	5925 to 6425	Pass
					-30	120	6385.150	5925 to 6425	Pass
					-20	120	6385.075	5925 to 6425	Pass
					-10	120	6385.000	5925 to 6425	Pass
					0	120	6385.000	5925 to 6425	Pass
					10	120	6385.075	5925 to 6425	Pass
					30	120	6385.150	5925 to 6425	Pass
					40	120	6385.000	5925 to 6425	Pass
					50	120	6385.000	5925 to 6425	Pass
	802.11ax (HEW160)	MIMO	6025	SU	20	102	6025.075	5925 to 6425	Pass
						120	6025.225	5925 to 6425	Pass
						138	6025.075	5925 to 6425	Pass
					-30	120	6025.075	5925 to 6425	Pass
					-20	120	6025.000	5925 to 6425	Pass
					-10	120	6025.300	5925 to 6425	Pass
					0	120	6025.525	5925 to 6425	Pass
					10	120	6025.150	5925 to 6425	Pass
					30	120	6025.075	5925 to 6425	Pass
					40	120	6025.000	5925 to 6425	Pass

					50	120	6025.150	5925 to 6425	Pass
						102	6185.150	5925 to 6425	Pass
					20	120	6185.075	5925 to 6425	Pass
						138	6185.150	5925 to 6425	Pass
					-30	120	6185.150	5925 to 6425	Pass
					-20	120	6185.150	5925 to 6425	Pass
					-10	120	6185.150	5925 to 6425	Pass
					0	120	6185.150	5925 to 6425	Pass
					10	120	6185.150	5925 to 6425	Pass
					30	120	6185.000	5925 to 6425	Pass
					40	120	6185.075	5925 to 6425	Pass
					50	120	6185.075	5925 to 6425	Pass
						102	6345.075	5925 to 6425	Pass
					20	120	6345.075	5925 to 6425	Pass
						138	6345.150	5925 to 6425	Pass
					-30	120	6345.225	5925 to 6425	Pass
					-20	120	6345.000	5925 to 6425	Pass
					-10	120	6345.150	5925 to 6425	Pass
					0	120	6345.000	5925 to 6425	Pass
					10	120	6345.000	5925 to 6425	Pass
					30	120	6345.150	5925 to 6425	Pass
					40	120	6345.000	5925 to 6425	Pass
					50	120	6345.075	5925 to 6425	Pass

5.1.2 Ant1

Ant1									
ENV	Mode	TX Type	Frequency (MHz)	RU	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	MIMO	6435	SU	20	102	6434.980	6425 to 6525	Pass
						120	6435.060	6425 to 6525	Pass
						138	6434.980	6425 to 6525	Pass
					-30	120	6435.040	6425 to 6525	Pass
					-20	120	6435.020	6425 to 6525	Pass
					-10	120	6435.000	6425 to 6525	Pass
					0	120	6435.000	6425 to 6525	Pass
					10	120	6435.040	6425 to 6525	Pass
					30	120	6435.020	6425 to 6525	Pass
					40	120	6435.020	6425 to 6525	Pass
					50	120	6434.960	6425 to 6525	Pass
			6475	SU	20	102	6474.900	6425 to 6525	Pass
						120	6474.980	6425 to 6525	Pass
						138	6475.020	6425 to 6525	Pass
					-30	120	6475.040	6425 to 6525	Pass
					-20	120	6475.020	6425 to 6525	Pass
					-10	120	6475.000	6425 to 6525	Pass
					0	120	6475.020	6425 to 6525	Pass
					10	120	6475.100	6425 to 6525	Pass
					30	120	6474.980	6425 to 6525	Pass
					40	120	6475.040	6425 to 6525	Pass
					50	120	6475.060	6425 to 6525	Pass
			6515	SU	20	102	6515.040	6425 to 6525	Pass
						120	6515.040	6425 to 6525	Pass
						138	6515.020	6425 to 6525	Pass
					-30	120	6515.000	6425 to 6525	Pass
					-20	120	6515.000	6425 to 6525	Pass
					-10	120	6514.980	6425 to 6525	Pass
					0	120	6515.040	6425 to 6525	Pass
					10	120	6515.000	6425 to 6525	Pass

					30	120	6515.040	6425 to 6525	Pass
					40	120	6515.000	6425 to 6525	Pass
					50	120	6515.020	6425 to 6525	Pass
	802.11ax (HEW40)	MIMO	6445	SU	20	102	6444.960	6425 to 6525	Pass
						120	6445.040	6425 to 6525	Pass
						138	6445.040	6425 to 6525	Pass
					-30	120	6445.040	6425 to 6525	Pass
					-20	120	6445.040	6425 to 6525	Pass
					-10	120	6445.000	6425 to 6525	Pass
					0	120	6445.000	6425 to 6525	Pass
					10	120	6445.040	6425 to 6525	Pass
					30	120	6445.080	6425 to 6525	Pass
					40	120	6444.960	6425 to 6525	Pass
					50	120	6445.040	6425 to 6525	Pass
			6485	SU	20	102	6485.080	6425 to 6525	Pass
						120	6485.120	6425 to 6525	Pass
						138	6485.040	6425 to 6525	Pass
					-30	120	6485.120	6425 to 6525	Pass
					-20	120	6484.960	6425 to 6525	Pass
					-10	120	6485.040	6425 to 6525	Pass
					0	120	6485.040	6425 to 6525	Pass
					10	120	6485.080	6425 to 6525	Pass
					30	120	6485.080	6425 to 6525	Pass
					40	120	6485.080	6425 to 6525	Pass
					50	120	6485.080	6425 to 6525	Pass
	802.11ax (HEW80)	MIMO	6465	SU	20	102	6465.300	6425 to 6525	Pass
						120	6465.150	6425 to 6525	Pass
						138	6465.075	6425 to 6525	Pass
					-30	120	6465.225	6425 to 6525	Pass
					-20	120	6465.150	6425 to 6525	Pass
					-10	120	6465.225	6425 to 6525	Pass
					0	120	6465.225	6425 to 6525	Pass
					10	120	6465.150	6425 to 6525	Pass
					30	120	6465.150	6425 to 6525	Pass
					40	120	6465.150	6425 to 6525	Pass
					50	120	6465.225	6425 to 6525	Pass

5.1.3 Ant1

Ant1									
ENV	Mode	TX Type	Frequency (MHz)	RU	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	MIMO	6535	SU	20	102	6535.020	6525 to 6875	Pass
						120	6534.980	6525 to 6875	Pass
						138	6534.980	6525 to 6875	Pass
					-30	120	6534.960	6525 to 6875	Pass
					-20	120	6534.980	6525 to 6875	Pass
					-10	120	6535.000	6525 to 6875	Pass
					0	120	6534.980	6525 to 6875	Pass
					10	120	6535.020	6525 to 6875	Pass
					30	120	6535.000	6525 to 6875	Pass
					40	120	6535.000	6525 to 6875	Pass
					50	120	6534.980	6525 to 6875	Pass
			6695	SU	20	102	6695.000	6525 to 6875	Pass
						120	6695.040	6525 to 6875	Pass
						138	6695.080	6525 to 6875	Pass
					-30	120	6695.000	6525 to 6875	Pass
					-20	120	6695.000	6525 to 6875	Pass
					-10	120	6695.000	6525 to 6875	Pass

					0	120	6694.980	6525 to 6875	Pass
					10	120	6695.020	6525 to 6875	Pass
					30	120	6694.980	6525 to 6875	Pass
					40	120	6695.020	6525 to 6875	Pass
					50	120	6695.080	6525 to 6875	Pass
			6855	SU	20	102	6855.000	6525 to 6875	Pass
						120	6854.940	6525 to 6875	Pass
						138	6854.980	6525 to 6875	Pass
					-30	120	6854.980	6525 to 6875	Pass
					-20	120	6855.040	6525 to 6875	Pass
					-10	120	6855.000	6525 to 6875	Pass
					0	120	6854.960	6525 to 6875	Pass
					10	120	6855.020	6525 to 6875	Pass
					30	120	6855.000	6525 to 6875	Pass
					40	120	6854.980	6525 to 6875	Pass
					50	120	6855.000	6525 to 6875	Pass
	802.11ax (HEW40)	MIMO	6565	SU	20	102	6565.120	6525 to 6875	Pass
						120	6565.080	6525 to 6875	Pass
						138	6565.040	6525 to 6875	Pass
					-30	120	6565.120	6525 to 6875	Pass
					-20	120	6565.040	6525 to 6875	Pass
					-10	120	6565.160	6525 to 6875	Pass
					0	120	6565.040	6525 to 6875	Pass
					10	120	6565.120	6525 to 6875	Pass
					30	120	6565.040	6525 to 6875	Pass
					40	120	6565.120	6525 to 6875	Pass
					50	120	6565.080	6525 to 6875	Pass
			6685	SU	20	102	6685.040	6525 to 6875	Pass
						120	6685.080	6525 to 6875	Pass
						138	6685.000	6525 to 6875	Pass
					-30	120	6685.080	6525 to 6875	Pass
					-20	120	6685.160	6525 to 6875	Pass
					-10	120	6685.040	6525 to 6875	Pass
					0	120	6685.040	6525 to 6875	Pass
					10	120	6685.000	6525 to 6875	Pass
					30	120	6685.000	6525 to 6875	Pass
					40	120	6684.960	6525 to 6875	Pass
					50	120	6685.000	6525 to 6875	Pass
			6845	SU	20	102	6845.120	6525 to 6875	Pass
						120	6845.040	6525 to 6875	Pass
						138	6845.080	6525 to 6875	Pass
					-30	120	6845.080	6525 to 6875	Pass
					-20	120	6845.000	6525 to 6875	Pass
					-10	120	6845.040	6525 to 6875	Pass
					0	120	6845.080	6525 to 6875	Pass
					10	120	6845.040	6525 to 6875	Pass
					30	120	6845.120	6525 to 6875	Pass
					40	120	6845.080	6525 to 6875	Pass
					50	120	6845.040	6525 to 6875	Pass
	802.11ax (HEW80)	MIMO	6625	SU	20	102	6625.150	6525 to 6875	Pass
						120	6625.150	6525 to 6875	Pass
						138	6625.075	6525 to 6875	Pass
					-30	120	6625.075	6525 to 6875	Pass
					-20	120	6625.150	6525 to 6875	Pass
					-10	120	6625.000	6525 to 6875	Pass
					0	120	6625.075	6525 to 6875	Pass
					10	120	6625.075	6525 to 6875	Pass
					30	120	6625.150	6525 to 6875	Pass
					40	120	6625.075	6525 to 6875	Pass
					50	120	6625.150	6525 to 6875	Pass

			6705	SU	20	102	6705.150	6525 to 6875	Pass
						120	6705.000	6525 to 6875	Pass
						138	6705.150	6525 to 6875	Pass
					-30	120	6705.150	6525 to 6875	Pass
					-20	120	6705.150	6525 to 6875	Pass
					-10	120	6705.150	6525 to 6875	Pass
					0	120	6705.300	6525 to 6875	Pass
					10	120	6705.075	6525 to 6875	Pass
					30	120	6705.150	6525 to 6875	Pass
					40	120	6705.150	6525 to 6875	Pass
					50	120	6705.150	6525 to 6875	Pass
			6785	SU	20	102	6785.075	6525 to 6875	Pass
						120	6785.000	6525 to 6875	Pass
						138	6785.075	6525 to 6875	Pass
					-30	120	6785.075	6525 to 6875	Pass
					-20	120	6785.150	6525 to 6875	Pass
					-10	120	6785.075	6525 to 6875	Pass
					0	120	6785.075	6525 to 6875	Pass
					10	120	6785.075	6525 to 6875	Pass
					30	120	6785.075	6525 to 6875	Pass
					40	120	6785.150	6525 to 6875	Pass
					50	120	6785.075	6525 to 6875	Pass
	802.11ax (HEW160)	MIMO	6665	SU	20	102	6665.000	6525 to 6875	Pass
						120	6665.000	6525 to 6875	Pass
						138	6665.000	6525 to 6875	Pass
					-30	120	6665.000	6525 to 6875	Pass
					-20	120	6665.150	6525 to 6875	Pass
					-10	120	6665.225	6525 to 6875	Pass
					0	120	6665.075	6525 to 6875	Pass
					10	120	6665.000	6525 to 6875	Pass
					30	120	6665.150	6525 to 6875	Pass
					40	120	6664.925	6525 to 6875	Pass
					50	120	6665.150	6525 to 6875	Pass

5.1.4 Ant1

Ant1									
ENV	Mode	TX Type	Frequency (MHz)	RU	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	MIMO	6895	SU	20	102	6895.040	6875 to 7125	Pass
						120	6895.060	6875 to 7125	Pass
						138	6895.000	6875 to 7125	Pass
					-30	120	6895.000	6875 to 7125	Pass
					-20	120	6895.040	6875 to 7125	Pass
					-10	120	6895.040	6875 to 7125	Pass
					0	120	6894.960	6875 to 7125	Pass
					10	120	6895.060	6875 to 7125	Pass
					30	120	6895.000	6875 to 7125	Pass
					40	120	6895.020	6875 to 7125	Pass
					50	120	6895.000	6875 to 7125	Pass
			6995	SU	20	102	6995.000	6875 to 7125	Pass
						120	6994.980	6875 to 7125	Pass
						138	6994.980	6875 to 7125	Pass
					-30	120	6994.980	6875 to 7125	Pass
					-20	120	6995.000	6875 to 7125	Pass
					-10	120	6995.000	6875 to 7125	Pass
					0	120	6995.020	6875 to 7125	Pass
					10	120	6995.040	6875 to 7125	Pass
					30	120	6995.060	6875 to 7125	Pass

	802.11ax (HEW40)	MIMO			40	120	6995.040	6875 to 7125	Pass
					50	120	6995.000	6875 to 7125	Pass
			7115	SU	20	102	7115.000	6875 to 7125	Pass
						120	7114.920	6875 to 7125	Pass
						138	7114.980	6875 to 7125	Pass
					-30	120	7115.020	6875 to 7125	Pass
					-20	120	7115.020	6875 to 7125	Pass
					-10	120	7115.060	6875 to 7125	Pass
					0	120	7114.960	6875 to 7125	Pass
					10	120	7115.020	6875 to 7125	Pass
					30	120	7114.940	6875 to 7125	Pass
					40	120	7115.060	6875 to 7125	Pass
					50	120	7115.020	6875 to 7125	Pass
			6925	SU	20	102	6925.080	6875 to 7125	Pass
						120	6925.160	6875 to 7125	Pass
						138	6925.040	6875 to 7125	Pass
					-30	120	6925.040	6875 to 7125	Pass
					-20	120	6925.040	6875 to 7125	Pass
					-10	120	6925.120	6875 to 7125	Pass
					0	120	6925.160	6875 to 7125	Pass
					10	120	6925.120	6875 to 7125	Pass
					30	120	6925.120	6875 to 7125	Pass
					40	120	6925.040	6875 to 7125	Pass
					50	120	6925.120	6875 to 7125	Pass
			7005	SU	20	102	7005.040	6875 to 7125	Pass
						120	7005.040	6875 to 7125	Pass
						138	7005.120	6875 to 7125	Pass
					-30	120	7005.040	6875 to 7125	Pass
					-20	120	7005.080	6875 to 7125	Pass
					-10	120	7005.040	6875 to 7125	Pass
					0	120	7005.120	6875 to 7125	Pass
					10	120	7005.080	6875 to 7125	Pass
					30	120	7005.120	6875 to 7125	Pass
					40	120	7005.080	6875 to 7125	Pass
					50	120	7005.160	6875 to 7125	Pass
			7085	SU	20	102	7085.080	6875 to 7125	Pass
						120	7085.040	6875 to 7125	Pass
						138	7085.160	6875 to 7125	Pass
					-30	120	7085.080	6875 to 7125	Pass
					-20	120	7085.080	6875 to 7125	Pass
					-10	120	7085.080	6875 to 7125	Pass
					0	120	7085.080	6875 to 7125	Pass
					10	120	7085.160	6875 to 7125	Pass
					30	120	7085.080	6875 to 7125	Pass
					40	120	7085.000	6875 to 7125	Pass
					50	120	7085.120	6875 to 7125	Pass
	802.11ax (HEW80)	MIMO	6945	SU	20	102	6945.000	6875 to 7125	Pass
						120	6945.150	6875 to 7125	Pass
						138	6945.075	6875 to 7125	Pass
					-30	120	6945.075	6875 to 7125	Pass
					-20	120	6945.075	6875 to 7125	Pass
					-10	120	6945.150	6875 to 7125	Pass
					0	120	6945.000	6875 to 7125	Pass
					10	120	6945.225	6875 to 7125	Pass
					30	120	6945.225	6875 to 7125	Pass
					40	120	6945.000	6875 to 7125	Pass
					50	120	6945.150	6875 to 7125	Pass
			7025	SU	20	102	7025.150	6875 to 7125	Pass
						120	7025.075	6875 to 7125	Pass
						138	7025.150	6875 to 7125	Pass

					-30	120	7025.075	6875 to 7125	Pass
					-20	120	7025.000	6875 to 7125	Pass
					-10	120	7025.150	6875 to 7125	Pass
					0	120	7025.150	6875 to 7125	Pass
					10	120	7025.075	6875 to 7125	Pass
					30	120	7025.150	6875 to 7125	Pass
					40	120	7025.150	6875 to 7125	Pass
					50	120	7025.150	6875 to 7125	Pass
	802.11ax (HEW160)	MIMO	6985	SU	20	102	6985.075	6875 to 7125	Pass
						120	6985.000	6875 to 7125	Pass
						138	6985.075	6875 to 7125	Pass
					-30	120	6985.000	6875 to 7125	Pass
					-20	120	6985.075	6875 to 7125	Pass
					-10	120	6985.000	6875 to 7125	Pass
					0	120	6985.075	6875 to 7125	Pass
					10	120	6985.150	6875 to 7125	Pass
					30	120	6985.000	6875 to 7125	Pass
					40	120	6985.075	6875 to 7125	Pass
					50	120	6985.075	6875 to 7125	Pass

6. Emission Mask

6.1 Test Result

6.1.1 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	5955	SU	1	Refer To Test Graph		Pass
			6175	SU	1	Refer To Test Graph		Pass
			6415	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	5965	SU	1	Refer To Test Graph		Pass
			6165	SU	1	Refer To Test Graph		Pass
			6405	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	5985	SU	1	Refer To Test Graph		Pass
			6145	SU	1	Refer To Test Graph		Pass
			6385	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW160)	MIMO	6025	SU	1	Refer To Test Graph		Pass
			6185	SU	1	Refer To Test Graph		Pass
			6345	SU	1	Refer To Test Graph		Pass

6.1.2 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	6435	SU	1	Refer To Test Graph		Pass
			6475	SU	1	Refer To Test Graph		Pass
			6515	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	6445	SU	1	Refer To Test Graph		Pass
			6485	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	6465	SU	1	Refer To Test Graph		Pass

6.1.3 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	6535	SU	1	Refer To Test Graph		Pass
			6695	SU	1	Refer To Test Graph		Pass
			6855	SU	1	Refer To Test Graph		Pass


	802.11ax (HEW40)	MIMO	6565	SU	1	Refer To Test Graph	Pass
			6685	SU	1	Refer To Test Graph	Pass
			6845	SU	1	Refer To Test Graph	Pass
	802.11ax (HEW80)	MIMO	6625	SU	1	Refer To Test Graph	Pass
			6705	SU	1	Refer To Test Graph	Pass
			6785	SU	1	Refer To Test Graph	Pass
	802.11ax (HEW160)	MIMO	6665	SU	1	Refer To Test Graph	Pass

6.1.4 EMask


ENV	Mode	TX Type	Frequency (MHz)	RU	ANT	Test Result	Limit	Verdict
NTNV	802.11ax (HEW20)	MIMO	6895	SU	1	Refer To Test Graph		Pass
			6995	SU	1	Refer To Test Graph		Pass
			7115	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW40)	MIMO	6925	SU	1	Refer To Test Graph		Pass
			7005	SU	1	Refer To Test Graph		Pass
			7085	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW80)	MIMO	6945	SU	1	Refer To Test Graph		Pass
			7025	SU	1	Refer To Test Graph		Pass
	802.11ax (HEW160)	MIMO	6985	SU	1	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 EMask




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV







802.11ax(HEW80) LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80) MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_HCH_6345MHz_SU_Ant1_NTNV




6.2.2 EMask




802.11ax(HEW20)_HCH_6515MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_6445MHz_SU_Ant1_NTNV



802.11ax(HEW40)_MCH_6485MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV




6.2.3 EMask


802.11ax(HEW20) LCH_6535MHz_SU_Ant1_NTNV




802.11ax(HEW20) MCH_6695MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6855MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_6565MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6685MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6845MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6625MHz_SU_Ant1_NTNV




802.11ax(HEW80) MCH_6705MHz_SU_Ant1_NTNV



802.11ax(HEW80)_HCH_6785MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV




6.2.4 EMask


802.11ax(HEW20) LCH_6895MHz_SU_Ant1_NTNV




802.11ax(HEW20) MCH_6995MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_7115MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_6925MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_7005MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_7085MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6945MHz_SU_Ant1_NTNV



802.11ax(HEW80) HCH_7025MHz_SU_Ant1_NTNV





7. Contention Based Protocol

7.1 Test Result

7.1.1 Duty Cycle (Band 5)

Ant1_NTNV				
Mode	TX Type	Freq. (MHz)	RU	Duty Cycle (%)
802.11ax (HEW20)	MIMO	5975	SU	23.22
802.11ax (HEW160)	MIMO	6025	SU	16.50

7.1.2 Contention Based Protocol - Threshold Level (Band 5)

Ant1_NTNV								
Mode	TX Type	Freq. (MHz)	RU	Incumbent Frequency (MHz)	EUT Status	Detected Level (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	MIMO	5975	SU	5975.000	OFF	-65.19	<=-62	Pass
					Minimal	-66.72	<=-62	Pass
					ON	-69.24	<=-62	Pass
802.11ax (HEW160)	MIMO	6025	SU	5950.000	OFF	-64.37	<=-62	Pass
					Minimal	-65.26	<=-62	Pass
					ON	-67.14	<=-62	Pass
				6025.000	OFF	-62.73	<=-62	Pass
					Minimal	-63.38	<=-62	Pass
					ON	-65.14	<=-62	Pass
				6100.000	OFF	-62.55	<=-62	Pass
					Minimal	-63.44	<=-62	Pass
					ON	-65.62	<=-62	Pass

7.1.3 Contention Based Protocol - Detected Probability (Band 5)

Ant1 NTNv																	
Mode	TX Type	Freq. (MHz)	RU	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
															Result	Limit	
802.11ax (HEW20)	MIMO	5975	SU	5975.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	MIMO	6025	SU	5950.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
				6025.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
				6100.000	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	90	>=90	Pass
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																	

7.1.4 Duty Cycle (Band 6)

Ant1_NTNV				
Mode	TX Type	Freq. (MHz)	RU	Duty Cycle (%)
802.11ax (HEW20)	MIMO	6455	SU	24.34
802.11ax (HEW80)	MIMO	6465	SU	31.97

7.1.5 Contention Based Protocol - Threshold Level (Band 6)

Ant1_NTNV								
Mode	TX Type	Freq. (MHz)	RU	Incumbent Frequency (MHz)	EUT Status	Detected Level (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	MIMO	6455	SU	6455.000	OFF	-64.28	<=-62	Pass
					Minimal	-65.43	<=-62	Pass
					ON	-67.23	<=-62	Pass
802.11ax (HEW80)	MIMO	6465	SU	6430.000	OFF	-62.92	<=-62	Pass
					Minimal	-64.08	<=-62	Pass
					ON	-66.59	<=-62	Pass
				6465.000	OFF	-62.96	<=-62	Pass
					Minimal	-64.31	<=-62	Pass
					ON	-66.41	<=-62	Pass
				6500.000	OFF	-62.64	<=-62	Pass
					Minimal	-63.86	<=-62	Pass
					ON	-66.12	<=-62	Pass

7.1.6 Contention Based Protocol - Detected Probability (Band 6)

Ant1_NTNV																	
Mode	TX Type	Freq. (MHz)	RU	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
															Result	Limit	
802.11ax (HEW20)	MIMO	6455	SU	6455.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW80)	MIMO	6465	SU	6430.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
				6465.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass	
				6500.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass	
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																	

7.1.7 Duty Cycle (Band 7)

Ant1_NTNV				
Mode	TX Type	Freq. (MHz)	RU	Duty Cycle (%)
802.11ax (HEW20)	MIMO	6535	SU	23.46
802.11ax (HEW160)	MIMO	6665	SU	22.34

7.1.8 Contention Based Protocol - Threshold Level (Band 7)

Ant1_NTNV								
Mode	TX Type	Freq. (MHz)	RU	Incumbent Frequency (MHz)	EUT Status	Detected Level (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	MIMO	6535	SU	6535.000	OFF	-63.20	<=-62	Pass
					Minimal	-64.65	<=-62	Pass
					ON	-67.12	<=-62	Pass
802.11ax (HEW160)	MIMO	6665	SU	6590.000	OFF	-64.97	<=-62	Pass
					Minimal	-66.14	<=-62	Pass
					ON	-69.21	<=-62	Pass
				6665.000	OFF	-63.57	<=-62	Pass
					Minimal	-64.83	<=-62	Pass
					ON	-67.44	<=-62	Pass
				6740.000	OFF	-64.37	<=-62	Pass
					Minimal	-65.58	<=-62	Pass
					ON	-67.62	<=-62	Pass

7.1.9 Contention Based Protocol - Detected Probability (Band 7)

Ant1 NTNv																	
Mode	TX Type	Freq. (MHz)	RU	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
															Result	Limit	
802.11ax (HEW20)	MIMO	6535	SU	6535.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	MIMO	6665	SU	6590.000	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	90	>=90	Pass
				6665.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass	
				6740.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass	
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																	

7.1.10 Duty Cycle (Band 8)

Ant1_NTNV				
Mode	TX Type	Freq. (MHz)	RU	Duty Cycle (%)
802.11ax (HEW20)	MIMO	6935	SU	26.01
802.11ax (HEW160)	MIMO	6985	SU	18.87

7.1.11 Contention Based Protocol - Threshold Level (Band 8)


Ant1_NTNV								
Mode	TX Type	Freq. (MHz)	RU	Incumbent Frequency (MHz)	EUT Status	Detected Level (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	MIMO	6935	SU	6935.000	OFF	-64.45	<=-62	Pass
					Minimal	-65.42	<=-62	Pass
					ON	-67.13	<=-62	Pass
802.11ax (HEW160)	MIMO	6985	SU	6910.000	OFF	-63.70	<=-62	Pass
					Minimal	-64.65	<=-62	Pass
					ON	-66.93	<=-62	Pass
				6985.000	OFF	-63.79	<=-62	Pass
					Minimal	-65.07	<=-62	Pass
					ON	-67.73	<=-62	Pass
				7060.000	OFF	-64.72	<=-62	Pass
					Minimal	-65.83	<=-62	Pass
					ON	-68.11	<=-62	Pass

7.1.12 Contention Based Protocol - Detected Probability (Band 8)


Ant1_NTNV																	
Mode	TX Type	Freq. (MHz)	RU	Incumbent Freq. (MHz)	1	2	3	4	5	6	7	8	9	10	Detected Probability (%)		Verdict
															Result	Limit	
802.11ax (HEW20)	MIMO	6935	SU	6935.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
802.11ax (HEW160)	MIMO	6985	SU	6910.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
				6985.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
				7060.000	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	>=90	Pass
Note1: CBP Detection Trials (Y=Detection, N=No Detection)																	

7.2 Test Graph


7.2.1 Duty Cycle (Band 5)



802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV




7.2.2 Contention Based Protocol - Threshold Level (Band 5)


802.11ax(HEW20) LCH 5975MHz SU Ant1 NTN




802.11ax(HEW160) LCH 6025MHz SU Ant1 NTN



802.11ax(HEW160) LCH 6025MHz SU_Ant1_NTNV




802.11ax(HEW160) LCH 6025MHz SU_Ant1_NTNV




7.2.3 Contention Based Protocol - Data Plot (Band 5)


802.11ax(HEW20)_LCH_5975MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW20)_LCH_5975MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_LCH_6025MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




7.2.4 Duty Cycle (Band 6)



802.11ax(HEW80) LCH_6465MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6465MHz_SU_Ant1_NTNV




7.2.5 Contention Based Protocol - Threshold Level (Band 6)


802.11ax(HEW20) LCH_6455MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6465MHz_SU_Ant1_NTNV



802.11ax(HEW80) LCH_6465MHz_SU_Ant1_NTNV




802.11ax(HEW80) LCH_6465MHz_SU_Ant1_NTNV




7.2.6 Contention Based Protocol - Data Plot (Band 6)


802.11ax(HEW20)_LCH_6455MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW20)_LCH_6455MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW80)_LCH_6465MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




7.2.7 Duty Cycle (Band 7)



802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV




7.2.8 Contention Based Protocol - Threshold Level (Band 7)


802.11ax(HEW20) LCH 6535MHz SU Ant1 NTN




802.11ax(HEW160) MCH 6665MHz SU Ant1 NTN



802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV




7.2.9 Contention Based Protocol - Data Plot (Band 7)


802.11ax(HEW20)_LCH_6535MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW20)_LCH_6535MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_MCH_6665MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




7.2.10 Duty Cycle (Band 8)



802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV




7.2.11 Contention Based Protocol - Threshold Level (Band 8)


802.11ax(HEW20) LCH 6935MHz SU_Ant1_NTNV




802.11ax(HEW160) MCH 6985MHz SU_Ant1_NTNV



802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV




7.2.12 Contention Based Protocol - Data Plot (Band 8)


802.11ax(HEW20)_LCH_6935MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW20)_LCH_6935MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_ - Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds



802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds



802.11ax(HEW160)_MCH_6985MHz_SU_Ant1_NTNV_- Inject Incumbent signal at 10th seconds and remove the signal at 50 seconds



8. Form731

8.1 Test Result

8.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5955	6415	0.0057	7.57
5965	6405	0.0103	10.14
5985	6385	0.0205	13.12
6025	6345	0.0187	12.73

8.1.2 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6435	6515	0.0100	10.01
6445	6485	0.0096	9.82
6465	6465	0.0229	13.60

8.1.3 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6535	6855	0.0089	9.51
6565	6845	0.0144	11.58
6625	6785	0.0271	14.33
6665	6665	0.0102	10.09

8.1.4 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
6895	7115	0.0103	10.12
6925	7085	0.0173	12.39
6945	7025	0.0243	13.86
6985	6985	0.0141	11.49

--- End of Report ---