

User manual

1. Preparation before use

- 1.1 Battery fully charged
- 1.2 Unfold the aircraft and propeller and lock the folder sleeve
- 1.3 Calibrate IMU and magnetic compass (see video tutorial for details)
- 1.4 Fixed injection pipe



2. Flying and cleaning functions

2.1 Unlock.

Switch stick E in left position, push two sticks to bottom as below until motors start running at the same time, then release back to central position, the motor will keep idle running speed.



2.2 Flight control

Left stick:

Up and down of the rocker corresponds to the aircraft ascending and descending

Moving the joystick to the left and right corresponds to the aircraft turning left and right.

Right stick:

Up and down of the rocker corresponds to forward and backward movements of the aircraft.

The joystick moves left and right corresponding to the aircraft moving left and right.


A: One key return

B: water pump switch

2.3 Functional operation

Start spraying

(1) Press B to open the airborne water pump to 50%.



Note: Exceeding 50% may damage the equipment, and overload operation is prohibited.

End spraying

(1) Turn off the ground water pump and set the controller to 800.

(2) Press B to turn off the onboard water pump.



2.4 Landing

Pull down the left rocker slightly to make the aircraft descend slowly. After the aircraft touches the ground, straighten the rocker to the lowest level.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.