

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.66	-0.50	23.16	<=33.00	Pass
			2	23.67	-0.50	23.17	<=33.00	Pass
			5	23.69	-0.50	23.19	<=33.00	Pass
		3	0	23.70	-0.50	23.20	<=33.00	Pass
			2	23.70	-0.50	23.20	<=33.00	Pass
			3	23.74	-0.50	23.24	<=33.00	Pass
		6	0	22.79	-0.50	22.29	<=33.00	Pass
	1880	1	0	23.70	-0.50	23.20	<=33.00	Pass
			2	23.69	-0.50	23.19	<=33.00	Pass
			5	23.72	-0.50	23.22	<=33.00	Pass
		3	0	23.74	-0.50	23.24	<=33.00	Pass
			2	23.74	-0.50	23.24	<=33.00	Pass
			3	23.75	-0.50	23.25	<=33.00	Pass
		6	0	22.86	-0.50	22.36	<=33.00	Pass
	1909.3	1	0	23.69	-0.50	23.19	<=33.00	Pass
			2	23.67	-0.50	23.17	<=33.00	Pass
			5	23.71	-0.50	23.21	<=33.00	Pass
		3	0	23.74	-0.50	23.24	<=33.00	Pass
			2	23.74	-0.50	23.24	<=33.00	Pass
			3	23.76	-0.50	23.26	<=33.00	Pass
		6	0	22.80	-0.50	22.30	<=33.00	Pass
16QAM	1850.7	1	0	22.88	-0.50	22.38	<=33.00	Pass
			2	22.86	-0.50	22.36	<=33.00	Pass
			5	22.87	-0.50	22.37	<=33.00	Pass
		3	0	22.89	-0.50	22.39	<=33.00	Pass
			2	22.88	-0.50	22.38	<=33.00	Pass
			3	22.85	-0.50	22.35	<=33.00	Pass
		6	0	21.73	-0.50	21.23	<=33.00	Pass
	1880	1	0	22.93	-0.50	22.43	<=33.00	Pass
			2	22.85	-0.50	22.35	<=33.00	Pass
			5	22.91	-0.50	22.41	<=33.00	Pass
		3	0	22.88	-0.50	22.38	<=33.00	Pass
			2	22.91	-0.50	22.41	<=33.00	Pass
			3	22.88	-0.50	22.38	<=33.00	Pass
		6	0	21.77	-0.50	21.27	<=33.00	Pass
	1909.3	1	0	23.02	-0.50	22.52	<=33.00	Pass
			2	22.93	-0.50	22.43	<=33.00	Pass
			5	23.00	-0.50	22.50	<=33.00	Pass
		3	0	22.87	-0.50	22.37	<=33.00	Pass
			2	22.76	-0.50	22.26	<=33.00	Pass
			3	22.78	-0.50	22.28	<=33.00	Pass
		6	0	21.80	-0.50	21.30	<=33.00	Pass
64QAM	1850.7	1	0	22.23	-0.50	21.73	<=33.00	Pass
			2	22.25	-0.50	21.75	<=33.00	Pass
			5	22.16	-0.50	21.66	<=33.00	Pass
		3	0	22.00	-0.50	21.50	<=33.00	Pass
			2	21.98	-0.50	21.48	<=33.00	Pass
			3	22.02	-0.50	21.52	<=33.00	Pass
		6	0	20.81	-0.50	20.31	<=33.00	Pass

	1880	1	0	22.23	-0.50	21.73	<=33.00	Pass
			2	22.28	-0.50	21.78	<=33.00	Pass
			5	22.27	-0.50	21.77	<=33.00	Pass
		3	0	22.02	-0.50	21.52	<=33.00	Pass
			2	22.05	-0.50	21.55	<=33.00	Pass
			3	22.03	-0.50	21.53	<=33.00	Pass
	1909.3	6	0	20.85	-0.50	20.35	<=33.00	Pass
			0	21.91	-0.50	21.41	<=33.00	Pass
			2	21.91	-0.50	21.41	<=33.00	Pass
		1	5	21.91	-0.50	21.41	<=33.00	Pass
			0	21.98	-0.50	21.48	<=33.00	Pass
			2	21.99	-0.50	21.49	<=33.00	Pass
		3	3	22.00	-0.50	21.50	<=33.00	Pass
			0	20.94	-0.50	20.44	<=33.00	Pass
			0	20.94	-0.50	20.44	<=33.00	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.73	-0.50	23.23	<=33.00	Pass
			7	23.74	-0.50	23.24	<=33.00	Pass
			14	23.71	-0.50	23.21	<=33.00	Pass
		8	0	22.78	-0.50	22.28	<=33.00	Pass
			4	22.77	-0.50	22.27	<=33.00	Pass
			7	22.76	-0.50	22.26	<=33.00	Pass
		15	0	22.78	-0.50	22.28	<=33.00	Pass
	1880	1	0	23.62	-0.50	23.12	<=33.00	Pass
			7	23.70	-0.50	23.20	<=33.00	Pass
			14	23.62	-0.50	23.12	<=33.00	Pass
		8	0	22.81	-0.50	22.31	<=33.00	Pass
			4	22.83	-0.50	22.33	<=33.00	Pass
			7	22.84	-0.50	22.34	<=33.00	Pass
		15	0	22.82	-0.50	22.32	<=33.00	Pass
	1908.5	1	0	23.70	-0.50	23.20	<=33.00	Pass
			7	23.75	-0.50	23.25	<=33.00	Pass
			14	23.76	-0.50	23.26	<=33.00	Pass
		8	0	22.80	-0.50	22.30	<=33.00	Pass
			4	22.77	-0.50	22.27	<=33.00	Pass
			7	22.80	-0.50	22.30	<=33.00	Pass
		15	0	22.78	-0.50	22.28	<=33.00	Pass
16QAM	1851.5	1	0	23.39	-0.50	22.89	<=33.00	Pass
			7	23.28	-0.50	22.78	<=33.00	Pass
			14	23.28	-0.50	22.78	<=33.00	Pass
		8	0	21.90	-0.50	21.40	<=33.00	Pass
			4	21.90	-0.50	21.40	<=33.00	Pass
			7	21.91	-0.50	21.41	<=33.00	Pass
		15	0	21.86	-0.50	21.36	<=33.00	Pass
	1880	1	0	22.94	-0.50	22.44	<=33.00	Pass
			7	22.97	-0.50	22.47	<=33.00	Pass
			14	22.94	-0.50	22.44	<=33.00	Pass
		8	0	21.79	-0.50	21.29	<=33.00	Pass
			4	21.81	-0.50	21.31	<=33.00	Pass
			7	21.82	-0.50	21.32	<=33.00	Pass
		15	0	21.77	-0.50	21.27	<=33.00	Pass
	1908.5	1	0	22.83	-0.50	22.33	<=33.00	Pass

64QAM			7	22.85	-0.50	22.35	<=33.00	Pass
			14	22.84	-0.50	22.34	<=33.00	Pass
			0	21.86	-0.50	21.36	<=33.00	Pass
		8	4	21.86	-0.50	21.36	<=33.00	Pass
			7	21.86	-0.50	21.36	<=33.00	Pass
			15	21.82	-0.50	21.32	<=33.00	Pass
	1851.5	1	0	22.04	-0.50	21.54	<=33.00	Pass
			7	22.01	-0.50	21.51	<=33.00	Pass
			14	21.99	-0.50	21.49	<=33.00	Pass
		8	0	20.97	-0.50	20.47	<=33.00	Pass
			4	20.91	-0.50	20.41	<=33.00	Pass
			7	20.94	-0.50	20.44	<=33.00	Pass
		15	0	20.77	-0.50	20.27	<=33.00	Pass
		1	0	21.80	-0.50	21.30	<=33.00	Pass
			7	21.91	-0.50	21.41	<=33.00	Pass
			14	21.90	-0.50	21.40	<=33.00	Pass
		8	0	20.72	-0.50	20.22	<=33.00	Pass
			4	20.71	-0.50	20.21	<=33.00	Pass
			7	20.74	-0.50	20.24	<=33.00	Pass
		15	0	20.95	-0.50	20.45	<=33.00	Pass
	1908.5	1	0	21.68	-0.50	21.18	<=33.00	Pass
			7	21.70	-0.50	21.20	<=33.00	Pass
			14	21.68	-0.50	21.18	<=33.00	Pass
		8	0	20.83	-0.50	20.33	<=33.00	Pass
			4	20.79	-0.50	20.29	<=33.00	Pass
			7	20.81	-0.50	20.31	<=33.00	Pass
		15	0	20.81	-0.50	20.31	<=33.00	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.83	-0.50	23.33	<=33.00	Pass
			13	23.81	-0.50	23.31	<=33.00	Pass
			24	23.82	-0.50	23.32	<=33.00	Pass
		12	0	22.82	-0.50	22.32	<=33.00	Pass
			6	22.78	-0.50	22.28	<=33.00	Pass
			13	22.76	-0.50	22.26	<=33.00	Pass
		25	0	22.83	-0.50	22.33	<=33.00	Pass
	1880	1	0	23.77	-0.50	23.27	<=33.00	Pass
			13	23.74	-0.50	23.24	<=33.00	Pass
			24	23.73	-0.50	23.23	<=33.00	Pass
		12	0	22.85	-0.50	22.35	<=33.00	Pass
			6	22.87	-0.50	22.37	<=33.00	Pass
			13	22.84	-0.50	22.34	<=33.00	Pass
		25	0	22.89	-0.50	22.39	<=33.00	Pass
	1907.5	1	0	23.80	-0.50	23.30	<=33.00	Pass
			13	23.79	-0.50	23.29	<=33.00	Pass
			24	23.84	-0.50	23.34	<=33.00	Pass
		12	0	22.79	-0.50	22.29	<=33.00	Pass
			6	22.80	-0.50	22.30	<=33.00	Pass
			13	22.81	-0.50	22.31	<=33.00	Pass
		25	0	22.85	-0.50	22.35	<=33.00	Pass
16QAM	1852.5	1	0	22.69	-0.50	22.19	<=33.00	Pass
			13	22.69	-0.50	22.19	<=33.00	Pass

			24	22.60	-0.50	22.10	<=33.00	Pass	
			12	0	21.83	-0.50	21.33	<=33.00	Pass
				6	21.78	-0.50	21.28	<=33.00	Pass
				13	21.76	-0.50	21.26	<=33.00	Pass
		25	0	21.84	-0.50	21.34	<=33.00	Pass	
		1880	1	0	23.03	-0.50	22.53	<=33.00	Pass
				13	23.10	-0.50	22.60	<=33.00	Pass
				24	23.05	-0.50	22.55	<=33.00	Pass
			12	0	21.89	-0.50	21.39	<=33.00	Pass
	6			21.91	-0.50	21.41	<=33.00	Pass	
	13			21.88	-0.50	21.38	<=33.00	Pass	
	25		0	21.88	-0.50	21.38	<=33.00	Pass	
	1907.5		1	0	22.89	-0.50	22.39	<=33.00	Pass
				13	22.93	-0.50	22.43	<=33.00	Pass
		24		22.94	-0.50	22.44	<=33.00	Pass	
		12	0	21.80	-0.50	21.30	<=33.00	Pass	
			6	21.80	-0.50	21.30	<=33.00	Pass	
			13	21.81	-0.50	21.31	<=33.00	Pass	
		25	0	21.84	-0.50	21.34	<=33.00	Pass	

64QAM	1852.5	1	0	21.86	-0.50	21.36	<=33.00	Pass	
			13	21.77	-0.50	21.27	<=33.00	Pass	
			24	21.70	-0.50	21.20	<=33.00	Pass	
		12	0	20.79	-0.50	20.29	<=33.00	Pass	
			6	20.73	-0.50	20.23	<=33.00	Pass	
			13	20.71	-0.50	20.21	<=33.00	Pass	
		25	0	20.81	-0.50	20.31	<=33.00	Pass	
		1880	1	0	21.94	-0.50	21.44	<=33.00	Pass
				13	21.99	-0.50	21.49	<=33.00	Pass
	24			21.95	-0.50	21.45	<=33.00	Pass	
	12		0	20.87	-0.50	20.37	<=33.00	Pass	
			6	20.88	-0.50	20.38	<=33.00	Pass	
			13	20.85	-0.50	20.35	<=33.00	Pass	
	25		0	20.90	-0.50	20.40	<=33.00	Pass	
	1907.5		1	0	21.99	-0.50	21.49	<=33.00	Pass
				13	22.00	-0.50	21.50	<=33.00	Pass
		24		22.04	-0.50	21.54	<=33.00	Pass	
		12	0	20.94	-0.50	20.44	<=33.00	Pass	
			6	20.93	-0.50	20.43	<=33.00	Pass	
			13	20.92	-0.50	20.42	<=33.00	Pass	
		25	0	20.81	-0.50	20.31	<=33.00	Pass	

Note1: EIRP=Conducted Power+Antenna Gain								
--	--	--	--	--	--	--	--	--

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.79	-0.50	23.29	<=33.00	Pass
			25	23.72	-0.50	23.22	<=33.00	Pass
			49	23.67	-0.50	23.17	<=33.00	Pass
		25	0	22.76	-0.50	22.26	<=33.00	Pass
			13	22.72	-0.50	22.22	<=33.00	Pass
			25	22.74	-0.50	22.24	<=33.00	Pass
		50	0	22.75	-0.50	22.25	<=33.00	Pass
	1880	1	0	23.78	-0.50	23.28	<=33.00	Pass
			25	23.70	-0.50	23.20	<=33.00	Pass
			49	23.68	-0.50	23.18	<=33.00	Pass

		25	0	22.81	-0.50	22.31	<=33.00	Pass		
			13	22.82	-0.50	22.32	<=33.00	Pass		
			25	22.80	-0.50	22.30	<=33.00	Pass		
		50	0	22.81	-0.50	22.31	<=33.00	Pass		
			1905	1	0	23.67	-0.50	23.17	<=33.00	Pass
					25	23.72	-0.50	23.22	<=33.00	Pass
		49			23.84	-0.50	23.34	<=33.00	Pass	
		25		0	22.75	-0.50	22.25	<=33.00	Pass	
				13	22.76	-0.50	22.26	<=33.00	Pass	
	25			22.78	-0.50	22.28	<=33.00	Pass		
	50	0	22.77	-0.50	22.27	<=33.00	Pass			
	16QAM	1855	1	0	23.39	-0.50	22.89	<=33.00	Pass	
25				23.22	-0.50	22.72	<=33.00	Pass		
49				23.29	-0.50	22.79	<=33.00	Pass		
25			0	21.81	-0.50	21.31	<=33.00	Pass		
			13	21.73	-0.50	21.23	<=33.00	Pass		
			25	21.76	-0.50	21.26	<=33.00	Pass		
			50	0	21.74	-0.50	21.24	<=33.00	Pass	
			1880	1	0	23.01	-0.50	22.51	<=33.00	Pass
					25	22.99	-0.50	22.49	<=33.00	Pass
49		23.00			-0.50	22.50	<=33.00	Pass		
25		0		21.85	-0.50	21.35	<=33.00	Pass		
		13		21.83	-0.50	21.33	<=33.00	Pass		
		25		21.82	-0.50	21.32	<=33.00	Pass		
50		0	21.80	-0.50	21.30	<=33.00	Pass			
1905		1	0	22.79	-0.50	22.29	<=33.00	Pass		
			25	22.77	-0.50	22.27	<=33.00	Pass		
			49	22.87	-0.50	22.37	<=33.00	Pass		
		25	0	21.83	-0.50	21.33	<=33.00	Pass		
			13	21.83	-0.50	21.33	<=33.00	Pass		
			25	21.85	-0.50	21.35	<=33.00	Pass		
		50	0	21.77	-0.50	21.27	<=33.00	Pass		
		64QAM	1855	1	0	22.07	-0.50	21.57	<=33.00	Pass
					25	21.89	-0.50	21.39	<=33.00	Pass
49					21.96	-0.50	21.46	<=33.00	Pass	
25	0			20.78	-0.50	20.28	<=33.00	Pass		
	13			20.70	-0.50	20.20	<=33.00	Pass		
	25			20.72	-0.50	20.22	<=33.00	Pass		
	50			0	20.75	-0.50	20.25	<=33.00	Pass	
	1880			1	0	21.88	-0.50	21.38	<=33.00	Pass
					25	21.86	-0.50	21.36	<=33.00	Pass
49			21.90		-0.50	21.40	<=33.00	Pass		
25			0	20.91	-0.50	20.41	<=33.00	Pass		
			13	20.89	-0.50	20.39	<=33.00	Pass		
			25	20.87	-0.50	20.37	<=33.00	Pass		
50	0		20.79	-0.50	20.29	<=33.00	Pass			
1905	1		0	21.63	-0.50	21.13	<=33.00	Pass		
			25	21.59	-0.50	21.09	<=33.00	Pass		
			49	21.74	-0.50	21.24	<=33.00	Pass		
	25		0	20.80	-0.50	20.30	<=33.00	Pass		
		13	20.78	-0.50	20.28	<=33.00	Pass			
		25	20.81	-0.50	20.31	<=33.00	Pass			
	50	0	20.77	-0.50	20.27	<=33.00	Pass			
	Note1: EIRP=Conducted Power+Antenna Gain									

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.85	-0.50	23.35	<=33.00	Pass
			38	23.71	-0.50	23.21	<=33.00	Pass
			74	23.78	-0.50	23.28	<=33.00	Pass
		36	0	22.78	-0.50	22.28	<=33.00	Pass
			18	22.74	-0.50	22.24	<=33.00	Pass
			39	22.73	-0.50	22.23	<=33.00	Pass
		75	0	22.77	-0.50	22.27	<=33.00	Pass
	1880	1	0	23.84	-0.50	23.34	<=33.00	Pass
			38	23.78	-0.50	23.28	<=33.00	Pass
			74	23.68	-0.50	23.18	<=33.00	Pass
		36	0	22.88	-0.50	22.38	<=33.00	Pass
			18	22.82	-0.50	22.32	<=33.00	Pass
			39	22.81	-0.50	22.31	<=33.00	Pass
		75	0	22.84	-0.50	22.34	<=33.00	Pass
	1902.5	1	0	23.73	-0.50	23.23	<=33.00	Pass
			38	23.70	-0.50	23.20	<=33.00	Pass
			74	23.87	-0.50	23.37	<=33.00	Pass
		36	0	22.79	-0.50	22.29	<=33.00	Pass
			18	22.77	-0.50	22.27	<=33.00	Pass
			39	22.81	-0.50	22.31	<=33.00	Pass
		75	0	22.83	-0.50	22.33	<=33.00	Pass
16QAM	1857.5	1	0	23.39	-0.50	22.89	<=33.00	Pass
			38	23.31	-0.50	22.81	<=33.00	Pass
			74	23.30	-0.50	22.80	<=33.00	Pass
		36	0	21.82	-0.50	21.32	<=33.00	Pass
			18	21.76	-0.50	21.26	<=33.00	Pass
			39	21.77	-0.50	21.27	<=33.00	Pass
		75	0	21.78	-0.50	21.28	<=33.00	Pass
	1880	1	0	23.06	-0.50	22.56	<=33.00	Pass
			38	23.06	-0.50	22.56	<=33.00	Pass
			74	23.02	-0.50	22.52	<=33.00	Pass
		36	0	21.88	-0.50	21.38	<=33.00	Pass
			18	21.85	-0.50	21.35	<=33.00	Pass
			39	21.83	-0.50	21.33	<=33.00	Pass
		75	0	21.87	-0.50	21.37	<=33.00	Pass
	1902.5	1	0	23.20	-0.50	22.70	<=33.00	Pass
			38	23.14	-0.50	22.64	<=33.00	Pass
			74	23.29	-0.50	22.79	<=33.00	Pass
		36	0	21.80	-0.50	21.30	<=33.00	Pass
			18	21.74	-0.50	21.24	<=33.00	Pass
			39	21.80	-0.50	21.30	<=33.00	Pass
		75	0	21.81	-0.50	21.31	<=33.00	Pass
64QAM	1857.5	1	0	22.07	-0.50	21.57	<=33.00	Pass
			38	21.98	-0.50	21.48	<=33.00	Pass
			74	21.99	-0.50	21.49	<=33.00	Pass
		36	0	20.81	-0.50	20.31	<=33.00	Pass
			18	20.74	-0.50	20.24	<=33.00	Pass
			39	20.75	-0.50	20.25	<=33.00	Pass
		75	0	20.79	-0.50	20.29	<=33.00	Pass
	1880	1	0	21.93	-0.50	21.43	<=33.00	Pass
			38	21.95	-0.50	21.45	<=33.00	Pass
			74	21.90	-0.50	21.40	<=33.00	Pass
		36	0	20.91	-0.50	20.41	<=33.00	Pass
			18	20.87	-0.50	20.37	<=33.00	Pass

			39	20.85	-0.50	20.35	<=33.00	Pass
		75	0	20.87	-0.50	20.37	<=33.00	Pass
	1902.5	1	0	22.17	-0.50	21.67	<=33.00	Pass
			38	22.12	-0.50	21.62	<=33.00	Pass
			74	22.23	-0.50	21.73	<=33.00	Pass
		36	0	20.76	-0.50	20.26	<=33.00	Pass
			18	20.71	-0.50	20.21	<=33.00	Pass
			39	20.75	-0.50	20.25	<=33.00	Pass
		75	0	20.82	-0.50	20.32	<=33.00	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.90	-0.50	23.40	<=33.00	Pass
			50	23.80	-0.50	23.30	<=33.00	Pass
			99	23.82	-0.50	23.32	<=33.00	Pass
		50	0	22.84	-0.50	22.34	<=33.00	Pass
			25	22.82	-0.50	22.32	<=33.00	Pass
			50	22.83	-0.50	22.33	<=33.00	Pass
		100	0	22.84	-0.50	22.34	<=33.00	Pass
	1880	1	0	23.82	-0.50	23.32	<=33.00	Pass
			50	23.81	-0.50	23.31	<=33.00	Pass
			99	23.69	-0.50	23.19	<=33.00	Pass
		50	0	22.90	-0.50	22.40	<=33.00	Pass
			25	22.88	-0.50	22.38	<=33.00	Pass
			50	22.86	-0.50	22.36	<=33.00	Pass
		100	0	22.88	-0.50	22.38	<=33.00	Pass
	1900	1	0	23.74	-0.50	23.24	<=33.00	Pass
			50	23.73	-0.50	23.23	<=33.00	Pass
			99	23.88	-0.50	23.38	<=33.00	Pass
		50	0	22.87	-0.50	22.37	<=33.00	Pass
			25	22.84	-0.50	22.34	<=33.00	Pass
			50	22.83	-0.50	22.33	<=33.00	Pass
		100	0	22.86	-0.50	22.36	<=33.00	Pass
16QAM	1860	1	0	23.18	-0.50	22.68	<=33.00	Pass
			50	23.04	-0.50	22.54	<=33.00	Pass
			99	23.09	-0.50	22.59	<=33.00	Pass
		50	0	21.83	-0.50	21.33	<=33.00	Pass
			25	21.81	-0.50	21.31	<=33.00	Pass
			50	21.83	-0.50	21.33	<=33.00	Pass
		100	0	21.82	-0.50	21.32	<=33.00	Pass
	1880	1	0	23.11	-0.50	22.61	<=33.00	Pass
			50	23.08	-0.50	22.58	<=33.00	Pass
			99	23.05	-0.50	22.55	<=33.00	Pass
		50	0	21.90	-0.50	21.40	<=33.00	Pass
			25	21.86	-0.50	21.36	<=33.00	Pass
			50	21.84	-0.50	21.34	<=33.00	Pass
		100	0	21.84	-0.50	21.34	<=33.00	Pass
	1900	1	0	23.43	-0.50	22.93	<=33.00	Pass
			50	23.33	-0.50	22.83	<=33.00	Pass
			99	23.50	-0.50	23.00	<=33.00	Pass
		50	0	21.83	-0.50	21.33	<=33.00	Pass
			25	21.79	-0.50	21.29	<=33.00	Pass
			50	21.80	-0.50	21.30	<=33.00	Pass

		100	0	21.82	-0.50	21.32	<=33.00	Pass
64QAM	1860	1	0	22.08	-0.50	21.58	<=33.00	Pass
			50	21.96	-0.50	21.46	<=33.00	Pass
			99	22.00	-0.50	21.50	<=33.00	Pass
			0	20.87	-0.50	20.37	<=33.00	Pass
		50	25	20.84	-0.50	20.34	<=33.00	Pass
			50	20.86	-0.50	20.36	<=33.00	Pass
			0	20.82	-0.50	20.32	<=33.00	Pass
		100	0	20.82	-0.50	20.32	<=33.00	Pass
	1880	1	0	22.11	-0.50	21.61	<=33.00	Pass
			50	22.08	-0.50	21.58	<=33.00	Pass
			99	22.09	-0.50	21.59	<=33.00	Pass
			0	20.90	-0.50	20.40	<=33.00	Pass
		50	25	20.86	-0.50	20.36	<=33.00	Pass
			50	20.84	-0.50	20.34	<=33.00	Pass
			0	20.84	-0.50	20.34	<=33.00	Pass
		100	0	20.84	-0.50	20.34	<=33.00	Pass
	1900	1	0	21.71	-0.50	21.21	<=33.00	Pass
			50	21.63	-0.50	21.13	<=33.00	Pass
			99	21.78	-0.50	21.28	<=33.00	Pass
			0	20.85	-0.50	20.35	<=33.00	Pass
		50	25	20.82	-0.50	20.32	<=33.00	Pass
			50	20.81	-0.50	20.31	<=33.00	Pass
			0	20.83	-0.50	20.33	<=33.00	Pass
		100	0	20.83	-0.50	20.33	<=33.00	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.27	-0.146	-0.0001	-2.5 to 2.5	Pass
					3.85	4.185	0.0022	-2.5 to 2.5	Pass
					4.43	-2.406	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-1.806	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.074	0.0000	-2.5 to 2.5	Pass
				-10	3.85	1.182	0.0006	-2.5 to 2.5	Pass
				0	3.85	2.899	0.0015	-2.5 to 2.5	Pass
				10	3.85	-0.877	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.154	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.358	0.0002	-2.5 to 2.5	Pass
				50	3.85	-1.660	-0.0009	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.097	/	Pass
	16QAM	1880	6	0	1.102	/	Pass
3	QPSK	1880	15	0	2.741	/	Pass
	16QAM	1880	15	0	2.747	/	Pass
5	QPSK	1880	25	0	4.518	/	Pass
	16QAM	1880	25	0	4.504	/	Pass
10	QPSK	1880	50	0	9.017	/	Pass
	16QAM	1880	50	0	9.009	/	Pass
15	QPSK	1880	75	0	13.473	/	Pass
	16QAM	1880	75	0	13.470	/	Pass
20	QPSK	1880	100	0	18.066	/	Pass
	16QAM	1880	100	0	18.068	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.298	/	Pass
	16QAM	1880	6	0	1.320	/	Pass
3	QPSK	1880	15	0	3.049	/	Pass
	16QAM	1880	15	0	3.055	/	Pass
5	QPSK	1880	25	0	4.986	/	Pass
	16QAM	1880	25	0	4.976	/	Pass
10	QPSK	1880	50	0	9.750	/	Pass
	16QAM	1880	50	0	9.772	/	Pass
15	QPSK	1880	75	0	14.554	/	Pass
	16QAM	1880	75	0	14.658	/	Pass
20	QPSK	1880	100	0	19.392	/	Pass
	16QAM	1880	100	0	19.397	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV



Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.72	<=13	Pass
16QAM	1880	100	0	6.46	<=13	Pass
64QAM	1880	100	0	6.58	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV

Samples: 10.0M
RBW: 20.00MHz
Freq: 1880.000MHz
Power:
Avg: 20.66dBm
Peak: 28.62dBm
Crest: 7.96dB

Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.44	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-30.99	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-27.11	-13	Pass
1911	1913	1	CHP	2	1911.500	-37.18	-13	Pass

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-32.30	-13	Pass
1911	1913	1	CHP	2	1911.500	-28.28	-13	Pass


5.2.2 B2_3MHz



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.67	-13	Pass
1849	1850	0.03	/	2	1849.994	-27.44	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




5.2.3 B2_5MHz



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-28.96	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-27.65	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-28.84	-13	Pass
1911	1915	1	CHP	2	1911.500	-35.31	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-30.18	-13	Pass
1911	1915	1	CHP	2	1911.500	-29.71	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-31.71	-13	Pass
1849	1850	0.098	CHP	2	1849.992	-35.03	-13	Pass
1850	1860	0.098	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1846.040	-30.82	-13	Pass
1849	1850	0.146	CHP	2	1849.970	-34.11	-13	Pass
1850	1865	0.146	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-37.18	-13	Pass
1911	1925	1	CHP	2	1913.203	-36.55	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.146	CHP	/	/	/	/	/
1910	1911	0.146	CHP	1	1910.030	-35.48	-13	Pass
1911	1925	1	CHP	2	1911.500	-31.02	-13	Pass


5.2.6 B2_20MHz



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-32.70	-13	Pass
1849	1850	0.194	CHP	2	1849.960	-37.02	-13	Pass
1850	1870	0.194	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-40.50	-13	Pass
1911	1930	1	CHP	2	1911.500	-37.48	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.194	CHP	/	/	/	/	/
1910	1911	0.194	CHP	1	1910.280	-37.41	-13	Pass
1911	1930	1	CHP	2	1911.520	-32.24	-13	Pass

6. Field Strength of Spurious Radiation

Test Band = LTE Band 2_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.18	49.59	-48.50	28.82	-65.35	-13.00	52.35	Horizontal
2	5553.27	50.27	-47.66	32.62	-60.03	-13.00	47.03	Horizontal
3	7404.36	50.19	-46.17	36.23	-55.01	-13.00	42.01	Horizontal
4	9255.45	47.53	-43.17	37.76	-53.14	-13.00	40.14	Horizontal
5	11106.54	47.45	-40.36	39.49	-48.68	-13.00	35.68	Horizontal
6	12957.63	48.19	-39.41	38.83	-47.65	-13.00	34.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.18	49.27	-48.50	28.82	-65.67	-13.00	52.67	Vertical
2	5553.27	51.17	-47.66	32.62	-59.13	-13.00	46.13	Vertical
3	7404.36	49.43	-46.17	36.23	-55.77	-13.00	42.77	Vertical
4	9255.45	46.24	-43.17	37.76	-54.43	-13.00	41.43	Vertical
5	11106.54	46.59	-40.36	39.49	-49.54	-13.00	36.54	Vertical
6	12957.63	49.55	-39.41	38.83	-46.29	-13.00	33.29	Vertical

Test Band = LTE Band 2_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.18	48.91	-48.37	28.89	-65.83	-13.00	52.83	Horizontal
2	5613.27	50.25	-47.67	32.65	-60.04	-13.00	47.04	Horizontal
3	7484.36	48.99	-46.17	36.37	-56.07	-13.00	43.07	Horizontal
4	9355.45	46.44	-42.97	37.90	-53.90	-13.00	40.90	Horizontal
5	11226.54	46.67	-40.37	39.48	-49.48	-13.00	36.48	Horizontal
6	13097.63	49.01	-38.42	38.95	-45.72	-13.00	32.72	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.18	49.05	-48.37	28.89	-65.69	-13.00	52.69	Vertical
2	5613.27	51.40	-47.67	32.65	-58.89	-13.00	45.89	Vertical
3	7484.36	49.47	-46.17	36.37	-55.59	-13.00	42.59	Vertical
4	9355.45	46.39	-42.97	37.90	-53.95	-13.00	40.95	Vertical
5	11226.54	46.34	-40.37	39.48	-49.81	-13.00	36.81	Vertical
6	13097.63	48.53	-38.42	38.95	-46.20	-13.00	33.20	Vertical

Test Band = LTE Band 2_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.18	49.02	-48.24	28.95	-65.53	-13.00	52.53	Horizontal
2	5673.27	50.60	-47.55	32.67	-59.54	-13.00	46.54	Horizontal
3	7564.36	48.57	-45.14	36.39	-55.44	-13.00	42.44	Horizontal
4	9455.45	46.78	-42.67	38.04	-53.11	-13.00	40.11	Horizontal
5	11346.54	47.99	-40.28	39.47	-48.09	-13.00	35.09	Horizontal
6	13237.63	49.04	-38.85	39.16	-45.91	-13.00	32.91	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.18	48.67	-48.24	28.95	-65.88	-13.00	52.88	Vertical
2	5673.27	51.07	-47.55	32.67	-59.07	-13.00	46.07	Vertical
3	7564.36	49.61	-45.14	36.39	-54.40	-13.00	41.40	Vertical
4	9455.45	46.88	-42.67	38.04	-53.01	-13.00	40.01	Vertical
5	11346.54	47.63	-40.28	39.47	-48.45	-13.00	35.45	Vertical
6	13237.63	48.35	-38.85	39.16	-46.60	-13.00	33.60	Vertical