




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 151 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 152 of 708


2.2.11 OBW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 153 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 154 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 155 of 708


2.2.12 26dB BW





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 156 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 157 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 158 of 708

3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	5955	/	3.76	3.43	6.61	/	Pass
			6175	/	3.43	2.62	6.05	/	Pass
			6415	/	3.30	3.50	6.41	/	Pass
	802.11ax (HEW20)	MIMO	5955	RU26	-5.16	-6.46	-2.75	/	Pass
				RU52	-2.00	-3.10	0.50	/	Pass
				RU106	1.08	0.29	3.71	/	Pass
				SU	3.47	3.05	6.28	/	Pass
			6175	RU26	-6.21	-6.86	-3.51	/	Pass
				RU52	-3.13	-3.66	-0.38	/	Pass
				RU106	-0.01	-0.79	2.63	/	Pass
				SU	2.96	2.22	5.62	/	Pass
			6415	RU26	-6.16	-5.75	-2.94	/	Pass
				RU52	-3.00	-2.56	0.24	/	Pass
				RU106	0.07	0.28	3.19	/	Pass
				SU	2.95	3.13	6.05	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	6.39	5.88	9.15	/	Pass
			6165	SU	5.59	4.96	8.30	/	Pass
			6405	SU	5.69	6.38	9.06	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	10.67	10.71	13.70	/	Pass
			6145	SU	10.02	9.51	12.78	/	Pass
			6385	SU	9.58	10.30	12.97	/	Pass
	802.11ax (HEW160)	MIMO	6025	SU	12.50	12.39	15.46	/	Pass
			6185	SU	13.39	13.29	16.35	/	Pass
			6345	SU	13.12	13.90	16.54	/	Pass

3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	5955	/	-0.54	2.13	5.31	<=24	Pass
			6175	/	-0.87	1.32	4.75	<=24	Pass
			6415	/	-1.00	2.20	5.11	<=24	Pass
	802.11ax (HEW20)	MIMO	5955	RU26	-9.46	-7.76	-4.05	<=24	Pass
				RU52	-6.30	-4.40	-0.80	<=24	Pass
				RU106	-3.22	-1.01	2.41	<=24	Pass
				SU	-0.83	1.75	4.98	<=24	Pass
			6175	RU26	-10.51	-8.16	-4.81	<=24	Pass
				RU52	-7.43	-4.96	-1.68	<=24	Pass
				RU106	-4.31	-2.09	1.33	<=24	Pass
				SU	-1.34	0.92	4.32	<=24	Pass
			6415	RU26	-10.46	-7.05	-4.24	<=24	Pass
				RU52	-7.30	-3.86	-1.06	<=24	Pass
				RU106	-4.23	-1.02	1.89	<=24	Pass
				SU	-1.35	1.83	4.75	<=24	Pass
	802.11ax (HEW40)	MIMO	5965	SU	2.09	4.58	7.85	<=24	Pass
			6165	SU	1.29	3.66	7.00	<=24	Pass
			6405	SU	1.39	5.08	7.76	<=24	Pass
	802.11ax (HEW80)	MIMO	5985	SU	6.37	9.41	12.40	<=24	Pass
			6145	SU	5.72	8.21	11.48	<=24	Pass

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 159 of 708

			6385	SU	5.28	9.00	11.67	<=24	Pass
	802.11ax (HEW160)	MIMO	6025	SU	8.20	11.09	14.16	<=24	Pass
			6185	SU	9.09	11.99	15.05	<=24	Pass
			6345	SU	8.82	12.60	15.24	<=24	Pass

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6435	/	2.42	2.66	5.55	/	Pass
			6475	/	2.07	2.57	5.34	/	Pass
			6515	/	2.52	2.30	5.42	/	Pass
	802.11ax (HEW20)	MIMO	6435	RU26	-7.00	-6.44	-3.70	/	Pass
				RU52	-3.69	-3.26	-0.46	/	Pass
				RU106	-0.54	-0.34	2.57	/	Pass
				SU	2.42	2.68	5.56	/	Pass
			6475	RU26	-6.32	-5.86	-3.07	/	Pass
				RU52	-3.63	-3.26	-0.43	/	Pass
				RU106	-1.00	-0.58	2.23	/	Pass
				SU	2.49	3.10	5.82	/	Pass
			6515	RU26	-6.28	-6.82	-3.53	/	Pass
				RU52	-3.19	-3.77	-0.46	/	Pass
				RU106	-0.09	-0.40	2.77	/	Pass
				SU	2.69	2.55	5.63	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	5.89	6.20	9.06	/	Pass
			6485	SU	5.45	6.11	8.80	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	9.26	9.95	12.63	/	Pass

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6435	/	-1.18	1.86	4.75	<=24	Pass
			6475	/	-1.53	1.77	4.54	<=24	Pass
			6515	/	-1.08	1.50	4.62	<=24	Pass
	802.11ax (HEW20)	MIMO	6435	RU26	-10.60	-7.24	-4.50	<=24	Pass
				RU52	-7.29	-4.06	-1.26	<=24	Pass
				RU106	-4.14	-1.14	1.77	<=24	Pass
				SU	-1.18	1.88	4.76	<=24	Pass
			6475	RU26	-9.92	-6.66	-3.87	<=24	Pass
				RU52	-7.23	-4.06	-1.23	<=24	Pass
				RU106	-4.60	-1.38	1.43	<=24	Pass
				SU	-1.11	2.30	5.02	<=24	Pass
			6515	RU26	-9.88	-7.62	-4.33	<=24	Pass
				RU52	-6.79	-4.57	-1.26	<=24	Pass
				RU106	-3.69	-1.20	1.97	<=24	Pass
				SU	-0.91	1.75	4.83	<=24	Pass
	802.11ax (HEW40)	MIMO	6445	SU	2.29	5.40	8.26	<=24	Pass
			6485	SU	1.85	5.31	8.00	<=24	Pass
	802.11ax (HEW80)	MIMO	6465	SU	5.66	9.15	11.83	<=24	Pass

3.1.5 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6535	/	2.71	2.31	5.52	/	Pass

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 160 of 708

			6695	/	1.13	2.00	4.60	/	Pass
			6855	/	2.36	2.56	5.47	/	Pass
	802.11ax (HEW20)	MIMO	6535	RU26	-6.46	-7.26	-3.83	/	Pass
				RU52	-3.32	-4.08	-0.67	/	Pass
				RU106	-0.20	-0.59	2.62	/	Pass
				SU	2.57	2.46	5.53	/	Pass
			6695	RU26	-7.76	-7.15	-4.43	/	Pass
				RU52	-5.03	-4.23	-1.60	/	Pass
				RU106	-1.88	-1.11	1.53	/	Pass
				SU	1.94	2.37	5.17	/	Pass
			6855	RU26	-6.75	-7.08	-3.90	/	Pass
				RU52	-3.63	-3.99	-0.80	/	Pass
				RU106	-0.26	-0.63	2.57	/	Pass
				SU	2.32	2.51	5.43	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	5.90	6.02	8.97	/	Pass
			6685	SU	4.83	6.02	8.48	/	Pass
			6845	SU	5.76	5.86	8.82	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	9.19	10.18	12.72	/	Pass
			6705	SU	9.96	9.94	12.96	/	Pass
			6785	SU	10.10	9.92	13.02	/	Pass
	802.11ax (HEW160)	MIMO	6665	SU	12.41	13.46	15.98	/	Pass

3.1.6 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6535	/	0.71	1.51	4.72	<=24	Pass
			6695	/	-0.87	1.20	3.80	<=24	Pass
			6855	/	0.36	1.76	4.67	<=24	Pass
	802.11ax (HEW20)	MIMO	6535	RU26	-8.46	-8.06	-4.63	<=24	Pass
				RU52	-5.32	-4.88	-1.47	<=24	Pass
				RU106	-2.20	-1.39	1.82	<=24	Pass
				SU	0.57	1.66	4.73	<=24	Pass
			6695	RU26	-9.76	-7.95	-5.23	<=24	Pass
				RU52	-7.03	-5.03	-2.40	<=24	Pass
				RU106	-3.88	-1.91	0.73	<=24	Pass
				SU	-0.06	1.57	4.37	<=24	Pass
			6855	RU26	-8.75	-7.88	-4.70	<=24	Pass
				RU52	-5.63	-4.79	-1.60	<=24	Pass
				RU106	-2.26	-1.43	1.77	<=24	Pass
				SU	0.32	1.71	4.63	<=24	Pass
	802.11ax (HEW40)	MIMO	6565	SU	3.90	5.22	8.17	<=24	Pass
			6685	SU	2.83	5.22	7.68	<=24	Pass
			6845	SU	3.76	5.06	8.02	<=24	Pass
	802.11ax (HEW80)	MIMO	6625	SU	7.19	9.38	11.92	<=24	Pass
			6705	SU	7.96	9.14	12.16	<=24	Pass
			6785	SU	8.10	9.12	12.22	<=24	Pass
	802.11ax (HEW160)	MIMO	6665	SU	10.41	12.66	15.18	<=24	Pass

3.1.7 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6895	/	3.43	3.47	6.46	/	Pass
			6995	/	3.36	3.32	6.35	/	Pass
			7115	/	3.25	2.82	6.05	/	Pass
	802.11ax	MIMO	6895	RU26	-4.08	-4.71	-1.37	/	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 161 of 708

	(HEW20)			RU52	-2.09	-2.21	0.86	/	Pass
				RU106	0.99	0.83	3.92	/	Pass
				SU	3.89	3.95	6.93	/	Pass
			6995	RU26	-6.01	-5.81	-2.90	/	Pass
				RU52	-1.75	-1.43	1.42	/	Pass
				RU106	0.46	0.68	3.58	/	Pass
			7115	SU	3.83	3.82	6.84	/	Pass
				RU26	-13.29	-13.60	-10.43	/	Pass
				RU52	-10.98	-11.52	-8.23	/	Pass
				RU106	-8.52	-9.07	-5.78	/	Pass
				SU	-5.44	-5.55	-2.48	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	7.48	7.30	10.40	/	Pass
			7005	SU	7.23	7.34	10.30	/	Pass
			7085	SU	7.76	7.31	10.55	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	11.58	11.21	14.41	/	Pass
			7025	SU	11.52	11.18	14.36	/	Pass
	802.11ax (HEW160)	MIMO	6985	SU	10.36	10.76	13.57	/	Pass

3.1.8 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6895	/	0.43	1.17	4.16	<=24	Pass
			6995	/	0.36	1.02	4.05	<=24	Pass
			7115	/	0.25	0.52	3.75	<=24	Pass
	802.11ax (HEW20)	MIMO	6895	RU26	-7.08	-7.01	-3.67	<=24	Pass
				RU52	-5.09	-4.51	-1.44	<=24	Pass
				RU106	-2.01	-1.47	1.62	<=24	Pass
				SU	0.89	1.65	4.63	<=24	Pass
			6995	RU26	-9.01	-8.11	-5.20	<=24	Pass
				RU52	-4.75	-3.73	-0.88	<=24	Pass
				RU106	-2.54	-1.62	1.28	<=24	Pass
				SU	0.83	1.52	4.54	<=24	Pass
			7115	RU26	-16.29	-15.90	-12.73	<=24	Pass
				RU52	-13.98	-13.82	-10.53	<=24	Pass
				RU106	-11.52	-11.37	-8.08	<=24	Pass
				SU	-8.44	-7.85	-4.78	<=24	Pass
	802.11ax (HEW40)	MIMO	6925	SU	4.48	5.00	8.10	<=24	Pass
			7005	SU	4.23	5.04	8.00	<=24	Pass
			7085	SU	4.76	5.01	8.25	<=24	Pass
	802.11ax (HEW80)	MIMO	6945	SU	8.58	8.91	12.11	<=24	Pass
			7025	SU	8.52	8.88	12.06	<=24	Pass
	802.11ax (HEW160)	MIMO	6985	SU	7.36	8.46	11.27	<=24	Pass

3.1.9 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6875	/	3.12	2.89	6.02	/	Pass
	802.11ax (HEW20)	MIMO	6875	RU26	-6.06	-6.66	-3.34	/	Pass
				RU52	-3.07	-3.46	-0.25	/	Pass
				RU106	-0.47	-0.95	2.31	/	Pass
				SU	3.05	2.92	6.00	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	6.12	5.90	9.02	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	9.93	9.72	12.84	/	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 162 of 708

	802.11ax (HEW160)	MIMO	6825	SU	13.02	13.18	16.11	/	Pass
--	----------------------	------	------	----	-------	-------	-------	---	------

3.1.10 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6875	/	1.12	2.09	5.22	<=24	Pass
	802.11ax (HEW20)	MIMO	6875	RU26	-8.06	-7.46	-4.14	<=24	Pass
				RU52	-5.07	-4.26	-1.05	<=24	Pass
				RU106	-2.47	-1.75	1.51	<=24	Pass
				SU	1.05	2.12	5.20	<=24	Pass
	802.11ax (HEW40)	MIMO	6885	SU	4.12	5.10	8.22	<=24	Pass
	802.11ax (HEW80)	MIMO	6865	SU	7.93	8.92	12.04	<=24	Pass
	802.11ax (HEW160)	MIMO	6825	SU	11.02	12.38	15.31	<=24	Pass

3.1.11 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	6.08	5.93	9.02	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	9.59	9.70	12.66	/	Pass
	802.11ax (HEW160)	MIMO	6505	SU	12.68	12.75	15.73	/	Pass

3.1.12 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	E.I.R.P (dBm)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	4.08	5.13	8.22	<=24	Pass
	802.11ax (HEW80)	MIMO	6545	SU	7.59	8.90	11.86	<=24	Pass
	802.11ax (HEW160)	MIMO	6505	SU	10.68	11.95	14.93	<=24	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 163 of 708

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	5955	/	-6.49	-6.92	-3.79	/	Pass
			6175	/	-6.50	-7.26	-4.04	/	Pass
			6415	/	-7.06	-6.78	-4.07	/	Pass
	802.11ax (HEW20)	MIMO	5955	RU26	-7.04	-8.54	-5.01	/	Pass
				RU52	-6.94	-8.13	-4.63	/	Pass
				RU106	-6.79	-7.76	-4.50	/	Pass
				SU	-6.55	-7.20	-4.06	/	Pass
			6175	RU26	-8.06	-8.63	-5.55	/	Pass
				RU52	-8.11	-8.81	-5.59	/	Pass
				RU106	-8.03	-8.71	-5.55	/	Pass
				SU	-7.17	-8.15	-4.90	/	Pass
			6415	RU26	-8.49	-7.79	-5.35	/	Pass
				RU52	-8.14	-7.55	-5.08	/	Pass
				RU106	-8.09	-7.86	-5.17	/	Pass
				SU	-7.28	-7.20	-4.45	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	-6.82	-7.43	-4.22	/	Pass
			6165	SU	-7.78	-8.18	-5.09	/	Pass
			6405	SU	-7.66	-6.77	-4.35	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	-6.90	-6.47	-3.88	/	Pass
			6145	SU	-7.54	-7.97	-4.95	/	Pass
			6385	SU	-8.01	-7.21	-4.78	/	Pass
	802.11ax (HEW160)	MIMO	6025	SU	-7.55	-7.63	-4.83	/	Pass
			6185	SU	-6.59	-6.72	-3.92	/	Pass
			6345	SU	-6.89	-6.14	-3.73	/	Pass

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	5955	/	-10.79	-8.22	-2.08	<=-1	Pass
			6175	/	-10.80	-8.56	-2.33	<=-1	Pass
			6415	/	-11.36	-8.08	-2.36	<=-1	Pass
	802.11ax (HEW20)	MIMO	5955	RU26	-11.34	-9.84	-3.30	<=-1	Pass
				RU52	-11.24	-9.43	-2.92	<=-1	Pass
				RU106	-11.09	-9.06	-2.79	<=-1	Pass
				SU	-10.85	-8.50	-2.35	<=-1	Pass
			6175	RU26	-12.36	-9.93	-3.84	<=-1	Pass
				RU52	-12.41	-10.11	-3.88	<=-1	Pass
				RU106	-12.33	-10.01	-3.84	<=-1	Pass
				SU	-11.47	-9.45	-3.19	<=-1	Pass
			6415	RU26	-12.79	-9.09	-3.64	<=-1	Pass
				RU52	-12.44	-8.85	-3.37	<=-1	Pass
				RU106	-12.39	-9.16	-3.46	<=-1	Pass
				SU	-11.58	-8.50	-2.74	<=-1	Pass
	802.11ax (HEW40)	MIMO	5965	SU	-11.12	-8.73	-2.51	<=-1	Pass
			6165	SU	-12.08	-9.48	-3.38	<=-1	Pass
			6405	SU	-11.96	-8.07	-2.64	<=-1	Pass
	802.11ax (HEW80)	MIMO	5985	SU	-11.20	-7.77	-2.17	<=-1	Pass
			6145	SU	-11.84	-9.27	-3.24	<=-1	Pass
			6385	SU	-12.31	-8.51	-3.07	<=-1	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 164 of 708

	802.11ax (HEW160)	MIMO	6025	SU	-11.85	-8.93	-3.12	<=-1	Pass
			6185	SU	-10.89	-8.02	-2.21	<=-1	Pass
			6345	SU	-11.19	-7.44	-2.02	<=-1	Pass

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6435	/	-7.61	-7.15	-4.51	/	Pass
			6475	/	-7.69	-7.36	-4.66	/	Pass
			6515	/	-7.43	-7.61	-4.65	/	Pass
	802.11ax (HEW20)	MIMO	6435	RU26	-8.54	-8.40	-5.89	/	Pass
				RU52	-8.73	-8.18	-5.68	/	Pass
				RU106	-8.67	-8.48	-5.76	/	Pass
				SU	-8.11	-7.51	-4.89	/	Pass
			6475	RU26	-8.22	-7.65	-5.11	/	Pass
				RU52	-8.66	-8.22	-5.66	/	Pass
				RU106	-8.57	-8.30	-5.77	/	Pass
				SU	-7.76	-6.91	-4.45	/	Pass
			6515	RU26	-8.52	-8.87	-5.85	/	Pass
				RU52	-8.44	-8.77	-5.69	/	Pass
				RU106	-8.16	-8.34	-5.47	/	Pass
				SU	-7.48	-7.67	-4.85	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	-7.29	-7.15	-4.32	/	Pass
			6485	SU	-7.83	-7.06	-4.68	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	-8.20	-7.41	-5.02	/	Pass

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6435	/	-11.21	-7.95	-2.30	<=-1	Pass
			6475	/	-11.29	-8.16	-2.45	<=-1	Pass
			6515	/	-11.03	-8.41	-2.44	<=-1	Pass
	802.11ax (HEW20)	MIMO	6435	RU26	-12.14	-9.20	-3.68	<=-1	Pass
				RU52	-12.33	-8.98	-3.47	<=-1	Pass
				RU106	-12.27	-9.28	-3.55	<=-1	Pass
				SU	-11.71	-8.31	-2.68	<=-1	Pass
			6475	RU26	-11.82	-8.45	-2.90	<=-1	Pass
				RU52	-12.26	-9.02	-3.45	<=-1	Pass
				RU106	-12.17	-9.10	-3.56	<=-1	Pass
				SU	-11.36	-7.71	-2.24	<=-1	Pass
			6515	RU26	-12.12	-9.67	-3.64	<=-1	Pass
				RU52	-12.04	-9.57	-3.48	<=-1	Pass
				RU106	-11.76	-9.14	-3.26	<=-1	Pass
				SU	-11.08	-8.47	-2.64	<=-1	Pass
	802.11ax (HEW40)	MIMO	6445	SU	-10.89	-7.95	-2.11	<=-1	Pass
			6485	SU	-11.43	-7.86	-2.47	<=-1	Pass
	802.11ax (HEW80)	MIMO	6465	SU	-11.80	-8.21	-2.81	<=-1	Pass

4.1.5 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6535	/	-6.86	-7.56	-4.37	/	Pass
			6695	/	-8.85	-7.90	-5.45	/	Pass

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 165 of 708

			6855	/	-7.57	-7.17	-4.45	/	Pass
				RU26	-8.28	-9.40	-5.83	/	Pass
				RU52	-8.12	-8.96	-5.66	/	Pass
				RU106	-8.26	-8.88	-5.73	/	Pass
				SU	-7.66	-7.97	-4.97	/	Pass
				RU26	-9.64	-8.92	-6.38	/	Pass
				RU52	-9.85	-9.30	-6.86	/	Pass
				RU106	-9.88	-9.10	-6.81	/	Pass
				SU	-8.38	-7.84	-5.30	/	Pass
				RU26	-8.97	-9.34	-6.25	/	Pass
				RU52	-8.84	-8.88	-6.10	/	Pass
				RU106	-8.48	-8.74	-5.81	/	Pass
				SU	-8.04	-7.70	-5.11	/	Pass
				SU	-7.34	-7.41	-4.50	/	Pass
				SU	-8.40	-7.18	-5.06	/	Pass
				SU	-7.53	-7.45	-4.57	/	Pass
				SU	-8.26	-7.40	-5.07	/	Pass
				SU	-7.42	-7.48	-4.66	/	Pass
				SU	-7.46	-7.44	-4.52	/	Pass
				SU	-8.17	-6.89	-4.61	/	Pass

4.1.6 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6535	/	-8.86	-8.36	-2.16	<=-1	Pass
			6695	/	-10.85	-8.70	-3.24	<=-1	Pass
			6855	/	-9.57	-7.97	-2.24	<=-1	Pass
	802.11ax (HEW20)	MIMO	6535	RU26	-10.28	-10.20	-3.62	<=-1	Pass
				RU52	-10.12	-9.76	-3.45	<=-1	Pass
				RU106	-10.26	-9.68	-3.52	<=-1	Pass
				SU	-9.66	-8.77	-2.76	<=-1	Pass
			6695	RU26	-11.64	-9.72	-4.17	<=-1	Pass
				RU52	-11.85	-10.10	-4.65	<=-1	Pass
				RU106	-11.88	-9.90	-4.60	<=-1	Pass
				SU	-10.38	-8.64	-3.09	<=-1	Pass
			6855	RU26	-10.97	-10.14	-4.04	<=-1	Pass
				RU52	-10.84	-9.68	-3.89	<=-1	Pass
				RU106	-10.48	-9.54	-3.60	<=-1	Pass
				SU	-10.04	-8.50	-2.90	<=-1	Pass
	802.11ax (HEW40)	MIMO	6565	SU	-9.34	-8.21	-2.29	<=-1	Pass
			6685	SU	-10.40	-7.98	-2.85	<=-1	Pass
			6845	SU	-9.53	-8.25	-2.36	<=-1	Pass
	802.11ax (HEW80)	MIMO	6625	SU	-10.26	-8.20	-2.86	<=-1	Pass
			6705	SU	-9.42	-8.28	-2.45	<=-1	Pass
			6785	SU	-9.46	-8.24	-2.31	<=-1	Pass
	802.11ax (HEW160)	MIMO	6665	SU	-10.17	-7.69	-2.40	<=-1	Pass

4.1.7 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6895	/	-6.54	-6.30	-3.51	/	Pass
			6995	/	-6.28	-6.45	-3.35	/	Pass
			7115	/	-6.65	-6.85	-3.99	/	Pass
	802.11ax (HEW20)	MIMO	6895	RU26	-5.71	-6.59	-3.38	/	Pass
				RU52	-7.21	-7.27	-4.33	/	Pass

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 166 of 708

				RU106	-7.11	-6.95	-4.30	/	Pass
				SU	-6.13	-6.19	-3.26	/	Pass
			6995	RU26	-8.10	-7.50	-4.99	/	Pass
				RU52	-6.63	-6.39	-3.64	/	Pass
				RU106	-7.70	-7.40	-4.80	/	Pass
				SU	-6.56	-6.60	-3.63	/	Pass
				RU26	-15.54	-15.67	-12.65	/	Pass
				RU52	-16.04	-16.46	-13.44	/	Pass
				RU106	-16.71	-17.11	-14.17	/	Pass
				SU	-15.76	-15.76	-12.97	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	-5.94	-6.11	-3.08	/	Pass
			7005	SU	-6.10	-5.89	-3.05	/	Pass
			7085	SU	-5.33	-5.78	-2.83	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	-5.59	-6.23	-3.03	/	Pass
			7025	SU	-5.93	-6.06	-3.43	/	Pass
	802.11ax (HEW160)	MIMO	6985	SU	-9.87	-9.49	-6.92	/	Pass

4.1.8 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6895	/	-9.54	-8.60	-2.80	<=-1	Pass
			6995	/	-9.28	-8.75	-2.64	<=-1	Pass
			7115	/	-9.65	-9.15	-3.28	<=-1	Pass
	802.11ax (HEW20)	MIMO	6895	RU26	-8.71	-8.89	-2.67	<=-1	Pass
				RU52	-10.21	-9.57	-3.62	<=-1	Pass
				RU106	-10.11	-9.25	-3.59	<=-1	Pass
				SU	-9.13	-8.49	-2.55	<=-1	Pass
			6995	RU26	-11.10	-9.80	-4.28	<=-1	Pass
				RU52	-9.63	-8.69	-2.93	<=-1	Pass
				RU106	-10.70	-9.70	-4.09	<=-1	Pass
				SU	-9.56	-8.90	-2.92	<=-1	Pass
			7115	RU26	-18.54	-17.97	-11.94	<=-1	Pass
				RU52	-19.04	-18.76	-12.73	<=-1	Pass
				RU106	-19.71	-19.41	-13.46	<=-1	Pass
				SU	-18.76	-18.06	-12.26	<=-1	Pass
	802.11ax (HEW40)	MIMO	6925	SU	-8.94	-8.41	-2.37	<=-1	Pass
			7005	SU	-9.10	-8.19	-2.34	<=-1	Pass
			7085	SU	-8.33	-8.08	-2.12	<=-1	Pass
	802.11ax (HEW80)	MIMO	6945	SU	-8.59	-8.53	-2.32	<=-1	Pass
			7025	SU	-8.93	-8.36	-2.72	<=-1	Pass
	802.11ax (HEW160)	MIMO	6985	SU	-12.87	-11.79	-6.21	<=-1	Pass

4.1.9 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6875	/	-7.23	-7.55	-4.61	/	Pass
	802.11ax (HEW20)	MIMO	6875	RU26	-8.36	-8.93	-5.77	/	Pass
				RU52	-8.27	-8.71	-5.62	/	Pass
				RU106	-8.59	-9.13	-5.88	/	Pass
				SU	-7.29	-7.30	-4.50	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	-7.02	-7.51	-4.32	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	-7.63	-7.76	-4.94	/	Pass
	802.11ax	MIMO	6825	SU	-7.46	-7.74	-4.76	/	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207

Rev.: 02

Page: 167 of 708

	(HEW160)								
--	----------	--	--	--	--	--	--	--	--

4.1.10 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11a	MIMO	6875	/	-9.23	-8.35	-2.40	<=-1	Pass
	802.11ax (HEW20)	MIMO	6875	RU26	-10.36	-9.73	-3.56	<=-1	Pass
				RU52	-10.27	-9.51	-3.41	<=-1	Pass
				RU106	-10.59	-9.93	-3.67	<=-1	Pass
				SU	-9.29	-8.10	-2.29	<=-1	Pass
	802.11ax (HEW40)	MIMO	6885	SU	-9.02	-8.31	-2.11	<=-1	Pass
	802.11ax (HEW80)	MIMO	6865	SU	-9.63	-8.56	-2.73	<=-1	Pass
	802.11ax (HEW160)	MIMO	6825	SU	-9.46	-8.54	-2.55	<=-1	Pass

4.1.11 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	-7.83	-8.00	-4.99	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	-8.00	-7.58	-5.12	/	Pass
	802.11ax (HEW160)	MIMO	6505	SU	-7.32	-7.31	-4.51	/	Pass

4.1.12 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	Maximum E.I.R.PSD (dBm/MHz)				Verdict
					ANT4	ANT5	MIMO	Limit	
NTNV	802.11ax (HEW40)	MIMO	6525	SU	-9.83	-8.80	-2.78	<=-1	Pass
	802.11ax (HEW80)	MIMO	6545	SU	-10.00	-8.38	-2.91	<=-1	Pass
	802.11ax (HEW160)	MIMO	6505	SU	-9.32	-8.11	-2.30	<=-1	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 168 of 708

4.2 Test Graph


4.2.1 PSD





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 169 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 170 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 171 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 172 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 173 of 708

802.11ax(HEW20)_LCH_5955MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_LCH_5955MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 174 of 708

802.11ax(HEW20)_LCH_5955MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU52-Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 175 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 176 of 708

802.11ax(HEW20)_LCH_5955MHz_RU106-Ant5_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU106-MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 177 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 178 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 179 of 708

802.11ax(HEW20)_MCH_6175MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_MCH_6175MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 180 of 708


802.11ax(HEW20)_MCH_6175MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_MCH_6175MHz_RU52-Ant5_NTNV



802.11ax(HEW20)_MCH_6175MHz_RU52-MIMO_NTNV




802.11ax(HEW20)_MCH_6175MHz_RU106-Ant4_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 182 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 183 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 184 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 185 of 708

802.11ax(HEW20)_HCH_6415MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_HCH_6415MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 186 of 708

802.11ax(HEW20)_HCH_6415MHz_RU52-Ant4_NTNV



802.11ax(HEW20)_HCH_6415MHz_RU52-Ant5_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 187 of 708

802.11ax(HEW20)_HCH_6415MHz_RU52-MIMO_NTNV



802.11ax(HEW20)_HCH_6415MHz_RU106-Ant4_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 188 of 708

802.11ax(HEW20)_HCH_6415MHz_RU106-Ant5_NTNV




802.11ax(HEW20)_HCH_6415MHz_RU106-MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 189 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 190 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 191 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 192 of 708



802.11ax(HEW40)_MCH_6165MHz_SU / _MIMO_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU / Ant4_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 194 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 195 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 196 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 197 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 198 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 199 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207


Rev.: 02

Page: 200 of 708

802.11ax(HEW160)_LCH_6025MHz_SU_/_Ant5_NTNV




802.11ax(HEW160)_LCH_6025MHz_SU_/_MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 201 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 202 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 203 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 204 of 708


4.2.2 E.I.R.PSD





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 205 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 206 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 207 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 208 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 209 of 708

802.11ax(HEW20)_LCH_5955MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_LCH_5955MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 210 of 708

802.11ax(HEW20)_LCH_5955MHz_RU52-Ant4_NTNV



802.11ax(HEW20)_LCH_5955MHz_RU52-Ant5_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 211 of 708

802.11ax(HEW20)_LCH_5955MHz_RU52-MIMO_NTNV



802.11ax(HEW20)_LCH_5955MHz_RU106-Ant4_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 212 of 708

802.11ax(HEW20)_LCH_5955MHz_RU106-Ant5_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU106-MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 213 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 214 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 215 of 708

802.11ax(HEW20)_MCH_6175MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_MCH_6175MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 216 of 708

802.11ax(HEW20)_MCH_6175MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_MCH_6175MHz_RU52-Ant5_NTNV



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
 Rev.: 02
 Page: 217 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 218 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 219 of 708

802.11ax(HEW20)_MCH_6175MHz_SU_ / _Ant4_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_ / _Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 220 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 221 of 708

802.11ax(HEW20)_HCH_6415MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_HCH_6415MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 222 of 708

802.11ax(HEW20)_HCH_6415MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_HCH_6415MHz_RU52-Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 223 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 224 of 708

802.11ax(HEW20)_HCH_6415MHz_RU106-Ant5_NTNV




802.11ax(HEW20)_HCH_6415MHz_RU106-MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 225 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 226 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 227 of 708

802.11ax(HEW40)_LCH_5965MHz_SU_/_Ant5_NTNV



802.11ax(HEW40)_LCH_5965MHz_SU_/_MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 228 of 708

802.11ax(HEW40)_MCH_6165MHz_SU_ / _Ant4_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_ / _Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 229 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 230 of 708

802.11ax(HEW40)_HCH_6405MHz_SU_/_Ant5_NTNV



802.11ax(HEW40)_HCH_6405MHz_SU_/_MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 231 of 708

802.11ax(HEW80)_LCH_5985MHz_SU_/_Ant4_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_/_Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 232 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 233 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 234 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 235 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 236 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 237 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 238 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 239 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 240 of 708


4.2.3 PSD





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 241 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 242 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 243 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 244 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 245 of 708

802.11ax(HEW20)_LCH_6435MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_LCH_6435MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 246 of 708

802.11ax(HEW20)_LCH_6435MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_LCH_6435MHz_RU52-Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 247 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 248 of 708

802.11ax(HEW20)_LCH_6435MHz_RU106-Ant5_NTNV




802.11ax(HEW20)_LCH_6435MHz_RU106-MIMO_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 249 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 250 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 251 of 708

802.11ax(HEW20)_MCH_6475MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_MCH_6475MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 252 of 708

802.11ax(HEW20)_MCH_6475MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_MCH_6475MHz_RU52-Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 253 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 254 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 255 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 256 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 257 of 708

802.11ax(HEW20)_HCH_6515MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_HCH_6515MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 258 of 708

802.11ax(HEW20)_HCH_6515MHz_RU52-Ant4_NTNV



802.11ax(HEW20)_HCH_6515MHz_RU52-Ant5_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 259 of 708

802.11ax(HEW20)_HCH_6515MHz_RU52-MIMO_NTNV




802.11ax(HEW20)_HCH_6515MHz_RU106-Ant4_NTNV



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
 Rev.: 02
 Page: 260 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 261 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 262 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 263 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 264 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 265 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 266 of 708






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 267 of 708


4.2.4 E.I.R.PSD





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 268 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 269 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 270 of 708

802.11a_HCH_6515MHz_Ant4_NTNV




802.11a_HCH_6515MHz_Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 271 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 272 of 708

802.11ax(HEW20)_LCH_6435MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_LCH_6435MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 273 of 708


802.11ax(HEW20)_LCH_6435MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_LCH_6435MHz_RU52-Ant5_NTNV



802.11ax(HEW20)_LCH_6435MHz_RU52-MIMO_NTNV



802.11ax(HEW20)_LCH_6435MHz_RU106-Ant4_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 275 of 708

802.11ax(HEW20)_LCH_6435MHz_RU106-Ant5_NTNV



802.11ax(HEW20)_LCH_6435MHz_RU106-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 276 of 708

802.11ax(HEW20)_LCH_6435MHz_SU_/_Ant4_NTNV




802.11ax(HEW20)_LCH_6435MHz_SU_/_Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 277 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 278 of 708

802.11ax(HEW20)_MCH_6475MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_MCH_6475MHz_RU26-MIMO_NTNV







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 279 of 708

802.11ax(HEW20)_MCH_6475MHz_RU52-Ant4_NTNV




802.11ax(HEW20)_MCH_6475MHz_RU52-Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400034207
Rev.: 02
Page: 280 of 708





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 281 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 282 of 708

802.11ax(HEW20)_MCH_6475MHz_SU_/_Ant4_NTNV




802.11ax(HEW20)_MCH_6475MHz_SU_/_Ant5_NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 283 of 708







SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 284 of 708

802.11ax(HEW20)_HCH_6515MHz_RU26-Ant5_NTNV



802.11ax(HEW20)_HCH_6515MHz_RU26-MIMO_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400034207
Rev.: 02
Page: 285 of 708

802.11ax(HEW20)_HCH_6515MHz_RU52-Ant4_NTNV



802.11ax(HEW20)_HCH_6515MHz_RU52-Ant5_NTNV

