

Create the Resonant Networking



CBRS_Label Specification

2024. 03



flexAU CBRS Label (미국향)



<flexAU System Label>



< Hot Surface Caution Label>

구분	flexAU Label	Specification	Attachment point
System Label	Model: flexAU10-3.55G-4TW Frequency: 3.55~3.70GHz Rating: -48VDC 0.85A Made in Korea FCC ID: 2BEQ9-AU10-3550-4T Contains FCC ID: 2BEQ9HFRBTSBM2715 S/N Label Install Type ☐ Ceiling ☐ Wall < Wall Type > Model: flexAU10-3.55G-4TC Frequency: 3.55~3.70GHz Rating: -48VDC 0.85A Made in Korea FCC ID: 2BEQ9-AU10-3550-4T Contains FCC ID: 2BEQ9HFRBTSBM2715 S/N Label Install Type ☐ Ceiling ☐ Wall < Ceiling Type >	- Label Size : 50 x 35mm - Label Text Font: Ebrima Bold 7 - Label Color : White - Label Material : Polyonics XF-603 (UL94 V0)	SFP, Power In port
Serial Number Label		- Label Size : 25.4 x 6.4mm - Label material : Polyonics XF-603 - Serial Number Code - Barcode Height : 3.2mm (Code128) - Text Font - Arial Bold 5	System Label
Hot Surface Caution label		- Label Size : 50 x 22mm - Label Text Font: Arial Narrow - Label Color : White - Label Material : Polyonics XF-603 (UL94 V0)	System Cover Side



HFR, Inc.
for Mobile Internet

S/N Label

Model: flexAU10-3.55G-4TC
Frequency: 3.55~3.70GHz
Rating: -48VDC , 0.85A
Made in Korea

Install Type

☐ Ceiling
☐ Wall

FCC ID: 2BEQ9-AU10-3550-4T
Contains FCC ID: 2BEQ9HFRBTSBM2715



HFR, Inc.
for Mobile Internet

S/N Label

Model: flexAU10-3.55G-4TW
Frequency: 3.55~3.70GHz
Rating: -48VDC , 0.85A
Made in Korea

Install Type

☐ Ceiling
☐ Wall

FCC ID: 2BEQ9-AU10-3550-4T
Contains FCC ID: 2BEQ9HFRBTSBM2715

Copyright © 2024 by HFR. All rights reserved.

- 3 -



HFR, Inc.
for Mobile Internet