



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: Tablet

Test Model: MT85

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.942	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.949	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.009	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.263	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.278	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.284	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.291	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.297	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.08	21	Pass
NVNT	1-DH5	2441	Ant1	0.83	21	Pass
NVNT	1-DH5	2480	Ant1	-0.22	21	Pass
NVNT	2-DH5	2402	Ant1	0.07	21	Pass
NVNT	2-DH5	2441	Ant1	-0.55	21	Pass
NVNT	2-DH5	2480	Ant1	-0.06	21	Pass
NVNT	3-DH5	2402	Ant1	-0.4	21	Pass
NVNT	3-DH5	2441	Ant1	-0.81	21	Pass
NVNT	3-DH5	2480	Ant1	-0.25	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.006	2403.01	1.004	0.673	Pass
NVNT	2-DH5	Ant1	2402.01	2403.15	1.14	0.856	Pass
NVNT	3-DH5	Ant1	2402	2402.934	0.934	0.865	Pass







Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	302.61	105	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	320.235	111	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	300.248	104	31600	400	Pass

