

Yard lamp ASGR29

一、Scope of application:

Electronic massage products, candle lights, LED lights, solar lights, electronic toys, etc

二、Overall dimension:

Main size :86MMX±0.5mm(L)40MMX ±0.5mm(W)X 6mm±0.5mm(D)

三、Material:

3.1 surface:0.125mmPVC

3.2 PVC shell material

3.3 BATTERY: CR2025/3V (LITHIUM BATTERY)

四、Control Angle: Effective firing Angle 360° (through the wall)

五、Control distance: The effective distance is greater than or equal to 12 meters

六、Key life test: more than 10,000 times

七、Working indicator: LED(power indicator)

八、Working mode: trigger type

九、Control mode: Fixed code 1 control N/ Rolling code 1 control 1

十、Remote control technical parameters

item	unit	Test condition	Minimum value	Standard value	Maximum value
Static current	uA	No key when pressed		0.5	3
Dynamic current	mA	When the key is pressed		3	8
Launch distance (through wall)	M	360° frequency transmission	10	12	15
Operating voltage	V		2.7	3	3.5
Modulation mode		OAK/ASK			
Frequency range	Mhz			434	
Transmitting power	dbm			10	
Service temperature		0° C	-10° C	35° C	60
Relative		RH%		30	90

humidity					
Number of function keys			1	21	21

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

FCC ID: 2BEVG-ASGR29