

Appendix Test Data


Report No.:	1812C40196812502	Test Sample No.:	1-2-2
Start Test Date:	2025.1.8	Finish Test Date:	2025.2.18
Test Engineer:	<i>Liangfei Yang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	23.7°C	Relative Humidity:	54%
Pressure:	101kPa		

Appendix A: -6dB Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	9.18	500	Pass
NVNT	ANT1	802.11b	2437.00	8.95	500	Pass
NVNT	ANT1	802.11b	2462.00	9.33	500	Pass
NVNT	ANT1	802.11g	2412.00	16.36	500	Pass
NVNT	ANT1	802.11g	2437.00	16.28	500	Pass
NVNT	ANT1	802.11g	2462.00	16.52	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	17.52	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	17.63	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	17.59	500	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	18.84	500	Pass
NVNT	ANT1	802.11ax(HEW20)	2437.00	19.04	500	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	19.01	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	36.15	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	36.20	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	36.32	500	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	37.68	500	Pass
NVNT	ANT1	802.11ax(HEW40)	2437.00	37.75	500	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	38.09	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412







-6dB_Bandwidth_NVNT_ANT1_802_11b_2437



-6dB_Bandwidth_NVNT_ANT1_802_11b_2462




-6dB_Bandwidth_NVNT_ANT1_802_11g_2412




-6dB_Bandwidth_NVNT_ANT1_802_11g_2437




-6dB_Bandwidth_NVNT_ANT1_802_11g_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462




-6dB_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2412



-6dB_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2437




-6dB_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2462





-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



Frequency


Center Freq 2.42200000 GHz

CF Step 6.000000 MHz


Auto Man

Freq Offset 0 Hz

-6dB_Bandwidth_NVNT_ANT1_802_11ax(HEW40)_2437




-6dB_Bandwidth_NVNT_ANT1_802_11ax(HEW40)_2452



Appendix B: 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%BW(MHz)
NVNT	ANT1	802.11b	2412.00	13.036
NVNT	ANT1	802.11b	2437.00	12.991
NVNT	ANT1	802.11b	2462.00	13.005
NVNT	ANT1	802.11g	2412.00	17.350
NVNT	ANT1	802.11g	2437.00	17.352
NVNT	ANT1	802.11g	2462.00	17.297
NVNT	ANT1	802.11n(HT20)	2412.00	18.487
NVNT	ANT1	802.11n(HT20)	2437.00	18.605
NVNT	ANT1	802.11n(HT20)	2462.00	18.641
NVNT	ANT1	802.11ax(HEW20)	2412.00	19.303
NVNT	ANT1	802.11ax(HEW20)	2437.00	19.351
NVNT	ANT1	802.11ax(HEW20)	2462.00	19.300
NVNT	ANT1	802.11n(HT40)	2422.00	37.050
NVNT	ANT1	802.11n(HT40)	2437.00	37.044
NVNT	ANT1	802.11n(HT40)	2452.00	37.202
NVNT	ANT1	802.11ax(HEW40)	2422.00	38.225
NVNT	ANT1	802.11ax(HEW40)	2437.00	38.341
NVNT	ANT1	802.11ax(HEW40)	2452.00	38.319

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500
www.anbotech.com




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW20)_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452




99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW40)_2422



99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW40)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11ax(HEW40)_2452




Shenzhen Anbotek Compliance Laboratory Limited


Appendix C: Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	91.67	0.38
NVNT	ANT1	802.11b	2437.00	81.48	0.89
NVNT	ANT1	802.11b	2462.00	87.76	0.57
NVNT	ANT1	802.11g	2412.00	52.63	2.79
NVNT	ANT1	802.11g	2437.00	50.00	3.01
NVNT	ANT1	802.11g	2462.00	58.82	2.30
NVNT	ANT1	802.11n(HT20)	2412.00	75.68	1.21
NVNT	ANT1	802.11n(HT20)	2437.00	81.82	0.87
NVNT	ANT1	802.11n(HT20)	2462.00	80.00	0.97
NVNT	ANT1	802.11ax(HEW20)	2412.00	69.70	1.57
NVNT	ANT1	802.11ax(HEW20)	2437.00	69.70	1.57
NVNT	ANT1	802.11ax(HEW20)	2462.00	75.86	1.20
NVNT	ANT1	802.11n(HT40)	2422.00	71.05	1.48
NVNT	ANT1	802.11n(HT40)	2437.00	72.22	1.41
NVNT	ANT1	802.11n(HT40)	2452.00	77.14	1.13
NVNT	ANT1	802.11ax(HEW40)	2422.00	72.73	1.38
NVNT	ANT1	802.11ax(HEW40)	2437.00	77.42	1.11
NVNT	ANT1	802.11ax(HEW40)	2452.00	74.19	1.30


Duty_Cycle_NVNT_ANT1_802_11b_2412




Duty_Cycle_NVNT_ANT1_802_11b_2437




Duty_Cycle_NVNT_ANT1_802_11b_2462




Duty_Cycle_NVNT_ANT1_802_11g_2412




Duty_Cycle_NVNT_ANT1_802_11g_2437




Duty_Cycle_NVNT_ANT1_802_11g_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462




Duty_Cycle_NVNT_ANT1_802_11ax(HEW20)_2412




Duty_Cycle_NVNT_ANT1_802_11ax(HEW20)_2437




Duty_Cycle_NVNT_ANT1_802_11ax(HEW20)_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452




Duty_Cycle_NVNT_ANT1_802_11ax(HEW40)_2422



Duty_Cycle_NVNT_ANT1_802_11ax(HEW40)_2437



Duty_Cycle_NVNT_ANT1_802_11ax(HEW40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com

Appendix D: MAX. Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power (dBm)	Duty factor (dB)	Total Power (dBm)	Limit (dBm)	Result
NVNT	ANT1	802.11b	2412.00	RMS	15.68	0.38	16.06	30	Pass
NVNT	ANT1	802.11b	2437.00	RMS	14.30	0.89	15.19	30	Pass
NVNT	ANT1	802.11b	2462.00	RMS	13.42	0.57	13.99	30	Pass
NVNT	ANT1	802.11g	2412.00	RMS	14.34	2.79	17.13	30	Pass
NVNT	ANT1	802.11g	2437.00	RMS	14.28	3.01	17.29	30	Pass
NVNT	ANT1	802.11g	2462.00	RMS	13.60	2.30	15.90	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	RMS	15.59	1.21	16.80	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	RMS	15.90	0.87	16.77	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	RMS	15.43	0.97	16.40	30	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	RMS	15.55	1.57	17.12	30	Pass
NVNT	ANT1	802.11ax(HEW20)	2437.00	RMS	15.58	1.57	17.15	30	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	RMS	15.07	1.20	16.27	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	RMS	13.65	1.48	15.13	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	RMS	13.65	1.41	15.06	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	RMS	13.38	1.13	14.51	30	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	RMS	13.24	1.38	14.62	30	Pass
NVNT	ANT1	802.11ax(HEW40)	2437.00	RMS	13.43	1.11	14.54	30	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	RMS	13.22	1.30	14.52	30	Pass

Note: The cable loss are compensated in the graph.

MAX__Output_Power_NVNT_ANT1_802_11b_2412




MAX__Output_Power_NVNT_ANT1_802_11b_2437



MAX__Output_Power_NVNT_ANT1_802_11b_2462




MAX__Output_Power_NVNT_ANT1_802_11g_2412



MAX__Output_Power_NVNT_ANT1_802_11g_2437




MAX__Output_Power_NVNT_ANT1_802_11g_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462




MAX__Output_Power_NVNT_ANT1_802_11ax(HEW20)_2412



MAX__Output_Power_NVNT_ANT1_802_11ax(HEW20)_2437




MAX__Output_Power_NVNT_ANT1_802_11ax(HEW20)_2462



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422




MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452




MAX__Output_Power_NVNT_ANT1_802_11ax(HEW40)_2422



MAX__Output_Power_NVNT_ANT1_802_11ax(HEW40)_2437




MAX__Output_Power_NVNT_ANT1_802_11ax(HEW40)_2452



Appendix E: Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD (dBm/30kHz)	Duty factor (dB)	RB factor (dB)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	2.76	0.38	-10.00	-6.86	8	Pass
NVNT	ANT1	802.11b	2437.00	2.27	0.89	-10.00	-6.84	8	Pass
NVNT	ANT1	802.11b	2462.00	1.28	0.57	-10.00	-8.15	8	Pass
NVNT	ANT1	802.11g	2412.00	2.96	2.79	-10.00	-4.25	8	Pass
NVNT	ANT1	802.11g	2437.00	1.30	3.01	-10.00	-5.69	8	Pass
NVNT	ANT1	802.11g	2462.00	2.44	2.3	-10.00	-5.26	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	0.54	1.21	-10.00	-8.25	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	1.11	0.87	-10.00	-8.02	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	1.13	0.97	-10.00	-7.90	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	2.05	1.57	-10.00	-6.38	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2437.00	2.06	1.57	-10.00	-6.37	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	1.51	1.2	-10.00	-7.29	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-3.67	1.48	-10.00	-12.19	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-3.48	1.41	-10.00	-12.07	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-4.42	1.13	-10.00	-13.29	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	-4.79	1.38	-10.00	-13.41	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2437.00	-4.48	1.11	-10.00	-13.37	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	-4.81	1.3	-10.00	-13.51	8	Pass

Note: The cable loss are compensated in the graph.




Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

Power_Spectral_Density_NVNT_ANT1_802_11b_2437



Power_Spectral_Density_NVNT_ANT1_802_11b_2462




Power_Spectral_Density_NVNT_ANT1_802_11g_2412


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Power_Spectral_Density_NVNT_ANT1_802_11g_2437



Power_Spectral_Density_NVNT_ANT1_802_11g_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462



Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW20)_2412




Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW20)_2437




Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW20)_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452



Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW40)_2422



Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11ax(HEW40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com


Appendix F: Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2398.144	7.911	-36.644	-22.089	Pass
NVNT	ANT1	802.11b	2462.00	2487.472	5.574	-51.726	-24.426	Pass
NVNT	ANT1	802.11g	2412.00	2399.824	4.285	-29.614	-25.715	Pass
NVNT	ANT1	802.11g	2462.00	2484.832	6.176	-38.311	-23.824	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2399.936	4.708	-29.015	-25.292	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2485.456	5.628	-35.053	-24.372	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	2399.936	6.729	-29.401	-23.271	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	2484.352	5.904	-37.147	-24.096	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.892	0.861	-33.490	-29.139	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2487.080	0.865	-36.864	-29.135	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	2398.704	1.263	-31.253	-28.737	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	2486.264	0.656	-35.828	-29.344	Pass


1_Reference_Level_NVNT_ANT1_802_11b_2412



2_Bandedge_NVNT_ANT1_802_11b_2412




1_Reference_Level_NVNT_ANT1_802_11b_2462



2_Bandedge_NVNT_ANT1_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412



2_Bandedge_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2462



2_Bandedge_NVNT_ANT1_802_11g_2462

Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462

Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



1_Reference_Level_NVNT_ANT1_802_11ax(HEW20)_2412



2_Bandedge_NVNT_ANT1_802_11ax(HEW20)_2412




1_Reference_Level_NVNT_ANT1_802_11ax(HEW20)_2462



2_Bandedge_NVNT_ANT1_802_11ax(HEW20)_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422



2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452




2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452




1_Reference_Level_NVNT_ANT1_802_11ax(HEW40)_2422



2_Bandedge_NVNT_ANT1_802_11ax(HEW40)_2422



1_Reference_Level_NVNT_ANT1_802_11ax(HEW40)_2452



2_Bandedge_NVNT_ANT1_802_11ax(HEW40)_2452



Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

Appendix G: Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	24785.258	7.911	-39.917	-22.089	Pass
NVNT	ANT1	802.11b	2437.00	24877.647	6.607	-44.754	-23.393	Pass
NVNT	ANT1	802.11b	2462.00	24810.228	5.574	-42.658	-24.426	Pass
NVNT	ANT1	802.11g	2412.00	24895.126	4.285	-46.937	-25.715	Pass
NVNT	ANT1	802.11g	2437.00	24877.647	6.699	-43.901	-23.301	Pass
NVNT	ANT1	802.11g	2462.00	24123.553	6.176	-44.591	-23.824	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24860.168	4.145	-46.430	-25.855	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	24830.204	5.501	-45.297	-24.499	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24955.054	5.628	-41.847	-24.372	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	4821.743	6.729	-44.033	-23.271	Pass
NVNT	ANT1	802.11ax(HEW20)	2437.00	24900.120	6.151	-44.736	-23.849	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	24997.503	5.904	-42.550	-24.096	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	1937.708	0.861	-48.961	-29.139	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	24790.252	1.454	-45.065	-28.546	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2502.030	0.865	-46.450	-29.135	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	1937.708	1.057	-48.780	-28.943	Pass
NVNT	ANT1	802.11ax(HEW40)	2437.00	2502.030	1.780	-48.267	-28.220	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	2514.515	1.127	-46.898	-28.873	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412



2_Spurious_Emission_NVNT_ANT1_802_11b_2412


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com

Hotline 400-003-0500
www.anbotech.com




1_Reference_Level_NVNT_ANT1_802_11b_2437



2_Spurious_Emission_NVNT_ANT1_802_11b_2437




1_Reference_Level_NVNT_ANT1_802_11b_2462



2_Spurious_Emission_NVNT_ANT1_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412



2_Spurious_Emission_NVNT_ANT1_802_11g_2412




1_Reference_Level_NVNT_ANT1_802_11g_2437



2_Spurious_Emission_NVNT_ANT1_802_11g_2437




1_Reference_Level_NVNT_ANT1_802_11g_2462




2_Spurious_Emission_NVNT_ANT1_802_11g_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462




1_Reference_Level_NVNT_ANT1_802_11ax(HEW20)_2412



2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW20)_2412




1_Reference_Level_NVNT_ANT1_802_11ax(HEW20)_2437




2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW20)_2437




1_Reference_Level_NVNT_ANT1_802_11ax(HEW20)_2462



2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW20)_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2437




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452




1_Reference_Level_NVNT_ANT1_802_11ax(HEW40)_2422



2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW40)_2422




1_Reference_Level_NVNT_ANT1_802_11ax(HEW40)_2437



2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW40)_2437



1_Reference_Level_NVNT_ANT1_802_11ax(HEW40)_2452



2_Spurious_Emission_NVNT_ANT1_802_11ax(HEW40)_2452



---END---

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline 400-003-0500
www.anbotek.com