

User manual


Automobile remote switch relay
M/N:80005477

1 . Learning the code : (Latching)

Note: When you choose for latching mode, in order to learn more remote contro, you need to learn two different button, the first time learning is for “ON” , the second time learning for“OFF” .

For example : button A = ON , button B = OFF, Push the learning key on the receiver triple time, it comes into latching mode. Wait for a moment, the LED indicator on the receiver board will be on. Push the remote button A, LED flash for 3 times. Push the remote button B. LED indicator flash for 3 times and then comeoff, learning successfully.

2 . Wiring diagram



3. Relay parameters

Coil voltage (VDC)		Coil resistace (Q±10%)	Pickup voltage VDC(max.)	Release voltage VDC(min.)	Coil Power	Operate Time	Release Time	Contact rating (resistice)
Rated	Max.							
12	15.6	60	7.8	1.2	2.4W	≤10ms	<5ms	250A

4. Special reminder.

4.1.The receiver and the remote keys are already paired out of box.

4.2.When the device is not used for a long time(more than 10 days), the circuit must be disconnected. if not, the voltage will be too low and the device will not work properly.



FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

--Reorient or relocate the receiving antenna.

--Increase the separation between the equipment and receiver.

--Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

--Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.