

Report No.: SUCR240400008903  
Rev.: 01  
Page: 1 of 12

# TEST REPORT

**Application No.:** SUCR2404000089MO  
**Applicant:** NETPRISMA INC.  
**Address of Applicant:** 1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES  
**Manufacturer:** NETPRISMA INC.  
**Address of Manufacturer:** 1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES  
**EUT Description:** 5G Sub-6 GHz M.2 Module  
**Model No.:** FCUN69-WWD  
**Trade Mark:** Vrileg  
**FCC ID:** 2BEY3FCUN69WWDA  
**Standards:** 47 CFR Part 2.1091  
FCC KDB 447498 D01 v06  
**Date of Receipt:** 2024/04/10  
**Date of Issue:** 2024/07/12

<b>Test Result:</b>	<b>PASS*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Well Wei

Well Wei  
Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved. No part of this document may be reproduced without the prior written permission of the Company. Any advice or recommendation given by the Company in this document is given in good faith and is for general information only. The Company does not accept any liability for any loss or damage arising from any action taken by any party on the basis of such advice or recommendation. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
Rev.: 01  
Page: 2 of 12

## 1 Version

### Revision Record

Version	Chapter	Date	Modifier	Remark
01		2024/07/12		Original

Prepared By	 (Nick Hu) / Test Engineer
Checked By	 (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability of the Company in respect of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
Rev.: 01  
Page: 3 of 12

## Contents

1	Version .....	2
2	General Information .....	4
2.1	Client Information .....	4
2.2	Test Facility .....	4
2.3	General Description of EUT .....	5
3	RF Exposure Evaluation .....	8
3.1	RF Exposure Compliance Requirement .....	8
3.1.1	Limits .....	8
3.1.2	Test Procedure .....	9
3.1.3	EUT RF Exposure Evaluation .....	9
3.1.4	Exposure calculations for multiple sources .....	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any advice or recommendation given by the Company in this document is given in the course of a professional service and is intended to advise the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
Rev.: 01  
Page: 4 of 12

## 2 General Information

### 2.1 Client Information

Applicant:	NETPRISMA INC.
Address of Applicant:	1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES
Manufacturer:	NETPRISMA INC.
Address of Manufacturer:	1301 6TH AVE, SEATTLE, WA, 98101-2304, UNITED STATES

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>.  
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any advice or recommendation given by the Company or its employees is for information only and is not a substitute for a Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
 Rev.: 01  
 Page: 5 of 12

## 2.3 General Description of EUT

EUT Description:	5G Sub-6 GHz M.2 Module			
Model No.:	FCUN69-WWD			
Trade Mark:	Vrileg			
Hardware Version:	R1.0			
Software Version:	FCUN69WWDBL0302			
Power Supply:	3.7V			
Antenna Type:	PIFA Antenna			
Feature:	UL 2*2 MIMO: NR Band n38; NR Band n41; NR Band n48; NR Band n77; NR Band n78			
Power Class:	Class 2: LTE Band 41;LTE UL CA_41C; NR Band n41; NR Band n77; NR Band n78			
Antenna Gain:	WCDMA Band II:	3.87dBi(NPANT001)	WCDMA Band IV:	3.91dBi(NPANT001)
	WCDMA Band V:	3.32dBi(NPANT002)		
	LTE Band 2:	3.87dBi(NPANT001)	LTE Band 4:	3.91dBi(NPANT001)
	LTE Band 5:	3.32dBi(NPANT002)	LTE Band 7:	3.16dBi(NPANT002)
	LTE Band 12:	3.19dBi(NPANT004)	LTE Band 13:	3.28dBi(NPANT002)
	LTE Band 14:	3.25dBi(NPANT002)	LTE Band 17:	3.19dBi(NPANT004)
	LTE Band 25:	3.87dBi(NPANT001)	LTE Band 26:	3.32dBi(NPANT002)
	LTE Band 30:	0.98dBi(NPANT003)	LTE Band 38:	3.07dBi(NPANT002)
	LTE Band 41:	3.16dBi(NPANT002)	LTE Band 42:	2.35dBi(NPANT004)
	LTE Band 43:	1.94dBi(NPANT004)	LTE Band 48:	1dBi(NPANT003)
	LTE Band 66:	3.91dBi(NPANT001)	LTE Band 71:	3.07dBi(NPANT001)
	LTE CA_2C:	3.87dBi(NPANT001)	LTE CA_5B:	3.32dBi(NPANT002)
	LTE CA_7C:	3.16dBi(NPANT002)	LTE CA_38C:	3.07dBi(NPANT002)
	LTE CA_41C:	3.16dBi(NPANT002)	LTE CA_42C:	2.35dBi(NPANT004)
	LTE CA_43C:	1.94dBi(NPANT004)	LTE CA_48C:	1dBi(NPANT003)
	LTE CA_66C:	3.91dBi(NPANT001)	LTE CA_66B:	3.91dBi(NPANT001)
	NR Band n2:	3.87dBi(NPANT001)	NR Band n5:	3.32dBi(NPANT002)
	NR Band n7:	3.16dBi(NPANT002)	NR Band n12:	3.19dBi(NPANT004)
	NR Band n13:	3.28dBi(NPANT002)	NR Band n14:	3.25dBi(NPANT002)
	NR Band n25:	3.87dBi(NPANT001)	NR Band n26:	3.32dBi(NPANT002)
	NR Band n30:	0.98dBi(NPANT003)	NR Band n38:	3.07dBi(NPANT002)
	NR Band n41:	3.16dBi(NPANT002)	NR Band n48:	1dBi(NPANT003)
	NR Band n66:	3.91dBi(NPANT001)	NR Band n71:	3.07dBi(NPANT001)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
 All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced without the prior written permission of the Company. Any advice or information given by the Company is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903

Rev.: 01

Page: 6 of 12

NR Band n77(3450-3550): 2.35dBi(NPANT004) NR Band n77(3700-3980): 1.94dBi(NPANT004) NR Band n78(3450-3550): 2.35dBi(NPANT004) NR Band n78(3700-3800): 1.94dBi(NPANT004)
LTE UL CA: CA_2C, CA_5B, CA_7C, CA_38C, CA_41C, CA_42C, CA_43C, CA_66B, CA_66C, CA_48C; UL CA_2A-4A; UL CA_2A-5A; UL CA_2A-7A; UL CA_2A-12A; UL CA_2A-13A; UL CA_2A-30A; UL CA_2A-66A; UL CA_4A-5A; UL CA_4A-7A; UL CA_4A-12A; UL CA_4A-13A; UL CA_4A-30A; UL CA_5A-7A; UL CA_5A-30A; UL CA_5A-66A; UL CA_12A-30A; UL CA_12A-66A; UL CA_13A-66A; UL CA_14A-30A; ENDC: DC_13A_n66A;DC_5A_n2A;DC_14A_n2A;DC_30A_n2A;DC_2A_n5A; DC_30A_n5A;DC_66A_n5A;DC_2A_n12A;DC_66A_n12A;DC_2A_n66A; DC_5A_n66A;DC_12A_n66A;DC_14A_n66A;DC_30A_n66A;DC_12A_n2A; DC_66A_n2A;DC_71A_n2A;DC_12A_n41A;DC_71A_n66A;DC_2A_n71A; DC_66A_n71A;DC_66A_n25A;DC_25A_n41A;DC_12A_n78A;DC_13A_n78A; DC_25A_n78A;DC_12A_n77A;DC_13A_n77A;DC_14A_n77A;DC_26A_n78A; DC_2A_n78A;DC_26A_n41A;DC_2A_n41A;DC_7A_n5A;DC_38A_n78A; DC_7A_n71A;DC_41A_n78A;DC_5A_n7A;DC_12A_n7A;DC_66A_n7A; DC_13A_n2A;DC_7A_n66A;DC_2A_n48A;DC_5A_n48A;DC_13A_n48A; DC_66A_n48A;DC_4A_n78A;DC_20A_n77A;DC_5A_n78A;DC_4A_n41A; DC_66A_n38A;DC_2A_n38A;DC_12A_n38A;DC_4A_n38A;DC_5A_n38A; DC_66A_n78A;DC_12A_n25A;DC_25A_n77A;DC_2A_n77A;DC_71A_n78A; DC_71A_n38A;DC_13A_n7A;DC_5A_n41A;DC_66A_n41A;DC_2A_n7A; DC_7A_n2A;DC_30A_n77A;DC_41A_n77A;DC_7A_n78A; DC_71A_n41A;DC_28A_n66A;DC_30A_n12A;DC_2A_n14A;DC_30A_n14A; DC_66A_n14A;DC_2A_n30A;DC_5A_n30A;DC_12A_n30A; DC_14A_n30A;DC_66A_n30A;DC_71A_n7A;DC_7A_n12A;DC_5A_n77A; DC_66A_n77A;DC_71A_n77A;DC_4A_n2A;DC_7A_n25A;DC_71A_n25A; DC_5A_n25A;DC_26A_n25A;DC_4A_n7A;DC_13A_n25A;DC_7A_n77A; DC_48A_n5A; DC_48A_n66A; DC_48A_n25A;DC_48A_n71A;DC_48A_n12A;
Note: The antenna gain are derived from the gain information report provided by the

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
All rights are reserved to the Company. Any unauthorized reproduction, independent translation and jurisdiction issues are reserved. Any advice or information given by the Company is for general information only and is not a substitute for professional advice. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR240400008903

Rev.: 01

Page: 7 of 12

manufacturer.

**Remark:**

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company in respect of the information contained hereon refers to the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)**

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
 Rev.: 01  
 Page: 8 of 12

### 3 RF Exposure Evaluation

#### 3.1 RF Exposure Compliance Requirement

##### 3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)
<b>(A) Limits for Occupational/Controlled Exposures</b>				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
<b>(B) Limits for General Population/Uncontrolled Exposure</b>				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz

\*=Plane-wave equivalent power density

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula:  $P_d = (P_{out} \cdot G) / (4 \cdot \pi \cdot R^2)$

Where

Pd = power density in mW/cm<sup>2</sup>

Pout = output power to antenna in mW

G = gain of antenna in linear scale

$\pi = 3.1416$

R = distance between observation point and center of the radiator in cm

Pd is the limit of MPE, 1 mW/cm<sup>2</sup>. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising from this document is limited to the sum paid by the Client herefor. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
 Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903  
 Rev.: 01  
 Page: 9 of 12

### 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

### 3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	Conclusion
WCDMA Band II	1852.4	3.87	NA	25.00	28.87	33.00	0.1534	1.0000	8.00	12.01	8.00	Pass
WCDMA Band IV	1712.4	3.91	NA	25.00	28.91	30.00	0.1548	1.0000	5.00	12.01	5.00	Pass
WCDMA Band V	826.4	3.32	NA	25.00	26.17	38.45	0.1351	0.5509	15.60	9.42	9.42	Pass
LTE Band 2/LTE CA_2C	1850.7	3.87	NA	25.00	28.87	33.00	0.1534	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	3.91	NA	25.00	28.91	30.00	0.1548	1.0000	5.00	12.01	5.00	Pass
LTE Band 5/LTE CA_5B	824.7	3.32	NA	25.00	26.17	38.45	0.1351	0.5498	15.60	9.41	9.41	Pass
LTE Band 7/LTE CA_7C	2502.5	3.16	NA	25.00	28.16	33.00	0.1302	1.0000	8.00	12.01	8.00	Pass
LTE Band 12	699.7	3.19	NA	25.00	26.04	34.77	0.1311	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	3.28	NA	25.00	26.13	34.77	0.1339	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	3.25	NA	25.00	26.10	34.77	0.1330	0.5270	11.92	9.23	9.23	Pass
LTE Band 17	706.5	3.19	NA	25.00	26.04	34.77	0.1311	0.4710	11.92	8.74	8.74	Pass
LTE Band 25	1850.7	3.87	NA	25.00	28.87	33.00	0.1534	1.0000	8.00	12.01	8.00	Pass
LTE Band 26(814-824)	814.7	3.32	NA	25.00	26.17	NA	0.1351	0.5431	NA	9.36	9.36	Pass
LTE Band 26(824-849)	824.7	3.32	NA	25.00	26.17	38.45	0.1351	0.5498	15.60	9.41	9.41	Pass
LTE Band 30	2307.5	0.98	NA	23.00	23.98	23.98	0.0497	1.0000	0.98	14.01	0.98	Pass
LTE Band 38/LTE CA_38C	2572.5	3.07	NA	25.00	28.07	33.00	0.1276	1.0000	8.00	12.01	8.00	Pass
LTE Band 41/LTE CA_41C	2498.5	3.16	NA	27.00	30.16	33.00	0.2064	1.0000	6.00	10.01	6.00	Pass
LTE Band 42(3450-3550) LTE CA_42C	3452.5	2.35	NA	22.00	24.35	30.00	0.0542	1.0000	8.00	15.01	8.00	Pass
LTE Band 43(3700-3800)LTE CA_43C	3702.5	1.94	NA	22.00	23.94	30.00	0.0493	1.0000	8.00	15.01	8.00	Pass
LTE Band 48/LTE CA_48C	3552.5	1.00	NA	22.00	23.00	23.00	0.0397	1.0000	1.00	15.01	1.00	Pass
LTE Band 66/LTE CA_66B/LTE CA_66C	1710.7	3.91	NA	25.00	28.91	30.00	0.1548	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	3.07	NA	25.00	25.92	34.77	0.1276	0.4437	11.92	8.48	8.48	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document is limited to the sum for which it was originally received. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903

Rev.: 01

Page: 10 of 12

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	Conclusion
NR Band n2	1852.5	3.87	NA	25.00	25.00	33.00	0.1534	1.0000	8.00	12.01	8.00	Pass
NR Band n5	826.5	3.32	NA	25.00	26.17	38.45	0.1351	0.5510	15.60	9.42	9.42	Pass
NR Band n7	2502.5	3.16	NA	25.00	25.00	33.00	0.1302	1.0000	8.00	12.01	8.00	Pass
NR Band n12	701.5	3.19	NA	25.00	26.04	34.77	0.1311	0.4677	11.92	8.71	8.71	Pass
NR Band n13	779.5	3.28	NA	25.00	26.13	34.77	0.1339	0.5197	11.92	9.16	9.16	Pass
NR Band n14	790.5	3.25	NA	25.00	26.10	34.77	0.1330	0.5270	11.92	9.23	9.23	Pass
NR Band n25	1852.5	3.87	NA	25.00	25.00	33.00	0.1534	1.0000	8.00	12.01	8.00	Pass
NR Band n26(814-824)	816.5	3.32	NA	25.00	26.17	NA	0.1351	0.5443	NA	9.37	9.37	Pass
NR Band n26(824-849)	826.5	3.32	NA	25.00	26.17	38.45	0.1351	0.5510	15.60	9.42	9.42	Pass
NR Band n30	2307.5	0.98	NA	23.00	23.98	23.98	0.0497	1.0000	0.98	14.01	0.98	Pass
NR Band n38	2575.0	3.07	NA	25.00	28.07	33.00	0.1276	1.0000	8.00	12.01	8.00	Pass
NR Band n38(MIMO)	2575.0	3.07	3.07	25.00	28.07	33.00	0.1276	1.0000	8.00	12.01	8.00	Pass
NR Band n41	2501.0	3.16	NA	27.50	30.66	33.00	0.2316	1.0000	5.50	9.51	5.50	Pass
NR Band n41(MIMO)	2501.0	3.16	3.16	27.50	30.66	33.00	0.2316	1.0000	5.50	9.51	5.50	Pass
NR Band n48	3555.0	1.00	NA	22.00	23.00	23.00	0.0397	1.0000	1.00	15.01	1.00	Pass
NR Band n48(MIMO)	3555.0	1.00	1.00	22.00	23.00	23.00	0.0397	1.0000	1.00	15.01	1.00	Pass
NR Band n66	1712.5	3.91	NA	25.00	28.91	30.00	0.1548	1.0000	5.00	12.01	5.00	Pass
NR Band n71	665.5	3.07	NA	25.00	25.92	34.77	0.1276	0.4437	11.92	8.48	8.48	Pass
NR Band n77 (3450-3550)	3455.0	2.35	NA	27.50	29.85	30.00	0.1922	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3450-3550)(MIMO)	3455.0	2.35	2.35	27.50	29.85	30.00	0.1922	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3700-3980)	3705.0	1.94	NA	27.50	29.44	30.00	0.1749	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3700-3980)(MIMO)	3705.0	1.94	1.94	27.50	29.44	30.00	0.1749	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3450-3550)	3455.0	2.35	NA	27.50	29.85	30.00	0.1922	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3450-3550)(MIMO)	3455.0	2.35	2.35	27.50	29.85	30.00	0.1922	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3700-3800)	3705.0	1.94	NA	27.50	29.44	30.00	0.1749	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3700-3800)(MIMO)	3705.0	1.94	1.94	27.50	29.44	30.00	0.1749	1.0000	2.50	9.51	2.50	Pass
Bluetooth	2402.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA
WLAN2.4GHz	2412.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA
WLAN5GHz	5180.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA

**Note:**

1. This MPE analysis is applicable to any collocated transmitters with transmit power for WLAN is less than or equal to 28dBm and for Bluetooth is less than or equal to 28dBm.
2. A maximum antenna gain of 5dBi for WLAN/BT has been assumed for all collocated antennas.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document is limited to the sum of the fees paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)**



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 sgs.china@sgs.com

Report No.: SUCR240400008903

Rev.: 01

Page: 11 of 12

Due to the EUT support NR ENDC and CA

$$\sum_{i=1}^n \frac{S_{E_i} (\text{duty factor})}{MPE_{E_i}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

NOTE The corresponding MEs must be expressed in terms of power density in the above summation

Therefore, the worst-case(DC\_12A\_n30A situation is  $0.2810+0.4970=0.7780$ , which is less than "1", this confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of or in respect of this document is limited to the terms of the contract of engagement only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SUCR240400008903

Rev.: 01

Page: 12 of 12

### 3.1.4 Exposure calculations for multiple sources

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^n \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters. The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration
1	WWAN + WiFi 2.4G + WiFi 5G + Bluetooth

No.	Mode	Power Density (mW/cm <sup>2</sup> )	MPE Limit (mW/cm <sup>2</sup> )	Result Ratio	Total Ratio	Limit	Result
1	NR Band n71*	0.1276	0.4437	0.2876	0.6641	1.0000	Pass
	Bluetooth	0.1255	1.0000	0.1255			
	WiFi 2.4G	0.1255	1.0000	0.1255			
	WiFi 5G	0.1255	1.0000	0.1255			

Remark\*: This WWAN Band was recalculated on worst Band.

Note: Considering the WWAN module collocation with the WLAN and Bluetooth transmitter of the EIRP performance listed in the table above, the aggregated (power density /limit) is smaller than 1, and MPE of 3 collocated transmitters is compliant.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.  
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of the performance of this document shall be governed by the laws of the People's Republic of China. The information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t (86-512) 62992980 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)