n38_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_2615MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_2575MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_2615MHz_Outer_Full_Ant1



4.2.2 30k_SISO_15MHz_NTNV

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_2612.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_2577.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_2612.5MHz_Outer_Full_Ant1



4.2.3 30k_SISO_20MHz_NTNV

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_2610MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_2580MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_2610MHz_Outer_Full_Ant1



4.2.4 30k_SISO_25MHz_NTNV

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM QPSK_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM QPSK_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 16 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 16 QAM_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 64 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 64 QAM_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 256 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 256 QAM_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM QPSK_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM QPSK_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM_2607.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 256 QAM_2582.5MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_25MHz_CP-OFDM 256 QAM_2607.5MHz_Outer_Full_Ant1



4.2.5 30k_SISO_30MHz_NTNV

n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_2605MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_2585MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_2605MHz_Outer_Full_Ant1



4.2.6 30k_SISO_40MHz_NTNV

n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_2600MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_2590MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_2595MHz_Outer_Full_Ant1



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_2600MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 30k_SISO_10MHz_NTNV

5G NR n38 SCS=30kHz SISO 10MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.1.2 30k_SISO_15MHz_NTNV

5G NR n38 SCS=30kHz SISO 15MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2612.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2612.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass

	2612.5	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass

5.1.3 30k_SISO_20MHz_NTNV

5G NR n38 SCS=30kHz SISO 20MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.1.4 30k_SISO_25MHz_NTNV

5G NR n38 SCS=30kHz SISO 25MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

		Inner_1RB_Right	Refer To Test Graph	Pass

5.1.5 30k_SISO_30MHz_NTNV

5G NR n38 SCS=30kHz SISO 30MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.1.6 30k_SISO_40MHz_NTNV

5G NR n38 SCS=30kHz SISO 40MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2600	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2600	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2600	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.1.7 30k_MIMO_10MHz_NTNV

5G NR n38 SCS=30kHz MIMO 10MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

5.1.8 30k_MIMO_15MHz_NTNV

5G NR n38 SCS=30kHz MIMO 15MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2612.5	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2612.5	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2577.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2612.5	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

			Refer To Test Graph	Pass
			Refer To Test Graph	Pass

5.1.9 30k_MIMO_20MHz_NTNV

5G NR n38 SCS=30kHz MIMO 20MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2580	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2610	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass

5.1.10 30k_MIMO_25MHz_NTNV

5G NR n38 SCS=30kHz MIMO 25MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2582.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2607.5	Edge_1RB_Right	Refer To Test Graph				Pass

			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass

5.1.11 30k_MIMO_30MHz_NTNV

5G NR n38 SCS=30kHz MIMO 30MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass

			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
	2605	Edge_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass

5.1.12 30k_MIMO_40MHz_NTNV

5G NR n38 SCS=30kHz MIMO 40MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2600	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2600	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
CP-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Inner_1RB_Left	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
	2600	Edge_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass
			Refer To Test Graph	Pass
			Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 30k_SISO_10MHz_NTNV

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.205	-43.94	-25	Pass
2490.5	2496	1	CHP	2	2492.020	-43.94	-13	Pass
2496	2560	1	CHP	3	2559.895	-43.37	-25	Pass
2560	2565	1	CHP	4	2565.000	-43.24	-13	Pass
2565	2569	1	CHP	5	2566.505	-39.20	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-42.98	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	438.900	-41.34	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2455.500	-41.75	-25	Pass
2490.5	2496	1	/	2	2491.500	-42.29	-13	Pass
2496	2560	1	/	3	2502.500	-41.87	-25	Pass
2560	2565	1	/	4	2563.000	-39.97	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2629.500	-42.30	-13	Pass
2630	26200	1	/	6	7985.000	-38.76	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2575MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.200	-43.91	-25	Pass
2490.5	2496	1	CHP	2	2490.850	-43.96	-13	Pass
2496	2560	1	CHP	3	2558.500	-37.85	-25	Pass
2560	2565	1	CHP	4	2564.900	-31.19	-13	Pass
2565	2569	1	CHP	5	2566.900	-28.24	-10	Pass
2569	2570	0.187	CHP	6	2569.600	-34.85	-10	Pass
2570	2585	0.187	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2575MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.280	-43.95	-25	Pass
2490.5	2496	1	CHP	2	2495.230	-43.96	-13	Pass
2496	2560	1	CHP	3	2560.000	-43.05	-25	Pass
2560	2565	1	CHP	4	2564.870	-41.98	-13	Pass
2565	2569	1	CHP	5	2567.160	-37.43	-10	Pass
2569	2570	0.02	CHP	6	2569.965	-46.83	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.450	-41.33	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2440.500	-42.05	-25	Pass
2490.5	2496	1	/	2	2494.500	-42.02	-13	Pass
2496	2560	1	/	3	2507.000	-42.25	-25	Pass
2560	2565	1	/	4	2560.500	-42.56	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2626.000	-42.09	-13	Pass
2630	26200	1	/	6	7980.500	-38.77	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-45.06	-10	Pass
2621	2625	1	CHP	2	2623.420	-38.54	-10	Pass
2625	2630	1	CHP	3	2629.430	-40.87	-13	Pass
2630	2750	1	CHP	4	2734.555	-40.73	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.900	-38.16	25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2447.000	-38.76	-25	Pass
2490.5	2496	1	/	2	2492.500	-39.30	-13	Pass
2496	2560	1	/	3	2516.500	-39.16	-25	Pass
2560	2565	1	/	4	2564.000	-39.63	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.500	-38.90	-13	Pass
2630	26200	1	/	6	7973.500	-35.75	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2615MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.185	CHP	/	/	/	/	/
2620	2621	0.185	CHP	1	2620.050	-32.11	-10	Pass
2621	2625	1	CHP	2	2623.150	-24.02	-10	Pass
2625	2630	1	CHP	3	2627.150	-29.16	-13	Pass
2630	2750	1	CHP	4	2630.050	-33.88	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_2615MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-45.69	-10	Pass
2621	2625	1	CHP	2	2623.025	-38.12	-10	Pass
2625	2630	1	CHP	3	2626.345	-41.84	-13	Pass
2630	2750	1	CHP	4	2630.005	-43.50	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.605	-43.91	-25	Pass
2490.5	2496	1	CHP	2	2490.520	-43.97	-13	Pass
2496	2560	1	CHP	3	2559.985	-43.31	-25	Pass
2560	2565	1	CHP	4	2564.965	-42.95	-13	Pass
2565	2569	1	CHP	5	2566.450	-39.66	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-40.94	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	452.550	-41.17	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2463.500	-41.59	-25	Pass
2490.5	2496	1	/	2	2494.500	-41.80	-13	Pass
2496	2560	1	/	3	2501.000	-42.20	-25	Pass
2560	2565	1	/	4	2564.000	-41.85	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2626.500	-42.05	-13	Pass
2630	26200	1	/	6	7985.000	-38.81	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2575MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.600	-43.93	-25	Pass
2490.5	2496	1	CHP	2	2491.950	-43.78	-13	Pass
2496	2560	1	CHP	3	2560.000	-36.87	-25	Pass
2560	2565	1	CHP	4	2564.900	-29.83	-13	Pass
2565	2569	1	CHP	5	2568.250	-26.15	-10	Pass
2569	2570	0.189	CHP	6	2569.700	-31.19	-10	Pass
2570	2585	0.189	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2575MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.120	-43.96	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-43.98	-13	Pass
2496	2560	1	CHP	3	2560.000	-43.05	-25	Pass
2560	2565	1	CHP	4	2564.335	-41.76	-13	Pass
2565	2569	1	CHP	5	2567.115	-37.38	-10	Pass
2569	2570	0.02	CHP	6	2569.955	-44.97	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	457.050	-41.41	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2440.500	-41.99	-25	Pass
2490.5	2496	1	/	2	2496.000	-42.30	-13	Pass
2496	2560	1	/	3	2517.000	-42.26	-25	Pass
2560	2565	1	/	4	2564.000	-42.44	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2630.000	-42.06	-13	Pass
2630	26200	1	/	6	7997.500	-38.73	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-43.94	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.94	-10	Pass
2625	2630	1	CHP	3	2625.210	-43.35	-13	Pass
2630	2750	1	CHP	4	2630.005	-43.73	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.450	-41.38	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2369.500	-41.98	-25	Pass
2490.5	2496	1	/	2	2492.500	-42.47	-13	Pass
2496	2560	1	/	3	2509.000	-42.19	-25	Pass
2560	2565	1	/	4	2562.500	-42.53	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.500	-41.36	-13	Pass
2630	26200	1	/	6	7990.000	-38.77	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2615MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.188	CHP	/	/	/	/	/
2620	2621	0.188	CHP	1	2620.500	-30.60	-10	Pass
2621	2625	1	CHP	2	2621.500	-25.97	-10	Pass
2625	2630	1	CHP	3	2625.050	-26.33	-13	Pass
2630	2750	1	CHP	4	2630.050	-34.74	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_2615MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-44.81	-10	Pass
2621	2625	1	CHP	2	2622.930	-37.89	-10	Pass
2625	2630	1	CHP	3	2625.175	-41.85	-13	Pass
2630	2750	1	CHP	4	2630.005	-43.54	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.500	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2492.625	-44.02	-13	Pass
2496	2560	1	CHP	3	2559.955	-43.19	-25	Pass
2560	2565	1	CHP	4	2564.960	-42.65	-13	Pass
2565	2569	1	CHP	5	2566.430	-39.55	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-41.23	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.450	-41.28	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2575MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2416.000	-42.01	-25	Pass
2490.5	2496	1	/	2	2496.000	-42.16	-13	Pass
2496	2560	1	/	3	2559.500	-41.89	-25	Pass
2560	2565	1	/	4	2563.000	-41.41	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2625.500	-41.99	-13	Pass
2630	26200	1	/	6	7985.000	-38.68	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2575MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.950	-43.93	-25	Pass
2490.5	2496	1	CHP	2	2495.550	-43.98	-13	Pass
2496	2560	1	CHP	3	2559.950	-37.87	-25	Pass
2560	2565	1	CHP	4	2564.650	-29.63	-13	Pass
2565	2569	1	CHP	5	2568.050	-24.74	-10	Pass
2569	2570	0.188	CHP	6	2569.650	-31.62	-10	Pass
2570	2585	0.188	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2575MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.670	-43.89	-25	Pass
2490.5	2496	1	CHP	2	2491.430	-43.97	-13	Pass
2496	2560	1	CHP	3	2560.000	-43.16	-25	Pass
2560	2565	1	CHP	4	2565.000	-41.93	-13	Pass
2565	2569	1	CHP	5	2567.035	-38.60	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-46.74	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.100	-41.18	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2482.500	-41.98	-25	Pass
2490.5	2496	1	/	2	2493.000	-41.96	-13	Pass
2496	2560	1	/	3	2498.000	-41.98	-25	Pass
2560	2565	1	/	4	2564.500	-42.28	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2630.000	-42.26	-13	Pass
2630	26200	1	/	6	7994.500	-38.85	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-41.78	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.83	-10	Pass
2625	2630	1	CHP	3	2625.010	-42.91	-13	Pass
2630	2750	1	CHP	4	2630.005	-43.47	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	545.800	-41.53	25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2615MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2468.500	-42.16	-25	Pass
2490.5	2496	1	/	2	2494.000	-41.94	-13	Pass
2496	2560	1	/	3	2504.500	-42.24	-25	Pass
2560	2565	1	/	4	2562.500	-42.59	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2629.500	-41.61	-13	Pass
2630	26200	1	/	6	7994.500	-38.85	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2615MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.188	CHP	/	/	/	/	/
2620	2621	0.188	CHP	1	2620.850	-31.80	-10	Pass
2621	2625	1	CHP	2	2622.100	-26.55	-10	Pass
2625	2630	1	CHP	3	2625.050	-27.98	-13	Pass
2630	2750	1	CHP	4	2630.400	-35.35	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_2615MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.020	-45.64	-10	Pass
2621	2625	1	CHP	2	2622.910	-38.65	-10	Pass
2625	2630	1	CHP	3	2626.300	-41.88	-13	Pass
2630	2750	1	CHP	4	2630.005	-43.54	-25	Pass

5.2.2 30k_SISO_15MHz_NTNV

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.545	-40.94	-25	Pass
2490.5	2496	1	CHP	2	2495.155	-40.91	-13	Pass
2496	2555	1	CHP	3	2499.805	-40.94	-25	Pass
2555	2565	1	CHP	4	2564.355	-38.59	-13	Pass
2565	2569	1	CHP	5	2568.500	-39.42	-10	Pass
2569	2570	0.02	CHP	6	2569.985	-39.34	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.050	-38.29	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2416.000	-38.90	-25	Pass
2490.5	2496	1	/	2	2493.000	-39.17	-13	Pass
2496	2555	1	/	3	2496.500	-39.23	-25	Pass
2555	2565	1	/	4	2564.000	-38.17	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2632.500	-39.30	-13	Pass
2635	26200	1	/	6	7996.000	-35.66	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.450	-44.06	-25	Pass
2490.5	2496	1	CHP	2	2492.350	-44.03	-13	Pass
2496	2555	1	CHP	3	2551.700	-37.80	-25	Pass
2555	2565	1	CHP	4	2562.000	-31.06	-13	Pass
2565	2569	1	CHP	5	2568.500	-30.23	-10	Pass
2569	2570	0.279	CHP	6	2569.750	-33.80	-10	Pass
2570	2592.5	0.279	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2577.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.335	-43.96	-25	Pass
2490.5	2496	1	CHP	2	2494.260	-43.96	-13	Pass
2496	2555	1	CHP	3	2554.970	-43.49	-25	Pass
2555	2565	1	CHP	4	2564.835	-37.34	-13	Pass
2565	2569	1	CHP	5	2565.005	-37.52	-10	Pass
2569	2570	0.02	CHP	6	2569.980	-46.33	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.200	-41.41	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2453.000	-41.93	-25	Pass
2490.5	2496	1	/	2	2491.500	-42.27	-13	Pass
2496	2555	1	/	3	2549.000	-42.28	-25	Pass
2555	2565	1	/	4	2558.000	-42.35	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2630.500	-42.13	-13	Pass
2635	26200	1	/	6	7998.000	-38.75	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.015	-42.40	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.54	-10	Pass
2625	2635	1	CHP	3	2625.540	-40.22	-13	Pass
2635	2750	1	CHP	4	2741.175	-43.73	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.950	-41.42	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2440.500	-42.00	-25	Pass
2490.5	2496	1	/	2	2496.000	-42.30	-13	Pass
2496	2555	1	/	3	2501.500	-42.13	-25	Pass
2555	2565	1	/	4	2562.000	-42.28	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2625.500	-39.12	-13	Pass
2635	26200	1	/	6	7997.000	-38.86	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.279	CHP	/	/	/	/	/
2620	2621	0.279	CHP	1	2620.050	-32.31	-10	Pass
2621	2625	1	CHP	2	2624.250	-26.23	-10	Pass
2625	2635	1	CHP	3	2625.050	-28.01	-13	Pass
2635	2750	1	CHP	4	2635.400	-36.26	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_2612.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.050	-45.94	-10	Pass
2621	2625	1	CHP	2	2625.000	-37.25	-10	Pass
2625	2635	1	CHP	3	2625.020	-37.22	-13	Pass
2635	2750	1	CHP	4	2643.625	-43.65	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.860	-43.96	-25	Pass
2490.5	2496	1	CHP	2	2495.850	-43.97	-13	Pass
2496	2555	1	CHP	3	2554.705	-43.83	-25	Pass
2555	2565	1	CHP	4	2564.400	-40.56	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.53	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-39.38	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.900	-41.38	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2483.000	-41.97	-25	Pass
2490.5	2496	1	/	2	2495.500	-42.24	-13	Pass
2496	2555	1	/	3	2496.500	-42.15	-25	Pass
2555	2565	1	/	4	2564.000	-39.50	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2631.000	-42.18	-13	Pass
2635	26200	1	/	6	7988.500	-38.66	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.150	-43.87	-25	Pass
2490.5	2496	1	CHP	2	2492.500	-43.84	-13	Pass
2496	2555	1	CHP	3	2554.900	-37.06	-25	Pass
2555	2565	1	CHP	4	2563.900	-29.30	-13	Pass
2565	2569	1	CHP	5	2568.450	-27.24	-10	Pass
2569	2570	0.277	CHP	6	2569.950	-30.04	-10	Pass
2570	2592.5	0.277	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2577.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.235	-43.97	-25	Pass
2490.5	2496	1	CHP	2	2491.235	-43.99	-13	Pass
2496	2555	1	CHP	3	2554.995	-43.49	-25	Pass
2555	2565	1	CHP	4	2564.910	-37.06	-13	Pass
2565	2569	1	CHP	5	2565.005	-37.19	-10	Pass
2569	2570	0.02	CHP	6	2569.980	-44.80	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	548.000	-41.43	25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2486.000	-42.01	-25	Pass
2490.5	2496	1	/	2	2494.500	-42.41	-13	Pass
2496	2555	1	/	3	2548.500	-42.22	-25	Pass
2555	2565	1	/	4	2556.000	-42.40	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2633.500	-41.84	-13	Pass
2635	26200	1	/	6	7994.500	-38.55	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-43.46	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.32	-10	Pass
2625	2635	1	CHP	3	2625.540	-40.37	-13	Pass
2635	2750	1	CHP	4	2743.605	-43.78	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.400	-41.31	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2472.000	-42.14	-25	Pass
2490.5	2496	1	/	2	2495.500	-42.32	-13	Pass
2496	2555	1	/	3	2519.000	-42.24	-25	Pass
2555	2565	1	/	4	2559.500	-42.47	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2626.000	-39.67	-13	Pass
2635	26200	1	/	6	7994.500	-38.84	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.277	CHP	/	/	/	/	/
2620	2621	0.277	CHP	1	2620.150	-31.65	-10	Pass
2621	2625	1	CHP	2	2621.700	-27.24	-10	Pass
2625	2635	1	CHP	3	2630.450	-27.25	-13	Pass
2635	2750	1	CHP	4	2635.050	-36.34	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_2612.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.010	-43.81	-10	Pass
2621	2625	1	CHP	2	2625.000	-37.04	-10	Pass
2625	2635	1	CHP	3	2625.020	-36.99	-13	Pass
2635	2750	1	CHP	4	2643.665	-43.74	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.050	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2490.505	-43.99	-13	Pass
2496	2555	1	CHP	3	2544.000	-43.65	-25	Pass
2555	2565	1	CHP	4	2564.375	-40.39	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.19	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-39.86	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.700	-41.37	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2440.000	-41.77	-25	Pass
2490.5	2496	1	/	2	2494.500	-42.16	-13	Pass
2496	2555	1	/	3	2496.500	-41.98	-25	Pass
2555	2565	1	/	4	2564.000	-39.05	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2633.000	-41.85	-13	Pass
2635	26200	1	/	6	7998.500	-38.64	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.050	-43.79	-25	Pass
2490.5	2496	1	CHP	2	2491.700	-43.91	-13	Pass
2496	2555	1	CHP	3	2554.850	-38.14	-25	Pass
2555	2565	1	CHP	4	2565.000	-29.46	-13	Pass
2565	2569	1	CHP	5	2568.500	-27.30	-10	Pass
2569	2570	0.292	CHP	6	2569.950	-30.82	-10	Pass
2570	2592.5	0.292	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2577.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.540	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2494.800	-43.96	-13	Pass
2496	2555	1	CHP	3	2546.035	-43.09	-25	Pass
2555	2565	1	CHP	4	2564.945	-38.81	-13	Pass
2565	2569	1	CHP	5	2565.005	-38.90	-10	Pass
2569	2570	0.02	CHP	6	2569.945	-46.57	-10	Pass
2570	2592.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	453.800	-41.41	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2439.000	-42.04	-25	Pass
2490.5	2496	1	/	2	2495.000	-42.43	-13	Pass
2496	2555	1	/	3	2516.000	-42.01	-25	Pass
2555	2565	1	/	4	2562.500	-42.28	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2631.500	-41.74	-13	Pass
2635	26200	1	/	6	7980.000	-38.79	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.020	-40.60	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.96	-10	Pass
2625	2635	1	CHP	3	2625.505	-40.56	-13	Pass
2635	2750	1	CHP	4	2734.800	-43.73	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	441.900	-41.42	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2384.000	-42.04	-25	Pass
2490.5	2496	1	/	2	2494.500	-42.26	-13	Pass
2496	2555	1	/	3	2501.500	-42.25	-25	Pass
2555	2565	1	/	4	2564.000	-42.59	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2635	1	/	5	2628.000	-39.91	-13	Pass
2635	26200	1	/	6	7978.000	-38.84	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.292	CHP	/	/	/	/	/
2620	2621	0.292	CHP	1	2620.250	-30.33	-10	Pass
2621	2625	1	CHP	2	2621.500	-26.52	-10	Pass
2625	2635	1	CHP	3	2625.050	-27.36	-13	Pass
2635	2750	1	CHP	4	2635.050	-34.70	-25	Pass

n38_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_2612.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2597.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-46.35	-10	Pass
2621	2625	1	CHP	2	2624.995	-38.62	-10	Pass
2625	2635	1	CHP	3	2625.095	-38.53	-13	Pass
2635	2750	1	CHP	4	2643.870	-43.35	-25	Pass

5.2.3 30k_SISO_20MHz_NTNV

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.580	-40.93	-25	Pass
2490.5	2496	1	CHP	2	2491.295	-40.98	-13	Pass
2496	2550	1	CHP	3	2496.005	-40.98	-25	Pass
2550	2565	1	CHP	4	2561.930	-38.32	-13	Pass
2565	2569	1	CHP	5	2568.500	-39.56	-10	Pass
2569	2570	0.02	CHP	6	2569.990	-47.87	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.050	-38.36	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2455.000	-38.85	-25	Pass
2490.5	2496	1	/	2	2494.000	-39.25	-13	Pass
2496	2550	1	/	3	2501.000	-39.07	-25	Pass
2550	2565	1	/	4	2561.500	-37.70	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2625.500	-39.22	-13	Pass
2640	26200	1	/	6	7979.500	-35.70	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.715	-44.37	-25	Pass
2490.5	2496	1	CHP	2	2494.200	-44.22	-13	Pass
2496	2550	1	CHP	3	2549.975	-37.60	-25	Pass
2550	2565	1	CHP	4	2560.670	-32.52	-13	Pass
2565	2569	1	CHP	5	2568.490	-31.35	-10	Pass
2569	2570	0.386	CHP	6	2569.985	-31.47	-10	Pass
2570	2600	0.386	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2580MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.750	-43.96	-25	Pass
2490.5	2496	1	CHP	2	2495.310	-43.97	-13	Pass
2496	2550	1	CHP	3	2549.830	-43.85	-25	Pass
2550	2565	1	CHP	4	2562.495	-38.10	-13	Pass
2565	2569	1	CHP	5	2568.500	-39.29	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-47.33	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.600	-41.37	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2437.500	-41.74	-25	Pass
2490.5	2496	1	/	2	2493.500	-42.18	-13	Pass
2496	2550	1	/	3	2520.000	-42.28	-25	Pass
2550	2565	1	/	4	2560.500	-42.24	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2630.500	-41.90	-13	Pass
2640	26200	1	/	6	7988.000	-38.68	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.010	-50.32	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.92	-10	Pass
2625	2640	1	CHP	3	2628.100	-39.40	-13	Pass
2640	2750	1	CHP	4	2732.845	-43.26	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	453.650	-41.51	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2417.500	-41.90	-25	Pass
2490.5	2496	1	/	2	2493.500	-42.28	-13	Pass
2496	2550	1	/	3	2547.000	-42.30	-25	Pass
2550	2565	1	/	4	2560.500	-42.47	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2628.000	-39.23	-13	Pass
2640	26200	1	/	6	7993.500	-38.94	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.384	CHP	/	/	/	/	/
2620	2621	0.384	CHP	1	2620.919	-32.38	-10	Pass
2621	2625	1	CHP	2	2621.520	-29.97	-10	Pass
2625	2640	1	CHP	3	2626.923	-28.29	-13	Pass
2640	2750	1	CHP	4	2643.734	-37.37	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_2610MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-49.36	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.48	-10	Pass
2625	2640	1	CHP	3	2627.390	-37.89	-13	Pass
2640	2750	1	CHP	4	2730.640	-43.25	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.915	-43.99	-25	Pass
2490.5	2496	1	CHP	2	2493.225	-43.97	-13	Pass
2496	2550	1	CHP	3	2502.475	-43.99	-25	Pass
2550	2565	1	CHP	4	2561.840	-40.00	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.97	-10	Pass
2569	2570	0.02	CHP	6	2569.830	-48.58	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.600	-41.42	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2433.000	-41.91	-25	Pass
2490.5	2496	1	/	2	2492.000	-42.41	-13	Pass
2496	2550	1	/	3	2496.500	-41.99	-25	Pass
2550	2565	1	/	4	2561.500	-40.63	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2634.500	-42.02	-13	Pass
2640	26200	1	/	6	7996.000	-38.67	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.805	-44.17	-25	Pass
2490.5	2496	1	CHP	2	2494.430	-44.12	-13	Pass
2496	2550	1	CHP	3	2549.975	-38.78	-25	Pass
2550	2565	1	CHP	4	2564.810	-31.02	-13	Pass
2565	2569	1	CHP	5	2565.155	-31.08	-10	Pass
2569	2570	0.382	CHP	6	2569.985	-34.64	-10	Pass
2570	2600	0.382	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2580MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.850	-43.97	-25	Pass
2490.5	2496	1	CHP	2	2490.820	-43.97	-13	Pass
2496	2550	1	CHP	3	2511.355	-43.81	-25	Pass
2550	2565	1	CHP	4	2562.490	-37.91	-13	Pass
2565	2569	1	CHP	5	2568.495	-39.12	-10	Pass
2569	2570	0.02	CHP	6	2569.895	-48.33	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.900	-41.24	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2393.500	-41.78	-25	Pass
2490.5	2496	1	/	2	2493.000	-42.18	-13	Pass
2496	2550	1	/	3	2547.000	-42.27	-25	Pass
2550	2565	1	/	4	2563.500	-42.13	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2634.500	-41.98	-13	Pass
2640	26200	1	/	6	7990.000	-38.58	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.125	-49.06	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.64	-10	Pass
2625	2640	1	CHP	3	2628.090	-40.32	-13	Pass
2640	2750	1	CHP	4	2748.335	-43.29	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-41.27	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2407.500	-42.01	-25	Pass
2490.5	2496	1	/	2	2491.000	-42.41	-13	Pass
2496	2550	1	/	3	2522.500	-42.20	-25	Pass
2550	2565	1	/	4	2556.000	-42.37	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2628.000	-38.93	-13	Pass
2640	26200	1	/	6	7997.500	-38.78	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.386	CHP	/	/	/	/	/
2620	2621	0.386	CHP	1	2620.619	-33.04	-10	Pass
2621	2625	1	CHP	2	2623.471	-27.91	-10	Pass
2625	2640	1	CHP	3	2631.576	-29.46	-13	Pass
2640	2750	1	CHP	4	2640.732	-36.50	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_2610MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.040	-47.08	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.62	-10	Pass
2625	2640	1	CHP	3	2627.475	-37.36	-13	Pass
2640	2750	1	CHP	4	2740.815	-43.32	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.510	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2494.620	-43.90	-13	Pass
2496	2550	1	CHP	3	2500.205	-43.89	-25	Pass
2550	2565	1	CHP	4	2561.815	-39.73	-13	Pass
2565	2569	1	CHP	5	2568.500	-41.06	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-48.37	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.800	-41.30	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2402.000	-41.73	-25	Pass
2490.5	2496	1	/	2	2493.500	-42.06	-13	Pass
2496	2550	1	/	3	2506.500	-42.11	-25	Pass
2550	2565	1	/	4	2561.500	-39.71	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2625.500	-42.03	-13	Pass
2640	26200	1	/	6	7993.500	-38.70	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.910	-44.22	-25	Pass
2490.5	2496	1	CHP	2	2492.590	-44.13	-13	Pass
2496	2550	1	CHP	3	2549.860	-38.80	-25	Pass
2550	2565	1	CHP	4	2564.695	-30.01	-13	Pass
2565	2569	1	CHP	5	2567.340	-29.21	-10	Pass
2569	2570	0.391	CHP	6	2569.410	-31.72	-10	Pass
2570	2600	0.391	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2580MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.350	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2490.965	-43.97	-13	Pass
2496	2550	1	CHP	3	2500.125	-43.89	-25	Pass
2550	2565	1	CHP	4	2562.450	-39.50	-13	Pass
2565	2569	1	CHP	5	2568.500	-39.97	-10	Pass
2569	2570	0.02	CHP	6	2569.960	-47.67	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.800	-41.34	25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2409.000	-41.98	-25	Pass
2490.5	2496	1	/	2	2495.500	-42.44	-13	Pass
2496	2550	1	/	3	2539.500	-42.12	-25	Pass
2550	2565	1	/	4	2553.000	-42.41	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2639.500	-42.18	-13	Pass
2640	26200	1	/	6	7981.500	-38.86	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.040	-47.82	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.36	-10	Pass
2625	2640	1	CHP	3	2628.100	-40.25	-13	Pass
2640	2750	1	CHP	4	2745.595	-43.27	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	476.550	-41.40	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2471.000	-41.96	-25	Pass
2490.5	2496	1	/	2	2492.000	-42.19	-13	Pass
2496	2550	1	/	3	2508.500	-42.08	-25	Pass
2550	2565	1	/	4	2552.000	-42.19	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2640	1	/	5	2629.000	-39.67	-13	Pass
2640	26200	1	/	6	7977.000	-38.60	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.39	CHP	/	/	/	/	/
2620	2621	0.39	CHP	1	2620.769	-31.86	-10	Pass
2621	2625	1	CHP	2	2622.270	-28.01	-10	Pass
2625	2640	1	CHP	3	2625.722	-28.77	-13	Pass
2640	2750	1	CHP	4	2640.131	-36.35	-25	Pass

n38_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_2610MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-49.43	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.77	-10	Pass
2625	2640	1	CHP	3	2627.295	-39.27	-13	Pass
2640	2750	1	CHP	4	2744.625	-43.25	-25	Pass

5.2.4 30k_SISO_25MHz_NTNV

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.970	-43.98	-25	Pass
2490.5	2496	1	CHP	2	2495.180	-44.02	-13	Pass
2496	2545	1	CHP	3	2499.860	-43.93	-25	Pass
2545	2565	1	CHP	4	2559.540	-40.58	-13	Pass
2565	2569	1	CHP	5	2568.495	-41.33	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-47.98	-10	Pass
2570	2607.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.200	-41.05	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2468.000	-42.06	-25	Pass
2490.5	2496	1	/	2	2494.000	-42.29	-13	Pass
2496	2545	1	/	3	2498.500	-42.21	-25	Pass
2545	2565	1	/	4	2559.000	-39.78	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2645	1	/	5	2633.500	-41.88	-13	Pass
2645	26200	1	/	6	7941.500	-38.88	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.165	-44.27	-25	Pass
2490.5	2496	1	CHP	2	2491.003	-44.25	-13	Pass
2496	2545	1	CHP	3	2536.695	-39.90	-25	Pass
2545	2565	1	CHP	4	2562.298	-33.33	-13	Pass
2565	2569	1	CHP	5	2568.423	-32.51	-10	Pass
2569	2570	0.487	CHP	6	2569.892	-35.13	-10	Pass
2570	2607.5	0.487	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2582.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.685	-43.95	-25	Pass
2490.5	2496	1	CHP	2	2495.690	-43.97	-13	Pass
2496	2545	1	CHP	3	2499.920	-43.90	-25	Pass
2545	2565	1	CHP	4	2559.965	-39.88	-13	Pass
2565	2569	1	CHP	5	2568.500	-39.21	-10	Pass
2569	2570	0.02	CHP	6	2569.915	-48.14	-10	Pass
2570	2607.5	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	442.550	-41.40	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2397.000	-41.87	-25	Pass
2490.5	2496	1	/	2	2493.500	-42.29	-13	Pass
2496	2545	1	/	3	2534.500	-42.25	-25	Pass
2545	2565	1	/	4	2560.000	-42.18	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2645	1	/	5	2635.000	-41.83	-13	Pass
2645	26200	1	/	6	7984.500	-38.84	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2607.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2582.5	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.155	-48.44	-10	Pass
2621	2625	1	CHP	2	2621.500	-40.93	-10	Pass
2625	2645	1	CHP	3	2630.465	-39.77	-13	Pass
2645	2750	1	CHP	4	2736.800	-43.75	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2607.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.250	-41.34	-25	Pass

n38_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_2607.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2449.500	-41.94	-25	Pass
2490.5	2496	1	/	2	2491.500	-42.21	-13	Pass
2496	2545	1	/	3	2541.000	-42.18	-25	Pass
2545	2565	1	/	4	2550.000	-42.37	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2645	1	/	5	2630.500	-39.29	-13	Pass
2645	26200	1	/	6	7985.500	-38.69	-25	Pass