

Field Strength of Spurious Radiation

Test Band = LTE_2_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3812.5	46.75	-43.87	29.78	-62.60	-13.00	49.60	Horizontal
2	4844	47.79	-42.68	30.62	-59.53	-13.00	46.53	Horizontal
3	7418	43.42	-37.90	36.74	-53.00	-13.00	40.00	Horizontal
4	11794	43.18	-33.92	39.81	-46.19	-13.00	33.19	Horizontal
5	14670	41.54	-33.67	41.78	-45.61	-13.00	32.61	Horizontal
6	17972	40.57	-39.75	47.70	-46.74	-13.00	33.74	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749.5	47.56	-43.86	29.60	-61.96	-13.00	48.96	Vertical
2	4843.5	50.48	-42.67	30.63	-56.82	-13.00	43.82	Vertical
3	7450.5	43.14	-37.71	36.80	-53.03	-13.00	40.03	Vertical
4	11760	43.57	-34.61	39.84	-46.46	-13.00	33.46	Vertical
5	14797.5	40.53	-32.61	41.61	-45.73	-13.00	32.73	Vertical
6	17998.5	40.13	-39.77	48.17	-46.73	-13.00	33.73	Vertical

Test Band = LTE_2_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3256.5	47.27	-44.32	28.59	-63.72	-13.00	50.72	Horizontal
2	5161	45.85	-42.15	31.82	-59.74	-13.00	46.74	Horizontal
3	7469	43.23	-37.85	36.84	-53.04	-13.00	40.04	Horizontal
4	11303	42.97	-34.75	40.11	-46.93	-13.00	33.93	Horizontal
5	14807	40.57	-32.54	41.56	-45.67	-13.00	32.67	Horizontal
6	17967.5	40.51	-39.74	47.62	-46.87	-13.00	33.87	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3549.5	47.39	-44.44	29.00	-63.31	-13.00	50.31	Vertical
2	4843.5	50.73	-42.67	30.63	-56.57	-13.00	43.57	Vertical
3	7414.5	43.47	-37.92	36.73	-52.98	-13.00	39.98	Vertical
4	11780.5	42.86	-34.19	39.82	-46.77	-13.00	33.77	Vertical
5	14674	41.52	-33.71	41.80	-45.65	-13.00	32.65	Vertical
6	17993	40.08	-39.76	48.07	-46.87	-13.00	33.87	Vertical

Test Band = LTE_2_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824	46.75	-43.89	29.75	-62.65	-13.00	49.65	Horizontal
2	5151.5	46.03	-42.18	31.80	-59.61	-13.00	46.61	Horizontal
3	7404	43.69	-37.99	36.71	-52.85	-13.00	39.85	Horizontal
4	11287	43.40	-34.98	40.11	-46.73	-13.00	33.73	Horizontal
5	14672.5	41.57	-33.69	41.79	-45.59	-13.00	32.59	Horizontal
6	17997.5	40.27	-39.77	48.16	-46.60	-13.00	33.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3939	47.08	-43.79	29.86	-62.11	-13.00	49.11	Vertical
2	4843.5	50.98	-42.67	30.63	-56.32	-13.00	43.32	Vertical
3	7483	43.28	-37.95	36.87	-53.06	-13.00	40.06	Vertical
4	11797	43.23	-33.86	39.80	-46.09	-13.00	33.09	Vertical
5	14805.5	40.90	-32.53	41.57	-45.32	-13.00	32.32	Vertical
6	17991	40.37	-39.76	48.04	-46.61	-13.00	33.61	Vertical

Test Band = LTE_4_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3841	46.88	-43.92	29.72	-62.58	-13.00	49.58	Horizontal
2	5990	44.88	-40.76	32.98	-58.16	-13.00	45.16	Horizontal
3	7512.5	43.58	-38.07	36.78	-52.97	-13.00	39.97	Horizontal
4	11786	42.88	-34.08	39.81	-46.65	-13.00	33.65	Horizontal
5	15288	40.57	-30.70	39.88	-45.51	-13.00	32.51	Horizontal
6	17992.5	40.06	-39.76	48.07	-46.89	-13.00	33.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.5	47.19	-43.95	29.70	-62.32	-13.00	49.32	Vertical
2	4844	50.74	-42.68	30.62	-56.58	-13.00	43.58	Vertical
3	7499.5	43.77	-38.08	36.90	-52.67	-13.00	39.67	Vertical
4	11280	43.43	-35.13	40.12	-46.84	-13.00	33.84	Vertical
5	14619	41.66	-33.86	41.58	-45.88	-13.00	32.88	Vertical
6	17989.5	40.12	-39.76	48.01	-46.89	-13.00	33.89	Vertical

Test Band = LTE_4_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3807	46.63	-43.85	29.79	-62.69	-13.00	49.69	Horizontal
2	4843.5	47.88	-42.67	30.63	-59.42	-13.00	46.42	Horizontal
3	7411.5	43.80	-37.94	36.72	-52.68	-13.00	39.68	Horizontal
4	11301	43.02	-34.72	40.10	-46.86	-13.00	33.86	Horizontal
5	14804	40.65	-32.51	41.58	-45.54	-13.00	32.54	Horizontal
6	17201.5	42.08	-35.54	42.51	-46.21	-13.00	33.21	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	48.23	-44.28	28.88	-62.43	-13.00	49.43	Vertical
2	4844	50.73	-42.68	30.62	-56.59	-13.00	43.59	Vertical
3	7430.5	43.37	-37.83	36.76	-52.96	-13.00	39.96	Vertical
4	11770.5	43.51	-34.40	39.83	-46.32	-13.00	33.32	Vertical
5	14806	40.34	-32.53	41.56	-45.89	-13.00	32.89	Vertical
6	17201	41.81	-35.53	42.51	-46.47	-13.00	33.47	Vertical

Test Band = LTE_4_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3817	46.72	-43.87	29.77	-62.64	-13.00	49.64	Horizontal
2	5746	45.42	-41.15	32.50	-58.49	-13.00	45.49	Horizontal
3	7371.5	43.85	-38.13	36.59	-52.95	-13.00	39.95	Horizontal
4	11303.5	43.44	-34.75	40.11	-46.46	-13.00	33.46	Horizontal
5	14673	41.61	-33.70	41.79	-45.56	-13.00	32.56	Horizontal
6	17991	40.52	-39.76	48.04	-46.46	-13.00	33.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	48.00	-44.32	28.99	-62.59	-13.00	49.59	Vertical
2	4843.5	51.02	-42.67	30.63	-56.28	-13.00	43.28	Vertical
3	7426	44.12	-37.85	36.75	-52.24	-13.00	39.24	Vertical
4	11033.5	42.08	-34.14	40.13	-47.19	-13.00	34.19	Vertical
5	15283.5	40.77	-30.68	39.87	-45.30	-13.00	32.30	Vertical
6	17992	40.42	-39.76	48.06	-46.54	-13.00	33.54	Vertical

Test Band = LTE_5_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1450.5	47.33	-46.80	25.30	-69.43	-13.00	56.43	Horizontal
2	2334	47.12	-46.01	27.44	-66.71	-13.00	53.71	Horizontal
3	3815.5	46.51	-44.16	29.77	-63.14	-13.00	50.14	Horizontal
4	5156	45.63	-42.30	31.81	-60.12	-13.00	47.12	Horizontal
5	6826	43.40	-39.23	35.50	-55.59	-13.00	42.59	Horizontal
6	9555.5	41.92	-35.29	37.80	-50.83	-13.00	37.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1383	47.05	-46.87	24.97	-70.11	-13.00	57.11	Vertical
2	2031.5	50.05	-46.30	26.37	-65.14	-13.00	52.14	Vertical
3	2656.5	49.82	-45.46	27.91	-62.99	-13.00	49.99	Vertical
4	4843.5	51.33	-42.79	30.63	-56.09	-13.00	43.09	Vertical
5	7432.5	42.86	-37.88	36.77	-53.51	-13.00	40.51	Vertical
6	9945.5	40.82	-34.92	38.65	-50.71	-13.00	37.71	Vertical

Test Band = LTE_5_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1384	47.03	-46.86	24.96	-70.13	-13.00	57.13	Horizontal
2	2004	46.78	-46.27	26.48	-68.27	-13.00	55.27	Horizontal
3	2656	48.10	-45.46	27.91	-64.71	-13.00	51.71	Horizontal
4	4843.5	46.51	-42.79	30.63	-60.91	-13.00	47.91	Horizontal
5	7427	43.08	-37.94	36.75	-53.37	-13.00	40.37	Horizontal
6	9973	40.97	-34.98	38.67	-50.60	-13.00	37.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1439	47.33	-46.79	25.21	-69.51	-13.00	56.51	Vertical
2	2031	50.51	-46.30	26.38	-64.67	-13.00	51.67	Vertical
3	2656	49.64	-45.46	27.91	-63.17	-13.00	50.17	Vertical
4	4843.5	50.74	-42.79	30.63	-56.68	-13.00	43.68	Vertical
5	7478.5	43.01	-37.97	36.86	-53.36	-13.00	40.36	Vertical
6	9999.5	40.96	-35.06	38.70	-50.66	-13.00	37.66	Vertical

Test Band = LTE_5_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1679	55.86	-46.82	25.27	-60.95	-13.00	47.95	Horizontal
2	2520.5	47.59	-45.65	27.80	-65.52	-13.00	52.52	Horizontal
3	3881	46.32	-44.10	29.70	-63.34	-13.00	50.34	Horizontal
4	4843.5	47.00	-42.79	30.63	-60.42	-13.00	47.42	Horizontal
5	7417.5	43.37	-38.04	36.74	-53.19	-13.00	40.19	Horizontal
6	9942	41.59	-34.93	38.64	-49.96	-13.00	36.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1679	52.17	-46.82	25.27	-64.64	-13.00	51.64	Vertical
2	2031	49.85	-46.30	26.38	-65.33	-13.00	52.33	Vertical
3	2656	50.09	-45.46	27.91	-62.72	-13.00	49.72	Vertical
4	4844	50.48	-42.79	30.62	-56.95	-13.00	43.95	Vertical
5	7432.5	43.06	-37.88	36.77	-53.31	-13.00	40.31	Vertical
6	9983	41.35	-35.01	38.68	-50.24	-13.00	37.24	Vertical

Test Band = LTE_7_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3819.5	46.99	-43.88	29.76	-62.39	-25.00	37.39	Horizontal
2	5787	45.30	-41.09	32.43	-58.62	-25.00	33.62	Horizontal
3	7503.5	44.20	-38.08	36.87	-52.27	-25.00	27.27	Horizontal
4	11103.5	42.64	-34.78	40.20	-47.20	-25.00	22.20	Horizontal
5	14672.5	41.64	-33.69	41.79	-45.52	-25.00	20.52	Horizontal
6	17990.5	40.22	-39.76	48.03	-46.77	-25.00	21.77	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3801	46.83	-43.84	29.80	-62.47	-25.00	37.47	Vertical
2	4843.5	50.90	-42.67	30.63	-56.40	-25.00	31.40	Vertical
3	7503	52.62	-38.08	36.87	-43.85	-25.00	18.85	Vertical
4	11787.5	43.04	-34.05	39.81	-46.46	-25.00	21.46	Vertical
5	14614	42.33	-33.93	41.56	-45.30	-25.00	20.30	Vertical
6	17159	42.03	-35.90	42.34	-46.79	-25.00	21.79	Vertical

Test Band = LTE_7_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824	47.09	-43.89	29.75	-62.31	-25.00	37.31	Horizontal
2	4843.5	47.69	-42.67	30.63	-59.61	-25.00	34.61	Horizontal
3	7426.5	43.52	-37.85	36.75	-52.84	-25.00	27.84	Horizontal
4	11801	42.63	-33.83	39.80	-46.66	-25.00	21.66	Horizontal
5	14680.5	41.73	-33.78	41.82	-45.49	-25.00	20.49	Horizontal
6	17990	40.17	-39.76	48.02	-46.83	-25.00	21.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750.5	47.14	-43.86	29.60	-62.38	-25.00	37.38	Vertical
2	4844	50.77	-42.68	30.62	-56.55	-25.00	31.55	Vertical
3	7578	47.89	-38.07	36.62	-48.82	-25.00	23.82	Vertical
4	11290	43.31	-34.91	40.11	-46.75	-25.00	21.75	Vertical
5	14679	41.45	-33.76	41.82	-45.75	-25.00	20.75	Vertical
6	17966.5	40.59	-39.74	47.60	-46.81	-25.00	21.81	Vertical

Test Band = LTE_7_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3829.5	47.00	-43.90	29.74	-62.42	-25.00	37.42	Horizontal
2	5577.5	45.42	-41.57	32.42	-58.99	-25.00	33.99	Horizontal
3	7415.5	43.61	-37.92	36.73	-52.84	-25.00	27.84	Horizontal
4	10722.5	42.79	-34.93	39.52	-47.88	-25.00	22.88	Horizontal
5	14683.5	41.66	-33.81	41.83	-45.58	-25.00	20.58	Horizontal
6	17984.5	40.23	-39.76	47.92	-46.87	-25.00	21.87	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737.5	47.23	-43.95	29.53	-62.45	-25.00	37.45	Vertical
2	4843.5	50.85	-42.67	30.63	-56.45	-25.00	31.45	Vertical
3	7653.5	44.61	-37.45	36.61	-51.49	-25.00	26.49	Vertical
4	11767.5	43.29	-34.46	39.83	-46.60	-25.00	21.60	Vertical
5	15285	40.35	-30.69	39.87	-45.73	-25.00	20.73	Vertical
6	17995	40.13	-39.77	48.11	-46.79	-25.00	21.79	Vertical

Test Band = LTE_12_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	48.66	-46.76	24.90	-68.46	-13.00	55.46	Horizontal
2	2084.5	46.62	-46.33	26.65	-68.32	-13.00	55.32	Horizontal
3	3097.5	46.90	-45.10	28.90	-64.56	-13.00	51.56	Horizontal
4	4531.5	47.56	-43.13	29.66	-61.17	-13.00	48.17	Horizontal
5	7432	42.79	-37.88	36.76	-53.59	-13.00	40.59	Horizontal
6	9954	41.23	-34.92	38.65	-50.30	-13.00	37.30	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	47.80	-46.76	24.90	-69.32	-13.00	56.32	Vertical
2	2031.5	49.88	-46.30	26.37	-65.31	-13.00	52.31	Vertical
3	2656	49.80	-45.46	27.91	-63.01	-13.00	50.01	Vertical
4	4843.5	50.96	-42.79	30.63	-56.46	-13.00	43.46	Vertical
5	7440.5	42.61	-37.79	36.78	-53.66	-13.00	40.66	Vertical
6	9967.5	40.96	-34.96	38.67	-50.59	-13.00	37.59	Vertical

Test Band = LTE_12_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	47.18	-46.76	24.95	-69.89	-13.00	56.89	Horizontal
2	2031	47.15	-46.30	26.38	-68.03	-13.00	55.03	Horizontal
3	2979.5	46.46	-45.04	28.48	-65.36	-13.00	52.36	Horizontal
4	4844	46.68	-42.79	30.62	-60.75	-13.00	47.75	Horizontal
5	7435.5	42.56	-37.84	36.77	-53.77	-13.00	40.77	Horizontal
6	9946.5	40.91	-34.92	38.65	-50.62	-13.00	37.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1446	47.62	-46.80	25.27	-69.17	-13.00	56.17	Vertical
2	2031.5	49.81	-46.30	26.37	-65.38	-13.00	52.38	Vertical
3	2656.5	49.91	-45.46	27.91	-62.90	-13.00	49.90	Vertical
4	4844	50.45	-42.79	30.62	-56.98	-13.00	43.98	Vertical
5	7419.5	42.90	-38.02	36.74	-53.64	-13.00	40.64	Vertical
6	9919	41.23	-35.00	38.62	-50.41	-13.00	37.41	Vertical

Test Band = LTE_12_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1450	47.09	-46.80	25.30	-69.67	-13.00	56.67	Horizontal
2	2096.5	46.72	-46.33	26.77	-68.10	-13.00	55.10	Horizontal
3	3257.5	46.47	-44.52	28.59	-64.72	-13.00	51.72	Horizontal
4	4843.5	46.48	-42.79	30.63	-60.94	-13.00	47.94	Horizontal
5	7480.5	42.75	-37.99	36.86	-53.64	-13.00	40.64	Horizontal
6	9946	40.97	-34.92	38.65	-50.56	-13.00	37.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1437	47.21	-46.79	25.20	-69.64	-13.00	56.64	Vertical
2	2031	49.78	-46.30	26.38	-65.40	-13.00	52.40	Vertical
3	2656.5	49.69	-45.46	27.91	-63.12	-13.00	50.12	Vertical
4	4843.5	50.96	-42.79	30.63	-56.46	-13.00	43.46	Vertical
5	7430.5	42.84	-37.90	36.76	-53.56	-13.00	40.56	Vertical
6	9944.5	40.98	-34.93	38.64	-50.57	-13.00	37.57	Vertical

Test Band = LTE_13_10MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1607	47.01	-46.95	25.16	-70.04	-40.00	30.04	Horizontal
2	1719	51.09	-46.76	25.06	-65.87	-13.00	52.87	Horizontal
3	2031	49.53	-46.30	26.38	-65.65	-13.00	52.65	Horizontal
4	2656	48.36	-45.46	27.91	-64.45	-13.00	51.45	Horizontal
5	4843.5	48.38	-42.79	30.63	-59.04	-13.00	46.04	Horizontal
6	9555	41.70	-35.29	37.80	-51.05	-13.00	38.05	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	49.82	-46.83	24.29	-67.98	-13.00	54.98	Vertical
2	1591	47.49	-46.93	24.94	-69.76	-40.00	29.76	Vertical
3	2031.5	52.49	-46.30	26.37	-62.70	-13.00	49.70	Vertical
4	2656.5	50.80	-45.46	27.91	-62.01	-13.00	49.01	Vertical
5	4843.5	52.44	-42.79	30.63	-54.98	-13.00	41.98	Vertical
6	9924	41.84	-34.99	38.62	-49.79	-13.00	36.79	Vertical

Test Band = LTE_13_5MHz_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1592.5	47.19	-46.94	24.97	-70.04	-40.00	30.04	Horizontal
2	1719	50.99	-46.76	25.06	-65.97	-13.00	52.97	Horizontal
3	2031	48.73	-46.30	26.38	-66.45	-13.00	53.45	Horizontal
4	4843.5	47.74	-42.79	30.63	-59.68	-13.00	46.68	Horizontal
5	7407	43.06	-38.16	36.71	-53.65	-13.00	40.65	Horizontal
6	9938	40.97	-34.95	38.64	-50.60	-13.00	37.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.5	50.25	-46.83	24.28	-67.56	-13.00	54.56	Vertical
2	1598	47.43	-46.95	25.06	-69.72	-40.00	29.72	Vertical
3	2031.5	52.57	-46.30	26.37	-62.62	-13.00	49.62	Vertical
4	2656	50.11	-45.46	27.91	-62.70	-13.00	49.70	Vertical
5	4844	51.39	-42.79	30.62	-56.04	-13.00	43.04	Vertical
6	9958	41.17	-34.93	38.66	-50.36	-13.00	37.36	Vertical

Test Band = LTE_13_5MHz_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	47.94	-46.85	24.37	-69.80	-40.00	29.80	Horizontal
2	1719	50.87	-46.76	25.06	-66.09	-13.00	53.09	Horizontal
3	2031.5	50.00	-46.30	26.37	-65.19	-13.00	52.19	Horizontal
4	4843.5	47.14	-42.79	30.63	-60.28	-13.00	47.28	Horizontal
5	7473.5	42.81	-37.92	36.85	-53.52	-13.00	40.52	Horizontal
6	9987.5	41.14	-35.02	38.69	-50.45	-13.00	37.45	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	49.47	-46.85	24.37	-68.27	-40.00	28.27	Vertical
2	2031.5	52.90	-46.30	26.37	-62.29	-13.00	49.29	Vertical
3	2656.5	50.51	-45.46	27.91	-62.30	-13.00	49.30	Vertical
4	4844	51.45	-42.79	30.62	-55.98	-13.00	42.98	Vertical
5	7473	42.72	-37.91	36.85	-53.60	-13.00	40.60	Vertical
6	9988	40.88	-35.02	38.69	-50.71	-13.00	37.71	Vertical

Test Band = LTE_13_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5	48.02	-46.86	24.46	-69.64	-40.00	29.64	Horizontal
2	1718.5	51.18	-46.76	25.06	-65.78	-13.00	52.78	Horizontal
3	2031	48.92	-46.30	26.38	-66.26	-13.00	53.26	Horizontal
4	4844	47.61	-42.79	30.62	-59.82	-13.00	46.82	Horizontal
5	7422.5	42.92	-37.99	36.75	-53.58	-13.00	40.58	Horizontal
6	9965	41.12	-34.96	38.67	-50.43	-13.00	37.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1565	49.16	-46.86	24.47	-68.49	-40.00	28.49	Vertical
2	2031	52.49	-46.30	26.38	-62.69	-13.00	49.69	Vertical
3	2656	50.24	-45.46	27.91	-62.57	-13.00	49.57	Vertical
4	4843.5	52.00	-42.79	30.63	-55.42	-13.00	42.42	Vertical
5	7444.5	43.01	-37.74	36.79	-53.20	-13.00	40.20	Vertical
6	9913.5	41.01	-35.02	38.61	-50.66	-13.00	37.66	Vertical

Test Band = LTE_14_10MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	48.38	-46.90	24.69	-69.09	-40.00	29.09	Horizontal
2	1718.5	50.18	-46.76	25.06	-66.78	-13.00	53.78	Horizontal
3	2031.5	49.12	-46.30	26.37	-66.07	-13.00	53.07	Horizontal
4	4844	47.83	-42.79	30.62	-59.60	-13.00	46.60	Horizontal
5	7467.5	42.88	-37.86	36.84	-53.40	-13.00	40.40	Horizontal
6	9922	41.01	-34.99	38.62	-50.62	-13.00	37.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577.5	49.83	-46.90	24.70	-67.63	-40.00	27.63	Vertical
2	1719	49.30	-46.76	25.06	-67.66	-13.00	54.66	Vertical
3	2031.5	53.28	-46.30	26.37	-61.91	-13.00	48.91	Vertical
4	2656.5	48.81	-45.46	27.91	-64.00	-13.00	51.00	Vertical
5	4531	48.78	-43.13	29.66	-59.95	-13.00	46.95	Vertical
6	4843.5	52.79	-42.79	30.63	-54.63	-13.00	41.63	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	47.82	-46.89	24.68	-69.65	-40.00	29.65	Horizontal
2	1719	49.96	-46.76	25.06	-67.00	-13.00	54.00	Horizontal
3	2031	48.89	-46.30	26.38	-66.29	-13.00	53.29	Horizontal
4	4843.5	47.75	-42.79	30.63	-59.67	-13.00	46.67	Horizontal
5	7464.5	42.61	-37.83	36.83	-53.65	-13.00	40.65	Horizontal
6	9955.5	40.92	-34.93	38.66	-50.61	-13.00	37.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	49.51	-46.89	24.68	-67.96	-40.00	27.96	Vertical
2	1718.5	49.25	-46.76	25.06	-67.71	-13.00	54.71	Vertical
3	2031	53.41	-46.30	26.38	-61.77	-13.00	48.77	Vertical
4	2656.5	49.14	-45.46	27.91	-63.67	-13.00	50.67	Vertical
5	4531	48.67	-43.13	29.66	-60.06	-13.00	47.06	Vertical
6	4843.5	52.57	-42.79	30.63	-54.85	-13.00	41.85	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1582	47.16	-46.91	24.78	-70.23	-40.00	30.23	Horizontal
2	1719	50.00	-46.76	25.06	-66.96	-13.00	53.96	Horizontal
3	2031	48.85	-46.30	26.38	-66.33	-13.00	53.33	Horizontal
4	4843.5	48.64	-42.79	30.63	-58.78	-13.00	45.78	Horizontal
5	7436.5	42.84	-37.83	36.77	-53.48	-13.00	40.48	Horizontal
6	9968.5	41.18	-34.97	38.67	-50.38	-13.00	37.38	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1582	48.09	-46.91	24.78	-69.30	-40.00	29.30	Vertical
2	1718.5	49.27	-46.76	25.06	-67.69	-13.00	54.69	Vertical
3	2031.5	53.40	-46.30	26.37	-61.79	-13.00	48.79	Vertical
4	2656	49.34	-45.46	27.91	-63.47	-13.00	50.47	Vertical
5	4531	48.73	-43.13	29.66	-60.00	-13.00	47.00	Vertical
6	4843.5	52.36	-42.79	30.63	-55.06	-13.00	42.06	Vertical

Test Band = LTE_14_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1587	47.73	-46.92	24.87	-69.58	-40.00	29.58	Horizontal
2	1718.5	49.32	-46.76	25.06	-67.64	-13.00	54.64	Horizontal
3	2031.5	48.98	-46.30	26.37	-66.21	-13.00	53.21	Horizontal
4	4843.5	48.13	-42.79	30.63	-59.29	-13.00	46.29	Horizontal
5	7499	43.14	-38.17	36.90	-53.39	-13.00	40.39	Horizontal
6	9958.5	40.84	-34.94	38.66	-50.70	-13.00	37.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	48.33	-46.92	24.86	-68.99	-40.00	28.99	Vertical
2	1719	49.52	-46.76	25.06	-67.44	-13.00	54.44	Vertical
3	2031.5	53.85	-46.30	26.37	-61.34	-13.00	48.34	Vertical
4	2656	49.39	-45.46	27.91	-63.42	-13.00	50.42	Vertical
5	4844	52.55	-42.79	30.62	-54.88	-13.00	41.88	Vertical
6	9889.5	41.03	-35.04	38.52	-50.75	-13.00	37.75	Vertical

Test Band = LTE_17_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409	61.88	-46.76	24.97	-55.17	-13.00	42.17	Horizontal
2	1719	49.37	-46.76	25.06	-67.59	-13.00	54.59	Horizontal
3	2031	48.75	-46.30	26.38	-66.43	-13.00	53.43	Horizontal
4	4843.5	47.68	-42.79	30.63	-59.74	-13.00	46.74	Horizontal
5	7431.5	42.73	-37.89	36.76	-53.66	-13.00	40.66	Horizontal
6	9966	40.62	-34.96	38.67	-50.93	-13.00	37.93	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409	55.17	-46.76	24.97	-61.88	-13.00	48.88	Vertical
2	1718.5	48.93	-46.76	25.06	-68.03	-13.00	55.03	Vertical
3	2031	53.24	-46.30	26.38	-61.94	-13.00	48.94	Vertical
4	2656.5	49.06	-45.46	27.91	-63.75	-13.00	50.75	Vertical
5	4843.5	52.51	-42.79	30.63	-54.91	-13.00	41.91	Vertical
6	9962	41.05	-34.95	38.66	-50.50	-13.00	37.50	Vertical

Test Band = LTE_17_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411	59.84	-46.76	24.99	-57.19	-13.00	44.19	Horizontal
2	1719	49.48	-46.76	25.06	-67.48	-13.00	54.48	Horizontal
3	2031	48.56	-46.30	26.38	-66.62	-13.00	53.62	Horizontal
4	4843.5	47.45	-42.79	30.63	-59.97	-13.00	46.97	Horizontal
5	7432	42.32	-37.88	36.76	-54.06	-13.00	41.06	Horizontal
6	9785.5	40.56	-34.96	38.44	-51.22	-13.00	38.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411	56.88	-46.76	24.99	-60.15	-13.00	47.15	Vertical
2	2031	53.78	-46.30	26.38	-61.40	-13.00	48.40	Vertical
3	2656	49.08	-45.46	27.91	-63.73	-13.00	50.73	Vertical
4	4531	48.55	-43.13	29.66	-60.18	-13.00	47.18	Vertical
5	4843.5	52.61	-42.79	30.63	-54.81	-13.00	41.81	Vertical
6	9827.5	40.43	-34.88	38.34	-51.37	-13.00	38.37	Vertical

Test Band = LTE_17_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413	59.60	-46.76	25.00	-57.42	-13.00	44.42	Horizontal
2	1719	49.52	-46.76	25.06	-67.44	-13.00	54.44	Horizontal
3	2031.5	49.09	-46.30	26.37	-66.10	-13.00	53.10	Horizontal
4	4843.5	47.74	-42.79	30.63	-59.68	-13.00	46.68	Horizontal
5	7445.5	42.23	-37.73	36.79	-53.97	-13.00	40.97	Horizontal
6	9940.5	40.57	-34.94	38.64	-50.99	-13.00	37.99	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413	56.25	-46.76	25.00	-60.77	-13.00	47.77	Vertical
2	2031	53.49	-46.30	26.38	-61.69	-13.00	48.69	Vertical
3	2656	48.88	-45.46	27.91	-63.93	-13.00	50.93	Vertical
4	4531.5	48.46	-43.13	29.66	-60.27	-13.00	47.27	Vertical
5	4843.5	52.36	-42.79	30.63	-55.06	-13.00	42.06	Vertical
6	9573	41.23	-35.31	37.80	-51.54	-13.00	38.54	Vertical

Test Band = LTE_25_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3202	47.04	-43.88	28.41	-63.69	-13.00	50.69	Horizontal
2	4843.5	47.62	-42.67	30.63	-59.68	-13.00	46.68	Horizontal
3	7406	43.33	-37.97	36.71	-53.19	-13.00	40.19	Horizontal
4	11294.5	42.74	-34.82	40.11	-47.23	-13.00	34.23	Horizontal
5	15287	40.24	-30.70	39.87	-45.85	-13.00	32.85	Horizontal
6	17983.5	40.17	-39.76	47.90	-46.95	-13.00	33.95	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531.5	49.18	-43.08	29.66	-59.50	-13.00	46.50	Vertical
2	4843.5	52.04	-42.67	30.63	-55.26	-13.00	42.26	Vertical
3	7434	43.35	-37.81	36.77	-52.95	-13.00	39.95	Vertical
4	11288.5	43.36	-34.95	40.11	-46.74	-13.00	33.74	Vertical
5	14681	41.24	-33.78	41.82	-45.98	-13.00	32.98	Vertical
6	17985.5	40.03	-39.76	47.94	-47.05	-13.00	34.05	Vertical

Test Band = LTE_25_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3133.5	47.89	-44.54	28.77	-63.14	-13.00	50.14	Horizontal
2	4843.5	47.48	-42.67	30.63	-59.82	-13.00	46.82	Horizontal
3	7431	43.24	-37.82	36.76	-53.08	-13.00	40.08	Horizontal
4	11764.5	43.02	-34.52	39.84	-46.92	-13.00	33.92	Horizontal
5	14617	41.18	-33.89	41.57	-46.40	-13.00	33.40	Horizontal
6	17999	39.75	-39.77	48.18	-47.10	-13.00	34.10	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3284	46.97	-44.26	28.53	-64.02	-13.00	51.02	Vertical
2	4844	52.15	-42.68	30.62	-55.17	-13.00	42.17	Vertical
3	7425	43.49	-37.86	36.75	-52.88	-13.00	39.88	Vertical
4	11793.5	42.83	-33.93	39.81	-46.55	-13.00	33.55	Vertical
5	15281.5	39.87	-30.68	39.86	-46.21	-13.00	33.21	Vertical
6	17990	39.66	-39.76	48.02	-47.34	-13.00	34.34	Vertical

Test Band = LTE_25_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3633.5	46.51	-44.32	29.17	-63.90	-13.00	50.90	Horizontal
2	4843.5	48.44	-42.67	30.63	-58.86	-13.00	45.86	Horizontal
3	7417	43.23	-37.91	36.73	-53.21	-13.00	40.21	Horizontal
4	11811	42.98	-34.08	39.81	-46.55	-13.00	33.55	Horizontal
5	14680.5	41.11	-33.78	41.82	-46.11	-13.00	33.11	Horizontal
6	17982	39.85	-39.76	47.88	-47.29	-13.00	34.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.5	47.05	-43.88	29.59	-62.50	-13.00	49.50	Vertical
2	4843.5	51.97	-42.67	30.63	-55.33	-13.00	42.33	Vertical
3	7409	43.66	-37.96	36.72	-52.84	-13.00	39.84	Vertical
4	11026	41.74	-34.06	40.13	-47.45	-13.00	34.45	Vertical
5	13952	41.34	-33.28	41.06	-46.14	-13.00	33.14	Vertical
6	17997	39.91	-39.77	48.15	-46.97	-13.00	33.97	Vertical

Test Band = LTE_26_10M_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1718.5	49.73	-46.76	25.06	-67.23	-13.00	54.23	Horizontal
2	2031.5	48.70	-46.30	26.37	-66.49	-13.00	53.49	Horizontal
3	3095	46.93	-45.12	28.89	-64.56	-13.00	51.56	Horizontal
4	4844	47.45	-42.79	30.62	-59.98	-13.00	46.98	Horizontal
5	7431.5	42.70	-37.89	36.76	-53.69	-13.00	40.69	Horizontal
6	9914	40.82	-35.02	38.61	-50.85	-13.00	37.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	49.35	-46.76	25.06	-67.61	-13.00	54.61	Vertical
2	2031.5	53.54	-46.30	26.37	-61.65	-13.00	48.65	Vertical
3	2656	49.41	-45.46	27.91	-63.40	-13.00	50.40	Vertical
4	4531	49.26	-43.13	29.66	-59.47	-13.00	46.47	Vertical
5	4843.5	52.60	-42.79	30.63	-54.82	-13.00	41.82	Vertical
6	9933.5	40.65	-34.96	38.63	-50.94	-13.00	37.94	Vertical

Test Band = LTE_26_15M_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1718.5	50.10	-46.76	25.06	-66.86	-13.00	53.86	Horizontal
2	2031.5	49.10	-46.30	26.37	-66.09	-13.00	53.09	Horizontal
3	3124.5	46.85	-45.04	28.80	-64.65	-13.00	51.65	Horizontal
4	4843.5	47.45	-42.79	30.63	-59.97	-13.00	46.97	Horizontal
5	7449	42.46	-37.69	36.80	-53.69	-13.00	40.69	Horizontal
6	9950	40.86	-34.91	38.65	-50.66	-13.00	37.66	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1718.5	49.22	-46.76	25.06	-67.74	-13.00	54.74	Vertical
2	2031	53.75	-46.30	26.38	-61.43	-13.00	48.43	Vertical
3	2656	49.17	-45.46	27.91	-63.64	-13.00	50.64	Vertical
4	4531.5	48.57	-43.13	29.66	-60.16	-13.00	47.16	Vertical
5	4843.5	52.86	-42.79	30.63	-54.56	-13.00	41.56	Vertical
6	9977.5	40.77	-34.99	38.68	-50.80	-13.00	37.80	Vertical

Test Band = LTE_26_15M_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1718.5	49.92	-46.76	25.06	-67.04	-13.00	54.04	Horizontal
2	2031.5	48.89	-46.30	26.37	-66.30	-13.00	53.30	Horizontal
3	3500.5	46.30	-44.78	29.10	-64.64	-13.00	51.64	Horizontal
4	4844	47.57	-42.79	30.62	-59.86	-13.00	46.86	Horizontal
5	7426.5	42.42	-37.94	36.75	-54.03	-13.00	41.03	Horizontal
6	9966.5	40.84	-34.96	38.67	-50.71	-13.00	37.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	48.90	-46.76	25.06	-68.06	-13.00	55.06	Vertical
2	2031	53.52	-46.30	26.38	-61.66	-13.00	48.66	Vertical
3	2656.5	48.78	-45.46	27.91	-64.03	-13.00	51.03	Vertical
4	4531	49.23	-43.13	29.66	-59.50	-13.00	46.50	Vertical
5	4843.5	52.89	-42.79	30.63	-54.53	-13.00	41.53	Vertical
6	9912	40.83	-35.02	38.61	-50.84	-13.00	37.84	Vertical

Test Band = LTE_26_15M_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1718.5	49.83	-46.76	25.06	-67.13	-13.00	54.13	Horizontal
2	2031.5	48.74	-46.30	26.37	-66.45	-13.00	53.45	Horizontal
3	3113.5	46.72	-45.06	28.85	-64.75	-13.00	51.75	Horizontal
4	4843.5	48.45	-42.79	30.63	-58.97	-13.00	45.97	Horizontal
5	7465.5	42.61	-37.84	36.83	-53.66	-13.00	40.66	Horizontal
6	9974	40.88	-34.98	38.67	-50.69	-13.00	37.69	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	49.49	-46.76	25.06	-67.47	-13.00	54.47	Vertical
2	2031	53.30	-46.30	26.38	-61.88	-13.00	48.88	Vertical
3	2656.5	48.70	-45.46	27.91	-64.11	-13.00	51.11	Vertical
4	4531	48.83	-43.13	29.66	-59.90	-13.00	46.90	Vertical
5	4843.5	52.43	-42.79	30.63	-54.99	-13.00	41.99	Vertical
6	9941.5	40.75	-34.94	38.64	-50.81	-13.00	37.81	Vertical

Test Band = LTE_30_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3843	46.62	-43.93	29.71	-62.86	-40.00	22.86	Horizontal
2	4843.5	47.39	-42.67	30.63	-59.91	-40.00	19.91	Horizontal
3	7498.5	43.25	-38.07	36.90	-53.18	-40.00	13.18	Horizontal
4	9222.5	41.57	-35.35	37.50	-51.54	-40.00	11.54	Horizontal
5	11826	43.01	-34.45	39.83	-46.87	-40.00	6.87	Horizontal
6	16357.5	41.07	-30.68	38.67	-46.20	-40.00	6.20	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531.5	49.26	-43.08	29.66	-59.42	-40.00	19.42	Vertical
2	4843.5	51.79	-42.67	30.63	-55.51	-40.00	15.51	Vertical
3	6917	45.93	-38.95	35.37	-52.91	-40.00	12.91	Vertical
4	9222.5	43.15	-35.35	37.50	-49.96	-40.00	9.96	Vertical
5	13946.5	41.10	-33.20	41.04	-46.32	-40.00	6.32	Vertical
6	17990	39.76	-39.76	48.02	-47.24	-40.00	7.24	Vertical

Test Band = LTE_38_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3799.5	46.76	-43.84	29.80	-62.54	-25.00	37.54	Horizontal
2	4843.5	47.45	-42.67	30.63	-59.85	-25.00	34.85	Horizontal
3	7381.5	43.45	-38.09	36.63	-53.27	-25.00	28.27	Horizontal
4	10375	41.37	-34.65	39.18	-49.36	-25.00	24.36	Horizontal
5	13418.5	42.25	-33.23	39.66	-46.58	-25.00	21.58	Horizontal
6	17992.5	39.35	-39.76	48.07	-47.60	-25.00	22.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3842	46.82	-43.92	29.72	-62.64	-25.00	37.64	Vertical
2	4843.5	52.11	-42.67	30.63	-55.19	-25.00	30.19	Vertical
3	7494.5	43.31	-38.04	36.89	-53.10	-25.00	28.10	Vertical
4	11798.5	42.85	-33.83	39.80	-46.44	-25.00	21.44	Vertical
5	14676	41.10	-33.73	41.80	-46.09	-25.00	21.09	Vertical
6	17992	39.48	-39.76	48.06	-47.48	-25.00	22.48	Vertical

Test Band = LTE_38_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816.5	46.39	-43.87	29.77	-62.97	-25.00	37.97	Horizontal
2	4843.5	47.31	-42.67	30.63	-59.99	-25.00	34.99	Horizontal
3	7422	43.22	-37.88	36.74	-53.18	-25.00	28.18	Horizontal
4	11302.5	42.38	-34.74	40.11	-47.51	-25.00	22.51	Horizontal
5	13424.5	42.04	-33.13	39.67	-46.68	-25.00	21.68	Horizontal
6	17987	39.72	-39.76	47.97	-47.33	-25.00	22.33	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3677.5	46.85	-44.25	29.30	-63.36	-25.00	38.36	Vertical
2	4843.5	52.04	-42.67	30.63	-55.26	-25.00	30.26	Vertical
3	7409.5	43.27	-37.95	36.72	-53.22	-25.00	28.22	Vertical
4	11116.5	42.74	-34.80	40.20	-47.12	-25.00	22.12	Vertical
5	14680.5	41.06	-33.78	41.82	-46.16	-25.00	21.16	Vertical
6	17989.5	39.27	-39.76	48.01	-47.74	-25.00	22.74	Vertical

Test Band = LTE_38_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3929	46.36	-43.84	29.82	-62.92	-25.00	37.92	Horizontal
2	5501.5	44.94	-41.45	32.39	-59.38	-25.00	34.38	Horizontal
3	7412.5	43.11	-37.94	36.73	-53.36	-25.00	28.36	Horizontal
4	11788	42.46	-34.04	39.81	-47.03	-25.00	22.03	Horizontal
5	14670	40.91	-33.67	41.78	-46.24	-25.00	21.24	Horizontal
6	17988.5	39.70	-39.76	47.99	-47.33	-25.00	22.33	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3714	47.06	-44.10	29.38	-62.92	-25.00	37.92	Vertical
2	4843.5	51.95	-42.67	30.63	-55.35	-25.00	30.35	Vertical
3	7419	43.41	-37.90	36.74	-53.01	-25.00	28.01	Vertical
4	11836.5	42.99	-34.71	39.84	-47.14	-25.00	22.14	Vertical
5	14614.5	41.26	-33.92	41.56	-46.36	-25.00	21.36	Vertical
6	17968	39.90	-39.74	47.62	-47.48	-25.00	22.48	Vertical

Test Band = LTE_41_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3828	46.70	-43.90	29.74	-62.72	-25.00	37.72	Horizontal
2	4843.5	47.36	-42.67	30.63	-59.94	-25.00	34.94	Horizontal
3	7431	43.14	-37.82	36.76	-53.18	-25.00	28.18	Horizontal
4	11143.5	42.29	-34.85	40.20	-47.62	-25.00	22.62	Horizontal
5	14616	41.57	-33.90	41.56	-46.03	-25.00	21.03	Horizontal
6	17988	39.72	-39.76	47.98	-47.32	-25.00	22.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3495	46.91	-44.37	29.08	-63.64	-25.00	38.64	Vertical
2	4843.5	51.87	-42.67	30.63	-55.43	-25.00	30.43	Vertical
3	7423	43.78	-37.87	36.75	-52.60	-25.00	27.60	Vertical
4	11293	42.89	-34.85	40.11	-47.11	-25.00	22.11	Vertical
5	14665	40.86	-33.61	41.76	-46.25	-25.00	21.25	Vertical
6	17989	39.50	-39.76	48.00	-47.52	-25.00	22.52	Vertical

Test Band = LTE_41_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3341	47.24	-44.56	28.58	-64.00	-25.00	39.00	Horizontal
2	4843.5	48.23	-42.67	30.63	-59.07	-25.00	34.07	Horizontal
3	7441.5	42.84	-37.76	36.78	-53.40	-25.00	28.40	Horizontal
4	11795.5	42.48	-33.89	39.80	-46.87	-25.00	21.87	Horizontal
5	14618.5	41.21	-33.87	41.57	-46.35	-25.00	21.35	Horizontal
6	17983	39.71	-39.76	47.89	-47.42	-25.00	22.42	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3192.5	46.61	-43.96	28.45	-64.16	-25.00	39.16	Vertical
2	4844	52.15	-42.68	30.62	-55.17	-25.00	30.17	Vertical
3	7504.5	43.22	-38.08	36.86	-53.26	-25.00	28.26	Vertical
4	11114	42.55	-34.80	40.20	-47.31	-25.00	22.31	Vertical
5	15281	39.78	-30.68	39.86	-46.30	-25.00	21.30	Vertical
6	17992.5	39.29	-39.76	48.07	-47.66	-25.00	22.66	Vertical

Test Band = LTE_41_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.5	46.78	-43.97	29.51	-62.94	-25.00	37.94	Horizontal
2	5977.5	44.68	-40.81	32.96	-58.43	-25.00	33.43	Horizontal
3	7423	43.41	-37.87	36.75	-52.97	-25.00	27.97	Horizontal
4	11151.5	43.00	-34.87	40.20	-46.93	-25.00	21.93	Horizontal
5	14805	40.01	-32.52	41.57	-46.20	-25.00	21.20	Horizontal
6	17996	39.19	-39.77	48.13	-47.71	-25.00	22.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.5	47.02	-43.96	29.51	-62.69	-25.00	37.69	Vertical
2	4844	51.51	-42.68	30.62	-55.81	-25.00	30.81	Vertical
3	7420.5	43.05	-37.89	36.74	-53.36	-25.00	28.36	Vertical
4	11782	42.58	-34.16	39.82	-47.02	-25.00	22.02	Vertical
5	15286.5	40.20	-30.69	39.87	-45.88	-25.00	20.88	Vertical
6	17986	40.01	-39.76	47.95	-47.06	-25.00	22.06	Vertical

Test Band = LTE_42(3450-3550) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7508.0254	43.01	-38.52	36.82	-53.95	-13.00	40.95	Horizontal
2	8955.3728	41.44	-36.38	36.88	-53.32	-13.00	40.32	Horizontal
3	10710.3605	42.03	-35.69	39.51	-49.41	-13.00	36.41	Horizontal
4	14713.1357	40.27	-31.50	41.86	-44.63	-13.00	31.63	Horizontal
5	16392.2196	39.93	-28.83	38.78	-45.38	-13.00	32.38	Horizontal
6	17966.0733	39.44	-39.74	47.59	-47.97	-13.00	34.97	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417.7459	42.67	-38.42	36.74	-54.27	-13.00	41.27	Vertical
2	10016.3008	41.27	-35.20	38.72	-50.47	-13.00	37.47	Vertical
3	11265.8383	42.65	-35.65	40.13	-48.13	-13.00	35.13	Vertical
4	14726.3613	39.75	-31.00	41.82	-44.69	-13.00	31.69	Vertical
5	16356.5678	40.18	-28.91	38.67	-45.32	-13.00	32.32	Vertical
6	17967.7984	39.37	-39.74	47.62	-48.01	-13.00	35.01	Vertical

Test Band = LTE_42(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7465.4733	42.87	-38.34	36.83	-53.90	-13.00	40.90	Horizontal
2	10021.4761	41.04	-35.17	38.72	-50.67	-13.00	37.67	Horizontal
3	13125.4813	41.57	-33.95	39.50	-48.14	-13.00	35.14	Horizontal
4	14652.1826	40.25	-31.29	41.71	-44.59	-13.00	31.59	Horizontal
5	16395.6698	39.90	-28.82	38.79	-45.39	-13.00	32.39	Horizontal
6	17968.3734	39.33	-39.74	47.63	-48.04	-13.00	35.04	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7430.9715	42.48	-38.35	36.76	-54.37	-13.00	41.37	Vertical
2	10015.1508	41.02	-35.21	38.72	-50.73	-13.00	37.73	Vertical
3	11791.9896	42.06	-34.72	39.81	-48.11	-13.00	35.11	Vertical
4	14550.4025	39.81	-30.88	41.55	-44.78	-13.00	31.78	Vertical
5	16344.4922	40.09	-28.91	38.63	-45.45	-13.00	32.45	Vertical
6	17986.1993	39.14	-39.76	47.95	-47.93	-13.00	34.93	Vertical

Test Band = LTE_42(3450-3550) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7416.5958	42.57	-38.43	36.73	-54.39	-13.00	41.39	Horizontal
2	10044.4772	41.22	-35.00	38.74	-50.30	-13.00	37.30	Horizontal
3	11775.3138	42.11	-35.06	39.82	-48.39	-13.00	35.39	Horizontal
4	14646.4323	40.23	-31.34	41.69	-44.68	-13.00	31.68	Horizontal
5	16361.1681	40.54	-28.90	38.68	-44.94	-13.00	31.94	Horizontal
6	17970.0985	39.26	-39.75	47.66	-48.09	-13.00	35.09	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7409.1205	42.59	-38.47	36.72	-54.42	-13.00	41.42	Vertical
2	10012.2756	41.37	-35.23	38.71	-50.41	-13.00	37.41	Vertical
3	11760.363	42.52	-35.37	39.84	-48.27	-13.00	35.27	Vertical
4	14744.7622	39.32	-30.32	41.77	-44.49	-13.00	31.49	Vertical
5	16430.1715	39.45	-28.45	38.95	-45.31	-13.00	32.31	Vertical
6	17870.6185	40.45	-39.32	46.22	-47.91	-13.00	34.91	Vertical

Test Band = LTE_43(3700~3800) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7436.1468	42.67	-38.32	36.77	-54.14	-13.00	41.14	Horizontal
2	10045.6273	40.77	-34.99	38.75	-50.73	-13.00	37.73	Horizontal
3	12394.0447	42.10	-35.11	39.76	-48.51	-13.00	35.51	Horizontal
4	14716.0108	39.91	-31.39	41.85	-44.89	-13.00	31.89	Horizontal
5	16351.3926	40.72	-28.93	38.65	-44.82	-13.00	31.82	Horizontal
6	17971.8236	39.52	-39.75	47.69	-47.80	-13.00	34.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7388.9944	42.87	-38.55	36.66	-54.28	-13.00	41.28	Vertical
2	10009.4005	41.18	-35.25	38.71	-50.62	-13.00	37.62	Vertical
3	11809.2405	41.91	-34.77	39.81	-48.31	-13.00	35.31	Vertical
4	14644.1322	40.61	-31.39	41.68	-44.36	-13.00	31.36	Vertical
5	16352.5426	40.24	-28.92	38.66	-45.28	-13.00	32.28	Vertical
6	17967.7984	39.48	-39.74	47.62	-47.90	-13.00	34.90	Vertical

Test Band = LTE_43(3700~3800) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7415.4458	43.16	-38.44	36.73	-53.81	-13.00	40.81	Horizontal
2	10022.6261	41.10	-35.16	38.72	-50.60	-13.00	37.60	Horizontal
3	11797.1649	41.76	-34.61	39.80	-48.31	-13.00	35.31	Horizontal
4	14647.0074	40.30	-31.33	41.69	-44.60	-13.00	31.60	Horizontal
5	16362.3181	40.21	-28.90	38.69	-45.26	-13.00	32.26	Horizontal
6	17966.6483	39.70	-39.74	47.60	-47.70	-13.00	34.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7409.6955	42.82	-38.47	36.72	-54.19	-13.00	41.19	Vertical
2	10035.8518	40.98	-35.06	38.74	-50.60	-13.00	37.60	Vertical
3	11824.7662	42.46	-35.13	39.82	-48.11	-13.00	35.11	Vertical
4	14745.9123	39.18	-30.27	41.76	-44.59	-13.00	31.59	Vertical
5	16362.3181	40.28	-28.90	38.69	-45.19	-13.00	32.19	Vertical
6	17968.9484	39.30	-39.75	47.64	-48.07	-13.00	35.07	Vertical

Test Band = LTE_43(3700~3800) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7418.8959	42.73	-38.42	36.74	-54.21	-13.00	41.21	Horizontal
2	10018.0259	41.51	-35.19	38.72	-50.22	-13.00	37.22	Horizontal
3	11906.9953	42.62	-35.39	39.88	-48.15	-13.00	35.15	Horizontal
4	14751.6626	38.95	-30.16	41.75	-44.72	-13.00	31.72	Horizontal
5	16397.9699	40.24	-28.81	38.79	-45.04	-13.00	32.04	Horizontal
6	17983.3242	39.16	-39.76	47.90	-47.96	-13.00	34.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7423.4962	42.98	-38.39	36.75	-53.92	-13.00	40.92	Vertical
2	10014.5757	41.29	-35.22	38.71	-50.48	-13.00	37.48	Vertical
3	11776.4638	42.37	-35.03	39.82	-48.10	-13.00	35.10	Vertical
4	14648.7324	40.31	-31.29	41.69	-44.55	-13.00	31.55	Vertical
5	16361.1681	40.52	-28.90	38.68	-44.96	-13.00	31.96	Vertical
6	17959.748	40.20	-39.74	47.48	-47.32	-13.00	34.32	Vertical

Test Band = LTE_48_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7451.5	42.84	-38.26	36.80	-53.88	-40.00	13.88	Horizontal
2	10033.5	41.19	-35.08	38.73	-50.42	-40.00	10.42	Horizontal
3	12396	42.30	-35.13	39.78	-48.31	-40.00	8.31	Horizontal
4	14711	40.38	-31.58	41.87	-44.59	-40.00	4.59	Horizontal
5	16443	39.41	-28.29	39.02	-45.12	-40.00	5.12	Horizontal
6	17990.5	38.96	-39.76	48.03	-48.03	-40.00	8.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7460	42.87	-38.31	36.82	-53.88	-40.00	13.88	Vertical
2	9554	41.19	-35.94	37.80	-52.21	-40.00	12.21	Vertical
3	11264	42.68	-35.67	40.14	-48.11	-40.00	8.11	Vertical
4	14641	40.73	-31.47	41.66	-44.34	-40.00	4.34	Vertical
5	16441.5	39.59	-28.31	39.01	-44.97	-40.00	4.97	Vertical
6	17969	39.41	-39.75	47.64	-47.96	-40.00	7.96	Vertical

Test Band = LTE_48_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7400	43.20	-38.52	36.70	-53.88	-40.00	13.88	Horizontal
2	10066	41.25	-35.17	38.77	-50.41	-40.00	10.41	Horizontal
3	11306.5	42.36	-35.30	40.11	-48.09	-40.00	8.09	Horizontal
4	14708	40.82	-31.69	41.88	-44.25	-40.00	4.25	Horizontal
5	16397.5	40.23	-28.82	38.79	-45.06	-40.00	5.06	Horizontal
6	17890	40.37	-39.39	46.34	-47.94	-40.00	7.94	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7427	42.94	-38.37	36.75	-53.94	-40.00	13.94	Vertical
2	10019.5	41.59	-35.18	38.72	-50.13	-40.00	10.13	Vertical
3	11242.5	42.98	-35.82	40.16	-47.94	-40.00	7.94	Vertical
4	14749	39.19	-30.16	41.75	-44.48	-40.00	4.48	Vertical
5	16412	39.89	-28.67	38.86	-45.18	-40.00	5.18	Vertical
6	17969	39.43	-39.75	47.64	-47.94	-40.00	7.94	Vertical

Test Band = LTE_48_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7507.5	43.07	-38.52	36.83	-53.88	-40.00	13.88	Horizontal
2	10012.5	41.33	-35.23	38.71	-50.45	-40.00	10.45	Horizontal
3	11276.5	42.61	-35.53	40.12	-48.06	-40.00	8.06	Horizontal
4	14751.5	39.09	-30.15	41.75	-44.57	-40.00	4.57	Horizontal
5	16356	40.46	-28.92	38.67	-45.05	-40.00	5.05	Horizontal
6	17972	39.47	-39.75	47.70	-47.84	-40.00	7.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7465	42.78	-38.33	36.83	-53.98	-40.00	13.98	Vertical
2	10018	41.56	-35.19	38.72	-50.17	-40.00	10.17	Vertical
3	12395.5	42.45	-35.12	39.77	-48.16	-40.00	8.16	Vertical
4	14720.5	39.91	-31.22	41.84	-44.73	-40.00	4.73	Vertical
5	16396.5	40.56	-28.82	38.79	-44.73	-40.00	4.73	Vertical
6	17972	39.65	-39.75	47.70	-47.66	-40.00	7.66	Vertical

Test Band = LTE_66_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3543.5	46.71	-44.43	29.01	-63.97	-13.00	50.97	Horizontal
2	4844	47.45	-42.68	30.62	-59.87	-13.00	46.87	Horizontal
3	7421	43.15	-37.88	36.74	-53.25	-13.00	40.25	Horizontal
4	11772.5	42.72	-34.36	39.83	-47.07	-13.00	34.07	Horizontal
5	15174	40.50	-31.16	39.86	-46.06	-13.00	33.06	Horizontal
6	17996.5	39.39	-39.77	48.14	-47.50	-13.00	34.50	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808	46.70	-43.86	29.78	-62.64	-13.00	49.64	Vertical
2	4844	52.37	-42.68	30.62	-54.95	-13.00	41.95	Vertical
3	7435.5	43.23	-37.80	36.77	-53.06	-13.00	40.06	Vertical
4	11159	42.67	-34.93	40.20	-47.32	-13.00	34.32	Vertical
5	14673.5	40.77	-33.70	41.79	-46.40	-13.00	33.40	Vertical
6	17986.5	39.72	-39.76	47.96	-47.34	-13.00	34.34	Vertical

Test Band = LTE_66_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3820.5	46.90	-43.88	29.76	-62.48	-13.00	49.48	Horizontal
2	4843.5	48.01	-42.67	30.63	-59.29	-13.00	46.29	Horizontal
3	7417.5	43.07	-37.91	36.74	-53.36	-13.00	40.36	Horizontal
4	11795.5	42.55	-33.89	39.80	-46.80	-13.00	33.80	Horizontal
5	14547	40.78	-33.45	41.55	-46.38	-13.00	33.38	Horizontal
6	17988	39.49	-39.76	47.98	-47.55	-13.00	34.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3830	46.88	-43.90	29.74	-62.54	-13.00	49.54	Vertical
2	4843.5	52.26	-42.67	30.63	-55.04	-13.00	42.04	Vertical
3	7423.5	42.88	-37.87	36.75	-53.50	-13.00	40.50	Vertical
4	11113	42.70	-34.79	40.20	-47.15	-13.00	34.15	Vertical
5	14674	40.81	-33.71	41.80	-46.36	-13.00	33.36	Vertical
6	17993.5	39.31	-39.76	48.08	-47.63	-13.00	34.63	Vertical

Test Band = LTE_66_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809	46.72	-43.86	29.78	-62.62	-13.00	49.62	Horizontal
2	4843.5	47.13	-42.67	30.63	-60.17	-13.00	47.17	Horizontal
3	7423.5	43.11	-37.87	36.75	-53.27	-13.00	40.27	Horizontal
4	11292.5	42.41	-34.86	40.11	-47.60	-13.00	34.60	Horizontal
5	14676	40.79	-33.73	41.80	-46.40	-13.00	33.40	Horizontal
6	17976.5	39.45	-39.75	47.78	-47.78	-13.00	34.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	48.65	-44.41	29.06	-61.96	-13.00	48.96	Vertical
2	4843.5	52.55	-42.67	30.63	-54.75	-13.00	41.75	Vertical
3	7436	43.21	-37.79	36.77	-53.07	-13.00	40.07	Vertical
4	11333	43.21	-35.20	40.17	-47.08	-13.00	34.08	Vertical
5	15282.5	39.82	-30.68	39.87	-46.25	-13.00	33.25	Vertical
6	17998	39.51	-39.77	48.16	-47.36	-13.00	34.36	Vertical

Test Band = LTE_70_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3200.5	46.57	-43.86	28.40	-64.15	-13.00	51.15	Horizontal
2	5130	46.47	-42.26	31.68	-59.37	-13.00	46.37	Horizontal
3	6830.5	44.78	-39.02	35.52	-53.98	-13.00	40.98	Horizontal
4	10020.5	42.26	-34.83	38.72	-49.11	-13.00	36.11	Horizontal
5	14040.5	42.58	-34.50	41.44	-45.74	-13.00	32.74	Horizontal
6	17890.5	41.75	-39.40	46.34	-46.57	-13.00	33.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3506.5	46.70	-44.39	29.09	-63.86	-13.00	50.86	Vertical
2	4843.5	51.20	-42.67	30.63	-56.10	-13.00	43.10	Vertical
3	7430.5	43.56	-37.83	36.76	-52.77	-13.00	39.77	Vertical
4	11298	43.06	-34.74	40.10	-46.84	-13.00	33.84	Vertical
5	14797	41.01	-32.64	41.61	-45.28	-13.00	32.28	Vertical
6	17974	40.84	-39.75	47.73	-46.44	-13.00	33.44	Vertical

Test Band = LTE_71_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	51.75	-47.15	24.88	-65.78	-13.00	52.78	Horizontal
2	1719	49.62	-46.76	25.06	-67.34	-13.00	54.34	Horizontal
3	2031.5	49.06	-46.30	26.37	-66.13	-13.00	53.13	Horizontal
4	3269.5	46.62	-44.56	28.56	-64.64	-13.00	51.64	Horizontal
5	4843.5	47.22	-42.79	30.63	-60.20	-13.00	47.20	Horizontal
6	9909.5	40.73	-35.03	38.61	-50.95	-13.00	37.95	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	51.08	-47.15	24.88	-66.45	-13.00	53.45	Vertical
2	2031	54.49	-46.30	26.38	-60.69	-13.00	47.69	Vertical
3	2656.5	49.41	-45.46	27.91	-63.40	-13.00	50.40	Vertical
4	4844	52.98	-42.79	30.62	-54.45	-13.00	41.45	Vertical
5	7417.5	42.71	-38.04	36.74	-53.85	-13.00	40.85	Vertical
6	9928	40.53	-34.98	38.63	-51.08	-13.00	38.08	Vertical

Test Band = LTE_71_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348	49.41	-47.10	25.08	-67.87	-13.00	54.87	Horizontal
2	1719	49.85	-46.76	25.06	-67.11	-13.00	54.11	Horizontal
3	2031.5	49.57	-46.30	26.37	-65.62	-13.00	52.62	Horizontal
4	4844	47.30	-42.79	30.62	-60.13	-13.00	47.13	Horizontal
5	7430.5	42.74	-37.90	36.76	-53.66	-13.00	40.66	Horizontal
6	9987.5	40.50	-35.02	38.69	-51.09	-13.00	38.09	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348.5	47.88	-47.10	25.09	-69.39	-13.00	56.39	Vertical
2	2031	53.81	-46.30	26.38	-61.37	-13.00	48.37	Vertical
3	2656	49.04	-45.46	27.91	-63.77	-13.00	50.77	Vertical
4	4843.5	52.41	-42.79	30.63	-55.01	-13.00	42.01	Vertical
5	7457.5	42.29	-37.76	36.82	-53.91	-13.00	40.91	Vertical
6	9974.5	40.59	-34.98	38.67	-50.98	-13.00	37.98	Vertical

Test Band = LTE_71_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358	51.45	-47.04	25.07	-65.78	-13.00	52.78	Horizontal
2	1719	49.39	-46.76	25.06	-67.57	-13.00	54.57	Horizontal
3	2031	49.51	-46.30	26.38	-65.67	-13.00	52.67	Horizontal
4	4843.5	47.28	-42.79	30.63	-60.14	-13.00	47.14	Horizontal
5	7503.5	42.62	-38.18	36.87	-53.95	-13.00	40.95	Horizontal
6	9950.5	40.40	-34.91	38.65	-51.12	-13.00	38.12	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358	49.64	-47.04	25.07	-67.59	-13.00	54.59	Vertical
2	2031.5	53.73	-46.30	26.37	-61.46	-13.00	48.46	Vertical
3	2656.5	49.08	-45.46	27.91	-63.73	-13.00	50.73	Vertical
4	4843.5	52.43	-42.79	30.63	-54.99	-13.00	41.99	Vertical
5	7429.5	42.44	-37.91	36.76	-53.97	-13.00	40.97	Vertical
6	9949	40.37	-34.91	38.65	-51.15	-13.00	38.15	Vertical

Test Band = LTE_5B_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1147.5	47.70	-47.35	24.49	-70.42	-13.00	57.42	Horizontal
2	1718.5	49.82	-46.76	25.06	-67.14	-13.00	54.14	Horizontal
3	3136.5	46.78	-45.01	28.75	-64.74	-13.00	51.74	Horizontal
4	4843.5	47.99	-42.79	30.63	-59.43	-13.00	46.43	Horizontal
5	7453.5	42.80	-37.72	36.81	-53.37	-13.00	40.37	Horizontal
6	9970	40.75	-34.97	38.67	-50.81	-13.00	37.81	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.5	48.92	-46.76	24.95	-68.15	-13.00	55.15	Vertical
2	1719	49.02	-46.76	25.06	-67.94	-13.00	54.94	Vertical
3	2031.5	48.33	-46.30	26.37	-66.86	-13.00	53.86	Vertical
4	2933	47.41	-45.19	28.23	-64.81	-13.00	51.81	Vertical
5	4843.5	52.54	-42.79	30.63	-54.88	-13.00	41.88	Vertical
6	9920	41.30	-35.00	38.62	-50.34	-13.00	37.34	Vertical

Test Band = LTE_5B_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	49.64	-46.76	25.06	-67.32	-13.00	54.32	Horizontal
2	2465.5	46.95	-45.58	27.66	-66.23	-13.00	53.23	Horizontal
3	3828	46.39	-44.11	29.74	-63.24	-13.00	50.24	Horizontal
4	4844	47.23	-42.79	30.62	-60.20	-13.00	47.20	Horizontal
5	7402	43.01	-38.22	36.70	-53.77	-13.00	40.77	Horizontal
6	9980	41.12	-35.00	38.68	-50.46	-13.00	37.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	47.45	-46.76	24.95	-69.62	-13.00	56.62	Vertical
2	1718.5	49.10	-46.76	25.06	-67.86	-13.00	54.86	Vertical
3	2656.5	47.57	-45.46	27.91	-65.24	-13.00	52.24	Vertical
4	4844	52.79	-42.79	30.62	-54.64	-13.00	41.64	Vertical
5	7481.5	42.68	-38.00	36.86	-53.72	-13.00	40.72	Vertical
6	9912	40.87	-35.02	38.61	-50.80	-13.00	37.80	Vertical

Test Band = LTE_5B_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	49.87	-46.76	25.06	-67.09	-13.00	54.09	Horizontal
2	2478.5	47.58	-45.66	27.71	-65.63	-13.00	52.63	Horizontal
3	3950	46.27	-43.83	29.90	-62.92	-13.00	49.92	Horizontal
4	4843.5	47.52	-42.79	30.63	-59.90	-13.00	46.90	Horizontal
5	7429.5	42.64	-37.91	36.76	-53.77	-13.00	40.77	Horizontal
6	9946	41.06	-34.92	38.65	-50.47	-13.00	37.47	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1370	47.50	-46.96	25.02	-69.70	-13.00	56.70	Vertical
2	1718.5	48.79	-46.76	25.06	-68.17	-13.00	55.17	Vertical
3	2031.5	48.65	-46.30	26.37	-66.54	-13.00	53.54	Vertical
4	2656	48.04	-45.46	27.91	-64.77	-13.00	51.77	Vertical
5	4843.5	52.74	-42.79	30.63	-54.68	-13.00	41.68	Vertical
6	9924	41.02	-34.99	38.62	-50.61	-13.00	37.61	Vertical

Test Band = LTE_7C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3242.5	47.93	-44.27	28.57	-63.03	-25.00	38.03	Horizontal
2	4843.5	47.80	-42.67	30.63	-59.50	-25.00	34.50	Horizontal
3	7426.5	43.36	-37.85	36.75	-53.00	-25.00	28.00	Horizontal
4	11799	42.47	-33.82	39.80	-46.81	-25.00	21.81	Horizontal
5	14802.5	40.66	-32.50	41.59	-45.51	-25.00	20.51	Horizontal
6	17995	39.65	-39.77	48.11	-47.27	-25.00	22.27	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3971	47.15	-43.74	29.86	-61.99	-25.00	36.99	Vertical
2	4844	53.31	-42.68	30.62	-54.01	-25.00	29.01	Vertical
3	7435	43.31	-37.80	36.77	-52.98	-25.00	27.98	Vertical
4	11766	42.90	-34.49	39.83	-47.02	-25.00	22.02	Vertical
5	15289.5	40.39	-30.70	39.88	-45.69	-25.00	20.69	Vertical
6	17988	40.03	-39.76	47.98	-47.01	-25.00	22.01	Vertical

Test Band = LTE_7C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3761	46.73	-43.86	29.64	-62.75	-25.00	37.75	Horizontal
2	4843.5	47.96	-42.67	30.63	-59.34	-25.00	34.34	Horizontal
3	7422	43.37	-37.88	36.74	-53.03	-25.00	28.03	Horizontal
4	11281	43.03	-35.11	40.12	-47.22	-25.00	22.22	Horizontal
5	14621.5	41.57	-33.83	41.59	-45.93	-25.00	20.93	Horizontal
6	17988.5	39.59	-39.76	47.99	-47.44	-25.00	22.44	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3806.5	46.81	-43.85	29.79	-62.51	-25.00	37.51	Vertical
2	4844	52.69	-42.68	30.62	-54.63	-25.00	29.63	Vertical
3	7423	43.41	-37.87	36.75	-52.97	-25.00	27.97	Vertical
4	11315	43.14	-34.93	40.13	-46.92	-25.00	21.92	Vertical
5	14801	40.45	-32.49	41.59	-45.71	-25.00	20.71	Vertical
6	17986	40.07	-39.76	47.95	-47.00	-25.00	22.00	Vertical

Test Band = LTE_7C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3729.5	47.63	-44.00	29.48	-62.15	-25.00	37.15	Horizontal
2	4843.5	48.24	-42.67	30.63	-59.06	-25.00	34.06	Horizontal
3	7436	43.41	-37.79	36.77	-52.87	-25.00	27.87	Horizontal
4	11781.5	42.46	-34.17	39.82	-47.15	-25.00	22.15	Horizontal
5	14805	40.35	-32.52	41.57	-45.86	-25.00	20.86	Horizontal
6	17999.5	39.50	-39.77	48.19	-47.34	-25.00	22.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.5	46.69	-43.85	29.73	-62.69	-25.00	37.69	Vertical
2	4844	52.83	-42.68	30.62	-54.49	-25.00	29.49	Vertical
3	7430.5	43.46	-37.83	36.76	-52.87	-25.00	27.87	Vertical
4	11781.5	42.69	-34.17	39.82	-46.92	-25.00	21.92	Vertical
5	14806	40.14	-32.53	41.56	-46.09	-25.00	21.09	Vertical
6	17990	39.96	-39.76	48.02	-47.04	-25.00	22.04	Vertical

Test Band = LTE_38C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3999.5	46.67	-43.75	29.80	-62.54	-25.00	37.54	Horizontal
2	4843.5	47.41	-42.67	30.63	-59.89	-25.00	34.89	Horizontal
3	7407	43.90	-37.97	36.71	-52.62	-25.00	27.62	Horizontal
4	11293.5	42.97	-34.84	40.11	-47.02	-25.00	22.02	Horizontal
5	15282.5	40.25	-30.68	39.87	-45.82	-25.00	20.82	Horizontal
6	17992.5	39.61	-39.76	48.07	-47.34	-25.00	22.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3136.5	47.97	-44.54	28.75	-63.08	-25.00	38.08	Vertical
2	4844	52.59	-42.68	30.62	-54.73	-25.00	29.73	Vertical
3	7424.5	43.69	-37.86	36.75	-52.68	-25.00	27.68	Vertical
4	11098.5	42.64	-34.76	40.20	-47.18	-25.00	22.18	Vertical
5	14682.5	41.00	-33.80	41.83	-46.23	-25.00	21.23	Vertical
6	17987.5	39.85	-39.76	47.98	-47.19	-25.00	22.19	Vertical

Test Band = LTE_38C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3677.5	47.58	-44.25	29.30	-62.63	-25.00	37.63	Horizontal
2	4843.5	47.86	-42.67	30.63	-59.44	-25.00	34.44	Horizontal
3	7463.5	43.07	-37.81	36.83	-53.17	-25.00	28.17	Horizontal
4	11115	43.04	-34.80	40.20	-46.82	-25.00	21.82	Horizontal
5	14676.5	42.04	-33.74	41.81	-45.15	-25.00	20.15	Horizontal
6	17970.5	40.03	-39.75	47.67	-47.31	-25.00	22.31	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3811.5	47.10	-43.86	29.78	-62.24	-25.00	37.24	Vertical
2	4843.5	52.75	-42.67	30.63	-54.55	-25.00	29.55	Vertical
3	7432	43.82	-37.82	36.76	-52.50	-25.00	27.50	Vertical
4	11109	42.60	-34.79	40.20	-47.25	-25.00	22.25	Vertical
5	14641	40.88	-33.57	41.66	-46.29	-25.00	21.29	Vertical
6	17987.5	39.67	-39.76	47.98	-47.37	-25.00	22.37	Vertical

Test Band = LTE_38C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.5	47.22	-43.97	29.51	-62.50	-25.00	37.50	Horizontal
2	4844	47.59	-42.68	30.62	-59.73	-25.00	34.73	Horizontal
3	7421	43.18	-37.88	36.74	-53.22	-25.00	28.22	Horizontal
4	11295	42.59	-34.81	40.11	-47.37	-25.00	22.37	Horizontal
5	14801.5	40.18	-32.49	41.59	-45.98	-25.00	20.98	Horizontal
6	17990.5	39.54	-39.76	48.03	-47.45	-25.00	22.45	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3811.5	46.84	-43.86	29.78	-62.50	-25.00	37.50	Vertical
2	4843.5	52.88	-42.67	30.63	-54.42	-25.00	29.42	Vertical
3	7443.5	43.33	-37.75	36.79	-52.89	-25.00	27.89	Vertical
4	11782	42.45	-34.16	39.82	-47.15	-25.00	22.15	Vertical
5	14678	41.26	-33.75	41.81	-45.94	-25.00	20.94	Vertical
6	17985.5	39.94	-39.76	47.94	-47.14	-25.00	22.14	Vertical

Test Band = LTE_41C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.5	46.97	-43.89	29.75	-62.43	-25.00	37.43	Horizontal
2	4844	47.63	-42.68	30.62	-59.69	-25.00	34.69	Horizontal
3	7404.5	43.58	-37.98	36.71	-52.95	-25.00	27.95	Horizontal
4	11768	42.98	-34.45	39.83	-46.90	-25.00	21.90	Horizontal
5	14800	40.18	-32.48	41.60	-45.96	-25.00	20.96	Horizontal
6	17976.5	39.84	-39.75	47.78	-47.39	-25.00	22.39	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3714.5	47.55	-44.10	29.39	-62.42	-25.00	37.42	Vertical
2	4844	52.51	-42.68	30.62	-54.81	-25.00	29.81	Vertical
3	7446	42.92	-37.73	36.79	-53.28	-25.00	28.28	Vertical
4	11823	42.68	-34.38	39.82	-47.14	-25.00	22.14	Vertical
5	15286	40.18	-30.69	39.87	-45.90	-25.00	20.90	Vertical
6	17871.5	41.17	-39.33	46.23	-47.19	-25.00	22.19	Vertical

Test Band = LTE_41C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3537.5	47.23	-44.43	29.03	-63.43	-25.00	38.43	Horizontal
2	4844	48.33	-42.68	30.62	-58.99	-25.00	33.99	Horizontal
3	7395	43.77	-38.03	36.68	-52.84	-25.00	27.84	Horizontal
4	11309.5	43.32	-34.84	40.12	-46.66	-25.00	21.66	Horizontal
5	14804.5	40.29	-32.52	41.57	-45.92	-25.00	20.92	Horizontal
6	17999	39.65	-39.77	48.18	-47.20	-25.00	22.20	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3484	47.23	-44.35	29.04	-63.34	-25.00	38.34	Vertical
2	4843.5	53.42	-42.67	30.63	-53.88	-25.00	28.88	Vertical
3	7404	43.65	-37.99	36.71	-52.89	-25.00	27.89	Vertical
4	11043	42.04	-34.23	40.14	-47.31	-25.00	22.31	Vertical
5	14679.5	41.31	-33.77	41.82	-45.90	-25.00	20.90	Vertical
6	17970	40.04	-39.75	47.66	-47.31	-25.00	22.31	Vertical

Test Band = LTE_41C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750	47.20	-43.86	29.60	-62.32	-25.00	37.32	Horizontal
2	4531	48.49	-43.08	29.66	-60.19	-25.00	35.19	Horizontal
3	7410	43.61	-37.95	36.72	-52.88	-25.00	27.88	Horizontal
4	11800.5	42.76	-33.81	39.80	-46.51	-25.00	21.51	Horizontal
5	15279	40.03	-30.67	39.86	-46.04	-25.00	21.04	Horizontal
6	17998.5	39.64	-39.77	48.17	-47.22	-25.00	22.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3813	46.71	-43.87	29.77	-62.65	-25.00	37.65	Vertical
2	4843.5	51.26	-42.67	30.63	-56.04	-25.00	31.04	Vertical
3	7394	43.33	-38.04	36.68	-53.29	-25.00	28.29	Vertical
4	11788	42.30	-34.04	39.81	-47.19	-25.00	22.19	Vertical
5	14804	40.34	-32.51	41.58	-45.85	-25.00	20.85	Vertical
6	17989	40.07	-39.76	48.00	-46.95	-25.00	21.95	Vertical

Test Band = LTE_66B_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3536.5	47.15	-44.42	29.03	-63.50	-13.00	50.50	Horizontal
2	4844	47.00	-42.68	30.62	-60.32	-13.00	47.32	Horizontal
3	7421.5	43.20	-37.88	36.74	-53.20	-13.00	40.20	Horizontal
4	11282	42.75	-35.09	40.12	-47.48	-13.00	34.48	Horizontal
5	15280.5	39.68	-30.67	39.86	-46.39	-13.00	33.39	Horizontal
6	17993	39.49	-39.76	48.07	-47.46	-13.00	34.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736	47.09	-43.96	29.52	-62.61	-13.00	49.61	Vertical
2	4843.5	51.53	-42.67	30.63	-55.77	-13.00	42.77	Vertical
3	7436.5	43.30	-37.79	36.77	-52.98	-13.00	39.98	Vertical
4	11797	42.95	-33.86	39.80	-46.37	-13.00	33.37	Vertical
5	15283.5	39.79	-30.68	39.87	-46.28	-13.00	33.28	Vertical
6	17992	39.53	-39.76	48.06	-47.43	-13.00	34.43	Vertical

Test Band = LTE_66B_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3856.5	46.53	-43.95	29.70	-62.98	-13.00	49.98	Horizontal
2	4844	47.06	-42.68	30.62	-60.26	-13.00	47.26	Horizontal
3	7408.5	43.13	-37.96	36.72	-53.37	-13.00	40.37	Horizontal
4	11783.5	42.50	-34.13	39.82	-47.07	-13.00	34.07	Horizontal
5	14802	40.12	-32.50	41.59	-46.05	-13.00	33.05	Horizontal
6	17865.5	41.11	-39.31	46.19	-47.27	-13.00	34.27	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3256.5	47.26	-44.32	28.59	-63.73	-13.00	50.73	Vertical
2	4843.5	51.94	-42.67	30.63	-55.36	-13.00	42.36	Vertical
3	7409.5	43.10	-37.95	36.72	-53.39	-13.00	40.39	Vertical
4	11795.5	42.11	-33.89	39.80	-47.24	-13.00	34.24	Vertical
5	14616	41.56	-33.90	41.56	-46.04	-13.00	33.04	Vertical
6	17995.5	39.35	-39.77	48.12	-47.56	-13.00	34.56	Vertical

Test Band = LTE_66B_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3521	47.40	-44.41	29.06	-63.21	-13.00	50.21	Horizontal
2	4843.5	48.08	-42.67	30.63	-59.22	-13.00	46.22	Horizontal
3	7468	42.87	-37.84	36.84	-53.39	-13.00	40.39	Horizontal
4	11287.5	42.78	-34.97	40.11	-47.34	-13.00	34.34	Horizontal
5	15286.5	39.59	-30.69	39.87	-46.49	-13.00	33.49	Horizontal
6	17986.5	39.35	-39.76	47.96	-47.71	-13.00	34.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3497	47.41	-44.37	29.09	-63.13	-13.00	50.13	Vertical
2	4843.5	51.83	-42.67	30.63	-55.47	-13.00	42.47	Vertical
3	7417.5	43.00	-37.91	36.74	-53.43	-13.00	40.43	Vertical
4	11039.5	41.86	-34.20	40.14	-47.46	-13.00	34.46	Vertical
5	14668	40.95	-33.64	41.77	-46.18	-13.00	33.18	Vertical
6	17987.5	39.45	-39.76	47.98	-47.59	-13.00	34.59	Vertical

Test Band = LTE_66C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3124.5	47.58	-44.56	28.80	-63.44	-13.00	50.44	Horizontal
2	4531.5	47.44	-43.08	29.66	-61.24	-13.00	48.24	Horizontal
3	7416.5	43.19	-37.91	36.73	-53.25	-13.00	40.25	Horizontal
4	11777	42.53	-34.26	39.82	-47.17	-13.00	34.17	Horizontal
5	15285	39.64	-30.69	39.87	-46.44	-13.00	33.44	Horizontal
6	17991.5	39.40	-39.76	48.05	-47.57	-13.00	34.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3213	46.80	-43.98	28.45	-63.99	-13.00	50.99	Vertical
2	4531	50.14	-43.08	29.66	-58.54	-13.00	45.54	Vertical
3	4843.5	52.11	-42.67	30.63	-55.19	-13.00	42.19	Vertical
4	7426.5	42.81	-37.85	36.75	-53.55	-13.00	40.55	Vertical
5	13027.5	42.72	-33.95	39.28	-47.21	-13.00	34.21	Vertical
6	17990.5	39.46	-39.76	48.03	-47.53	-13.00	34.53	Vertical

Test Band = LTE_66C_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3817	46.51	-43.87	29.77	-62.85	-13.00	49.85	Horizontal
2	4843.5	47.18	-42.67	30.63	-60.12	-13.00	47.12	Horizontal
3	7421	43.13	-37.88	36.74	-53.27	-13.00	40.27	Horizontal
4	11831.5	43.46	-34.59	39.83	-46.56	-13.00	33.56	Horizontal
5	15171.5	40.16	-31.17	39.87	-46.40	-13.00	33.40	Horizontal
6	17986	39.50	-39.76	47.95	-47.57	-13.00	34.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3494	47.00	-44.37	29.08	-63.55	-13.00	50.55	Vertical
2	4531.5	49.60	-43.08	29.66	-59.08	-13.00	46.08	Vertical
3	4843.5	51.59	-42.67	30.63	-55.71	-13.00	42.71	Vertical
4	7425.5	42.83	-37.86	36.75	-53.54	-13.00	40.54	Vertical
5	11152	42.51	-34.88	40.20	-47.43	-13.00	34.43	Vertical
6	17403.5	40.67	-37.35	44.51	-47.43	-13.00	34.43	Vertical

Test Band = LTE_66C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3817.5	46.42	-43.88	29.77	-62.95	-13.00	49.95	Horizontal
2	4844	47.73	-42.68	30.62	-59.59	-13.00	46.59	Horizontal
3	7418.5	42.91	-37.90	36.74	-53.51	-13.00	40.51	Horizontal
4	11823.5	42.42	-34.39	39.82	-47.41	-13.00	34.41	Horizontal
5	15283.5	40.13	-30.68	39.87	-45.94	-13.00	32.94	Horizontal
6	17993	39.41	-39.76	48.07	-47.54	-13.00	34.54	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823	46.64	-43.89	29.75	-62.76	-13.00	49.76	Vertical
2	4843.5	50.89	-42.67	30.63	-56.41	-13.00	43.41	Vertical
3	7429.5	42.98	-37.83	36.76	-53.35	-13.00	40.35	Vertical
4	11829	42.72	-34.53	39.83	-47.24	-13.00	34.24	Vertical
5	15174.5	40.37	-31.16	39.85	-46.20	-13.00	33.20	Vertical
6	17876.5	41.10	-39.35	46.26	-47.25	-13.00	34.25	Vertical

Test Band = LTE_42C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7492.4996	43.36	-38.49	36.88	-53.51	-13.00	40.51	Horizontal
2	10068.6284	41.63	-35.20	38.77	-50.06	-13.00	37.06	Horizontal
3	11322.7661	42.85	-35.44	40.15	-47.70	-13.00	34.70	Horizontal
4	14716.5858	41.00	-31.37	41.85	-43.78	-13.00	30.78	Horizontal
5	16396.8198	40.72	-28.82	38.79	-44.57	-13.00	31.57	Horizontal
6	17981.5991	39.75	-39.76	47.87	-47.40	-13.00	34.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7460.298	43.24	-38.31	36.82	-53.51	-13.00	40.51	Vertical
2	9513.1507	41.46	-35.63	37.80	-51.63	-13.00	38.63	Vertical
3	11195.1098	43.25	-35.69	40.20	-47.50	-13.00	34.50	Vertical
4	14718.3109	40.80	-31.31	41.85	-43.92	-13.00	30.92	Vertical
5	16356.5678	40.90	-28.91	38.67	-44.60	-13.00	31.60	Vertical
6	17970.6735	40.16	-39.75	47.67	-47.18	-13.00	34.18	Vertical

Test Band = LTE_42C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7499.975	43.31	-38.53	36.90	-53.58	-13.00	40.58	Horizontal
2	9551.1026	41.80	-35.95	37.80	-51.61	-13.00	38.61	Horizontal
3	11316.4408	43.18	-35.38	40.13	-47.33	-13.00	34.33	Horizontal
4	14747.0624	40.38	-30.23	41.76	-43.35	-13.00	30.35	Horizontal
5	16364.0432	41.59	-28.90	38.69	-43.88	-13.00	30.88	Horizontal
6	17970.6735	40.49	-39.75	47.67	-46.85	-13.00	33.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7489.6245	43.59	-38.47	36.88	-53.26	-13.00	40.26	Vertical
2	10039.877	41.53	-35.03	38.74	-50.02	-13.00	37.02	Vertical
3	11904.1202	43.66	-35.43	39.89	-47.14	-13.00	34.14	Vertical
4	14754.5377	40.07	-30.22	41.74	-43.67	-13.00	30.67	Vertical
5	16351.9676	41.00	-28.93	38.66	-44.53	-13.00	31.53	Vertical
6	17969.5235	40.22	-39.75	47.65	-47.14	-13.00	34.14	Vertical

Test Band = LTE_42C_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420.046	43.11	-38.41	36.74	-53.82	-13.00	40.82	Horizontal
2	10060.578	41.70	-35.10	38.76	-49.90	-13.00	36.90	Horizontal
3	11796.0148	43.32	-34.63	39.80	-46.77	-13.00	33.77	Horizontal
4	14774.6637	40.67	-30.66	41.68	-43.57	-13.00	30.57	Horizontal
5	16353.6927	41.27	-28.92	38.66	-44.25	-13.00	31.25	Horizontal
6	17870.6185	41.21	-39.32	46.22	-47.15	-13.00	34.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7421.1961	43.77	-38.41	36.74	-53.16	-13.00	40.16	Vertical
2	10015.7258	41.85	-35.21	38.72	-49.90	-13.00	36.90	Vertical
3	12406.1203	43.24	-35.15	39.75	-47.42	-13.00	34.42	Vertical
4	14729.2365	40.80	-30.90	41.81	-43.55	-13.00	30.55	Vertical
5	16362.8931	41.52	-28.90	38.69	-43.95	-13.00	30.95	Vertical
6	17987.3494	40.00	-39.76	47.97	-47.05	-13.00	34.05	Vertical

Test Band = LTE_48C_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7502	43.61	-38.53	36.88	-53.30	-40.00	13.30	Horizontal
2	10010.5	42.12	-35.24	38.71	-49.67	-40.00	9.67	Horizontal
3	12384	43.49	-35.03	39.70	-47.10	-40.00	7.10	Horizontal
4	14744	40.65	-30.34	41.77	-43.18	-40.00	3.18	Horizontal
5	16385.5	41.06	-28.84	38.76	-44.28	-40.00	4.28	Horizontal
6	17972	40.21	-39.75	47.70	-47.10	-40.00	7.10	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417	43.57	-38.43	36.73	-53.39	-40.00	13.39	Vertical
2	10045	41.69	-35.00	38.75	-49.82	-40.00	9.82	Vertical
3	11318	43.37	-35.40	40.14	-47.15	-40.00	7.15	Vertical
4	14749.5	40.27	-30.14	41.75	-43.38	-40.00	3.38	Vertical
5	16357.5	41.25	-28.91	38.67	-44.25	-40.00	4.25	Vertical
6	17986	40.27	-39.76	47.95	-46.80	-40.00	6.80	Vertical

Test Band = LTE_48C_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7436	43.20	-38.33	36.77	-53.62	-40.00	13.62	Horizontal
2	9338.5	41.99	-35.90	37.33	-51.84	-40.00	11.84	Horizontal
3	11296	43.37	-35.30	40.10	-47.09	-40.00	7.09	Horizontal
4	14756.5	40.26	-30.26	41.73	-43.53	-40.00	3.53	Horizontal
5	16350	41.52	-28.93	38.65	-44.02	-40.00	4.02	Horizontal
6	17971	40.07	-39.75	47.68	-47.26	-40.00	7.26	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7463	43.44	-38.32	36.83	-53.31	-40.00	13.31	Vertical
2	10073	42.20	-35.26	38.77	-49.55	-40.00	9.55	Vertical
3	11779	43.25	-34.98	39.82	-47.17	-40.00	7.17	Vertical
4	14774.5	40.78	-30.65	41.68	-43.45	-40.00	3.45	Vertical
5	16345	41.63	-28.91	38.64	-43.90	-40.00	3.90	Vertical
6	17990	40.00	-39.76	48.02	-47.00	-40.00	7.00	Vertical

Test Band = LTE_48C_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7429	43.34	-38.36	36.76	-53.52	-40.00	13.52	Horizontal
2	10034	41.77	-35.08	38.73	-49.84	-40.00	9.84	Horizontal
3	11894.5	44.06	-35.51	39.89	-46.82	-40.00	6.82	Horizontal
4	14747	40.37	-30.23	41.76	-43.36	-40.00	3.36	Horizontal
5	16354.5	41.56	-28.92	38.66	-43.96	-40.00	3.96	Horizontal
6	17885.5	41.36	-39.38	46.31	-46.97	-40.00	6.97	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7460	43.04	-38.31	36.82	-53.71	-40.00	13.71	Vertical
2	9976.5	42.26	-35.44	38.68	-49.76	-40.00	9.76	Vertical
3	11319.5	43.50	-35.41	40.14	-47.03	-40.00	7.03	Vertical
4	14780	40.94	-30.77	41.66	-43.43	-40.00	3.43	Vertical
5	16352	41.46	-28.93	38.66	-44.07	-40.00	4.07	Vertical
6	17894.5	41.65	-39.41	46.37	-46.65	-40.00	6.65	Vertical

Test Band = LTE_CA_2A-4A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3479.5	46.80	-44.34	29.02	-63.78	-13.00	50.78	Horizontal
2	4531	48.71	-43.08	29.66	-59.97	-13.00	46.97	Horizontal
3	7506	43.74	-38.08	36.84	-52.76	-13.00	39.76	Horizontal
4	11334	43.95	-35.22	40.17	-46.36	-13.00	33.36	Horizontal
5	14805.5	40.82	-32.53	41.57	-45.40	-13.00	32.40	Horizontal
6	17990	40.32	-39.76	48.02	-46.68	-13.00	33.68	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422	50.51	-44.29	28.73	-60.31	-13.00	47.31	Vertical
2	4531.5	51.88	-43.08	29.66	-56.80	-13.00	43.80	Vertical
3	4843.5	50.38	-42.67	30.63	-56.92	-13.00	43.92	Vertical
4	7427.5	43.84	-37.85	36.76	-52.51	-13.00	39.51	Vertical
5	11287.5	43.85	-34.97	40.11	-46.27	-13.00	33.27	Vertical
6	17196.5	41.81	-35.54	42.49	-46.50	-13.00	33.50	Vertical

Test Band = LTE_CA_2A-4A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3799.5	47.16	-43.84	29.80	-62.14	-13.00	49.14	Horizontal
2	4531	49.56	-43.08	29.66	-59.12	-13.00	46.12	Horizontal
3	7497.5	43.97	-38.06	36.90	-52.45	-13.00	39.45	Horizontal
4	11809	43.18	-34.03	39.81	-46.30	-13.00	33.30	Horizontal
5	14669	41.78	-33.66	41.78	-45.36	-13.00	32.36	Horizontal
6	17996.5	40.53	-39.77	48.14	-46.36	-13.00	33.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	50.45	-44.28	28.88	-60.21	-13.00	47.21	Vertical
2	4531.5	51.92	-43.08	29.66	-56.76	-13.00	43.76	Vertical
3	4844	50.03	-42.68	30.62	-57.29	-13.00	44.29	Vertical
4	7914.5	43.56	-37.22	36.47	-52.45	-13.00	39.45	Vertical
5	11804.5	43.78	-33.91	39.80	-45.59	-13.00	32.59	Vertical
6	17988.5	40.55	-39.76	47.99	-46.48	-13.00	33.48	Vertical

Test Band = LTE_CA_2A-4A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	47.22	-44.32	28.99	-63.37	-13.00	50.37	Horizontal
2	4531.5	49.45	-43.08	29.66	-59.23	-13.00	46.23	Horizontal
3	7491.5	43.51	-38.02	36.88	-52.89	-13.00	39.89	Horizontal
4	11796	43.34	-33.88	39.80	-46.00	-13.00	33.00	Horizontal
5	14678.5	41.93	-33.76	41.81	-45.28	-13.00	32.28	Horizontal
6	17991.5	40.41	-39.76	48.05	-46.56	-13.00	33.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	50.01	-44.33	28.99	-60.59	-13.00	47.59	Vertical
2	4531	51.96	-43.08	29.66	-56.72	-13.00	43.72	Vertical
3	4843.5	49.53	-42.67	30.63	-57.77	-13.00	44.77	Vertical
4	7431	44.10	-37.82	36.76	-52.22	-13.00	39.22	Vertical
5	11330.5	43.69	-35.16	40.16	-46.57	-13.00	33.57	Vertical
6	17994	40.44	-39.77	48.09	-46.50	-13.00	33.50	Vertical

Test Band = LTE_CA_4A-7A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3498.5	47.38	-44.38	29.09	-63.17	-25.00	38.17	Horizontal
2	4531	48.25	-43.08	29.66	-60.43	-25.00	35.43	Horizontal
3	7415.5	44.05	-37.92	36.73	-52.40	-25.00	27.40	Horizontal
4	11287	43.63	-34.98	40.11	-46.50	-25.00	21.50	Horizontal
5	14797.5	40.74	-32.61	41.61	-45.52	-25.00	20.52	Horizontal
6	17994.5	40.57	-39.77	48.10	-46.36	-25.00	21.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531.5	52.03	-43.08	29.66	-56.65	-25.00	31.65	Vertical
2	4844	49.52	-42.68	30.62	-57.80	-25.00	32.80	Vertical
3	5002	49.10	-42.44	31.22	-57.38	-25.00	32.38	Vertical
4	7503.5	51.28	-38.08	36.87	-45.19	-25.00	20.19	Vertical
5	11829	43.72	-34.53	39.83	-46.24	-25.00	21.24	Vertical
6	17168.5	42.33	-35.81	42.37	-46.37	-25.00	21.37	Vertical

Test Band = LTE_CA_4A-7A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797	47.07	-43.84	29.79	-62.24	-25.00	37.24	Horizontal
2	4531	48.71	-43.08	29.66	-59.97	-25.00	34.97	Horizontal
3	7408	44.35	-37.96	36.72	-52.15	-25.00	27.15	Horizontal
4	11242.5	43.70	-35.69	40.16	-47.09	-25.00	22.09	Horizontal
5	15281	41.25	-30.68	39.86	-44.83	-25.00	19.83	Horizontal
6	17974.5	40.74	-39.75	47.74	-46.53	-25.00	21.53	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	48.32	-44.28	28.88	-62.34	-25.00	37.34	Vertical
2	4531	52.02	-43.08	29.66	-56.66	-25.00	31.66	Vertical
3	4843.5	49.82	-42.67	30.63	-57.48	-25.00	32.48	Vertical
4	5052	49.43	-42.43	31.60	-56.66	-25.00	31.66	Vertical
5	7578	52.55	-38.07	36.62	-44.16	-25.00	19.16	Vertical
6	17984.5	40.88	-39.76	47.92	-46.22	-25.00	21.22	Vertical

Test Band = LTE_CA_4A-7A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531.5	49.77	-43.08	29.66	-58.91	-25.00	33.91	Horizontal
2	6052.5	45.15	-40.57	33.50	-57.18	-25.00	32.18	Horizontal
3	7653.5	44.36	-37.45	36.61	-51.74	-25.00	26.74	Horizontal
4	11305.5	43.21	-34.78	40.11	-46.72	-25.00	21.72	Horizontal
5	14676.5	41.77	-33.74	41.81	-45.42	-25.00	20.42	Horizontal
6	17992.5	40.59	-39.76	48.07	-46.36	-25.00	21.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531	51.54	-43.08	29.66	-57.14	-25.00	32.14	Vertical
2	4844	49.52	-42.68	30.62	-57.80	-25.00	32.80	Vertical
3	5102	51.92	-42.36	31.51	-54.19	-25.00	29.19	Vertical
4	7653	53.88	-37.45	36.61	-42.22	-25.00	17.22	Vertical
5	11790	42.94	-34.00	39.81	-46.51	-25.00	21.51	Vertical
6	18000	40.48	-39.77	48.20	-46.35	-25.00	21.35	Vertical

Test Band = LTE_CA_5A-12A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	48.34	-46.76	24.90	-68.78	-13.00	55.78	Horizontal
2	2031.5	47.39	-46.30	26.37	-67.80	-13.00	54.80	Horizontal
3	2656	47.20	-45.46	27.91	-65.61	-13.00	52.61	Horizontal
4	4531	47.79	-43.13	29.66	-60.94	-13.00	47.94	Horizontal
5	4843.5	49.30	-42.79	30.63	-58.12	-13.00	45.12	Horizontal
6	9889	41.38	-35.04	38.51	-50.41	-13.00	37.41	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1719	49.23	-46.76	25.06	-67.73	-13.00	54.73	Vertical
2	2031	52.58	-46.30	26.38	-62.60	-13.00	49.60	Vertical
3	2656.5	50.05	-45.46	27.91	-62.76	-13.00	49.76	Vertical
4	4531.5	50.87	-43.13	29.66	-57.86	-13.00	44.86	Vertical
5	4843.5	50.48	-42.79	30.63	-56.94	-13.00	43.94	Vertical
6	9936	41.11	-34.95	38.64	-50.46	-13.00	37.46	Vertical

Test Band = LTE_CA_5A-12A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1467	46.97	-46.89	25.16	-70.02	-13.00	57.02	Horizontal
2	2493.5	47.00	-45.75	27.77	-66.24	-13.00	53.24	Horizontal
3	3838.5	46.68	-44.07	29.72	-62.93	-13.00	49.93	Horizontal
4	4843.5	47.50	-42.79	30.63	-59.92	-13.00	46.92	Horizontal
5	7430	43.02	-37.90	36.76	-53.38	-13.00	40.38	Horizontal
6	9889.5	42.08	-35.04	38.52	-49.70	-13.00	36.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	48.50	-46.76	24.95	-68.57	-13.00	55.57	Vertical
2	2031.5	52.08	-46.30	26.37	-63.11	-13.00	50.11	Vertical
3	2656	49.12	-45.46	27.91	-63.69	-13.00	50.69	Vertical
4	4531.5	50.83	-43.13	29.66	-57.90	-13.00	44.90	Vertical
5	4844	50.16	-42.79	30.62	-57.27	-13.00	44.27	Vertical
6	9985.5	41.63	-35.02	38.69	-49.96	-13.00	36.96	Vertical

Test Band = LTE_CA_5A-12A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413	48.39	-46.76	25.00	-68.63	-13.00	55.63	Horizontal
2	2031	47.85	-46.30	26.38	-67.33	-13.00	54.33	Horizontal
3	3115	46.66	-45.06	28.84	-64.82	-13.00	51.82	Horizontal
4	4531	48.25	-43.13	29.66	-60.48	-13.00	47.48	Horizontal
5	4843.5	47.97	-42.79	30.63	-59.45	-13.00	46.45	Horizontal
6	9944	41.38	-34.93	38.64	-50.17	-13.00	37.17	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	2031	52.55	-46.30	26.38	-62.63	-13.00	49.63	Vertical
2	2656	49.98	-45.46	27.91	-62.83	-13.00	49.83	Vertical
3	4531.5	50.60	-43.13	29.66	-58.13	-13.00	45.13	Vertical
4	4843.5	50.24	-42.79	30.63	-57.18	-13.00	44.18	Vertical
5	7484	43.14	-38.02	36.87	-53.27	-13.00	40.27	Vertical
6	9936	41.36	-34.95	38.64	-50.21	-13.00	37.21	Vertical

Test Band = LTE_CA_7A-66A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3935	47.14	-43.81	29.84	-62.09	-25.00	37.09	Horizontal
2	6048.5	45.02	-40.58	33.49	-57.33	-25.00	32.33	Horizontal
3	7503	44.58	-38.08	36.87	-51.89	-25.00	26.89	Horizontal
4	11295	43.11	-34.81	40.11	-46.85	-25.00	21.85	Horizontal
5	14674	41.71	-33.71	41.80	-45.46	-25.00	20.46	Horizontal
6	17993.5	40.48	-39.76	48.08	-46.46	-25.00	21.46	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422	51.12	-44.29	28.73	-59.70	-25.00	34.70	Vertical
2	4531.5	51.44	-43.08	29.66	-57.24	-25.00	32.24	Vertical
3	4844	49.37	-42.68	30.62	-57.95	-25.00	32.95	Vertical
4	7503	51.55	-38.08	36.87	-44.92	-25.00	19.92	Vertical
5	11782	43.24	-34.16	39.82	-46.36	-25.00	21.36	Vertical
6	17872.5	41.77	-39.33	46.24	-46.58	-25.00	21.58	Vertical

Test Band = LTE_CA_7A-66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	47.18	-44.32	28.99	-63.41	-25.00	38.41	Horizontal
2	5504.5	45.78	-41.46	32.38	-58.56	-25.00	33.56	Horizontal
3	7422.5	43.70	-37.88	36.75	-52.69	-25.00	27.69	Horizontal
4	11289	43.48	-34.94	40.11	-46.61	-25.00	21.61	Horizontal
5	14804.5	41.21	-32.52	41.57	-45.00	-25.00	20.00	Horizontal
6	17990	40.52	-39.76	48.02	-46.48	-25.00	21.48	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	50.86	-44.32	28.99	-59.73	-25.00	34.73	Vertical
2	4531.5	51.59	-43.08	29.66	-57.09	-25.00	32.09	Vertical
3	4843.5	50.00	-42.67	30.63	-57.30	-25.00	32.30	Vertical
4	7578	47.54	-38.07	36.62	-49.17	-25.00	24.17	Vertical
5	11287.5	43.58	-34.97	40.11	-46.54	-25.00	21.54	Vertical
6	17997	40.88	-39.77	48.15	-46.00	-25.00	21.00	Vertical

Test Band = LTE_CA_7A-66A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3956	46.81	-43.74	29.89	-62.30	-25.00	37.30	Horizontal
2	5753	45.77	-41.14	32.49	-58.14	-25.00	33.14	Horizontal
3	7498	43.60	-38.07	36.90	-52.83	-25.00	27.83	Horizontal
4	11793	43.07	-33.94	39.81	-46.32	-25.00	21.32	Horizontal
5	15283.5	40.83	-30.68	39.87	-45.24	-25.00	20.24	Horizontal
6	17992	40.84	-39.76	48.06	-46.12	-25.00	21.12	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	50.30	-44.41	29.06	-60.31	-25.00	35.31	Vertical
2	4531	50.76	-43.08	29.66	-57.92	-25.00	32.92	Vertical
3	4843.5	50.92	-42.67	30.63	-56.38	-25.00	31.38	Vertical
4	7653	46.62	-37.45	36.61	-49.48	-25.00	24.48	Vertical
5	11799.5	43.34	-33.81	39.80	-45.93	-25.00	20.93	Vertical
6	17988.5	40.86	-39.76	47.99	-46.17	-25.00	21.17	Vertical

Test Band = LTE_CA_12A-48A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7431.5	43.27	-38.35	36.76	-53.58	-40.00	13.58	Horizontal
2	10020.5	41.71	-35.17	38.72	-50.00	-40.00	10.00	Horizontal
3	11809	42.94	-34.76	39.81	-47.27	-40.00	7.27	Horizontal
4	14031.5	42.21	-32.44	41.39	-44.10	-40.00	4.10	Horizontal
5	16359	41.66	-28.91	38.68	-43.83	-40.00	3.83	Horizontal
6	17974.5	40.38	-39.75	47.74	-46.89	-40.00	6.89	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7456.5	43.42	-38.29	36.81	-53.32	-40.00	13.32	Vertical
2	10077.5	41.98	-35.32	38.78	-49.82	-40.00	9.82	Vertical
3	11811.5	43.36	-34.82	39.81	-46.91	-40.00	6.91	Vertical
4	13297.5	42.20	-33.01	39.89	-46.18	-40.00	6.18	Vertical
5	16397.5	41.25	-28.82	38.79	-44.04	-40.00	4.04	Vertical
6	17969.5	40.44	-39.75	47.65	-46.92	-40.00	6.92	Vertical

Test Band = LTE_CA_12A-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7426	43.52	-38.38	36.75	-53.37	-40.00	13.37	Horizontal
2	10013.5	42.29	-35.22	38.71	-49.48	-40.00	9.48	Horizontal
3	12330.5	42.65	-34.81	39.38	-48.04	-40.00	8.04	Horizontal
4	14039	41.47	-32.31	41.43	-44.67	-40.00	4.67	Horizontal
5	16396	40.64	-28.82	38.79	-44.65	-40.00	4.65	Horizontal
6	17968.5	39.67	-39.74	47.63	-47.70	-40.00	7.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7421.5	43.52	-38.40	36.74	-53.40	-40.00	13.40	Vertical
2	9983	42.15	-35.41	38.68	-49.84	-40.00	9.84	Vertical
3	11276	43.10	-35.53	40.12	-47.57	-40.00	7.57	Vertical
4	14036.5	41.78	-32.35	41.42	-44.41	-40.00	4.41	Vertical
5	16350	40.93	-28.93	38.65	-44.61	-40.00	4.61	Vertical
6	17967	40.14	-39.74	47.61	-47.25	-40.00	7.25	Vertical

Test Band = LTE_CA_12A-48A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402.5	43.66	-38.51	36.71	-53.40	-40.00	13.40	Horizontal
2	10045	41.57	-35.00	38.75	-49.94	-40.00	9.94	Horizontal
3	11811.5	42.53	-34.82	39.81	-47.74	-40.00	7.74	Horizontal
4	14040.5	41.29	-32.29	41.44	-44.82	-40.00	4.82	Horizontal
5	16486	40.20	-29.07	39.23	-44.90	-40.00	4.90	Horizontal
6	17966.5	39.77	-39.74	47.60	-47.63	-40.00	7.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7400.5	43.66	-38.52	36.70	-53.42	-40.00	13.42	Vertical
2	10037.5	41.90	-35.05	38.74	-49.67	-40.00	9.67	Vertical
3	13359.5	42.40	-33.82	39.72	-46.96	-40.00	6.96	Vertical
4	14645.5	40.73	-31.36	41.68	-44.21	-40.00	4.21	Vertical
5	16385.5	40.45	-28.84	38.76	-44.89	-40.00	4.89	Vertical
6	17870	40.47	-39.32	46.22	-47.89	-40.00	7.89	Vertical

Test Band = LTE_CA_13A_5MHz-48A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7510.5	43.26	-38.52	36.80	-53.72	-40.00	13.72	Horizontal
2	10023	41.76	-35.15	38.72	-49.93	-40.00	9.93	Horizontal
3	12377.5	42.89	-34.98	39.67	-47.68	-40.00	7.68	Horizontal
4	14646	40.78	-31.35	41.68	-44.15	-40.00	4.15	Horizontal
5	16366.5	40.80	-28.89	38.70	-44.65	-40.00	4.65	Horizontal
6	17969	39.65	-39.75	47.64	-47.72	-40.00	7.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7414.5	43.34	-38.44	36.73	-53.63	-40.00	13.63	Vertical
2	10075.5	41.81	-35.29	38.78	-49.96	-40.00	9.96	Vertical
3	12324.5	42.64	-34.83	39.35	-48.10	-40.00	8.10	Vertical
4	14646.5	40.46	-31.34	41.69	-44.45	-40.00	4.45	Vertical
5	16448.5	39.86	-28.23	39.04	-44.59	-40.00	4.59	Vertical
6	17972	39.51	-39.75	47.70	-47.80	-40.00	7.80	Vertical

Test Band = LTE_CA_13A_5MHz-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7423.5	43.10	-38.39	36.75	-53.80	-40.00	13.80	Horizontal
2	9509.5	41.15	-35.59	37.80	-51.90	-40.00	11.90	Horizontal
3	11241	42.99	-35.81	40.16	-47.92	-40.00	7.92	Horizontal
4	14564	40.78	-31.30	41.54	-44.24	-40.00	4.24	Horizontal
5	16360.5	40.56	-28.90	38.68	-44.92	-40.00	4.92	Horizontal
6	17968	39.88	-39.74	47.62	-47.50	-40.00	7.50	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7446	43.15	-38.27	36.79	-53.59	-40.00	13.59	Vertical
2	10012	41.90	-35.23	38.71	-49.88	-40.00	9.88	Vertical
3	11755.5	43.11	-35.47	39.84	-47.78	-40.00	7.78	Vertical
4	14745	39.44	-30.31	41.77	-44.36	-40.00	4.36	Vertical
5	16361	40.75	-28.90	38.68	-44.73	-40.00	4.73	Vertical
6	17968.5	39.82	-39.74	47.63	-47.55	-40.00	7.55	Vertical

Test Band = LTE_CA_13A_5MHz-48A_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7465.5	42.99	-38.34	36.83	-53.78	-40.00	13.78	Horizontal
2	10047	41.45	-34.98	38.75	-50.04	-40.00	10.04	Horizontal
3	11269.5	42.92	-35.61	40.13	-47.82	-40.00	7.82	Horizontal
4	14035	41.24	-32.38	41.41	-44.99	-40.00	4.99	Horizontal
5	16349.5	40.82	-28.93	38.65	-44.72	-40.00	4.72	Horizontal
6	17970.5	39.52	-39.75	47.67	-47.82	-40.00	7.82	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7434.5	43.23	-38.33	36.77	-53.59	-40.00	13.59	Vertical
2	10040.5	41.74	-35.03	38.74	-49.81	-40.00	9.81	Vertical
3	11856.5	43.18	-35.69	39.86	-47.91	-40.00	7.91	Vertical
4	14748.5	39.41	-30.18	41.75	-44.28	-40.00	4.28	Vertical
5	16359	41.12	-28.91	38.68	-44.37	-40.00	4.37	Vertical
6	17967.5	39.70	-39.74	47.62	-47.68	-40.00	7.68	Vertical

Test Band = LTE_CA_13A_10MHz-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7405	43.38	-38.49	36.71	-53.66	-40.00	13.66	Horizontal
2	10024	41.41	-35.15	38.72	-50.28	-40.00	10.28	Horizontal
3	12395.5	43.12	-35.12	39.77	-47.49	-40.00	7.49	Horizontal
4	14777.5	39.93	-30.72	41.67	-44.38	-40.00	4.38	Horizontal
5	16360	40.55	-28.91	38.68	-44.94	-40.00	4.94	Horizontal
6	17969	39.38	-39.75	47.64	-47.99	-40.00	7.99	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7449	43.12	-38.26	36.80	-53.60	-40.00	13.60	Vertical
2	10032	41.98	-35.09	38.73	-49.64	-40.00	9.64	Vertical
3	11798	42.12	-34.59	39.80	-47.93	-40.00	7.93	Vertical
4	14542	40.43	-31.06	41.56	-44.33	-40.00	4.33	Vertical
5	16430	39.71	-28.45	38.95	-45.05	-40.00	5.05	Vertical
6	17970.5	39.44	-39.75	47.67	-47.90	-40.00	7.90	Vertical

Test Band = LTE_CA_14A_5MHz-30A_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3500	46.66	-44.38	29.10	-63.88	-40.00	23.88	Horizontal
2	4531.5	48.90	-43.08	29.66	-59.78	-40.00	19.78	Horizontal
3	7500	42.80	-38.08	36.90	-53.64	-40.00	13.64	Horizontal
4	11796	42.05	-33.88	39.80	-47.29	-40.00	7.29	Horizontal
5	14681.5	40.54	-33.79	41.83	-46.68	-40.00	6.68	Horizontal
6	17991.5	39.19	-39.76	48.05	-47.78	-40.00	7.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	54.97	-42.90	30.12	-53.07	-40.00	13.07	Vertical
2	6916	46.22	-38.94	35.37	-52.61	-40.00	12.61	Vertical
3	9221.5	43.18	-35.35	37.50	-49.93	-40.00	9.93	Vertical
4	11800	43.00	-33.80	39.80	-46.26	-40.00	6.26	Vertical
5	14610	41.59	-33.98	41.54	-46.11	-40.00	6.11	Vertical
6	17989.5	39.14	-39.76	48.01	-47.87	-40.00	7.87	Vertical

Test Band = LTE_CA_14A_5MHz-30A_5MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3827.5	46.77	-43.90	29.75	-62.64	-40.00	22.64	Horizontal
2	4843.5	47.59	-42.67	30.63	-59.71	-40.00	19.71	Horizontal
3	7422	43.10	-37.88	36.74	-53.30	-40.00	13.30	Horizontal
4	11152	42.43	-34.88	40.20	-47.51	-40.00	7.51	Horizontal
5	14671	40.97	-33.68	41.78	-46.19	-40.00	6.19	Horizontal
6	17865	40.53	-39.30	46.19	-47.84	-40.00	7.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	55.98	-42.90	30.13	-52.05	-40.00	12.05	Vertical
2	6923.5	46.75	-38.99	35.35	-52.15	-40.00	12.15	Vertical
3	9231.5	42.08	-35.36	37.50	-51.04	-40.00	11.04	Vertical
4	11794.5	42.35	-33.91	39.81	-47.01	-40.00	7.01	Vertical
5	15679.5	40.01	-29.66	38.50	-46.41	-40.00	6.41	Vertical
6	17992.5	39.22	-39.76	48.07	-47.73	-40.00	7.73	Vertical

Test Band = LTE_CA_14A_5MHz-30A_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3767.5	46.44	-43.85	29.67	-63.00	-40.00	23.00	Horizontal
2	4843.5	47.67	-42.67	30.63	-59.63	-40.00	19.63	Horizontal
3	7394	43.19	-38.04	36.68	-53.43	-40.00	13.43	Horizontal
4	10708.5	42.11	-34.93	39.51	-48.57	-40.00	8.57	Horizontal
5	13424.5	42.08	-33.13	39.67	-46.64	-40.00	6.64	Horizontal
6	17996	38.95	-39.77	48.13	-47.95	-40.00	7.95	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	56.00	-42.90	30.14	-52.02	-40.00	12.02	Vertical
2	6931	47.23	-39.04	35.34	-51.73	-40.00	11.73	Vertical
3	9241.5	41.52	-35.37	37.50	-51.61	-40.00	11.61	Vertical
4	11799.5	41.95	-33.81	39.80	-47.32	-40.00	7.32	Vertical
5	15284.5	39.38	-30.69	39.87	-46.70	-40.00	6.70	Vertical
6	17994.5	39.32	-39.77	48.10	-47.61	-40.00	7.61	Vertical

Test Band = LTE_CA_14A_10MHz-30A_10MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4844	48.18	-42.68	30.62	-59.14	-40.00	19.14	Horizontal
2	7412	43.08	-37.94	36.72	-53.40	-40.00	13.40	Horizontal
3	11289	42.47	-34.94	40.11	-47.62	-40.00	7.62	Horizontal
4	14678.5	40.57	-33.76	41.81	-46.64	-40.00	6.64	Horizontal
5	16360	40.80	-30.73	38.68	-46.51	-40.00	6.51	Horizontal
6	17974.5	39.11	-39.75	47.74	-48.16	-40.00	8.16	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611.5	54.54	-42.90	30.12	-53.50	-40.00	13.50	Vertical
2	6917	46.73	-38.95	35.37	-52.11	-40.00	12.11	Vertical
3	9222	42.39	-35.35	37.50	-50.72	-40.00	10.72	Vertical
4	11255.5	43.69	-35.65	40.14	-47.08	-40.00	7.08	Vertical
5	14670.5	40.79	-33.67	41.78	-46.36	-40.00	6.36	Vertical
6	17972.5	39.63	-39.75	47.71	-47.67	-40.00	7.67	Vertical

Test Band = LTE_CA_25A-48A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7423.68	43.01	-38.39	36.75	-53.89	-40.00	13.89	Horizontal
2	10012.56	41.77	-35.23	38.71	-50.01	-40.00	10.01	Horizontal
3	11326.78	42.88	-35.47	40.15	-47.70	-40.00	7.70	Horizontal
4	14753.78	39.54	-30.20	41.74	-44.18	-40.00	4.18	Horizontal
5	16357.8	40.66	-28.91	38.67	-44.84	-40.00	4.84	Horizontal
6	17961.36	39.72	-39.74	47.50	-47.78	-40.00	7.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7500.04	43.24	-38.53	36.90	-53.65	-40.00	13.65	Vertical
2	10011.18	42.23	-35.24	38.71	-49.56	-40.00	9.56	Vertical
3	12367.3	42.37	-34.90	39.60	-48.19	-40.00	8.19	Vertical
4	14226.16	41.41	-32.16	41.82	-44.19	-40.00	4.19	Vertical
5	16433.24	39.79	-28.41	38.97	-44.91	-40.00	4.91	Vertical
6	17967.8	39.64	-39.74	47.62	-47.74	-40.00	7.74	Vertical

Test Band = LTE_CA_25A-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7426.9	42.70	-38.37	36.75	-54.18	-40.00	14.18	Horizontal
2	10038.32	41.10	-35.04	38.74	-50.46	-40.00	10.46	Horizontal
3	12402.26	42.38	-35.16	39.78	-48.26	-40.00	8.26	Horizontal
4	14716.06	40.36	-31.39	41.85	-44.44	-40.00	4.44	Horizontal
5	16360.56	40.48	-28.90	38.68	-45.00	-40.00	5.00	Horizontal
6	17971.02	39.47	-39.75	47.68	-47.86	-40.00	7.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7497.28	43.09	-38.51	36.89	-53.79	-40.00	13.79	Vertical
2	10030.5	41.56	-35.10	38.73	-50.07	-40.00	10.07	Vertical
3	12310.72	42.79	-34.86	39.26	-48.07	-40.00	8.07	Vertical
4	14035.72	41.41	-32.37	41.41	-44.81	-40.00	4.81	Vertical
5	16362.86	40.80	-28.90	38.69	-44.67	-40.00	4.67	Vertical
6	17982.06	39.68	-39.76	47.88	-47.46	-40.00	7.46	Vertical

Test Band = LTE_CA_25A-48A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7378.6	43.12	-38.58	36.61	-54.11	-40.00	14.11	Horizontal
2	10012.56	41.59	-35.23	38.71	-50.19	-40.00	10.19	Horizontal
3	12380.64	42.53	-35.01	39.68	-48.06	-40.00	8.06	Horizontal
4	14044	41.18	-32.23	41.46	-44.85	-40.00	4.85	Horizontal
5	16361.48	40.73	-28.90	38.68	-44.75	-40.00	4.75	Horizontal
6	17967.34	40.03	-39.74	47.61	-47.36	-40.00	7.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7968.78	43.40	-37.49	36.40	-52.95	-40.00	12.95	Vertical
2	10015.32	41.66	-35.21	38.72	-50.09	-40.00	10.09	Vertical
3	11780.8	42.64	-34.95	39.82	-47.75	-40.00	7.75	Vertical
4	14040.32	41.37	-32.29	41.44	-44.74	-40.00	4.74	Vertical
5	16354.12	41.23	-28.92	38.66	-44.29	-40.00	4.29	Vertical
6	17971.94	39.74	-39.75	47.69	-47.58	-40.00	7.58	Vertical

Test Band = LTE_CA_26A_15MHz-38A_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3808.5	46.58	-43.86	29.78	-62.76	-25.00	37.76	Horizontal
2	5142	50.54	-42.22	31.75	-55.19	-25.00	30.19	Horizontal
3	7420.5	43.43	-37.89	36.74	-52.98	-25.00	27.98	Horizontal
4	11291.5	43.08	-34.88	40.11	-46.95	-25.00	21.95	Horizontal
5	14618	41.30	-33.87	41.57	-46.26	-25.00	21.26	Horizontal
6	17967.5	40.16	-39.74	47.62	-47.22	-25.00	22.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3836.5	46.76	-43.91	29.73	-62.68	-25.00	37.68	Vertical
2	5142.5	58.65	-42.22	31.76	-47.07	-25.00	22.07	Vertical
3	7713	46.18	-37.30	36.70	-49.68	-25.00	24.68	Vertical
4	10284.5	42.47	-34.67	39.04	-48.42	-25.00	23.42	Vertical
5	13381.5	42.22	-33.56	39.66	-46.94	-25.00	21.94	Vertical
6	17987	40.01	-39.76	47.97	-47.04	-25.00	22.04	Vertical

Test Band = LTE_CA_26A_15MHz-38A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3818.5	46.56	-43.88	29.76	-62.82	-25.00	37.82	Horizontal
2	5172	49.58	-42.10	31.84	-55.94	-25.00	30.94	Horizontal
3	7422	43.20	-37.88	36.74	-53.20	-25.00	28.20	Horizontal
4	11152.5	42.84	-34.88	40.20	-47.10	-25.00	22.10	Horizontal
5	14805	40.51	-32.52	41.57	-45.70	-25.00	20.70	Horizontal
6	17969.5	39.78	-39.75	47.65	-47.58	-25.00	22.58	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3805	46.75	-43.85	29.79	-62.57	-25.00	37.57	Vertical
2	5172	60.54	-42.10	31.84	-44.98	-25.00	19.98	Vertical
3	7758.5	45.33	-37.49	36.43	-50.99	-25.00	25.99	Vertical
4	10344.5	44.23	-34.78	39.14	-46.67	-25.00	21.67	Vertical
5	13448.5	42.04	-32.71	39.75	-46.18	-25.00	21.18	Vertical
6	17991.5	39.65	-39.76	48.05	-47.32	-25.00	22.32	Vertical

Test Band = LTE_CA_26A_15MHz-38A_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3488	46.87	-44.36	29.05	-63.70	-25.00	38.70	Horizontal
2	5202	51.70	-41.99	31.89	-53.66	-25.00	28.66	Horizontal
3	7498	43.34	-38.07	36.90	-53.09	-25.00	28.09	Horizontal
4	11291	42.73	-34.89	40.11	-47.31	-25.00	22.31	Horizontal
5	14805.5	40.80	-32.53	41.57	-45.42	-25.00	20.42	Horizontal
6	17999	39.53	-39.77	48.18	-47.32	-25.00	22.32	Horizontal
7	17999	39.53	-39.77	48.18	-47.32	-25.00	22.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4843.5	52.42	-42.67	30.63	-54.88	-25.00	29.88	Vertical
2	5202	60.89	-41.99	31.89	-44.47	-25.00	19.47	Vertical
3	7499.5	43.62	-38.08	36.90	-52.82	-25.00	27.82	Vertical
4	10404.5	45.43	-34.55	39.19	-45.19	-25.00	20.19	Vertical
5	14671.5	41.77	-33.68	41.79	-45.38	-25.00	20.38	Vertical
6	17987	39.99	-39.76	47.97	-47.06	-25.00	22.06	Vertical

Test Band = LTE_CA_26A_10MHz-38A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823.5	46.42	-43.89	29.75	-62.98	-25.00	37.98	Horizontal
2	5172.5	49.19	-42.10	31.85	-56.32	-25.00	31.32	Horizontal
3	7433	43.22	-37.81	36.77	-53.08	-25.00	28.08	Horizontal
4	11294	42.91	-34.83	40.11	-47.07	-25.00	22.07	Horizontal
5	14679.5	41.30	-33.77	41.82	-45.91	-25.00	20.91	Horizontal
6	17985.5	39.82	-39.76	47.94	-47.26	-25.00	22.26	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3821.5	46.78	-43.88	29.76	-62.60	-25.00	37.60	Vertical
2	5172	59.40	-42.10	31.84	-46.12	-25.00	21.12	Vertical
3	7427.5	43.43	-37.85	36.76	-52.92	-25.00	27.92	Vertical
4	10344.5	44.44	-34.78	39.14	-46.46	-25.00	21.46	Vertical
5	13430	41.86	-33.03	39.69	-46.74	-25.00	21.74	Vertical
6	17988.5	39.85	-39.76	47.99	-47.18	-25.00	22.18	Vertical

Test Band = LTE_CA_30A-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7419.54	42.92	-38.41	36.74	-54.01	-40.00	14.01	Horizontal
2	10071.9	41.34	-35.24	38.77	-50.39	-40.00	10.39	Horizontal
3	13295.12	41.70	-33.09	39.88	-46.77	-40.00	6.77	Horizontal
4	15045.42	40.38	-31.56	40.52	-45.92	-40.00	5.92	Horizontal
5	16413.46	40.14	-28.65	38.87	-44.90	-40.00	4.90	Horizontal
6	17960.9	39.86	-39.74	47.50	-47.64	-40.00	7.64	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6916.76	48.20	-39.69	35.37	-51.38	-40.00	11.38	Vertical
2	9222.28	43.22	-36.16	37.50	-50.70	-40.00	10.70	Vertical
3	11279.4	42.73	-35.49	40.12	-47.90	-40.00	7.90	Vertical
4	14026.98	41.48	-32.51	41.36	-44.93	-40.00	4.93	Vertical
5	16357.34	40.48	-28.91	38.67	-45.02	-40.00	5.02	Vertical
6	17890.52	40.48	-39.40	46.34	-47.84	-40.00	7.84	Vertical

Test Band = LTE_CA_38A-66A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3497	46.35	-44.37	29.09	-64.19	-25.00	39.19	Horizontal
2	4531.5	48.57	-43.08	29.66	-60.11	-25.00	35.11	Horizontal
3	4843.5	47.92	-42.67	30.63	-59.38	-25.00	34.38	Horizontal
4	7423.5	43.00	-37.87	36.75	-53.38	-25.00	28.38	Horizontal
5	11294.5	43.41	-34.82	40.11	-46.56	-25.00	21.56	Horizontal
6	17986.5	40.06	-39.76	47.96	-47.00	-25.00	22.00	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422	51.53	-44.29	28.73	-59.29	-25.00	34.29	Vertical
2	4844	52.12	-42.68	30.62	-55.20	-25.00	30.20	Vertical
3	7458.5	43.02	-37.77	36.82	-53.19	-25.00	28.19	Vertical
4	11108	42.73	-34.78	40.20	-47.11	-25.00	22.11	Vertical
5	14670.5	41.16	-33.67	41.78	-45.99	-25.00	20.99	Vertical
6	17990.5	39.81	-39.76	48.03	-47.18	-25.00	22.18	Vertical

Test Band = LTE_CA_38A-66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3193	46.69	-43.95	28.44	-64.08	-25.00	39.08	Horizontal
2	4844	47.68	-42.68	30.62	-59.64	-25.00	34.64	Horizontal
3	7424	43.26	-37.87	36.75	-53.12	-25.00	28.12	Horizontal
4	11288.5	42.98	-34.95	40.11	-47.12	-25.00	22.12	Horizontal
5	15280.5	39.86	-30.67	39.86	-46.21	-25.00	21.21	Horizontal
6	17989.5	39.59	-39.76	48.01	-47.42	-25.00	22.42	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472	51.77	-44.32	28.99	-58.82	-25.00	33.82	Vertical
2	4843.5	51.73	-42.67	30.63	-55.57	-25.00	30.57	Vertical
3	7404.5	43.30	-37.98	36.71	-53.23	-25.00	28.23	Vertical
4	11326	43.49	-35.10	40.15	-46.72	-25.00	21.72	Vertical
5	15292	40.57	-30.71	39.88	-45.52	-25.00	20.52	Vertical
6	17874	41.19	-39.34	46.24	-47.17	-25.00	22.17	Vertical

Test Band = LTE_CA_38A-66A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3745	46.92	-43.89	29.57	-62.66	-25.00	37.66	Horizontal
2	4843.5	47.67	-42.67	30.63	-59.63	-25.00	34.63	Horizontal
3	7429.5	42.79	-37.83	36.76	-53.54	-25.00	28.54	Horizontal
4	11294	42.85	-34.83	40.11	-47.13	-25.00	22.13	Horizontal
5	14612	41.71	-33.95	41.55	-45.95	-25.00	20.95	Horizontal
6	17992	39.52	-39.76	48.06	-47.44	-25.00	22.44	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	51.96	-44.41	29.06	-58.65	-25.00	33.65	Vertical
2	4843.5	52.13	-42.67	30.63	-55.17	-25.00	30.17	Vertical
3	7424.5	43.18	-37.86	36.75	-53.19	-25.00	28.19	Vertical
4	11132	42.53	-34.83	40.20	-47.36	-25.00	22.36	Vertical
5	14800	39.71	-32.48	41.60	-46.43	-25.00	21.43	Vertical
6	17989.5	39.33	-39.76	48.01	-47.68	-25.00	22.68	Vertical

Test Band = LTE_CA_41A-48A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7422.3	43.04	-38.40	36.74	-53.88	-40.00	13.88	Horizontal
2	10015.32	41.52	-35.21	38.72	-50.23	-40.00	10.23	Horizontal
3	11777.12	42.36	-35.02	39.82	-48.10	-40.00	8.10	Horizontal
4	14041.24	40.91	-32.28	41.45	-45.18	-40.00	5.18	Horizontal
5	16395.98	40.20	-28.82	38.79	-45.09	-40.00	5.09	Horizontal
6	17966.88	39.77	-39.74	47.60	-47.63	-40.00	7.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420	42.79	-38.41	36.74	-54.14	-40.00	14.14	Vertical
2	9550.72	41.20	-35.95	37.80	-52.21	-40.00	12.21	Vertical
3	11285.38	42.71	-35.42	40.11	-47.86	-40.00	7.86	Vertical
4	14437.3	41.38	-32.61	41.60	-44.89	-40.00	4.89	Vertical
5	16389.08	40.76	-28.84	38.77	-44.57	-40.00	4.57	Vertical
6	17988.96	38.88	-39.76	48.00	-48.14	-40.00	8.14	Vertical

Test Band = LTE_CA_41A-48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7423.68	43.10	-38.39	36.75	-53.80	-40.00	13.80	Horizontal
2	10025.9	41.46	-35.13	38.73	-50.20	-40.00	10.20	Horizontal
3	11239.84	42.87	-35.81	40.16	-48.04	-40.00	8.04	Horizontal
4	14648.44	40.38	-31.30	41.69	-44.49	-40.00	4.49	Horizontal
5	16396.9	40.56	-28.82	38.79	-44.73	-40.00	4.73	Horizontal
6	17954.92	39.42	-39.73	47.39	-48.18	-40.00	8.18	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402.06	43.36	-38.51	36.70	-53.71	-40.00	13.71	Vertical
2	10012.1	41.82	-35.23	38.71	-49.96	-40.00	9.96	Vertical
3	11275.72	42.69	-35.54	40.12	-47.99	-40.00	7.99	Vertical
4	14036.18	41.34	-32.36	41.42	-44.86	-40.00	4.86	Vertical
5	16361.94	40.20	-28.90	38.69	-45.27	-40.00	5.27	Vertical
6	17966.88	39.68	-39.74	47.60	-47.72	-40.00	7.72	Vertical

Test Band = LTE_CA_41A-48A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417.7	42.85	-38.42	36.74	-54.09	-40.00	14.09	Horizontal
2	9672.62	40.79	-35.70	38.15	-52.02	-40.00	12.02	Horizontal
3	11290.9	42.49	-35.36	40.11	-48.02	-40.00	8.02	Horizontal
4	14709.16	40.44	-31.65	41.87	-44.60	-40.00	4.60	Horizontal
5	16379.88	40.42	-28.86	38.74	-44.96	-40.00	4.96	Horizontal
6	17970.1	39.29	-39.75	47.66	-48.06	-40.00	8.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7424.6	42.99	-38.39	36.75	-53.91	-40.00	13.91	Vertical
2	9562.22	41.39	-35.93	37.80	-52.00	-40.00	12.00	Vertical
3	11292.28	42.38	-35.34	40.11	-48.11	-40.00	8.11	Vertical
4	14032.5	41.43	-32.42	41.40	-44.85	-40.00	4.85	Vertical
5	16345.38	40.79	-28.91	38.64	-44.74	-40.00	4.74	Vertical
6	17968.26	39.55	-39.74	47.63	-47.82	-40.00	7.82	Vertical