

Field Strength of Spurious Radiation

Test Band = NR CA_CA_n2A-n7A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	48.01	-44.40	29.07	-62.58	-25.00	37.58	Horizontal
2	4844	48.23	-42.68	30.62	-59.09	-25.00	34.09	Horizontal
3	7418.5	44.39	-37.90	36.74	-52.03	-25.00	27.03	Horizontal
4	11114	43.16	-34.80	40.20	-46.70	-25.00	21.70	Horizontal
5	14670	41.86	-33.67	41.78	-45.29	-25.00	20.29	Horizontal
6	17995.5	40.51	-39.77	48.12	-46.40	-25.00	21.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701	51.59	-44.19	29.31	-58.55	-25.00	33.55	Vertical
2	4843.5	52.45	-42.67	30.63	-54.85	-25.00	29.85	Vertical
3	7501.5	48.72	-38.08	36.89	-47.73	-25.00	22.73	Vertical
4	11284	43.72	-35.04	40.12	-46.46	-25.00	21.46	Vertical
5	14616.5	42.07	-33.89	41.57	-45.51	-25.00	20.51	Vertical
6	17972	40.96	-39.75	47.70	-46.35	-25.00	21.35	Vertical

Test Band = NR CA_CA_n2A-n7A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3257.5	47.76	-44.32	28.59	-63.23	-25.00	38.23	Horizontal
2	4844	48.37	-42.68	30.62	-58.95	-25.00	33.95	Horizontal
3	7413.5	44.02	-37.93	36.73	-52.44	-25.00	27.44	Horizontal
4	11327.5	44.01	-35.12	40.16	-46.21	-25.00	21.21	Horizontal
5	14681.5	42.18	-33.79	41.83	-45.04	-25.00	20.04	Horizontal
6	17989.5	40.46	-39.76	48.01	-46.55	-25.00	21.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	50.49	-43.92	29.55	-59.14	-25.00	34.14	Vertical
2	4843.5	52.84	-42.67	30.63	-54.46	-25.00	29.46	Vertical
3	7401.5	44.10	-38.00	36.70	-52.46	-25.00	27.46	Vertical
4	11240	44.30	-35.67	40.16	-46.47	-25.00	21.47	Vertical
5	14674.5	42.21	-33.71	41.80	-44.96	-25.00	19.96	Vertical
6	17984.5	40.54	-39.76	47.92	-46.56	-25.00	21.56	Vertical

Test Band = NR CA_CA_n2A-n7A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3256.5	48.36	-44.32	28.59	-62.63	-25.00	37.63	Horizontal
2	4844	48.68	-42.68	30.62	-58.64	-25.00	33.64	Horizontal
3	7425	43.80	-37.86	36.75	-52.57	-25.00	27.57	Horizontal
4	11152.5	43.48	-34.88	40.20	-46.46	-25.00	21.46	Horizontal
5	14679	41.78	-33.76	41.82	-45.42	-25.00	20.42	Horizontal
6	17988	40.72	-39.76	47.98	-46.32	-25.00	21.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3190.5	47.44	-43.98	28.46	-63.34	-25.00	38.34	Vertical
2	4843.5	52.73	-42.67	30.63	-54.57	-25.00	29.57	Vertical
3	7464.5	44.28	-37.82	36.83	-51.97	-25.00	26.97	Vertical
4	11241	44.48	-35.68	40.16	-46.30	-25.00	21.30	Vertical
5	15283	41.03	-30.68	39.87	-45.04	-25.00	20.04	Vertical
6	17869.5	41.92	-39.32	46.22	-46.44	-25.00	21.44	Vertical

Test Band = NR CA_CA_n5A-n7A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3300	47.47	-44.22	28.50	-63.51	-25.00	38.51	Horizontal
2	4844	48.78	-42.68	30.62	-58.54	-25.00	33.54	Horizontal
3	7498	44.17	-38.07	36.90	-52.26	-25.00	27.26	Horizontal
4	10660	43.49	-34.90	39.42	-47.25	-25.00	22.25	Horizontal
5	13932	42.08	-33.25	41.00	-45.43	-25.00	20.43	Horizontal
6	17995	40.57	-39.77	48.11	-46.35	-25.00	21.35	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3456	47.32	-44.29	28.92	-63.31	-25.00	38.31	Vertical
2	4843.5	52.20	-42.67	30.63	-55.10	-25.00	30.10	Vertical
3	7501.5	48.32	-38.08	36.89	-48.13	-25.00	23.13	Vertical
4	11151	43.70	-34.87	40.20	-46.23	-25.00	21.23	Vertical
5	14622	42.18	-33.82	41.59	-45.31	-25.00	20.31	Vertical
6	17990.5	40.63	-39.76	48.03	-46.36	-25.00	21.36	Vertical

Test Band = NR CA_CA_n5A-n7A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3255	47.71	-44.33	28.59	-63.29	-25.00	38.29	Horizontal
2	4843.5	48.11	-42.67	30.63	-59.19	-25.00	34.19	Horizontal
3	7401.5	44.26	-38.00	36.70	-52.30	-25.00	27.30	Horizontal
4	10616	43.87	-34.92	39.33	-46.98	-25.00	21.98	Horizontal
5	13949	41.76	-33.19	41.05	-45.64	-25.00	20.64	Horizontal
6	17986.5	40.84	-39.76	47.96	-46.22	-25.00	21.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3272	47.57	-44.29	28.56	-63.42	-25.00	38.42	Vertical
2	4843.5	52.89	-42.67	30.63	-54.41	-25.00	29.41	Vertical
3	7576.5	44.51	-38.07	36.61	-52.21	-25.00	27.21	Vertical
4	10607.5	43.43	-34.93	39.32	-47.44	-25.00	22.44	Vertical
5	14811.5	41.08	-32.58	41.53	-45.23	-25.00	20.23	Vertical
6	17989.5	40.40	-39.76	48.01	-46.61	-25.00	21.61	Vertical

Test Band = NR CA_CA_n5A-n7A_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749	47.64	-43.87	29.59	-61.90	-25.00	36.90	Horizontal
2	4844	48.23	-42.68	30.62	-59.09	-25.00	34.09	Horizontal
3	7434.5	43.83	-37.80	36.77	-52.46	-25.00	27.46	Horizontal
4	11295.5	43.50	-34.80	40.10	-46.46	-25.00	21.46	Horizontal
5	14678.5	41.98	-33.76	41.81	-45.23	-25.00	20.23	Horizontal
6	17991.5	40.65	-39.76	48.05	-46.32	-25.00	21.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3520	47.74	-44.40	29.06	-62.86	-25.00	37.86	Vertical
2	4844	52.93	-42.68	30.62	-54.39	-25.00	29.39	Vertical
3	7412	44.16	-37.94	36.72	-52.32	-25.00	27.32	Vertical
4	11798	43.07	-33.84	39.80	-46.23	-25.00	21.23	Vertical
5	14801	40.88	-32.49	41.59	-45.28	-25.00	20.28	Vertical
6	17984.5	40.91	-39.76	47.92	-46.19	-25.00	21.19	Vertical

Test Band = NR CA_CA_n7A-n25A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3080	47.67	-44.53	28.86	-63.26	-25.00	38.26	Horizontal
2	4531.5	49.50	-43.08	29.66	-59.18	-25.00	34.18	Horizontal
3	7431.5	44.00	-37.82	36.76	-52.32	-25.00	27.32	Horizontal
4	11294	43.59	-34.83	40.11	-46.39	-25.00	21.39	Horizontal
5	14679.5	41.95	-33.77	41.82	-45.26	-25.00	20.26	Horizontal
6	17999.5	40.64	-39.77	48.19	-46.20	-25.00	21.20	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3135.5	47.69	-44.54	28.76	-63.35	-25.00	38.35	Vertical
2	4844	51.28	-42.68	30.62	-56.04	-25.00	31.04	Vertical
3	7485	44.06	-37.97	36.87	-52.30	-25.00	27.30	Vertical
4	11136	43.39	-34.83	40.20	-46.50	-25.00	21.50	Vertical
5	14674.5	41.87	-33.71	41.80	-45.30	-25.00	20.30	Vertical
6	17981	40.46	-39.75	47.86	-46.69	-25.00	21.69	Vertical

Test Band = NR CA_CA_n7A-n25A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3138.5	47.94	-44.53	28.75	-63.10	-25.00	38.10	Horizontal
2	4531	49.96	-43.08	29.66	-58.72	-25.00	33.72	Horizontal
3	7383.5	44.08	-38.08	36.63	-52.63	-25.00	27.63	Horizontal
4	11292.5	44.44	-34.86	40.11	-45.57	-25.00	20.57	Horizontal
5	15171.5	41.30	-31.17	39.87	-45.26	-25.00	20.26	Horizontal
6	17989	40.98	-39.76	48.00	-46.04	-25.00	21.04	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3195.5	47.47	-43.92	28.43	-63.28	-25.00	38.28	Vertical
2	4843.5	52.09	-42.67	30.63	-55.21	-25.00	30.21	Vertical
3	7576.5	44.40	-38.07	36.61	-52.32	-25.00	27.32	Vertical
4	11238.5	44.40	-35.65	40.16	-46.35	-25.00	21.35	Vertical
5	14681.5	42.08	-33.79	41.83	-45.14	-25.00	20.14	Vertical
6	17988	41.11	-39.76	47.98	-45.93	-25.00	20.93	Vertical

Test Band = NR CA_CA_n7A-n25A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3133.5	47.97	-44.54	28.77	-63.06	-25.00	38.06	Horizontal
2	4531	49.90	-43.08	29.66	-58.78	-25.00	33.78	Horizontal
3	7422.5	44.09	-37.88	36.75	-52.30	-25.00	27.30	Horizontal
4	11088.5	43.04	-34.66	40.19	-46.69	-25.00	21.69	Horizontal
5	14808	40.83	-32.55	41.55	-45.43	-25.00	20.43	Horizontal
6	18000	40.26	-39.77	48.20	-46.57	-25.00	21.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3076	48.06	-44.51	28.85	-62.86	-25.00	37.86	Vertical
2	4844	52.17	-42.68	30.62	-55.15	-25.00	30.15	Vertical
3	7651.5	46.36	-37.46	36.61	-49.75	-25.00	24.75	Vertical
4	11326.5	43.53	-35.10	40.15	-46.68	-25.00	21.68	Vertical
5	14677	41.88	-33.74	41.81	-45.31	-25.00	20.31	Vertical
6	17995.5	40.95	-39.77	48.12	-45.96	-25.00	20.96	Vertical

Test Band = NR CA_CA_n12A-n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3195.5	47.52	-43.92	28.43	-63.23	-13.00	50.23	Horizontal
2	4531.5	49.80	-43.08	29.66	-58.88	-13.00	45.88	Horizontal
3	7418	44.07	-37.90	36.74	-52.35	-13.00	39.35	Horizontal
4	11329	44.06	-35.14	40.16	-46.18	-13.00	33.18	Horizontal
5	14804.5	40.94	-32.52	41.57	-45.27	-13.00	32.27	Horizontal
6	17986	40.67	-39.76	47.95	-46.40	-13.00	33.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	49.75	-44.29	28.73	-61.07	-13.00	48.07	Vertical
2	4843.5	52.32	-42.67	30.63	-54.98	-13.00	41.98	Vertical
3	7420.5	43.94	-37.89	36.74	-52.47	-13.00	39.47	Vertical
4	11296.5	43.41	-34.77	40.10	-46.52	-13.00	33.52	Vertical
5	15301.5	40.77	-30.73	39.89	-45.33	-13.00	32.33	Vertical
6	17999	40.85	-39.77	48.18	-46.00	-13.00	33.00	Vertical

Test Band = NR CA_CA_n12A-n66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3198.5	47.46	-43.88	28.41	-63.27	-13.00	50.27	Horizontal
2	4531	49.83	-43.08	29.66	-58.85	-13.00	45.85	Horizontal
3	7434.5	44.01	-37.80	36.77	-52.28	-13.00	39.28	Horizontal
4	11283.5	43.66	-35.05	40.12	-46.53	-13.00	33.53	Horizontal
5	15177.5	41.25	-31.15	39.84	-45.32	-13.00	32.32	Horizontal
6	17983.5	40.30	-39.76	47.90	-46.82	-13.00	33.82	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451.5	49.35	-44.28	28.91	-61.28	-13.00	48.28	Vertical
2	4843.5	52.33	-42.67	30.63	-54.97	-13.00	41.97	Vertical
3	7409	44.08	-37.96	36.72	-52.42	-13.00	39.42	Vertical
4	11290.5	43.45	-34.90	40.11	-46.60	-13.00	33.60	Vertical
5	14801.5	40.82	-32.49	41.59	-45.34	-13.00	32.34	Vertical
6	17778.5	41.61	-38.52	45.61	-46.56	-13.00	33.56	Vertical

Test Band = NR CA_CA_n12A-n66A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3058.5	48.24	-44.44	28.82	-62.64	-13.00	49.64	Horizontal
2	4531.5	49.87	-43.08	29.66	-58.81	-13.00	45.81	Horizontal
3	7482	43.91	-37.95	36.86	-52.44	-13.00	39.44	Horizontal
4	11819	43.79	-34.28	39.82	-45.93	-13.00	32.93	Horizontal
5	14615.5	42.73	-33.91	41.56	-44.88	-13.00	31.88	Horizontal
6	17970	41.07	-39.75	47.66	-46.28	-13.00	33.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481	49.37	-44.34	29.02	-61.21	-13.00	48.21	Vertical
2	4843.5	52.36	-42.67	30.63	-54.94	-13.00	41.94	Vertical
3	7485.5	43.88	-37.97	36.87	-52.48	-13.00	39.48	Vertical
4	11308	43.82	-34.82	40.12	-46.14	-13.00	33.14	Vertical
5	15727.5	40.65	-29.42	38.39	-45.64	-13.00	32.64	Vertical
6	17999.5	40.55	-39.77	48.19	-46.29	-13.00	33.29	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3190.5	47.60	-43.98	28.46	-63.18	-13.00	50.18	Horizontal
2	4531	49.05	-43.08	29.66	-59.63	-13.00	46.63	Horizontal
3	7463.5	43.74	-37.81	36.83	-52.50	-13.00	39.50	Horizontal
4	11288	43.49	-34.96	40.11	-46.62	-13.00	33.62	Horizontal
5	14685	42.17	-33.83	41.84	-45.08	-13.00	32.08	Horizontal
6	17987	41.04	-39.76	47.97	-46.01	-13.00	33.01	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701	50.73	-44.19	29.31	-59.41	-13.00	46.41	Vertical
2	4843.5	52.28	-42.67	30.63	-55.02	-13.00	42.02	Vertical
3	7481	44.25	-37.94	36.86	-52.09	-13.00	39.09	Vertical
4	11799	43.05	-33.82	39.80	-46.23	-13.00	33.23	Vertical
5	14808	41.08	-32.55	41.55	-45.18	-13.00	32.18	Vertical
6	17970	40.91	-39.75	47.66	-46.44	-13.00	33.44	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3193.5	47.60	-43.94	28.44	-63.16	-13.00	50.16	Horizontal
2	4844	47.94	-42.68	30.62	-59.38	-13.00	46.38	Horizontal
3	7424	43.93	-37.87	36.75	-52.45	-13.00	39.45	Horizontal
4	11288.5	43.58	-34.95	40.11	-46.52	-13.00	33.52	Horizontal
5	15284.5	40.64	-30.69	39.87	-45.44	-13.00	32.44	Horizontal
6	17988.5	40.75	-39.76	47.99	-46.28	-13.00	33.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3096	47.65	-44.59	28.89	-63.31	-13.00	50.31	Vertical
2	4844	52.29	-42.68	30.62	-55.03	-13.00	42.03	Vertical
3	7429	43.69	-37.84	36.76	-52.65	-13.00	39.65	Vertical
4	10723	43.75	-34.93	39.52	-46.92	-13.00	33.92	Vertical
5	14609.5	42.04	-33.98	41.54	-45.66	-13.00	32.66	Vertical
6	17987	41.09	-39.76	47.97	-45.96	-13.00	32.96	Vertical

Test Band = NR CA_CA_n25A-n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3255.5	48.10	-44.33	28.59	-62.90	-13.00	49.90	Horizontal
2	4531	49.68	-43.08	29.66	-59.00	-13.00	46.00	Horizontal
3	7428	43.61	-37.84	36.76	-52.73	-13.00	39.73	Horizontal
4	11291.5	43.59	-34.88	40.11	-46.44	-13.00	33.44	Horizontal
5	14808	41.17	-32.55	41.55	-45.09	-13.00	32.09	Horizontal
6	17989	40.78	-39.76	48.00	-46.24	-13.00	33.24	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.5	51.42	-43.86	29.61	-58.09	-13.00	45.09	Vertical
2	4844	52.22	-42.68	30.62	-55.10	-13.00	42.10	Vertical
3	7424	44.29	-37.87	36.75	-52.09	-13.00	39.09	Vertical
4	11294	43.54	-34.83	40.11	-46.44	-13.00	33.44	Vertical
5	14805.5	40.73	-32.53	41.57	-45.49	-13.00	32.49	Vertical
6	17986.5	40.84	-39.76	47.96	-46.22	-13.00	33.22	Vertical

Test Band = NR CA_CA_n41A-n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3236	47.20	-44.21	28.54	-63.73	-25.00	38.73	Horizontal
2	4843.5	48.33	-42.67	30.63	-58.97	-25.00	33.97	Horizontal
3	7401	43.51	-38.00	36.70	-53.05	-25.00	28.05	Horizontal
4	11241	43.55	-35.68	40.16	-47.23	-25.00	22.23	Horizontal
5	14672	41.25	-33.69	41.79	-45.91	-25.00	20.91	Horizontal
6	17990	40.14	-39.76	48.02	-46.86	-25.00	21.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3066.5	47.10	-44.47	28.83	-63.80	-25.00	38.80	Vertical
2	4994	57.78	-42.44	31.18	-48.74	-25.00	23.74	Vertical
3	7497.5	43.27	-38.06	36.90	-53.15	-25.00	28.15	Vertical
4	11797.5	42.87	-33.85	39.80	-46.44	-25.00	21.44	Vertical
5	14578.5	41.57	-33.80	41.52	-45.97	-25.00	20.97	Vertical
6	17985	40.11	-39.76	47.93	-46.98	-25.00	21.98	Vertical

Test Band = NR CA_CA_n41A-n66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3206.5	46.94	-43.92	28.43	-63.81	-25.00	38.81	Horizontal
2	4844	48.39	-42.68	30.62	-58.93	-25.00	33.93	Horizontal
3	7397.5	43.69	-38.02	36.69	-52.90	-25.00	27.90	Horizontal
4	11284	43.63	-35.04	40.12	-46.55	-25.00	21.55	Horizontal
5	13913.5	41.29	-33.32	40.94	-46.35	-25.00	21.35	Horizontal
6	17993.5	39.59	-39.76	48.08	-47.35	-25.00	22.35	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3209	46.98	-43.95	28.44	-63.79	-25.00	38.79	Vertical
2	5088	56.08	-42.38	31.52	-50.04	-25.00	25.04	Vertical
3	7426	43.31	-37.85	36.75	-53.05	-25.00	28.05	Vertical
4	11109	42.53	-34.79	40.20	-47.32	-25.00	22.32	Vertical
5	14804	40.38	-32.51	41.58	-45.81	-25.00	20.81	Vertical
6	17989	40.06	-39.76	48.00	-46.96	-25.00	21.96	Vertical

Test Band = NR CA_CA_n41A-n66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3061	47.07	-44.45	28.82	-63.82	-25.00	38.82	Horizontal
2	4843.5	48.26	-42.67	30.63	-59.04	-25.00	34.04	Horizontal
3	7434	43.29	-37.81	36.77	-53.01	-25.00	28.01	Horizontal
4	11281.5	43.29	-35.10	40.12	-46.95	-25.00	21.95	Horizontal
5	14675	41.47	-33.72	41.80	-45.71	-25.00	20.71	Horizontal
6	17995.5	39.83	-39.77	48.12	-47.08	-25.00	22.08	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3064	47.45	-44.46	28.83	-63.44	-25.00	38.44	Vertical
2	5182	55.17	-42.06	31.86	-50.29	-25.00	25.29	Vertical
3	7441.5	43.25	-37.76	36.78	-52.99	-25.00	27.99	Vertical
4	11040	42.30	-34.20	40.14	-47.02	-25.00	22.02	Vertical
5	14675	41.14	-33.72	41.80	-46.04	-25.00	21.04	Vertical
6	17988.5	40.12	-39.76	47.99	-46.91	-25.00	21.91	Vertical

Test Band = NR CA_CA_n48A-n71A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7424.6462	43.18	-38.39	36.75	-53.72	-40.00	13.72	Horizontal
2	10035.2768	41.29	-35.07	38.74	-50.30	-40.00	10.30	Horizontal
3	11811.5406	42.65	-34.82	39.81	-47.62	-40.00	7.62	Horizontal
4	14716.5858	40.72	-31.37	41.85	-44.06	-40.00	4.06	Horizontal
5	16433.0467	39.81	-28.41	38.97	-44.89	-40.00	4.89	Horizontal
6	17970.0985	39.75	-39.75	47.66	-47.60	-40.00	7.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7407.9704	42.99	-38.48	36.72	-54.03	-40.00	14.03	Vertical
2	9970.2985	41.65	-35.47	38.67	-50.41	-40.00	10.41	Vertical
3	11847.1924	43.56	-35.65	39.85	-47.50	-40.00	7.50	Vertical
4	14036.3268	41.71	-32.36	41.42	-44.49	-40.00	4.49	Vertical
5	16395.6698	41.07	-28.82	38.79	-44.22	-40.00	4.22	Vertical
6	17894.1947	40.75	-39.41	46.37	-47.55	-40.00	7.55	Vertical

Test Band = NR CA_CA_n48A-n71A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7462.5981	42.94	-38.32	36.83	-53.81	-40.00	13.81	Horizontal
2	10017.4509	41.21	-35.19	38.72	-50.52	-40.00	10.52	Horizontal
3	11900.67	42.93	-35.47	39.90	-47.90	-40.00	7.90	Horizontal
4	14717.1609	40.56	-31.35	41.85	-44.20	-40.00	4.20	Horizontal
5	16360.018	40.77	-28.91	38.68	-44.72	-40.00	4.72	Horizontal
6	17984.4742	39.72	-39.76	47.92	-47.38	-40.00	7.38	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7438.4469	42.79	-38.31	36.78	-54.00	-40.00	14.00	Vertical
2	10077.2539	41.50	-35.31	38.78	-50.29	-40.00	10.29	Vertical
3	13063.3782	42.50	-34.59	39.39	-47.96	-40.00	7.96	Vertical
4	14746.4873	39.64	-30.25	41.76	-44.11	-40.00	4.11	Vertical
5	16396.8198	40.44	-28.82	38.79	-44.85	-40.00	4.85	Vertical
6	17992.5246	39.33	-39.76	48.07	-47.62	-40.00	7.62	Vertical

Test Band = NR CA_CA_n48A-n71A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7494.2247	42.73	-38.50	36.89	-54.14	-40.00	14.14	Horizontal
2	10012.8506	41.41	-35.23	38.71	-50.37	-40.00	10.37	Horizontal
3	11785.0893	42.40	-34.86	39.81	-47.91	-40.00	7.91	Horizontal
4	14040.352	41.28	-32.29	41.44	-44.83	-40.00	4.83	Horizontal
5	16432.4716	39.85	-28.42	38.96	-44.87	-40.00	4.87	Horizontal
6	17986.1993	39.21	-39.76	47.95	-47.86	-40.00	7.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7494.7997	42.89	-38.50	36.89	-53.98	-40.00	13.98	Vertical
2	10074.9537	41.64	-35.28	38.77	-50.13	-40.00	10.13	Vertical
3	12392.8946	42.56	-35.10	39.76	-48.04	-40.00	8.04	Vertical
4	14223.7862	40.73	-32.11	41.83	-44.81	-40.00	4.81	Vertical
5	16383.5942	40.63	-28.85	38.75	-44.73	-40.00	4.73	Vertical
6	17959.748	39.86	-39.74	47.48	-47.66	-40.00	7.66	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3070.5	47.05	-44.49	28.84	-63.86	-13.00	50.86	Horizontal
2	4531.5	49.68	-43.08	29.66	-59.00	-13.00	46.00	Horizontal
3	7425	43.55	-37.86	36.75	-52.82	-13.00	39.82	Horizontal
4	11283.5	43.01	-35.05	40.12	-47.18	-13.00	34.18	Horizontal
5	14809.5	40.45	-32.56	41.54	-45.83	-13.00	32.83	Horizontal
6	17992.5	40.14	-39.76	48.07	-46.81	-13.00	33.81	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	49.40	-44.29	28.73	-61.42	-13.00	48.42	Vertical
2	4844	51.81	-42.68	30.62	-55.51	-13.00	42.51	Vertical
3	7425	43.47	-37.86	36.75	-52.90	-13.00	39.90	Vertical
4	11301	42.85	-34.72	40.10	-47.03	-13.00	34.03	Vertical
5	14613.5	41.70	-33.93	41.55	-45.94	-13.00	32.94	Vertical
6	17985	40.28	-39.76	47.93	-46.81	-13.00	33.81	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3248	47.03	-44.32	28.59	-63.96	-13.00	50.96	Horizontal
2	4531.5	49.70	-43.08	29.66	-58.98	-13.00	45.98	Horizontal
3	7428.5	43.18	-37.84	36.76	-53.16	-13.00	40.16	Horizontal
4	11293.5	43.08	-34.84	40.11	-46.91	-13.00	33.91	Horizontal
5	15283	40.13	-30.68	39.87	-45.94	-13.00	32.94	Horizontal
6	17990	39.95	-39.76	48.02	-47.05	-13.00	34.05	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451	49.37	-44.28	28.90	-61.27	-13.00	48.27	Vertical
2	4531	52.56	-43.08	29.66	-56.12	-13.00	43.12	Vertical
3	7492.5	43.64	-38.02	36.89	-52.75	-13.00	39.75	Vertical
4	11246	44.13	-35.73	40.15	-46.71	-13.00	33.71	Vertical
5	14803	40.38	-32.51	41.58	-45.81	-13.00	32.81	Vertical
6	17989.5	40.24	-39.76	48.01	-46.77	-13.00	33.77	Vertical

Test Band = NR CA_CA_n66A-n71A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3115	46.83	-44.58	28.84	-64.17	-13.00	51.17	Horizontal
2	4531	49.82	-43.08	29.66	-58.86	-13.00	45.86	Horizontal
3	7426.5	43.46	-37.85	36.75	-52.90	-13.00	39.90	Horizontal
4	11289.5	43.53	-34.92	40.11	-46.54	-13.00	33.54	Horizontal
5	14672.5	41.20	-33.69	41.79	-45.96	-13.00	32.96	Horizontal
6	17990	40.43	-39.76	48.02	-46.57	-13.00	33.57	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481	48.70	-44.34	29.02	-61.88	-13.00	48.88	Vertical
2	4844	51.48	-42.68	30.62	-55.84	-13.00	42.84	Vertical
3	7461.5	43.21	-37.80	36.82	-53.03	-13.00	40.03	Vertical
4	11322.5	43.22	-35.04	40.15	-46.93	-13.00	33.93	Vertical
5	14674	41.47	-33.71	41.80	-45.70	-13.00	32.70	Vertical
6	17970	40.16	-39.75	47.66	-47.19	-13.00	34.19	Vertical

Test Band = NR CA_CA_n26A(814~824)-n66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3091.5	47.24	-44.57	28.88	-63.71	-13.00	50.71	Horizontal
2	4531	49.59	-43.08	29.66	-59.09	-13.00	46.09	Horizontal
3	7430	43.33	-37.83	36.76	-53.00	-13.00	40.00	Horizontal
4	11259.5	43.71	-35.57	40.14	-46.98	-13.00	33.98	Horizontal
5	14670	41.29	-33.67	41.78	-45.86	-13.00	32.86	Horizontal
6	17985	40.06	-39.76	47.93	-47.03	-13.00	34.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	49.68	-44.29	28.73	-61.14	-13.00	48.14	Vertical
2	4844	51.91	-42.68	30.62	-55.41	-13.00	42.41	Vertical
3	7501	43.81	-38.08	36.89	-52.64	-13.00	39.64	Vertical
4	11313.5	42.96	-34.91	40.13	-47.08	-13.00	34.08	Vertical
5	14674	41.10	-33.71	41.80	-46.07	-13.00	33.07	Vertical
6	17991.5	39.91	-39.76	48.05	-47.06	-13.00	34.06	Vertical

Test Band = NR CA_CA_n26(824~849)-n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3089.5	46.89	-44.57	28.88	-64.06	-13.00	51.06	Horizontal
2	4531.5	49.99	-43.08	29.66	-58.69	-13.00	45.69	Horizontal
3	7416.5	43.38	-37.91	36.73	-53.06	-13.00	40.06	Horizontal
4	11314	43.10	-34.91	40.13	-46.94	-13.00	33.94	Horizontal
5	14680	42.08	-33.77	41.82	-45.13	-13.00	32.13	Horizontal
6	17987.5	39.98	-39.76	47.98	-47.06	-13.00	34.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	48.37	-44.29	28.73	-62.45	-13.00	49.45	Vertical
2	4844	51.86	-42.68	30.62	-55.46	-13.00	42.46	Vertical
3	7473.5	43.29	-37.88	36.85	-53.00	-13.00	40.00	Vertical
4	11291.5	43.27	-34.88	40.11	-46.76	-13.00	33.76	Vertical
5	14678	41.99	-33.75	41.81	-45.21	-13.00	32.21	Vertical
6	17995.5	40.65	-39.77	48.12	-46.26	-13.00	33.26	Vertical

Test Band = NR CA_CA_n26(824~849)-n66A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3137.5	47.55	-44.54	28.75	-63.50	-13.00	50.50	Horizontal
2	4531	50.09	-43.08	29.66	-58.59	-13.00	45.59	Horizontal
3	7401	43.28	-38.00	36.70	-53.28	-13.00	40.28	Horizontal
4	11854.5	43.75	-35.10	39.85	-46.76	-13.00	33.76	Horizontal
5	15281.5	39.96	-30.68	39.86	-46.12	-13.00	33.12	Horizontal
6	17998.5	39.94	-39.77	48.17	-46.92	-13.00	33.92	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3194	46.85	-43.94	28.44	-63.91	-13.00	50.91	Vertical
2	4843.5	51.45	-42.67	30.63	-55.85	-13.00	42.85	Vertical
3	7492	43.46	-38.02	36.88	-52.94	-13.00	39.94	Vertical
4	11290	43.31	-34.91	40.11	-46.75	-13.00	33.75	Vertical
5	14804	40.82	-32.51	41.58	-45.37	-13.00	32.37	Vertical
6	17996.5	39.93	-39.77	48.14	-46.96	-13.00	33.96	Vertical

Test Band = NR CA_CA_n26(824~849)-n66A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3080.5	47.29	-44.53	28.86	-63.64	-13.00	50.64	Horizontal
2	4531	50.51	-43.08	29.66	-58.17	-13.00	45.17	Horizontal
3	7413.5	44.01	-37.93	36.73	-52.45	-13.00	39.45	Horizontal
4	11281.5	43.50	-35.10	40.12	-46.74	-13.00	33.74	Horizontal
5	14805	40.06	-32.52	41.57	-46.15	-13.00	33.15	Horizontal
6	17988.5	40.01	-39.76	47.99	-47.02	-13.00	34.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	50.05	-44.34	29.03	-60.52	-13.00	47.52	Vertical
2	4844	52.05	-42.68	30.62	-55.27	-13.00	42.27	Vertical
3	7496.5	43.38	-38.05	36.89	-53.04	-13.00	40.04	Vertical
4	11331	43.16	-35.17	40.16	-47.11	-13.00	34.11	Vertical
5	14670.5	41.09	-33.67	41.78	-46.06	-13.00	33.06	Vertical
6	17990.5	40.65	-39.76	48.03	-46.34	-13.00	33.34	Vertical

Test Band = NR CA_CA_n70-n71A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3088	46.98	-44.56	28.88	-63.96	-13.00	50.96	Horizontal
2	4844	47.10	-42.68	30.62	-60.22	-13.00	47.22	Horizontal
3	7423	43.04	-37.87	36.75	-53.34	-13.00	40.34	Horizontal
4	11038.5	41.77	-34.19	40.14	-47.54	-13.00	34.54	Horizontal
5	14807	39.96	-32.54	41.56	-46.28	-13.00	33.28	Horizontal
6	17867	40.70	-39.31	46.20	-47.67	-13.00	34.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3391	51.63	-44.35	28.60	-59.38	-13.00	46.38	Vertical
2	4843.5	51.48	-42.67	30.63	-55.82	-13.00	42.82	Vertical
3	7406	43.25	-37.97	36.71	-53.27	-13.00	40.27	Vertical
4	11097	42.22	-34.74	40.20	-47.58	-13.00	34.58	Vertical
5	14611.5	41.09	-33.96	41.55	-46.58	-13.00	33.58	Vertical
6	17991	39.16	-39.76	48.04	-47.82	-13.00	34.82	Vertical

Test Band = NR CA_CA_n71-n66A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3126	47.17	-44.56	28.80	-63.85	-13.00	50.85	Horizontal
2	4844	48.14	-42.68	30.62	-59.18	-13.00	46.18	Horizontal
3	7429	42.94	-37.84	36.76	-53.40	-13.00	40.40	Horizontal
4	11286.5	42.85	-34.99	40.11	-47.29	-13.00	34.29	Horizontal
5	14575.5	40.91	-33.76	41.52	-46.59	-13.00	33.59	Horizontal
6	17991	39.70	-39.76	48.04	-47.28	-13.00	34.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421	47.57	-44.29	28.73	-63.25	-13.00	50.25	Vertical
2	4844	51.70	-42.68	30.62	-55.62	-13.00	42.62	Vertical
3	7415.5	43.17	-37.92	36.73	-53.28	-13.00	40.28	Vertical
4	10721	42.31	-34.93	39.52	-48.36	-13.00	35.36	Vertical
5	14614	41.12	-33.93	41.56	-46.51	-13.00	33.51	Vertical
6	17874.5	40.58	-39.34	46.25	-47.77	-13.00	34.77	Vertical

Test Band = NR CA_CA_n71-n66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3058.5	46.91	-44.44	28.82	-63.97	-13.00	50.97	Horizontal
2	5166.5	45.96	-42.12	31.83	-59.59	-13.00	46.59	Horizontal
3	7424	43.13	-37.87	36.75	-53.25	-13.00	40.25	Horizontal
4	11294	42.30	-34.83	40.11	-47.68	-13.00	34.68	Horizontal
5	14808	40.18	-32.55	41.55	-46.08	-13.00	33.08	Horizontal
6	17984.5	39.30	-39.76	47.92	-47.80	-13.00	34.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451.5	49.14	-44.28	28.91	-61.49	-13.00	48.49	Vertical
2	4844	52.04	-42.68	30.62	-55.28	-13.00	42.28	Vertical
3	7450.5	42.91	-37.71	36.80	-53.26	-13.00	40.26	Vertical
4	11026	41.46	-34.06	40.13	-47.73	-13.00	34.73	Vertical
5	13929	40.75	-33.27	40.99	-46.79	-13.00	33.79	Vertical
6	17972.5	39.46	-39.75	47.71	-47.84	-13.00	34.84	Vertical

Test Band = NR CA_CA_n71-n66A_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3205	46.84	-43.91	28.42	-63.91	-13.00	50.91	Horizontal
2	4843.5	47.48	-42.67	30.63	-59.82	-13.00	46.82	Horizontal
3	7423.5	42.88	-37.87	36.75	-53.50	-13.00	40.50	Horizontal
4	11104.5	42.48	-34.78	40.20	-47.36	-13.00	34.36	Horizontal
5	15286.5	39.59	-30.69	39.87	-46.49	-13.00	33.49	Horizontal
6	17990	39.61	-39.76	48.02	-47.39	-13.00	34.39	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	48.95	-44.34	29.03	-61.62	-13.00	48.62	Vertical
2	4844	51.86	-42.68	30.62	-55.46	-13.00	42.46	Vertical
3	7426.5	43.34	-37.85	36.75	-53.02	-13.00	40.02	Vertical
4	11139	42.35	-34.84	40.20	-47.55	-13.00	34.55	Vertical
5	14673.5	40.93	-33.70	41.79	-46.24	-13.00	33.24	Vertical
6	17986	39.43	-39.76	47.95	-47.64	-13.00	34.64	Vertical