

Field Strength of Spurious Radiation

Test Band = UL MIMO_n2_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3559.5	47.30	-44.42	28.98	-63.40	-13.00	50.40	Horizontal
2	4844	47.93	-42.68	30.62	-59.39	-13.00	46.39	Horizontal
3	7446	43.88	-37.73	36.79	-52.32	-13.00	39.32	Horizontal
4	11304.5	44.01	-34.77	40.11	-45.91	-13.00	32.91	Horizontal
5	14804	41.44	-32.51	41.58	-44.75	-13.00	31.75	Horizontal
6	17986	41.17	-39.76	47.95	-45.90	-13.00	32.90	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3210.5	46.75	-43.96	28.44	-64.03	-13.00	51.03	Vertical
2	4843.5	53.20	-42.67	30.63	-54.10	-13.00	41.10	Vertical
3	7437.5	43.72	-37.79	36.78	-52.55	-13.00	39.55	Vertical
4	11296.5	44.06	-34.77	40.10	-45.87	-13.00	32.87	Vertical
5	14807.5	41.59	-32.54	41.56	-44.65	-13.00	31.65	Vertical
6	17995	41.48	-39.77	48.11	-45.44	-13.00	32.44	Vertical

Test Band = UL MIMO_n2_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3832	47.26	-43.90	29.74	-62.16	-13.00	49.16	Horizontal
2	4843.5	48.15	-42.67	30.63	-59.15	-13.00	46.15	Horizontal
3	7378	44.35	-38.10	36.61	-52.40	-13.00	39.40	Horizontal
4	11303	43.96	-34.75	40.11	-45.94	-13.00	32.94	Horizontal
5	14811.5	41.44	-32.58	41.53	-44.87	-13.00	31.87	Horizontal
6	17992	41.40	-39.76	48.06	-45.56	-13.00	32.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3071.5	47.55	-44.49	28.84	-63.36	-13.00	50.36	Vertical
2	4844	53.59	-42.68	30.62	-53.73	-13.00	40.73	Vertical
3	7372	44.88	-38.13	36.59	-51.92	-13.00	38.92	Vertical
4	11287.5	44.21	-34.97	40.11	-45.91	-13.00	32.91	Vertical
5	14813.5	41.86	-32.59	41.52	-44.47	-13.00	31.47	Vertical
6	17993	42.00	-39.76	48.07	-44.95	-13.00	31.95	Vertical

Test Band = UL MIMO_n2_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3111	47.33	-44.59	28.86	-63.66	-13.00	50.66	Horizontal
2	4844	48.35	-42.68	30.62	-58.97	-13.00	45.97	Horizontal
3	7437	43.82	-37.79	36.77	-52.46	-13.00	39.46	Horizontal
4	11279	44.44	-35.15	40.12	-45.85	-13.00	32.85	Horizontal
5	14802	41.91	-32.50	41.59	-44.26	-13.00	31.26	Horizontal
6	17996.5	41.14	-39.77	48.14	-45.75	-13.00	32.75	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3073	47.30	-44.50	28.85	-63.61	-13.00	50.61	Vertical
2	4843.5	53.17	-42.67	30.63	-54.13	-13.00	41.13	Vertical
3	7397.5	44.10	-38.02	36.69	-52.49	-13.00	39.49	Vertical
4	11153	43.51	-34.88	40.20	-46.43	-13.00	33.43	Vertical
5	14043	43.10	-34.43	41.46	-45.13	-13.00	32.13	Vertical
6	17991	41.44	-39.76	48.04	-45.54	-13.00	32.54	Vertical

Test Band = UL MIMO_n5_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.5	47.07	-46.79	25.23	-69.75	-13.00	56.75	Horizontal
2	1875	48.97	-46.71	25.50	-67.50	-13.00	54.50	Horizontal
3	3124	46.79	-45.04	28.80	-64.71	-13.00	51.71	Horizontal
4	4844	48.38	-42.79	30.62	-59.05	-13.00	46.05	Horizontal
5	7423.5	43.62	-37.98	36.75	-52.87	-13.00	39.87	Horizontal
6	9984.5	42.22	-35.01	38.68	-49.37	-13.00	36.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1437.5	47.31	-46.79	25.20	-69.54	-13.00	56.54	Vertical
2	2031	49.54	-46.30	26.38	-65.64	-13.00	52.64	Vertical
3	3119.5	47.09	-45.05	28.82	-64.40	-13.00	51.40	Vertical
4	4843.5	52.66	-42.79	30.63	-54.76	-13.00	41.76	Vertical
5	7857.5	43.07	-37.43	36.76	-52.86	-13.00	39.86	Vertical
6	9945	41.95	-34.93	38.65	-49.59	-13.00	36.59	Vertical

Test Band = UL MIMO_n5_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1465.5	47.36	-46.88	25.18	-69.60	-13.00	56.60	Horizontal
2	1875	49.02	-46.71	25.50	-67.45	-13.00	54.45	Horizontal
3	3205	47.05	-44.63	28.42	-64.42	-13.00	51.42	Horizontal
4	4843.5	47.85	-42.79	30.63	-59.57	-13.00	46.57	Horizontal
5	7445.5	43.23	-37.73	36.79	-52.97	-13.00	39.97	Horizontal
6	9916.5	42.20	-35.01	38.62	-49.45	-13.00	36.45	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1445.5	47.43	-46.80	25.26	-69.37	-13.00	56.37	Vertical
2	2031	49.31	-46.30	26.38	-65.87	-13.00	52.87	Vertical
3	3489	46.56	-44.74	29.06	-64.38	-13.00	51.38	Vertical
4	4843.5	52.88	-42.79	30.63	-54.54	-13.00	41.54	Vertical
5	7384.5	43.69	-38.27	36.64	-53.20	-13.00	40.20	Vertical
6	9945	42.16	-34.93	38.65	-49.38	-13.00	36.38	Vertical

Test Band = UL MIMO_n5_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1368	47.53	-46.97	25.03	-69.67	-13.00	56.67	Horizontal
2	1875	49.39	-46.71	25.50	-67.08	-13.00	54.08	Horizontal
3	3061	46.75	-45.31	28.82	-65.00	-13.00	52.00	Horizontal
4	4843.5	48.46	-42.79	30.63	-58.96	-13.00	45.96	Horizontal
5	7472.5	43.38	-37.91	36.85	-52.94	-13.00	39.94	Horizontal
6	9780.5	42.30	-35.02	38.42	-49.56	-13.00	36.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1427	47.29	-46.78	25.12	-69.63	-13.00	56.63	Vertical
2	2031	49.44	-46.30	26.38	-65.74	-13.00	52.74	Vertical
3	3256.5	46.70	-44.52	28.59	-64.49	-13.00	51.49	Vertical
4	4843.5	53.00	-42.79	30.63	-54.42	-13.00	41.42	Vertical
5	7420.5	43.61	-38.01	36.74	-52.92	-13.00	39.92	Vertical
6	9889.5	42.24	-35.04	38.52	-49.54	-13.00	36.54	Vertical

Test Band = UL MIMO_n25_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3194.5	46.86	-43.93	28.43	-63.90	-13.00	50.90	Horizontal
2	4843.5	47.91	-42.67	30.63	-59.39	-13.00	46.39	Horizontal
3	7389	44.15	-38.06	36.66	-52.51	-13.00	39.51	Horizontal
4	11282.5	44.39	-35.07	40.12	-45.82	-13.00	32.82	Horizontal
5	14802	41.39	-32.50	41.59	-44.78	-13.00	31.78	Horizontal
6	17999.5	41.21	-39.77	48.19	-45.63	-13.00	32.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3072.5	47.47	-44.49	28.85	-63.43	-13.00	50.43	Vertical
2	4843.5	53.57	-42.67	30.63	-53.73	-13.00	40.73	Vertical
3	7450	43.59	-37.71	36.80	-52.58	-13.00	39.58	Vertical
4	11293	44.46	-34.85	40.11	-45.54	-13.00	32.54	Vertical
5	14803.5	41.86	-32.51	41.58	-44.33	-13.00	31.33	Vertical
6	17989.5	41.62	-39.76	48.01	-45.39	-13.00	32.39	Vertical

Test Band = UL MIMO_n25_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3137.5	47.17	-44.54	28.75	-63.88	-13.00	50.88	Horizontal
2	4844	47.86	-42.68	30.62	-59.46	-13.00	46.46	Horizontal
3	7378	44.49	-38.10	36.61	-52.26	-13.00	39.26	Horizontal
4	11799.5	43.28	-33.81	39.80	-45.99	-13.00	32.99	Horizontal
5	14805.5	41.59	-32.53	41.57	-44.63	-13.00	31.63	Horizontal
6	17994.5	41.21	-39.77	48.10	-45.72	-13.00	32.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3194.5	47.23	-43.93	28.43	-63.53	-13.00	50.53	Vertical
2	4844	52.94	-42.68	30.62	-54.38	-13.00	41.38	Vertical
3	7379	44.57	-38.10	36.62	-52.17	-13.00	39.17	Vertical
4	11808	43.79	-34.00	39.81	-45.66	-13.00	32.66	Vertical
5	14802.5	41.97	-32.50	41.59	-44.20	-13.00	31.20	Vertical
6	17980	41.66	-39.75	47.84	-45.51	-13.00	32.51	Vertical

Test Band = UL MIMO_n25_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3196	47.10	-43.91	28.42	-63.65	-13.00	50.65	Horizontal
2	4844	48.03	-42.68	30.62	-59.29	-13.00	46.29	Horizontal
3	7408	44.13	-37.96	36.72	-52.37	-13.00	39.37	Horizontal
4	11543	43.65	-34.56	40.24	-45.93	-13.00	32.93	Horizontal
5	14804	41.61	-32.51	41.58	-44.58	-13.00	31.58	Horizontal
6	17990	41.66	-39.76	48.02	-45.34	-13.00	32.34	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3427	46.90	-44.28	28.76	-63.88	-13.00	50.88	Vertical
2	4844	53.05	-42.68	30.62	-54.27	-13.00	41.27	Vertical
3	7403.5	44.25	-37.99	36.71	-52.29	-13.00	39.29	Vertical
4	11300	44.13	-34.70	40.10	-45.73	-13.00	32.73	Vertical
5	14805	41.60	-32.52	41.57	-44.61	-13.00	31.61	Vertical
6	17996	41.27	-39.77	48.13	-45.63	-13.00	32.63	Vertical

Test Band = UL MIMO_n38_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3837.5	47.30	-43.92	29.73	-62.15	-25.00	37.15	Horizontal
2	5966	45.46	-40.87	32.93	-57.74	-25.00	32.74	Horizontal
3	8461	43.59	-36.17	36.42	-51.42	-25.00	26.42	Horizontal
4	11278.5	44.44	-35.16	40.12	-45.86	-25.00	20.86	Horizontal
5	14677	42.07	-33.74	41.81	-45.12	-25.00	20.12	Horizontal
6	17983.5	41.25	-39.76	47.90	-45.87	-25.00	20.87	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3215.5	47.14	-44.01	28.46	-63.67	-25.00	38.67	Vertical
2	5142.5	53.85	-42.22	31.76	-51.87	-25.00	26.87	Vertical
3	7429	44.10	-37.84	36.76	-52.24	-25.00	27.24	Vertical
4	11340	44.72	-35.31	40.18	-45.67	-25.00	20.67	Vertical
5	14805.5	41.55	-32.53	41.57	-44.67	-25.00	19.67	Vertical
6	17973	41.71	-39.75	47.71	-45.59	-25.00	20.59	Vertical

Test Band = UL MIMO_n38_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3182.5	46.86	-44.09	28.51	-63.98	-25.00	38.98	Horizontal
2	5152	49.56	-42.18	31.80	-56.08	-25.00	31.08	Horizontal
3	7422.5	44.36	-37.88	36.75	-52.03	-25.00	27.03	Horizontal
4	11296.5	44.01	-34.77	40.10	-45.92	-25.00	20.92	Horizontal
5	14809.5	41.65	-32.56	41.54	-44.63	-25.00	19.63	Horizontal
6	17988.5	41.63	-39.76	47.99	-45.40	-25.00	20.40	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3257	47.34	-44.32	28.59	-63.65	-25.00	38.65	Vertical
2	5152	51.93	-42.18	31.80	-53.71	-25.00	28.71	Vertical
3	7496	43.80	-38.05	36.89	-52.62	-25.00	27.62	Vertical
4	11241	44.80	-35.68	40.16	-45.98	-25.00	20.98	Vertical
5	14810.5	41.42	-32.57	41.54	-44.87	-25.00	19.87	Vertical
6	17986.5	41.31	-39.76	47.96	-45.75	-25.00	20.75	Vertical

Test Band = UL MIMO_n38_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3072	47.65	-44.49	28.84	-63.26	-25.00	38.26	Horizontal
2	4843.5	47.66	-42.67	30.63	-59.64	-25.00	34.64	Horizontal
3	7418.5	44.13	-37.90	36.74	-52.29	-25.00	27.29	Horizontal
4	11315.5	44.24	-34.94	40.13	-45.83	-25.00	20.83	Horizontal
5	14800.5	41.42	-32.48	41.60	-44.72	-25.00	19.72	Horizontal
6	17994	41.55	-39.77	48.09	-45.39	-25.00	20.39	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3196	47.10	-43.91	28.42	-63.65	-25.00	38.65	Vertical
2	4844	53.39	-42.68	30.62	-53.93	-25.00	28.93	Vertical
3	7441	43.89	-37.76	36.78	-52.35	-25.00	27.35	Vertical
4	11329.5	44.07	-35.15	40.16	-46.18	-25.00	21.18	Vertical
5	14802	41.66	-32.50	41.59	-44.51	-25.00	19.51	Vertical
6	17883.5	42.60	-39.37	46.30	-45.73	-25.00	20.73	Vertical

Test Band = UL MIMO_n41_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3203	47.11	-43.89	28.41	-63.63	-25.00	38.63	Horizontal
2	4994	49.20	-42.44	31.18	-57.32	-25.00	32.32	Horizontal
3	7402	44.81	-38.00	36.70	-51.75	-25.00	26.75	Horizontal
4	11246.5	44.81	-35.73	40.15	-46.03	-25.00	21.03	Horizontal
5	14800	41.41	-32.48	41.60	-44.73	-25.00	19.73	Horizontal
6	17990.5	41.13	-39.76	48.03	-45.86	-25.00	20.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3271	47.53	-44.29	28.56	-63.46	-25.00	38.46	Vertical
2	4843.5	53.14	-42.67	30.63	-54.16	-25.00	29.16	Vertical
3	7402	44.16	-38.00	36.70	-52.40	-25.00	27.40	Vertical
4	11270.5	44.34	-35.33	40.13	-46.12	-25.00	21.12	Vertical
5	14800	41.24	-32.48	41.60	-44.90	-25.00	19.90	Vertical
6	17994	41.20	-39.77	48.09	-45.74	-25.00	20.74	Vertical

Test Band = UL MIMO_n41_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3206	47.26	-43.92	28.42	-63.50	-25.00	38.50	Horizontal
2	4843.5	48.41	-42.67	30.63	-58.89	-25.00	33.89	Horizontal
3	7451.5	43.89	-37.72	36.80	-52.29	-25.00	27.29	Horizontal
4	11328	44.50	-35.13	40.16	-45.73	-25.00	20.73	Horizontal
5	14808.5	41.56	-32.55	41.55	-44.70	-25.00	19.70	Horizontal
6	17987	41.37	-39.76	47.97	-45.68	-25.00	20.68	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3092.5	47.19	-44.58	28.89	-63.76	-25.00	38.76	Vertical
2	4843.5	53.15	-42.67	30.63	-54.15	-25.00	29.15	Vertical
3	7389	44.41	-38.06	36.66	-52.25	-25.00	27.25	Vertical
4	11284	44.14	-35.04	40.12	-46.04	-25.00	21.04	Vertical
5	14800.5	41.64	-32.48	41.60	-44.50	-25.00	19.50	Vertical
6	17998	41.09	-39.77	48.16	-45.78	-25.00	20.78	Vertical

Test Band = UL MIMO_n41_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3254	47.24	-44.33	28.59	-63.76	-25.00	38.76	Horizontal
2	4531.5	49.40	-43.08	29.66	-59.28	-25.00	34.28	Horizontal
3	7431.5	43.04	-37.82	36.76	-53.28	-25.00	28.28	Horizontal
4	11279	42.90	-35.15	40.12	-47.39	-25.00	22.39	Horizontal
5	14810	39.64	-32.56	41.54	-46.64	-25.00	21.64	Horizontal
6	17989.5	39.47	-39.76	48.01	-47.54	-25.00	22.54	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3096	47.07	-44.59	28.89	-63.89	-25.00	38.89	Vertical
2	5182	51.79	-42.06	31.86	-53.67	-25.00	28.67	Vertical
3	7429.5	42.90	-37.83	36.76	-53.43	-25.00	28.43	Vertical
4	11326.5	42.79	-35.10	40.15	-47.42	-25.00	22.42	Vertical
5	14675.5	41.03	-33.73	41.80	-46.16	-25.00	21.16	Vertical
6	17995.5	39.42	-39.77	48.12	-47.49	-25.00	22.49	Vertical

Test Band = UL MIMO_n66_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3081	46.99	-44.53	28.86	-63.94	-13.00	50.94	Horizontal
2	4531	49.53	-43.08	29.66	-59.15	-13.00	46.15	Horizontal
3	7416	43.62	-37.91	36.73	-52.82	-13.00	39.82	Horizontal
4	11032.5	41.74	-34.13	40.13	-47.52	-13.00	34.52	Horizontal
5	14674	41.03	-33.71	41.80	-46.14	-13.00	33.14	Horizontal
6	17963.5	40.18	-39.74	47.54	-47.28	-13.00	34.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3231	47.07	-44.16	28.52	-63.83	-13.00	50.83	Vertical
2	4844	51.97	-42.68	30.62	-55.35	-13.00	42.35	Vertical
3	7443.5	43.22	-37.75	36.79	-53.00	-13.00	40.00	Vertical
4	11333	43.40	-35.20	40.17	-46.89	-13.00	33.89	Vertical
5	14801.5	40.08	-32.49	41.59	-46.08	-13.00	33.08	Vertical
6	17983	40.09	-39.76	47.89	-47.04	-13.00	34.04	Vertical

Test Band = UL MIMO_n66_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3242.5	47.16	-44.27	28.57	-63.80	-13.00	50.80	Horizontal
2	4531.5	49.58	-43.08	29.66	-59.10	-13.00	46.10	Horizontal
3	7429	43.11	-37.84	36.76	-53.23	-13.00	40.23	Horizontal
4	11293.5	42.78	-34.84	40.11	-47.21	-13.00	34.21	Horizontal
5	15073.5	40.86	-32.14	40.41	-46.13	-13.00	33.13	Horizontal
6	17991.5	39.95	-39.76	48.05	-47.02	-13.00	34.02	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451.5	50.27	-44.28	28.91	-60.36	-13.00	47.36	Vertical
2	4843.5	52.35	-42.67	30.63	-54.95	-13.00	41.95	Vertical
3	7464	43.00	-37.81	36.83	-53.24	-13.00	40.24	Vertical
4	11316	42.78	-34.94	40.13	-47.29	-13.00	34.29	Vertical
5	14677	41.19	-33.74	41.81	-46.00	-13.00	33.00	Vertical
6	17985	40.90	-39.76	47.93	-46.19	-13.00	33.19	Vertical

Test Band = UL MIMO_n66_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3109.5	47.16	-44.59	28.86	-63.83	-13.00	50.83	Horizontal
2	4531.5	49.41	-43.08	29.66	-59.27	-13.00	46.27	Horizontal
3	7429.5	43.16	-37.83	36.76	-53.17	-13.00	40.17	Horizontal
4	11290.5	43.00	-34.90	40.11	-47.05	-13.00	34.05	Horizontal
5	14806	40.18	-32.53	41.56	-46.05	-13.00	33.05	Horizontal
6	17996	39.61	-39.77	48.13	-47.29	-13.00	34.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	47.97	-44.34	29.03	-62.60	-13.00	49.60	Vertical
2	4843.5	52.08	-42.67	30.63	-55.22	-13.00	42.22	Vertical
3	7423.5	43.19	-37.87	36.75	-53.19	-13.00	40.19	Vertical
4	11305.5	42.68	-34.78	40.11	-47.25	-13.00	34.25	Vertical
5	14811	40.40	-32.57	41.53	-45.90	-13.00	32.90	Vertical
6	18000	39.56	-39.77	48.20	-47.27	-13.00	34.27	Vertical

Test Band = UL MIMO_n70_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3514.5	46.86	-44.40	29.07	-63.73	-13.00	50.73	Horizontal
2	4531	49.87	-43.08	29.66	-58.81	-13.00	45.81	Horizontal
3	7436	43.32	-37.79	36.77	-52.96	-13.00	39.96	Horizontal
4	11296	42.84	-34.79	40.10	-47.11	-13.00	34.11	Horizontal
5	14675	41.24	-33.72	41.80	-45.94	-13.00	32.94	Horizontal
6	17991.5	40.17	-39.76	48.05	-46.80	-13.00	33.80	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3391	51.80	-44.35	28.60	-59.21	-13.00	46.21	Vertical
2	4843.5	51.90	-42.67	30.63	-55.40	-13.00	42.40	Vertical
3	7434.5	43.05	-37.80	36.77	-53.24	-13.00	40.24	Vertical
4	11308	42.74	-34.82	40.12	-47.22	-13.00	34.22	Vertical
5	15278.5	40.21	-30.67	39.86	-45.86	-13.00	32.86	Vertical
6	17969.5	40.15	-39.75	47.65	-47.21	-13.00	34.21	Vertical

Test Band = UL MIMO_n71_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	55.46	-47.15	24.87	-62.08	-13.00	49.08	Horizontal
2	1875	47.73	-46.71	25.50	-68.74	-13.00	55.74	Horizontal
3	2813	46.34	-45.18	28.30	-65.80	-13.00	52.80	Horizontal
4	4531.5	49.08	-43.13	29.66	-59.65	-13.00	46.65	Horizontal
5	7449	42.34	-37.69	36.80	-53.81	-13.00	40.81	Horizontal
6	9895	40.88	-35.05	38.56	-50.87	-13.00	37.87	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	53.18	-47.15	24.87	-64.36	-13.00	51.36	Vertical
2	2031	49.96	-46.30	26.38	-65.22	-13.00	52.22	Vertical
3	3267	46.45	-44.55	28.57	-64.79	-13.00	51.79	Vertical
4	4844	51.54	-42.79	30.62	-55.89	-13.00	42.89	Vertical
5	7483	42.57	-38.01	36.87	-53.83	-13.00	40.83	Vertical
6	9960	40.77	-34.94	38.66	-50.77	-13.00	37.77	Vertical

Test Band = UL MIMO_n71_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	52.76	-47.12	25.02	-64.60	-13.00	51.60	Horizontal
2	2000	46.62	-46.26	26.50	-68.40	-13.00	55.40	Horizontal
3	3121.5	46.65	-45.04	28.81	-64.84	-13.00	51.84	Horizontal
4	4531.5	48.47	-43.13	29.66	-60.26	-13.00	47.26	Horizontal
5	7439.5	42.35	-37.80	36.78	-53.93	-13.00	40.93	Horizontal
6	9959.5	41.18	-34.94	38.66	-50.36	-13.00	37.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	47.83	-47.12	25.02	-69.53	-13.00	56.53	Vertical
2	2013	53.52	-46.28	26.45	-61.57	-13.00	48.57	Vertical
3	3241	46.42	-44.53	28.56	-64.81	-13.00	51.81	Vertical
4	4844	51.17	-42.79	30.62	-56.26	-13.00	43.26	Vertical
5	7422	42.64	-37.99	36.74	-53.87	-13.00	40.87	Vertical
6	9936	40.92	-34.95	38.64	-50.65	-13.00	37.65	Vertical

Test Band = UL MIMO_n71_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	54.67	-47.05	25.07	-62.57	-13.00	49.57	Horizontal
2	2036	49.97	-46.31	26.36	-65.24	-13.00	52.24	Horizontal
3	3436	46.76	-44.66	28.82	-64.34	-13.00	51.34	Horizontal
4	4531	48.60	-43.13	29.66	-60.13	-13.00	47.13	Horizontal
5	7425	42.56	-37.96	36.75	-53.91	-13.00	40.91	Horizontal
6	9942.5	40.90	-34.93	38.64	-50.65	-13.00	37.65	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	51.33	-47.05	25.07	-65.91	-13.00	52.91	Vertical
2	2031.5	49.45	-46.30	26.37	-65.74	-13.00	52.74	Vertical
3	3071.5	46.69	-45.25	28.84	-64.98	-13.00	51.98	Vertical
4	4843.5	51.07	-42.79	30.63	-56.35	-13.00	43.35	Vertical
5	7425.5	42.59	-37.95	36.75	-53.87	-13.00	40.87	Vertical
6	9931.5	41.06	-34.97	38.63	-50.54	-13.00	37.54	Vertical

Test Band = UL MIMO_n77(3450-3550) _TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7412.5706	42.87	-38.45	36.73	-54.11	-13.00	41.11	Horizontal
2	10016.8758	41.53	-35.20	38.72	-50.21	-13.00	37.21	Horizontal
3	12399.22	42.61	-35.15	39.80	-48.00	-13.00	35.00	Horizontal
4	14709.6855	40.61	-31.63	41.87	-44.41	-13.00	31.41	Horizontal
5	16393.3697	40.54	-28.83	38.78	-44.77	-13.00	31.77	Horizontal
6	17971.2486	39.91	-39.75	47.68	-47.42	-13.00	34.42	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7433.2717	43.26	-38.34	36.77	-53.57	-13.00	40.57	Vertical
2	10391.7946	41.06	-35.39	39.19	-50.40	-13.00	37.40	Vertical
3	11904.1202	42.64	-35.43	39.89	-48.16	-13.00	35.16	Vertical
4	14711.4106	40.50	-31.56	41.87	-44.45	-13.00	31.45	Vertical
5	16392.7946	40.54	-28.83	38.78	-44.77	-13.00	31.77	Vertical
6	17963.1982	39.58	-39.74	47.54	-47.88	-13.00	34.88	Vertical

Test Band = UL MIMO_n77(3700-3980) _TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7387.8444	43.17	-38.56	36.65	-54.00	-13.00	41.00	Horizontal
2	10024.3512	41.35	-35.14	38.72	-50.33	-13.00	37.33	Horizontal
3	12394.0447	42.16	-35.11	39.76	-48.45	-13.00	35.45	Horizontal
4	14710.2605	40.68	-31.61	41.87	-44.32	-13.00	31.32	Horizontal
5	16427.8714	40.01	-28.48	38.94	-44.79	-13.00	31.79	Horizontal
6	17968.9484	39.65	-39.75	47.64	-47.72	-13.00	34.72	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7502.2751	42.82	-38.53	36.88	-54.09	-13.00	41.09	Vertical
2	10013.4257	41.36	-35.22	38.71	-50.41	-13.00	37.41	Vertical
3	11806.3653	42.07	-34.70	39.81	-48.08	-13.00	35.08	Vertical
4	14648.7324	41.02	-31.29	41.69	-43.84	-13.00	30.84	Vertical
5	16395.6698	40.45	-28.82	38.79	-44.84	-13.00	31.84	Vertical
6	17971.2486	39.71	-39.75	47.68	-47.62	-13.00	34.62	Vertical

Test Band = UL MIMO_n77(3700-3980) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7398.1949	43.18	-38.53	36.69	-53.92	-13.00	40.92	Horizontal
2	10009.9755	41.62	-35.25	38.71	-50.18	-13.00	37.18	Horizontal
3	11884.5692	42.88	-35.55	39.88	-48.05	-13.00	35.05	Horizontal
4	14756.8378	39.36	-30.27	41.73	-44.44	-13.00	31.44	Horizontal
5	16396.2448	40.55	-28.82	38.79	-44.74	-13.00	31.74	Horizontal
6	17989.6495	39.20	-39.76	48.01	-47.81	-13.00	34.81	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7494.7997	42.65	-38.50	36.89	-54.22	-13.00	41.22	Vertical
2	10021.4761	41.37	-35.17	38.72	-50.34	-13.00	37.34	Vertical
3	11928.2714	42.40	-35.11	39.82	-48.15	-13.00	35.15	Vertical
4	14716.0108	40.64	-31.39	41.85	-44.16	-13.00	31.16	Vertical
5	16396.2448	40.62	-28.82	38.79	-44.67	-13.00	31.67	Vertical
6	17968.3734	39.66	-39.74	47.63	-47.71	-13.00	34.71	Vertical

Test Band = UL MIMO_n77(3700-3980) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7387.8444	43.06	-38.56	36.65	-54.11	-13.00	41.11	Horizontal
2	10386.0443	41.26	-35.42	39.19	-50.23	-13.00	37.23	Horizontal
3	12394.0447	42.52	-35.11	39.76	-48.09	-13.00	35.09	Horizontal
4	14648.1574	40.52	-31.30	41.69	-44.35	-13.00	31.35	Horizontal
5	16349.0925	40.53	-28.93	38.65	-45.01	-13.00	32.01	Horizontal
6	17965.4983	39.75	-39.74	47.58	-47.67	-13.00	34.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7424.0712	42.81	-38.39	36.75	-54.09	-13.00	41.09	Vertical
2	10074.9537	41.46	-35.28	38.77	-50.31	-13.00	37.31	Vertical
3	11915.0458	42.52	-35.28	39.85	-48.17	-13.00	35.17	Vertical
4	14717.7359	40.28	-31.33	41.85	-44.46	-13.00	31.46	Vertical
5	16387.6194	40.42	-28.84	38.76	-44.92	-13.00	31.92	Vertical
6	17971.2486	39.72	-39.75	47.68	-47.61	-13.00	34.61	Vertical

Test Band = UL MIMO_n78(3450-3550) _TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7495.9498	42.89	-38.51	36.89	-53.99	-13.00	40.99	Horizontal
2	10015.7258	41.28	-35.21	38.72	-50.47	-13.00	37.47	Horizontal
3	12403.8202	42.66	-35.15	39.77	-47.98	-13.00	34.98	Horizontal
4	14714.2857	40.66	-31.46	41.86	-44.20	-13.00	31.20	Horizontal
5	16493.4247	40.48	-29.25	39.27	-44.76	-13.00	31.76	Horizontal
6	17969.5235	39.71	-39.75	47.65	-47.65	-13.00	34.65	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7420.046	43.02	-38.41	36.74	-53.91	-13.00	40.91	Vertical
2	9563.7532	41.61	-35.93	37.80	-51.78	-13.00	38.78	Vertical
3	11319.891	42.69	-35.41	40.14	-47.84	-13.00	34.84	Vertical
4	14710.8355	40.62	-31.58	41.87	-44.35	-13.00	31.35	Vertical
5	16350.8175	40.72	-28.93	38.65	-44.82	-13.00	31.82	Vertical
6	17957.4479	40.01	-39.74	47.43	-47.56	-13.00	34.56	Vertical

Test Band = UL MIMO_n78(3700-3800) _TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7425.2213	42.80	-38.38	36.75	-54.09	-13.00	41.09	Horizontal
2	9964.5482	41.66	-35.50	38.66	-50.44	-13.00	37.44	Horizontal
3	12403.2452	42.17	-35.15	39.77	-48.47	-13.00	35.47	Horizontal
4	14716.5858	40.46	-31.37	41.85	-44.32	-13.00	31.32	Horizontal
5	16362.8931	40.58	-28.90	38.69	-44.89	-13.00	31.89	Horizontal
6	17894.1947	40.60	-39.41	46.37	-47.70	-13.00	34.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7456.8478	42.81	-38.29	36.81	-53.93	-13.00	40.93	Vertical
2	10000.775	41.59	-35.31	38.70	-50.28	-13.00	37.28	Vertical
3	12413.5957	42.49	-35.14	39.69	-48.22	-13.00	35.22	Vertical
4	14640.682	40.86	-31.47	41.66	-44.21	-13.00	31.21	Vertical
5	16385.8943	40.29	-28.84	38.76	-45.05	-13.00	32.05	Vertical
6	17897.6449	40.64	-39.42	46.39	-47.65	-13.00	34.65	Vertical