

Field Strength of Spurious Radiation

Test Band = SA_n2_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3241	47.28	-44.25	28.56	-63.67	-13.00	50.67	Horizontal
2	4843.5	47.89	-42.67	30.63	-59.41	-13.00	46.41	Horizontal
3	7479.5	43.26	-37.93	36.86	-53.07	-13.00	40.07	Horizontal
4	11281.5	43.63	-35.10	40.12	-46.61	-13.00	33.61	Horizontal
5	15285	40.38	-30.69	39.87	-45.70	-13.00	32.70	Horizontal
6	17998.5	39.64	-39.77	48.17	-47.22	-13.00	34.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	51.31	-43.92	29.55	-58.32	-13.00	45.32	Vertical
2	4843.5	52.13	-42.67	30.63	-55.17	-13.00	42.17	Vertical
3	7417	43.59	-37.91	36.73	-52.85	-13.00	39.85	Vertical
4	11031	42.04	-34.11	40.13	-47.20	-13.00	34.20	Vertical
5	14620.5	41.46	-33.84	41.58	-46.06	-13.00	33.06	Vertical
6	17986.5	40.63	-39.76	47.96	-46.43	-13.00	33.43	Vertical

Test Band = SA_n2_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3812.5	47.17	-43.87	29.78	-62.18	-13.00	49.18	Horizontal
2	4843.5	47.99	-42.67	30.63	-59.31	-13.00	46.31	Horizontal
3	7496	43.51	-38.05	36.89	-52.91	-13.00	39.91	Horizontal
4	11818	42.81	-34.25	39.82	-46.88	-13.00	33.88	Horizontal
5	15277	40.54	-30.66	39.85	-45.53	-13.00	32.53	Horizontal
6	17991	39.92	-39.76	48.04	-47.06	-13.00	34.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	48.73	-43.92	29.55	-60.90	-13.00	47.90	Vertical
2	4843.5	52.88	-42.67	30.63	-54.42	-13.00	41.42	Vertical
3	7479.5	43.42	-37.93	36.86	-52.91	-13.00	39.91	Vertical
4	11300	43.04	-34.70	40.10	-46.82	-13.00	33.82	Vertical
5	14676	41.91	-33.73	41.80	-45.28	-13.00	32.28	Vertical
6	17967.5	40.23	-39.74	47.62	-47.15	-13.00	34.15	Vertical

Test Band = SA_2_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3713	47.85	-44.11	29.38	-62.14	-13.00	49.14	Horizontal
2	4844	48.09	-42.68	30.62	-59.23	-13.00	46.23	Horizontal
3	7399.5	43.56	-38.01	36.70	-53.01	-13.00	40.01	Horizontal
4	11111.5	42.96	-34.79	40.20	-46.89	-13.00	33.89	Horizontal
5	14806.5	40.49	-32.53	41.56	-45.74	-13.00	32.74	Horizontal
6	17986.5	40.36	-39.76	47.96	-46.70	-13.00	33.70	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3841	47.18	-43.92	29.72	-62.28	-13.00	49.28	Vertical
2	4844	52.29	-42.68	30.62	-55.03	-13.00	42.03	Vertical
3	7447	43.40	-37.73	36.79	-52.80	-13.00	39.80	Vertical
4	11035	42.45	-34.15	40.14	-46.82	-13.00	33.82	Vertical
5	14804	40.46	-32.51	41.58	-45.73	-13.00	32.73	Vertical
6	17986	39.90	-39.76	47.95	-47.17	-13.00	34.17	Vertical

Test Band = SA_n5_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1002	47.29	-46.26	24.48	-69.75	-13.00	56.75	Horizontal
2	1875	49.61	-46.71	25.50	-66.86	-13.00	53.86	Horizontal
3	3256.5	47.36	-44.52	28.59	-63.83	-13.00	50.83	Horizontal
4	4844	47.24	-42.79	30.62	-60.19	-13.00	47.19	Horizontal
5	7422	43.32	-37.99	36.74	-53.19	-13.00	40.19	Horizontal
6	9985	41.31	-35.02	38.69	-50.28	-13.00	37.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1018	47.63	-46.53	24.36	-69.80	-13.00	56.80	Vertical
2	2031	49.98	-46.30	26.38	-65.20	-13.00	52.20	Vertical
3	3104.5	46.99	-45.08	28.88	-64.47	-13.00	51.47	Vertical
4	4844	51.30	-42.79	30.62	-56.13	-13.00	43.13	Vertical
5	7417.5	42.89	-38.04	36.74	-53.67	-13.00	40.67	Vertical
6	9956	40.97	-34.93	38.66	-50.56	-13.00	37.56	Vertical

Test Band = SA_n5_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1459.5	47.14	-46.85	25.22	-69.75	-13.00	56.75	Horizontal
2	1875	49.03	-46.71	25.50	-67.44	-13.00	54.44	Horizontal
3	3110	46.74	-45.07	28.86	-64.73	-13.00	51.73	Horizontal
4	4843.5	47.56	-42.79	30.63	-59.86	-13.00	46.86	Horizontal
5	7506	42.99	-38.19	36.84	-53.62	-13.00	40.62	Horizontal
6	9914	41.05	-35.02	38.61	-50.62	-13.00	37.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1469.5	47.50	-46.91	25.14	-69.53	-13.00	56.53	Vertical
2	2031	49.44	-46.30	26.38	-65.74	-13.00	52.74	Vertical
3	3109	46.57	-45.07	28.86	-64.90	-13.00	51.90	Vertical
4	4844	52.09	-42.79	30.62	-55.34	-13.00	42.34	Vertical
5	7436	43.00	-37.84	36.77	-53.33	-13.00	40.33	Vertical
6	9960.5	40.90	-34.94	38.66	-50.64	-13.00	37.64	Vertical

Test Band = SA_n5_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.5	47.02	-46.80	25.30	-69.74	-13.00	56.74	Horizontal
2	1875	49.16	-46.71	25.50	-67.31	-13.00	54.31	Horizontal
3	3314.5	47.02	-44.74	28.53	-64.45	-13.00	51.45	Horizontal
4	4843.5	48.03	-42.79	30.63	-59.39	-13.00	46.39	Horizontal
5	7448.5	42.59	-37.70	36.80	-53.57	-13.00	40.57	Horizontal
6	9935.5	40.94	-34.95	38.64	-50.63	-13.00	37.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1468	47.39	-46.90	25.16	-69.61	-13.00	56.61	Vertical
2	2031	50.22	-46.30	26.38	-64.96	-13.00	51.96	Vertical
3	3071	47.17	-45.25	28.84	-64.50	-13.00	51.50	Vertical
4	4844	51.80	-42.79	30.62	-55.63	-13.00	42.63	Vertical
5	7482.5	42.81	-38.01	36.87	-53.59	-13.00	40.59	Vertical
6	9921	41.05	-35.00	38.62	-50.59	-13.00	37.59	Vertical

Test Band = SA_n7_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3743.5	47.25	-43.90	29.56	-62.35	-25.00	37.35	Horizontal
2	4844	47.91	-42.68	30.62	-59.41	-25.00	34.41	Horizontal
3	7403	43.62	-37.99	36.71	-52.92	-25.00	27.92	Horizontal
4	11108	43.25	-34.78	40.20	-46.59	-25.00	21.59	Horizontal
5	13429.5	42.51	-33.04	39.69	-46.10	-25.00	21.10	Horizontal
6	17995	40.09	-39.77	48.11	-46.83	-25.00	21.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3809	47.14	-43.86	29.78	-62.20	-25.00	37.20	Vertical
2	4843.5	52.07	-42.67	30.63	-55.23	-25.00	30.23	Vertical
3	7501.5	49.34	-38.08	36.89	-47.11	-25.00	22.11	Vertical
4	11098.5	42.63	-34.76	40.20	-47.19	-25.00	22.19	Vertical
5	14653	41.45	-33.48	41.71	-45.58	-25.00	20.58	Vertical
6	17866	41.35	-39.31	46.20	-47.02	-25.00	22.02	Vertical

Test Band = SA_n7_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835	47.22	-43.91	29.73	-62.22	-25.00	37.22	Horizontal
2	4844	48.57	-42.68	30.62	-58.75	-25.00	33.75	Horizontal
3	7391	44.35	-38.05	36.66	-52.30	-25.00	27.30	Horizontal
4	11786	43.31	-34.08	39.81	-46.22	-25.00	21.22	Horizontal
5	15280.5	40.19	-30.67	39.86	-45.88	-25.00	20.88	Horizontal
6	17987	40.22	-39.76	47.97	-46.83	-25.00	21.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3716.5	47.70	-44.09	29.40	-62.25	-25.00	37.25	Vertical
2	4843.5	52.17	-42.67	30.63	-55.13	-25.00	30.13	Vertical
3	7576.5	49.02	-38.07	36.61	-47.70	-25.00	22.70	Vertical
4	11141	43.28	-34.84	40.20	-46.62	-25.00	21.62	Vertical
5	14676.5	41.43	-33.74	41.81	-45.76	-25.00	20.76	Vertical
6	17986.5	40.18	-39.76	47.96	-46.88	-25.00	21.88	Vertical

Test Band = SA_n7_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3935.5	47.44	-43.81	29.84	-61.79	-25.00	36.79	Horizontal
2	5151	45.94	-42.19	31.80	-59.71	-25.00	34.71	Horizontal
3	7420.5	43.40	-37.89	36.74	-53.01	-25.00	28.01	Horizontal
4	11828.5	43.73	-34.51	39.83	-46.21	-25.00	21.21	Horizontal
5	14669.5	41.77	-33.66	41.78	-45.37	-25.00	20.37	Horizontal
6	17988.5	40.16	-39.76	47.99	-46.87	-25.00	21.87	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3827.5	47.17	-43.90	29.75	-62.24	-25.00	37.24	Vertical
2	4843.5	51.57	-42.67	30.63	-55.73	-25.00	30.73	Vertical
3	7651.5	48.44	-37.46	36.61	-47.67	-25.00	22.67	Vertical
4	11296.5	43.10	-34.77	40.10	-46.83	-25.00	21.83	Vertical
5	15284	40.35	-30.69	39.87	-45.73	-25.00	20.73	Vertical
6	17966	40.40	-39.74	47.59	-47.01	-25.00	22.01	Vertical

Test Band = SA_n12_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	52.91	-46.76	24.90	-64.21	-13.00	51.21	Horizontal
2	1875	49.17	-46.71	25.50	-67.30	-13.00	54.30	Horizontal
3	3123	47.20	-45.04	28.81	-64.29	-13.00	51.29	Horizontal
4	4843.5	47.08	-42.79	30.63	-60.34	-13.00	47.34	Horizontal
5	7401.5	43.63	-38.22	36.70	-53.15	-13.00	40.15	Horizontal
6	9939.5	41.09	-34.94	38.64	-50.47	-13.00	37.47	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449	47.42	-46.80	25.29	-69.35	-13.00	56.35	Vertical
2	2031.5	49.55	-46.30	26.37	-65.64	-13.00	52.64	Vertical
3	3108.5	47.04	-45.07	28.87	-64.42	-13.00	51.42	Vertical
4	4843.5	51.92	-42.79	30.63	-55.50	-13.00	42.50	Vertical
5	7434.5	42.84	-37.85	36.77	-53.50	-13.00	40.50	Vertical
6	9947.5	40.89	-34.92	38.65	-50.64	-13.00	37.64	Vertical

Test Band = SA_n12_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1400.5	49.90	-46.75	24.90	-67.21	-13.00	54.21	Horizontal
2	1875	48.40	-46.71	25.50	-68.07	-13.00	55.07	Horizontal
3	3110	47.16	-45.07	28.86	-64.31	-13.00	51.31	Horizontal
4	4843.5	47.21	-42.79	30.63	-60.21	-13.00	47.21	Horizontal
5	7480.5	42.77	-37.99	36.86	-53.62	-13.00	40.62	Horizontal
6	9936	41.05	-34.95	38.64	-50.52	-13.00	37.52	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1108.5	47.81	-47.21	24.33	-70.33	-13.00	57.33	Vertical
2	2031.5	49.61	-46.30	26.37	-65.58	-13.00	52.58	Vertical
3	3135	46.87	-45.01	28.76	-64.64	-13.00	51.64	Vertical
4	4844	51.87	-42.79	30.62	-55.56	-13.00	42.56	Vertical
5	7414.5	43.14	-38.08	36.73	-53.47	-13.00	40.47	Vertical
6	9972.5	41.23	-34.98	38.67	-50.34	-13.00	37.34	Vertical

Test Band = SA_n12_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1403	51.20	-46.75	24.92	-65.89	-13.00	52.89	Horizontal
2	1875	48.86	-46.71	25.50	-67.61	-13.00	54.61	Horizontal
3	3094	46.78	-45.12	28.89	-64.71	-13.00	51.71	Horizontal
4	4844	47.77	-42.79	30.62	-59.66	-13.00	46.66	Horizontal
5	7425.5	43.17	-37.95	36.75	-53.29	-13.00	40.29	Horizontal
6	9912.5	41.24	-35.02	38.61	-50.43	-13.00	37.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1454.5	47.38	-46.82	25.26	-69.44	-13.00	56.44	Vertical
2	2031	49.28	-46.30	26.38	-65.90	-13.00	52.90	Vertical
3	3110.5	46.85	-45.07	28.86	-64.62	-13.00	51.62	Vertical
4	4844	51.66	-42.79	30.62	-55.77	-13.00	42.77	Vertical
5	7431.5	42.86	-37.89	36.76	-53.53	-13.00	40.53	Vertical
6	9937	40.98	-34.95	38.64	-50.59	-13.00	37.59	Vertical

Test Band = SA_n13_10MHz_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1046.5	47.69	-47.00	24.13	-70.44	-13.00	57.44	Horizontal
2	1598	46.98	-46.95	25.06	-70.17	-40.00	30.17	Horizontal
3	1875	49.78	-46.71	25.50	-66.69	-13.00	53.69	Horizontal
4	4531	49.50	-43.13	29.66	-59.23	-13.00	46.23	Horizontal
5	7438.5	43.01	-37.81	36.78	-53.28	-13.00	40.28	Horizontal
6	9937.5	41.73	-34.95	38.64	-49.84	-13.00	36.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1600	46.99	-46.96	25.10	-70.13	-40.00	30.13	Vertical
2	2031	50.23	-46.30	26.38	-64.95	-13.00	51.95	Vertical
3	4531	51.26	-43.13	29.66	-57.47	-13.00	44.47	Vertical
4	4844	50.55	-42.79	30.62	-56.88	-13.00	43.88	Vertical
5	7463	43.09	-37.81	36.83	-53.15	-13.00	40.15	Vertical
6	9942	41.75	-34.93	38.64	-49.80	-13.00	36.80	Vertical

Test Band = SA_n13_5MHz_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1598	46.92	-46.95	25.06	-70.23	-40.00	30.23	Horizontal
2	1875	49.27	-46.71	25.50	-67.20	-13.00	54.20	Horizontal
3	2945.5	46.67	-45.07	28.28	-65.38	-13.00	52.38	Horizontal
4	4843.5	47.82	-42.79	30.63	-59.60	-13.00	46.60	Horizontal
5	7419	43.02	-38.03	36.74	-53.53	-13.00	40.53	Horizontal
6	9956.5	41.16	-34.93	38.66	-50.37	-13.00	37.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1595	47.01	-46.95	25.01	-70.19	-40.00	30.19	Vertical
2	2031.5	49.09	-46.30	26.37	-66.10	-13.00	53.10	Vertical
3	3090.5	46.74	-45.14	28.88	-64.78	-13.00	51.78	Vertical
4	4843.5	52.80	-42.79	30.63	-54.62	-13.00	41.62	Vertical
5	7457.5	43.05	-37.76	36.82	-53.15	-13.00	40.15	Vertical
6	9941	41.40	-34.94	38.64	-50.16	-13.00	37.16	Vertical

Test Band = SA_n13_5MHz_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1600.5	47.08	-46.96	25.10	-70.04	-40.00	30.04	Horizontal
2	1875	48.95	-46.71	25.50	-67.52	-13.00	54.52	Horizontal
3	2770	46.66	-45.30	28.18	-65.72	-13.00	52.72	Horizontal
4	4843.5	47.64	-42.79	30.63	-59.78	-13.00	46.78	Horizontal
5	7430	42.95	-37.90	36.76	-53.45	-13.00	40.45	Horizontal
6	9919.5	41.26	-35.00	38.62	-50.38	-13.00	37.38	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1601	47.23	-46.96	25.11	-69.88	-40.00	29.88	Vertical
2	2031.5	49.30	-46.30	26.37	-65.89	-13.00	52.89	Vertical
3	2949	46.71	-45.04	28.30	-65.29	-13.00	52.29	Vertical
4	4844	52.46	-42.79	30.62	-54.97	-13.00	41.97	Vertical
5	7461	42.73	-37.79	36.82	-53.50	-13.00	40.50	Vertical
6	9923.5	41.05	-34.99	38.62	-50.58	-13.00	37.58	Vertical

Test Band = SA_n13_5MHz_TM1
Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1584	46.81	-46.92	24.81	-70.56	-40.00	30.56	Horizontal
2	1875	48.84	-46.71	25.50	-67.63	-13.00	54.63	Horizontal
3	2583	47.11	-45.52	27.87	-65.80	-13.00	52.80	Horizontal
4	4844	48.62	-42.79	30.62	-58.81	-13.00	45.81	Horizontal
5	7450.5	42.90	-37.69	36.80	-53.25	-13.00	40.25	Horizontal
6	9989	40.98	-35.03	38.69	-50.62	-13.00	37.62	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1570	47.06	-46.88	24.56	-70.52	-40.00	30.52	Vertical
2	2031.5	49.30	-46.30	26.37	-65.89	-13.00	52.89	Vertical
3	3100.5	46.24	-45.09	28.90	-65.21	-13.00	52.21	Vertical
4	4844	53.14	-42.79	30.62	-54.29	-13.00	41.29	Vertical
5	7458	42.83	-37.76	36.82	-53.37	-13.00	40.37	Vertical
6	9950	41.09	-34.91	38.65	-50.43	-13.00	37.43	Vertical

Test Band = SA_n14_10MHz_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1589	46.94	-46.93	24.90	-70.35	-40.00	30.35	Horizontal
2	2031	47.53	-46.30	26.38	-67.65	-13.00	54.65	Horizontal
3	3116.5	46.32	-45.05	28.83	-65.16	-13.00	52.16	Horizontal
4	4531.5	48.16	-43.13	29.66	-60.57	-13.00	47.57	Horizontal
5	7483.5	42.67	-38.02	36.87	-53.74	-13.00	40.74	Horizontal
6	9901.5	40.96	-35.06	38.60	-50.76	-13.00	37.76	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	47.30	-46.90	24.69	-70.17	-40.00	30.17	Vertical
2	2031	51.69	-46.30	26.38	-63.49	-13.00	50.49	Vertical
3	3165.5	46.47	-44.87	28.61	-65.05	-13.00	52.05	Vertical
4	4844	50.89	-42.79	30.62	-56.54	-13.00	43.54	Vertical
5	7464	42.45	-37.82	36.83	-53.80	-13.00	40.80	Vertical
6	9911.5	40.89	-35.03	38.61	-50.79	-13.00	37.79	Vertical

Test Band = SA_n14_5MHz_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1185.5	47.27	-47.40	24.57	-70.82	-13.00	57.82	Horizontal
2	1599.5	46.69	-46.96	25.09	-70.44	-40.00	30.44	Horizontal
3	2480.5	46.71	-45.67	27.72	-66.50	-13.00	53.50	Horizontal
4	4531	48.48	-43.13	29.66	-60.25	-13.00	47.25	Horizontal
5	7451.5	42.49	-37.70	36.80	-53.67	-13.00	40.67	Horizontal
6	9950.5	40.71	-34.91	38.65	-50.81	-13.00	37.81	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	47.78	-46.89	24.68	-69.69	-40.00	29.69	Vertical
2	2031.5	51.94	-46.30	26.37	-63.25	-13.00	50.25	Vertical
3	3500.5	46.11	-44.78	29.10	-64.83	-13.00	51.83	Vertical
4	4843.5	49.89	-42.79	30.63	-57.53	-13.00	44.53	Vertical
5	7464	42.43	-37.82	36.83	-53.82	-13.00	40.82	Vertical
6	9994.5	40.86	-35.04	38.69	-50.75	-13.00	37.75	Vertical

Test Band = SA_n14_5MHz_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1609.5	46.86	-46.94	25.18	-70.16	-40.00	30.16	Horizontal
2	2031.5	47.26	-46.30	26.37	-67.93	-13.00	54.93	Horizontal
3	3113	46.31	-45.06	28.85	-65.16	-13.00	52.16	Horizontal
4	4843.5	47.00	-42.79	30.63	-60.42	-13.00	47.42	Horizontal
5	7430	42.82	-37.90	36.76	-53.58	-13.00	40.58	Horizontal
6	9970.5	40.72	-34.97	38.67	-50.84	-13.00	37.84	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1598	46.54	-46.95	25.06	-70.61	-40.00	30.61	Vertical
2	2031.5	51.89	-46.30	26.37	-63.30	-13.00	50.30	Vertical
3	3249.5	46.37	-44.50	28.60	-64.79	-13.00	51.79	Vertical
4	4844	50.77	-42.79	30.62	-56.66	-13.00	43.66	Vertical
5	7413	43.01	-38.09	36.73	-53.61	-13.00	40.61	Vertical
6	9933	40.99	-34.96	38.63	-50.60	-13.00	37.60	Vertical

Test Band = SA_n14_5MHz_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1017	47.35	-46.51	24.36	-70.06	-13.00	57.06	Horizontal
2	1597.5	46.91	-46.95	25.06	-70.24	-40.00	30.24	Horizontal
3	2351	46.95	-46.03	27.60	-66.74	-13.00	53.74	Horizontal
4	4531	47.76	-43.13	29.66	-60.97	-13.00	47.97	Horizontal
5	7426.5	42.66	-37.94	36.75	-53.79	-13.00	40.79	Horizontal
6	9972	40.96	-34.98	38.67	-50.61	-13.00	37.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1596	46.66	-46.95	25.03	-70.52	-40.00	30.52	Vertical
2	2031	51.44	-46.30	26.38	-63.74	-13.00	50.74	Vertical
3	3256	46.03	-44.52	28.59	-65.16	-13.00	52.16	Vertical
4	4844	50.10	-42.79	30.62	-57.33	-13.00	44.33	Vertical
5	7453	42.41	-37.71	36.81	-53.75	-13.00	40.75	Vertical
6	9918	40.90	-35.01	38.62	-50.75	-13.00	37.75	Vertical

Test Band = SA_n25_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501.5	47.46	-44.38	29.10	-63.08	-13.00	50.08	Horizontal
2	4531	49.24	-43.08	29.66	-59.44	-13.00	46.44	Horizontal
3	7406.5	43.81	-37.97	36.71	-52.71	-13.00	39.71	Horizontal
4	11760.5	43.73	-34.60	39.84	-46.29	-13.00	33.29	Horizontal
5	15683	40.28	-29.57	38.50	-46.05	-13.00	33.05	Horizontal
6	17988.5	40.17	-39.76	47.99	-46.86	-13.00	33.86	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701.5	50.42	-44.19	29.31	-59.72	-13.00	46.72	Vertical
2	4844	51.92	-42.68	30.62	-55.40	-13.00	42.40	Vertical
3	7379	44.02	-38.10	36.62	-52.72	-13.00	39.72	Vertical
4	11287.5	43.23	-34.97	40.11	-46.89	-13.00	33.89	Vertical
5	14677.5	41.59	-33.75	41.81	-45.61	-13.00	32.61	Vertical
6	17989.5	40.04	-39.76	48.01	-46.97	-13.00	33.97	Vertical

Test Band = SA_n25_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4531	49.85	-43.08	29.66	-58.83	-13.00	45.83	Horizontal
2	6044	45.39	-40.60	33.44	-57.03	-13.00	44.03	Horizontal
3	7460	43.30	-37.78	36.82	-52.92	-13.00	39.92	Horizontal
4	11281.5	43.21	-35.10	40.12	-47.03	-13.00	34.03	Horizontal
5	14801	40.52	-32.49	41.59	-45.64	-13.00	32.64	Horizontal
6	17995.5	39.96	-39.77	48.12	-46.95	-13.00	33.95	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3753.5	47.62	-43.86	29.61	-61.89	-13.00	48.89	Vertical
2	4843.5	52.08	-42.67	30.63	-55.22	-13.00	42.22	Vertical
3	7419	43.71	-37.90	36.74	-52.71	-13.00	39.71	Vertical
4	11800.5	42.71	-33.81	39.80	-46.56	-13.00	33.56	Vertical
5	14805.5	40.32	-32.53	41.57	-45.90	-13.00	32.90	Vertical
6	17984.5	39.99	-39.76	47.92	-47.11	-13.00	34.11	Vertical

Test Band = SA_n25_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3666.5	47.02	-44.27	29.30	-63.21	-13.00	50.21	Horizontal
2	4531.5	48.93	-43.08	29.66	-59.75	-13.00	46.75	Horizontal
3	7448.5	43.12	-37.72	36.80	-53.06	-13.00	40.06	Horizontal
4	11116.5	42.83	-34.80	40.20	-47.03	-13.00	34.03	Horizontal
5	13881	42.05	-33.69	40.82	-46.08	-13.00	33.08	Horizontal
6	17984	40.20	-39.76	47.91	-46.91	-13.00	33.91	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751	49.07	-43.86	29.60	-60.45	-13.00	47.45	Vertical
2	4844	51.72	-42.68	30.62	-55.60	-13.00	42.60	Vertical
3	7422.5	43.41	-37.88	36.75	-52.98	-13.00	39.98	Vertical
4	11334.5	43.63	-35.22	40.17	-46.68	-13.00	33.68	Vertical
5	14612.5	42.34	-33.95	41.55	-45.32	-13.00	32.32	Vertical
6	17992	40.42	-39.76	48.06	-46.54	-13.00	33.54	Vertical

Test Band = SA_n26(814~824) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	47.67	-46.79	25.22	-69.16	-13.00	56.16	Horizontal
2	2031	47.51	-46.30	26.38	-67.67	-13.00	54.67	Horizontal
3	3114	46.78	-45.06	28.84	-64.70	-13.00	51.70	Horizontal
4	4531	48.77	-43.13	29.66	-59.96	-13.00	46.96	Horizontal
5	7495	42.94	-38.13	36.89	-53.56	-13.00	40.56	Horizontal
6	9884	41.52	-35.03	38.47	-50.30	-13.00	37.30	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1356	47.32	-47.06	25.08	-69.92	-13.00	56.92	Vertical
2	2031.5	52.23	-46.30	26.37	-62.96	-13.00	49.96	Vertical
3	3149	46.87	-44.98	28.70	-64.67	-13.00	51.67	Vertical
4	4843.5	50.53	-42.79	30.63	-56.89	-13.00	43.89	Vertical
5	7469	42.73	-37.87	36.84	-53.56	-13.00	40.56	Vertical
6	9973	41.26	-34.98	38.67	-50.31	-13.00	37.31	Vertical

Test Band = SA_n26(824~849) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.5	47.17	-46.80	25.30	-69.59	-13.00	56.59	Horizontal
2	2031.5	47.95	-46.30	26.37	-67.24	-13.00	54.24	Horizontal
3	3111	46.97	-45.07	28.86	-64.50	-13.00	51.50	Horizontal
4	4531	48.51	-43.13	29.66	-60.22	-13.00	47.22	Horizontal
5	7418	43.09	-38.04	36.74	-53.47	-13.00	40.47	Horizontal
6	9913.5	41.48	-35.02	38.61	-50.19	-13.00	37.19	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1452.5	47.16	-46.81	25.28	-69.63	-13.00	56.63	Vertical
2	2031.5	51.96	-46.30	26.37	-63.23	-13.00	50.23	Vertical
3	3111.5	46.99	-45.06	28.85	-64.48	-13.00	51.48	Vertical
4	4843.5	51.06	-42.79	30.63	-56.36	-13.00	43.36	Vertical
5	7422	43.20	-37.99	36.74	-53.31	-13.00	40.31	Vertical
6	9914.5	41.37	-35.02	38.61	-50.30	-13.00	37.30	Vertical

Test Band = SA_n26(824~849) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1466.5	47.11	-46.89	25.17	-69.87	-13.00	56.87	Horizontal
2	1875	48.39	-46.71	25.50	-68.08	-13.00	55.08	Horizontal
3	2988.5	46.71	-45.04	28.53	-65.06	-13.00	52.06	Horizontal
4	4531.5	48.68	-43.13	29.66	-60.05	-13.00	47.05	Horizontal
5	7423.5	42.78	-37.98	36.75	-53.71	-13.00	40.71	Horizontal
6	9944	40.64	-34.93	38.64	-50.91	-13.00	37.91	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1184.5	47.32	-47.40	24.57	-70.77	-13.00	57.77	Vertical
2	1875	50.48	-46.71	25.50	-65.99	-13.00	52.99	Vertical
3	3126.5	46.57	-45.03	28.79	-64.93	-13.00	51.93	Vertical
4	4844	50.80	-42.79	30.62	-56.63	-13.00	43.63	Vertical
5	7413.5	42.77	-38.09	36.73	-53.85	-13.00	40.85	Vertical
6	9919	40.70	-35.00	38.62	-50.94	-13.00	37.94	Vertical

Test Band = SA_n26(824~849) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1001	47.51	-46.25	24.49	-69.51	-13.00	56.51	Horizontal
2	1875	48.66	-46.71	25.50	-67.81	-13.00	54.81	Horizontal
3	3003	46.73	-45.06	28.61	-64.98	-13.00	51.98	Horizontal
4	4531.5	48.23	-43.13	29.66	-60.50	-13.00	47.50	Horizontal
5	7419.5	42.78	-38.02	36.74	-53.76	-13.00	40.76	Horizontal
6	9986	40.98	-35.02	38.69	-50.61	-13.00	37.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1000	47.28	-46.23	24.50	-69.71	-13.00	56.71	Vertical
2	2031.5	49.17	-46.30	26.37	-66.02	-13.00	53.02	Vertical
3	3125.5	46.68	-45.03	28.80	-64.81	-13.00	51.81	Vertical
4	4843.5	50.00	-42.79	30.63	-57.42	-13.00	44.42	Vertical
5	7487.5	42.54	-38.06	36.88	-53.90	-13.00	40.90	Vertical
6	9806.5	40.88	-34.80	38.46	-50.72	-13.00	37.72	Vertical

Test Band = SA_n30_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3467.5	46.61	-44.32	28.97	-64.00	-40.00	24.00	Horizontal
2	4611	48.18	-42.90	30.12	-59.86	-40.00	19.86	Horizontal
3	7461.5	43.14	-37.80	36.82	-53.10	-40.00	13.10	Horizontal
4	11106	42.30	-34.78	40.20	-47.54	-40.00	7.54	Horizontal
5	14802	39.81	-32.50	41.59	-46.36	-40.00	6.36	Horizontal
6	17993	39.57	-39.76	48.07	-47.38	-40.00	7.38	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3138	47.07	-44.53	28.75	-63.97	-40.00	23.97	Vertical
2	4610.5	56.93	-42.90	30.12	-51.11	-40.00	11.11	Vertical
3	6916	44.90	-38.94	35.37	-53.93	-40.00	13.93	Vertical
4	11314.5	42.87	-34.92	40.13	-47.18	-40.00	7.18	Vertical
5	14678	40.97	-33.75	41.81	-46.23	-40.00	6.23	Vertical
6	17993.5	39.91	-39.76	48.08	-47.03	-40.00	7.03	Vertical

Test Band = SA_n38_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3223.5	46.61	-44.09	28.49	-64.25	-25.00	39.25	Horizontal
2	4531.5	49.43	-43.08	29.66	-59.25	-25.00	34.25	Horizontal
3	7438	42.70	-37.78	36.78	-53.56	-25.00	28.56	Horizontal
4	11326	42.79	-35.10	40.15	-47.42	-25.00	22.42	Horizontal
5	15283.5	40.03	-30.68	39.87	-46.04	-25.00	21.04	Horizontal
6	17986.5	39.63	-39.76	47.96	-47.43	-25.00	22.43	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3218	46.73	-44.03	28.47	-64.09	-25.00	39.09	Vertical
2	5142	53.37	-42.22	31.75	-52.36	-25.00	27.36	Vertical
3	7419	43.40	-37.90	36.74	-53.02	-25.00	28.02	Vertical
4	11296	42.50	-34.79	40.10	-47.45	-25.00	22.45	Vertical
5	14806	40.02	-32.53	41.56	-46.21	-25.00	21.21	Vertical
6	17992.5	39.45	-39.76	48.07	-47.50	-25.00	22.50	Vertical

Test Band = SA_n38_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3504.5	46.67	-44.39	29.09	-63.89	-25.00	38.89	Horizontal
2	5152	47.52	-42.18	31.80	-58.12	-25.00	33.12	Horizontal
3	7432	42.96	-37.82	36.76	-53.36	-25.00	28.36	Horizontal
4	11033.5	41.80	-34.14	40.13	-47.47	-25.00	22.47	Horizontal
5	15046.5	41.01	-32.68	40.51	-46.42	-25.00	21.42	Horizontal
6	17990.5	39.50	-39.76	48.03	-47.49	-25.00	22.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3559	47.15	-44.42	28.98	-63.55	-25.00	38.55	Vertical
2	5152	58.48	-42.18	31.80	-47.16	-25.00	22.16	Vertical
3	7421.5	43.33	-37.88	36.74	-53.07	-25.00	28.07	Vertical
4	11026	42.04	-34.06	40.13	-47.15	-25.00	22.15	Vertical
5	14670.5	40.81	-33.67	41.78	-46.34	-25.00	21.34	Vertical
6	17968.5	40.08	-39.74	47.63	-47.29	-25.00	22.29	Vertical

Test Band = SA_n38_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3242	46.90	-44.26	28.57	-64.05	-25.00	39.05	Horizontal
2	4531.5	49.36	-43.08	29.66	-59.32	-25.00	34.32	Horizontal
3	7465	43.00	-37.82	36.83	-53.25	-25.00	28.25	Horizontal
4	11240.5	43.33	-35.67	40.16	-47.44	-25.00	22.44	Horizontal
5	14800	39.82	-32.48	41.60	-46.32	-25.00	21.32	Horizontal
6	17991	39.60	-39.76	48.04	-47.38	-25.00	22.38	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3117	47.14	-44.58	28.83	-63.87	-25.00	38.87	Vertical
2	5162	52.83	-42.14	31.82	-52.75	-25.00	27.75	Vertical
3	7440.5	42.71	-37.77	36.78	-53.54	-25.00	28.54	Vertical
4	11239.5	43.44	-35.66	40.16	-47.32	-25.00	22.32	Vertical
5	14677	41.15	-33.74	41.81	-46.04	-25.00	21.04	Vertical
6	17990	40.00	-39.76	48.02	-47.00	-25.00	22.00	Vertical

Test Band = SA_n41_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3817.5	46.70	-43.88	29.77	-62.67	-25.00	37.67	Horizontal
2	4994.5	48.43	-42.44	31.18	-58.09	-25.00	33.09	Horizontal
3	7420	43.28	-37.89	36.74	-53.13	-25.00	28.13	Horizontal
4	11758.5	43.18	-34.64	39.84	-46.88	-25.00	21.88	Horizontal
5	15283	39.84	-30.68	39.87	-46.23	-25.00	21.23	Horizontal
6	18000	39.46	-39.77	48.20	-47.37	-25.00	22.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3218	47.30	-44.03	28.47	-63.52	-25.00	38.52	Vertical
2	4844	51.91	-42.68	30.62	-55.41	-25.00	30.41	Vertical
3	7491.5	46.10	-38.02	36.88	-50.30	-25.00	25.30	Vertical
4	11114	42.60	-34.80	40.20	-47.26	-25.00	22.26	Vertical
5	14620	41.29	-33.85	41.58	-46.24	-25.00	21.24	Vertical
6	17988	39.77	-39.76	47.98	-47.27	-25.00	22.27	Vertical

Test Band = SA_n41_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3126.5	47.44	-44.56	28.79	-63.59	-25.00	38.59	Horizontal
2	4843.5	47.38	-42.67	30.63	-59.92	-25.00	34.92	Horizontal
3	7380	43.64	-38.09	36.62	-53.09	-25.00	28.09	Horizontal
4	11791	42.24	-33.98	39.81	-47.19	-25.00	22.19	Horizontal
5	15304	39.95	-30.70	39.87	-46.14	-25.00	21.14	Horizontal
6	17987	39.68	-39.76	47.97	-47.37	-25.00	22.37	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3213.5	46.96	-43.99	28.45	-63.84	-25.00	38.84	Vertical
2	5088	53.58	-42.38	31.52	-52.54	-25.00	27.54	Vertical
3	7446	42.75	-37.73	36.79	-53.45	-25.00	28.45	Vertical
4	11276	43.15	-35.21	40.12	-47.20	-25.00	22.20	Vertical
5	14804	40.21	-32.51	41.58	-45.98	-25.00	20.98	Vertical
6	17994.5	39.74	-39.77	48.10	-47.19	-25.00	22.19	Vertical

Test Band = SA_n41_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3194.5	46.60	-43.93	28.43	-64.16	-25.00	39.16	Horizontal
2	5182	49.08	-42.06	31.86	-56.38	-25.00	31.38	Horizontal
3	7377	43.59	-38.11	36.61	-53.17	-25.00	28.17	Horizontal
4	11806.5	42.46	-33.96	39.81	-46.95	-25.00	21.95	Horizontal
5	14617	41.53	-33.89	41.57	-46.05	-25.00	21.05	Horizontal
6	17988.5	39.59	-39.76	47.99	-47.44	-25.00	22.44	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3074.5	47.18	-44.50	28.85	-63.73	-25.00	38.73	Vertical
2	5182	55.54	-42.06	31.86	-49.92	-25.00	24.92	Vertical
3	7457	43.10	-37.76	36.81	-53.11	-25.00	28.11	Vertical
4	11113.5	42.60	-34.79	40.20	-47.25	-25.00	22.25	Vertical
5	14682	41.22	-33.80	41.83	-46.01	-25.00	21.01	Vertical
6	17985.5	40.23	-39.76	47.94	-46.85	-25.00	21.85	Vertical

Test Band = SA_n48_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7509	42.91	-38.52	36.81	-54.06	-40.00	14.06	Horizontal
2	10013	41.96	-35.23	38.71	-49.82	-40.00	9.82	Horizontal
3	11903.5	42.69	-35.43	39.89	-48.11	-40.00	8.11	Horizontal
4	14042.5	41.10	-32.25	41.46	-44.95	-40.00	4.95	Horizontal
5	16491	40.09	-29.19	39.26	-45.10	-40.00	5.10	Horizontal
6	17967.5	39.67	-39.74	47.62	-47.71	-40.00	7.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7431	42.71	-38.35	36.76	-54.14	-40.00	14.14	Vertical
2	10016	41.47	-35.20	38.72	-50.27	-40.00	10.27	Vertical
3	11780	42.39	-34.96	39.82	-48.01	-40.00	8.01	Vertical
4	14039	41.21	-32.31	41.43	-44.93	-40.00	4.93	Vertical
5	16349.5	40.80	-28.93	38.65	-44.74	-40.00	4.74	Vertical
6	17962	39.68	-39.74	47.52	-47.80	-40.00	7.80	Vertical

Test Band = SA_n48_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7502.5	42.79	-38.53	36.88	-54.12	-40.00	14.12	Horizontal
2	9559	41.26	-35.94	37.80	-52.14	-40.00	12.14	Horizontal
3	11291	42.69	-35.36	40.11	-47.82	-40.00	7.82	Horizontal
4	14043.5	40.96	-32.24	41.46	-45.08	-40.00	5.08	Horizontal
5	16395	40.28	-28.82	38.79	-45.01	-40.00	5.01	Horizontal
6	17965	39.52	-39.74	47.57	-47.91	-40.00	7.91	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7500	43.09	-38.53	36.90	-53.80	-40.00	13.80	Vertical
2	9514.5	40.81	-35.64	37.80	-52.29	-40.00	12.29	Vertical
3	11285.5	42.67	-35.42	40.11	-47.90	-40.00	7.90	Vertical
4	14037.5	41.36	-32.34	41.43	-44.81	-40.00	4.81	Vertical
5	16430	39.97	-28.45	38.95	-44.79	-40.00	4.79	Vertical
6	17970	39.72	-39.75	47.66	-47.63	-40.00	7.63	Vertical

Test Band = SA_n48_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7437.5	42.65	-38.32	36.78	-54.15	-40.00	14.15	Horizontal
2	10006	41.85	-35.28	38.71	-49.98	-40.00	9.98	Horizontal
3	11229.5	42.89	-35.78	40.17	-47.98	-40.00	7.98	Horizontal
4	14034.5	41.44	-32.39	41.41	-44.80	-40.00	4.80	Horizontal
5	16386	40.49	-28.84	38.76	-44.85	-40.00	4.85	Horizontal
6	17972.5	40.03	-39.75	47.71	-47.27	-40.00	7.27	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7431	42.94	-38.35	36.76	-53.91	-40.00	13.91	Vertical
2	9508.5	41.20	-35.58	37.80	-51.84	-40.00	11.84	Vertical
3	11152.5	42.65	-35.60	40.20	-48.01	-40.00	8.01	Vertical
4	14035	41.81	-32.38	41.41	-44.42	-40.00	4.42	Vertical
5	16397.5	40.43	-28.82	38.79	-44.86	-40.00	4.86	Vertical
6	17973.5	39.68	-39.75	47.72	-47.61	-40.00	7.61	Vertical

Test Band = SA_n66_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3838	46.99	-43.92	29.72	-62.47	-13.00	49.47	Horizontal
2	4844	47.83	-42.68	30.62	-59.49	-13.00	46.49	Horizontal
3	7317.5	44.18	-38.32	36.44	-52.96	-13.00	39.96	Horizontal
4	11795.5	42.63	-33.89	39.80	-46.72	-13.00	33.72	Horizontal
5	15290.5	39.81	-30.71	39.88	-46.28	-13.00	33.28	Horizontal
6	17203	41.13	-35.57	42.52	-47.18	-13.00	34.18	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	50.61	-44.29	28.73	-60.21	-13.00	47.21	Vertical
2	4844	53.39	-42.68	30.62	-53.93	-13.00	40.93	Vertical
3	7429	43.33	-37.84	36.76	-53.01	-13.00	40.01	Vertical
4	10665.5	42.33	-34.91	39.43	-48.41	-13.00	35.41	Vertical
5	14797.5	39.86	-32.61	41.61	-46.40	-13.00	33.40	Vertical
6	16348.5	40.47	-30.52	38.65	-46.66	-13.00	33.66	Vertical

Test Band = SA_n66_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3688.5	46.80	-44.23	29.30	-63.39	-13.00	50.39	Horizontal
2	4844	48.57	-42.68	30.62	-58.75	-13.00	45.75	Horizontal
3	7461	42.94	-37.79	36.82	-53.29	-13.00	40.29	Horizontal
4	11106	42.61	-34.78	40.20	-47.23	-13.00	34.23	Horizontal
5	14676.5	41.23	-33.74	41.81	-45.96	-13.00	32.96	Horizontal
6	17201	41.57	-35.53	42.51	-46.71	-13.00	33.71	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451.5	50.39	-44.28	28.91	-60.24	-13.00	47.24	Vertical
2	4843.5	52.57	-42.67	30.63	-54.73	-13.00	41.73	Vertical
3	7504.5	43.64	-38.08	36.86	-52.84	-13.00	39.84	Vertical
4	11814.5	42.48	-34.16	39.81	-47.13	-13.00	34.13	Vertical
5	14625	41.49	-33.78	41.60	-45.95	-13.00	32.95	Vertical
6	17988.5	39.71	-39.76	47.99	-47.32	-13.00	34.32	Vertical

Test Band = SA_n66_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3712	46.96	-44.12	29.37	-63.05	-13.00	50.05	Horizontal
2	4843.5	47.79	-42.67	30.63	-59.51	-13.00	46.51	Horizontal
3	7494.5	43.29	-38.04	36.89	-53.12	-13.00	40.12	Horizontal
4	10637.5	42.58	-34.90	39.38	-48.20	-13.00	35.20	Horizontal
5	14674.5	41.17	-33.71	41.80	-46.00	-13.00	33.00	Horizontal
6	17996	39.61	-39.77	48.13	-47.29	-13.00	34.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	48.81	-44.34	29.03	-61.76	-13.00	48.76	Vertical
2	4843.5	52.30	-42.67	30.63	-55.00	-13.00	42.00	Vertical
3	7312	42.76	-38.34	36.42	-54.42	-13.00	41.42	Vertical
4	9918.5	41.88	-34.76	38.62	-49.52	-13.00	36.52	Vertical
5	13389.5	42.63	-33.56	39.63	-46.56	-13.00	33.56	Vertical
6	16347.5	41.15	-30.51	38.64	-45.98	-13.00	32.98	Vertical

Test Band = SA_n70_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803.5	46.60	-43.85	29.79	-62.72	-13.00	49.72	Horizontal
2	4844	47.89	-42.68	30.62	-59.43	-13.00	46.43	Horizontal
3	7414.5	43.25	-37.92	36.73	-53.20	-13.00	40.20	Horizontal
4	9991.5	41.81	-34.90	38.69	-49.66	-13.00	36.66	Horizontal
5	14577	41.11	-33.78	41.52	-46.41	-13.00	33.41	Horizontal
6	17776	40.97	-38.51	45.58	-47.22	-13.00	34.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3391	53.76	-44.35	28.60	-57.25	-13.00	44.25	Vertical
2	4843.5	52.29	-42.67	30.63	-55.01	-13.00	42.01	Vertical
3	7019	43.75	-38.86	35.83	-54.54	-13.00	41.54	Vertical
4	9110.5	41.13	-35.26	37.02	-52.37	-13.00	39.37	Vertical
5	12335	42.76	-34.12	39.41	-47.21	-13.00	34.21	Vertical
6	15289	39.97	-30.70	39.88	-46.11	-13.00	33.11	Vertical

Test Band = SA_n71_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	51.86	-47.15	24.87	-65.68	-13.00	52.68	Horizontal
2	1875	49.13	-46.71	25.50	-67.34	-13.00	54.34	Horizontal
3	3073.5	46.53	-45.24	28.85	-65.12	-13.00	52.12	Horizontal
4	4844	48.38	-42.79	30.62	-59.05	-13.00	46.05	Horizontal
5	6830	43.00	-39.25	35.52	-55.99	-13.00	42.99	Horizontal
6	9029.5	41.45	-35.53	36.58	-52.76	-13.00	39.76	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	53.26	-47.15	24.87	-64.28	-13.00	51.28	Vertical
2	1875	50.36	-46.71	25.50	-66.11	-13.00	53.11	Vertical
3	2031	50.35	-46.30	26.38	-64.83	-13.00	51.83	Vertical
4	4843.5	52.47	-42.79	30.63	-54.95	-13.00	41.95	Vertical
5	6400	43.57	-40.26	33.70	-58.25	-13.00	45.25	Vertical
6	8025.5	41.76	-36.95	36.45	-54.00	-13.00	41.00	Vertical

Test Band = SA_n71_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	49.42	-47.12	25.02	-67.94	-13.00	54.94	Horizontal
2	1875	48.17	-46.71	25.50	-68.30	-13.00	55.30	Horizontal
3	3124	46.46	-45.04	28.80	-65.04	-13.00	52.04	Horizontal
4	4843.5	48.56	-42.79	30.63	-58.86	-13.00	45.86	Horizontal
5	6376	43.76	-40.40	33.80	-58.10	-13.00	45.10	Horizontal
6	8410	41.67	-36.58	36.48	-53.69	-13.00	40.69	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	49.52	-47.12	25.02	-67.84	-13.00	54.84	Vertical
2	2031.5	50.83	-46.30	26.37	-64.36	-13.00	51.36	Vertical
3	3093.5	46.60	-45.13	28.89	-64.90	-13.00	51.90	Vertical
4	4843.5	52.69	-42.79	30.63	-54.73	-13.00	41.73	Vertical
5	6012	44.18	-40.57	33.12	-58.53	-13.00	45.53	Vertical
6	7481.5	42.72	-38.00	36.86	-53.68	-13.00	40.68	Vertical

Test Band = SA_n71_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	50.08	-47.05	25.07	-67.16	-13.00	54.16	Horizontal
2	1875	48.73	-46.71	25.50	-67.74	-13.00	54.74	Horizontal
3	3122.5	46.54	-45.04	28.81	-64.95	-13.00	51.95	Horizontal
4	4843.5	47.22	-42.79	30.63	-60.20	-13.00	47.20	Horizontal
5	7427.5	42.86	-37.93	36.76	-53.57	-13.00	40.57	Horizontal
6	9964.5	40.72	-34.95	38.66	-50.83	-13.00	37.83	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1396	47.30	-46.78	24.92	-69.82	-13.00	56.82	Vertical
2	1875	50.19	-46.71	25.50	-66.28	-13.00	53.28	Vertical
3	2951	46.16	-45.03	28.31	-65.82	-13.00	52.82	Vertical
4	4844	53.00	-42.79	30.62	-54.43	-13.00	41.43	Vertical
5	6804	43.43	-39.10	35.42	-55.51	-13.00	42.51	Vertical
6	8429	41.71	-36.37	36.44	-53.48	-13.00	40.48	Vertical

Test Band = SA_n77(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7435.5718	42.92	-38.33	36.77	-53.90	-13.00	40.90	Horizontal
2	9553.9777	41.71	-35.94	37.80	-51.69	-13.00	38.69	Horizontal
3	11272.7386	42.67	-35.57	40.13	-48.03	-13.00	35.03	Horizontal
4	14643.5572	40.81	-31.41	41.67	-44.19	-13.00	31.19	Horizontal
5	16394.5197	40.36	-28.82	38.78	-44.94	-13.00	31.94	Horizontal
6	17969.5235	39.51	-39.75	47.65	-47.85	-13.00	34.85	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7394.1697	42.83	-38.54	36.68	-54.29	-13.00	41.29	Vertical
2	10015.1508	41.27	-35.21	38.72	-50.48	-13.00	37.48	Vertical
3	11796.5898	42.04	-34.62	39.80	-48.04	-13.00	35.04	Vertical
4	14718.3109	40.38	-31.31	41.85	-44.34	-13.00	31.34	Vertical
5	16431.8966	39.90	-28.43	38.96	-44.83	-13.00	31.83	Vertical
6	17965.4983	39.58	-39.74	47.58	-47.84	-13.00	34.84	Vertical

Test Band = SA_n77(3700-3980) _TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7408.5454	43.08	-38.47	36.72	-53.93	-13.00	40.93	Horizontal
2	9604.0052	41.03	-35.84	37.82	-52.25	-13.00	39.25	Horizontal
3	11827.0664	42.36	-35.18	39.83	-48.25	-13.00	35.25	Horizontal
4	14756.8378	39.42	-30.27	41.73	-44.38	-13.00	31.38	Horizontal
5	16397.3949	40.33	-28.82	38.79	-44.96	-13.00	31.96	Horizontal
6	17892.4696	40.71	-39.40	46.35	-47.60	-13.00	34.60	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7463.1732	42.56	-38.32	36.83	-54.19	-13.00	41.19	Vertical
2	9558.0029	41.58	-35.94	37.80	-51.82	-13.00	38.82	Vertical
3	11316.4408	42.88	-35.38	40.13	-47.63	-13.00	34.63	Vertical
4	14741.8871	39.79	-30.42	41.77	-44.12	-13.00	31.12	Vertical
5	16487.6744	40.26	-29.11	39.24	-44.87	-13.00	31.87	Vertical
6	17971.2486	39.41	-39.75	47.68	-47.92	-13.00	34.92	Vertical

Test Band = SA_n77(3700-3980) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7413.7207	43.02	-38.45	36.73	-53.96	-13.00	40.96	Horizontal
2	9512.5756	41.07	-35.62	37.80	-52.01	-13.00	39.01	Horizontal
3	11272.7386	42.71	-35.57	40.13	-47.99	-13.00	34.99	Horizontal
4	14651.0326	40.28	-31.28	41.70	-44.56	-13.00	31.56	Horizontal
5	16358.8679	40.42	-28.91	38.68	-45.07	-13.00	32.07	Horizontal
6	17963.1982	39.78	-39.74	47.54	-47.68	-13.00	34.68	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7468.3484	42.54	-38.35	36.84	-54.23	-13.00	41.23	Vertical
2	9563.1782	41.11	-35.93	37.80	-52.28	-13.00	39.28	Vertical
3	11338.2919	42.89	-35.56	40.18	-47.75	-13.00	34.75	Vertical
4	14750.5125	39.45	-30.13	41.75	-44.19	-13.00	31.19	Vertical
5	16364.0432	40.47	-28.90	38.69	-45.00	-13.00	32.00	Vertical
6	17967.7984	39.39	-39.74	47.62	-47.99	-13.00	34.99	Vertical

Test Band = SA_n77(3700-3980) _TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7431.5466	42.80	-38.35	36.76	-54.05	-13.00	41.05	Horizontal
2	10015.1508	41.44	-35.21	38.72	-50.31	-13.00	37.31	Horizontal
3	11841.4421	43.00	-35.52	39.84	-47.94	-13.00	34.94	Horizontal
4	14753.9627	39.66	-30.21	41.74	-44.07	-13.00	31.07	Horizontal
5	16430.7465	39.90	-28.44	38.95	-44.85	-13.00	31.85	Horizontal
6	17967.7984	39.77	-39.74	47.62	-47.61	-13.00	34.61	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7383.2442	43.14	-38.57	36.63	-54.06	-13.00	41.06	Vertical
2	8986.9994	41.51	-36.24	36.75	-53.24	-13.00	40.24	Vertical
3	11322.1911	42.97	-35.43	40.14	-47.58	-13.00	34.58	Vertical
4	14644.1322	40.74	-31.39	41.68	-44.23	-13.00	31.23	Vertical
5	16358.8679	40.63	-28.91	38.68	-44.86	-13.00	31.86	Vertical
6	17966.0733	39.82	-39.74	47.59	-47.59	-13.00	34.59	Vertical

Test Band = SA_n78(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7459.723	42.53	-38.30	36.82	-54.21	-13.00	41.21	Horizontal
2	10014.5757	41.44	-35.22	38.71	-50.33	-13.00	37.33	Horizontal
3	11280.789	42.59	-35.48	40.12	-48.03	-13.00	35.03	Horizontal
4	14777.5389	40.10	-30.72	41.67	-44.21	-13.00	31.21	Horizontal
5	16349.6675	40.56	-28.93	38.65	-44.98	-13.00	31.98	Horizontal
6	17964.9232	39.66	-39.74	47.57	-47.77	-13.00	34.77	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7498.8249	42.71	-38.52	36.90	-54.17	-13.00	41.17	Vertical
2	10030.1015	41.03	-35.10	38.73	-50.60	-13.00	37.60	Vertical
3	11810.3905	42.22	-34.79	39.81	-48.02	-13.00	35.02	Vertical
4	14713.7107	40.48	-31.48	41.86	-44.40	-13.00	31.40	Vertical
5	16354.8427	40.70	-28.92	38.66	-44.82	-13.00	31.82	Vertical
6	17966.0733	39.50	-39.74	47.59	-47.91	-13.00	34.91	Vertical

Test Band = SA_n78(3700-3800) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7513.2007	42.90	-38.51	36.77	-54.10	-13.00	41.10	Horizontal
2	10016.8758	41.30	-35.20	38.72	-50.44	-13.00	37.44	Horizontal
3	11226.1613	42.84	-35.77	40.17	-48.02	-13.00	35.02	Horizontal
4	14645.2823	40.63	-31.37	41.68	-44.32	-13.00	31.32	Horizontal
5	16357.7179	40.51	-28.91	38.67	-44.99	-13.00	31.99	Horizontal
6	17971.8236	39.83	-39.75	47.69	-47.49	-13.00	34.49	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7406.2453	42.71	-38.49	36.71	-54.33	-13.00	41.33	Vertical
2	9834.0167	40.28	-35.50	38.30	-52.18	-13.00	39.18	Vertical
3	11786.2393	42.23	-34.83	39.81	-48.05	-13.00	35.05	Vertical
4	14716.0108	40.52	-31.39	41.85	-44.28	-13.00	31.28	Vertical
5	16382.4441	40.26	-28.85	38.75	-45.10	-13.00	32.10	Vertical
6	17955.1478	39.99	-39.73	47.39	-47.61	-13.00	34.61	Vertical