

Field Strength of Spurious Radiation

Test Band = NSA_DC_5A_n2A_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3314.5	47.09	-44.34	28.53	-63.98	-13.00	50.98	Horizontal
2	4843.5	47.62	-42.67	30.63	-59.68	-13.00	46.68	Horizontal
3	7379.5	43.47	-38.10	36.62	-53.27	-13.00	40.27	Horizontal
4	11334.5	43.18	-35.22	40.17	-47.13	-13.00	34.13	Horizontal
5	14672	41.25	-33.69	41.79	-45.91	-13.00	32.91	Horizontal
6	17985	40.02	-39.76	47.93	-47.07	-13.00	34.07	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701	48.34	-44.19	29.31	-61.80	-13.00	48.80	Vertical
2	4843.5	52.81	-42.67	30.63	-54.49	-13.00	41.49	Vertical
3	7424.5	43.88	-37.86	36.75	-52.49	-13.00	39.49	Vertical
4	11330.5	43.17	-35.16	40.16	-47.09	-13.00	34.09	Vertical
5	14803	39.91	-32.51	41.58	-46.28	-13.00	33.28	Vertical
6	17780.5	41.00	-38.52	45.62	-47.16	-13.00	34.16	Vertical

Test Band = NSA_DC_5A_n2A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3334	46.99	-44.51	28.57	-64.21	-13.00	51.21	Horizontal
2	4844	48.28	-42.68	30.62	-59.04	-13.00	46.04	Horizontal
3	7456.5	43.15	-37.76	36.81	-53.06	-13.00	40.06	Horizontal
4	11323.5	43.07	-35.06	40.15	-47.10	-13.00	34.10	Horizontal
5	14801.5	39.97	-32.49	41.59	-46.19	-13.00	33.19	Horizontal
6	17995	39.62	-39.77	48.11	-47.30	-13.00	34.30	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3125	47.04	-44.56	28.80	-63.98	-13.00	50.98	Vertical
2	4843.5	52.13	-42.67	30.63	-55.17	-13.00	42.17	Vertical
3	7436	43.14	-37.79	36.77	-53.14	-13.00	40.14	Vertical
4	11296	43.22	-34.79	40.10	-46.73	-13.00	33.73	Vertical
5	13953	41.85	-33.33	41.06	-45.68	-13.00	32.68	Vertical
6	17998.5	39.94	-39.77	48.17	-46.92	-13.00	33.92	Vertical

Test Band = NSA_DC_5A_n2A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3551.5	47.43	-44.44	29.00	-63.27	-13.00	50.27	Horizontal
2	4843.5	48.18	-42.67	30.63	-59.12	-13.00	46.12	Horizontal
3	7409	43.44	-37.96	36.72	-53.06	-13.00	40.06	Horizontal
4	11292.5	42.94	-34.86	40.11	-47.07	-13.00	34.07	Horizontal
5	14679.5	41.76	-33.77	41.82	-45.45	-13.00	32.45	Horizontal
6	17989	40.11	-39.76	48.00	-46.91	-13.00	33.91	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3198	46.45	-43.89	28.41	-64.29	-13.00	51.29	Vertical
2	4844	52.28	-42.68	30.62	-55.04	-13.00	42.04	Vertical
3	7435	43.21	-37.80	36.77	-53.08	-13.00	40.08	Vertical
4	11303	42.54	-34.75	40.11	-47.36	-13.00	34.36	Vertical
5	14806.5	40.10	-32.53	41.56	-46.13	-13.00	33.13	Vertical
6	17993.5	39.63	-39.76	48.08	-47.31	-13.00	34.31	Vertical

Test Band = NSA_DC_5A_n5A_TM1
Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1151.5	47.65	-47.36	24.50	-70.47	-13.00	57.47	Horizontal
2	1875	48.15	-46.71	25.50	-68.32	-13.00	55.32	Horizontal
3	2772.5	46.55	-45.28	28.19	-65.80	-13.00	52.80	Horizontal
4	4531.5	48.00	-43.13	29.66	-60.73	-13.00	47.73	Horizontal
5	7434.5	42.40	-37.85	36.77	-53.94	-13.00	40.94	Horizontal
6	9974.5	40.54	-34.98	38.67	-51.03	-13.00	38.03	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1097	47.42	-47.17	24.29	-70.72	-13.00	57.72	Vertical
2	2031	51.53	-46.30	26.38	-63.65	-13.00	50.65	Vertical
3	3096	46.92	-45.11	28.89	-64.56	-13.00	51.56	Vertical
4	4844	50.47	-42.79	30.62	-56.96	-13.00	43.96	Vertical
5	7463	42.47	-37.81	36.83	-53.77	-13.00	40.77	Vertical
6	9913	40.81	-35.02	38.61	-50.86	-13.00	37.86	Vertical

Test Band = NSA_DC_5A_n5A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1028.5	47.18	-46.70	24.27	-70.51	-13.00	57.51	Horizontal
2	1875	47.97	-46.71	25.50	-68.50	-13.00	55.50	Horizontal
3	2560	47.43	-45.47	27.82	-65.48	-13.00	52.48	Horizontal
4	4531	47.39	-43.13	29.66	-61.34	-13.00	48.34	Horizontal
5	7451.5	42.40	-37.70	36.80	-53.76	-13.00	40.76	Horizontal
6	9908	40.90	-35.04	38.61	-50.79	-13.00	37.79	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1118	47.45	-47.24	24.37	-70.68	-13.00	57.68	Vertical
2	2031.5	51.46	-46.30	26.37	-63.73	-13.00	50.73	Vertical
3	3069.5	46.56	-45.26	28.84	-65.12	-13.00	52.12	Vertical
4	4843.5	50.61	-42.79	30.63	-56.81	-13.00	43.81	Vertical
5	7497	42.91	-38.15	36.89	-53.61	-13.00	40.61	Vertical
6	9944	40.86	-34.93	38.64	-50.69	-13.00	37.69	Vertical

Test Band = NSA_DC_5A_n5A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1119.5	47.32	-47.25	24.38	-70.81	-13.00	57.81	Horizontal
2	1875	48.16	-46.71	25.50	-68.31	-13.00	55.31	Horizontal
3	3129.5	46.51	-45.03	28.78	-65.00	-13.00	52.00	Horizontal
4	4844	46.90	-42.79	30.62	-60.53	-13.00	47.53	Horizontal
5	7498	42.64	-38.16	36.90	-53.88	-13.00	40.88	Horizontal
6	9996.5	40.84	-35.05	38.70	-50.77	-13.00	37.77	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1130	47.40	-47.29	24.42	-70.73	-13.00	57.73	Vertical
2	2031.5	51.43	-46.30	26.37	-63.76	-13.00	50.76	Vertical
3	3095.5	46.88	-45.12	28.89	-64.61	-13.00	51.61	Vertical
4	4843.5	50.41	-42.79	30.63	-57.01	-13.00	44.01	Vertical
5	7428.5	42.67	-37.92	36.76	-53.75	-13.00	40.75	Vertical
6	9945	40.93	-34.93	38.65	-50.61	-13.00	37.61	Vertical

Test Band = NSA_DC_2A_n7A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3202	47.01	-43.88	28.41	-63.72	-25.00	38.72	Horizontal
2	4844	48.42	-42.68	30.62	-58.90	-25.00	33.90	Horizontal
3	7424	43.01	-37.87	36.75	-53.37	-25.00	28.37	Horizontal
4	11286.5	42.97	-34.99	40.11	-47.17	-25.00	22.17	Horizontal
5	14677.5	41.18	-33.75	41.81	-46.02	-25.00	21.02	Horizontal
6	17972.5	40.09	-39.75	47.71	-47.21	-25.00	22.21	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3199	46.79	-43.87	28.41	-63.93	-25.00	38.93	Vertical
2	4843.5	50.99	-42.67	30.63	-56.31	-25.00	31.31	Vertical
3	7501.5	46.08	-38.08	36.89	-50.37	-25.00	25.37	Vertical
4	11283	43.40	-35.06	40.12	-46.80	-25.00	21.80	Vertical
5	14677	41.13	-33.74	41.81	-46.06	-25.00	21.06	Vertical
6	17984	39.97	-39.76	47.91	-47.14	-25.00	22.14	Vertical

Test Band = NSA_DC_2A_n7A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3208	46.47	-43.94	28.43	-64.30	-25.00	39.30	Horizontal
2	4843.5	47.74	-42.67	30.63	-59.56	-25.00	34.56	Horizontal
3	7451.5	43.15	-37.72	36.80	-53.03	-25.00	28.03	Horizontal
4	11279	42.87	-35.15	40.12	-47.42	-25.00	22.42	Horizontal
5	15273.5	39.87	-30.65	39.85	-46.19	-25.00	21.19	Horizontal
6	17980	39.75	-39.75	47.84	-47.42	-25.00	22.42	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3272.5	46.96	-44.29	28.56	-64.03	-25.00	39.03	Vertical
2	4844	50.71	-42.68	30.62	-56.61	-25.00	31.61	Vertical
3	7576.5	47.26	-38.07	36.61	-49.46	-25.00	24.46	Vertical
4	11763	43.44	-34.55	39.84	-46.53	-25.00	21.53	Vertical
5	14810.5	40.12	-32.57	41.54	-46.17	-25.00	21.17	Vertical
6	17969.5	40.20	-39.75	47.65	-47.16	-25.00	22.16	Vertical

Test Band = NSA_DC_2A_n7A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3479	46.63	-44.34	29.02	-63.95	-25.00	38.95	Horizontal
2	4531	49.23	-43.08	29.66	-59.45	-25.00	34.45	Horizontal
3	7408.5	43.36	-37.96	36.72	-53.14	-25.00	28.14	Horizontal
4	11033.5	42.00	-34.14	40.13	-47.27	-25.00	22.27	Horizontal
5	14674.5	40.93	-33.71	41.80	-46.24	-25.00	21.24	Horizontal
6	17974	39.99	-39.75	47.73	-47.29	-25.00	22.29	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3518	47.29	-44.40	29.06	-63.31	-25.00	38.31	Vertical
2	4844	50.08	-42.68	30.62	-57.24	-25.00	32.24	Vertical
3	7651.5	47.67	-37.46	36.61	-48.44	-25.00	23.44	Vertical
4	11287	43.35	-34.98	40.11	-46.78	-25.00	21.78	Vertical
5	14677.5	41.50	-33.75	41.81	-45.70	-25.00	20.70	Vertical
6	17986	40.29	-39.76	47.95	-46.78	-25.00	21.78	Vertical

Test Band = NSA_DC_7A_n12A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3682.5	47.74	-44.24	29.30	-62.46	-13.00	49.46	Horizontal
2	4531	48.60	-43.08	29.66	-60.08	-13.00	47.08	Horizontal
3	7445.5	42.95	-37.74	36.79	-53.26	-13.00	40.26	Horizontal
4	11257	43.78	-35.62	40.14	-46.96	-13.00	33.96	Horizontal
5	13887	41.63	-33.59	40.85	-46.37	-13.00	33.37	Horizontal
6	17990	39.59	-39.76	48.02	-47.41	-13.00	34.41	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3205	47.18	-43.91	28.42	-63.57	-13.00	50.57	Vertical
2	4843.5	51.08	-42.67	30.63	-56.22	-13.00	43.22	Vertical
3	7598.5	51.10	-38.08	36.79	-45.45	-13.00	32.45	Vertical
4	11295	42.82	-34.81	40.11	-47.14	-13.00	34.14	Vertical
5	14805	40.18	-32.52	41.57	-46.03	-13.00	33.03	Vertical
6	17982	39.68	-39.76	47.88	-47.46	-13.00	34.46	Vertical

Test Band = NSA_DC_7A_n12A_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3207.5	46.73	-43.93	28.43	-64.03	-13.00	51.03	Horizontal
2	4844	48.19	-42.68	30.62	-59.13	-13.00	46.13	Horizontal
3	7422.5	43.19	-37.88	36.75	-53.20	-13.00	40.20	Horizontal
4	11304.5	42.85	-34.77	40.11	-47.07	-13.00	34.07	Horizontal
5	14799	40.00	-32.53	41.60	-46.19	-13.00	33.19	Horizontal
6	17986.5	40.12	-39.76	47.96	-46.94	-13.00	33.94	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3552.5	46.74	-44.43	29.00	-63.95	-13.00	50.95	Vertical
2	4844	50.24	-42.68	30.62	-57.08	-13.00	44.08	Vertical
3	7598.5	50.17	-38.08	36.79	-46.38	-13.00	33.38	Vertical
4	11267.5	44.14	-35.40	40.13	-46.39	-13.00	33.39	Vertical
5	15303.5	40.43	-30.71	39.88	-45.66	-13.00	32.66	Vertical
6	17994	39.85	-39.77	48.09	-47.09	-13.00	34.09	Vertical

Test Band = NSA_DC_7A_n12A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3260.5	47.12	-44.31	28.58	-63.87	-13.00	50.87	Horizontal
2	4844	47.57	-42.68	30.62	-59.75	-13.00	46.75	Horizontal
3	7437.5	43.19	-37.79	36.78	-53.08	-13.00	40.08	Horizontal
4	11318.5	43.20	-34.98	40.14	-46.90	-13.00	33.90	Horizontal
5	14803	40.16	-32.51	41.58	-46.03	-13.00	33.03	Horizontal
6	17991.5	39.75	-39.76	48.05	-47.22	-13.00	34.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3387	46.89	-44.38	28.60	-64.15	-13.00	51.15	Vertical
2	4843.5	50.07	-42.67	30.63	-57.23	-13.00	44.23	Vertical
3	7599	45.84	-38.08	36.79	-50.71	-13.00	37.71	Vertical
4	11302.5	42.93	-34.74	40.11	-46.96	-13.00	33.96	Vertical
5	15310.5	39.82	-30.64	39.83	-46.25	-13.00	33.25	Vertical
6	17991	39.82	-39.76	48.04	-47.16	-13.00	34.16	Vertical

Test Band = NSA_DC_66A_n25A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3192.5	46.43	-43.96	28.45	-64.34	-13.00	51.34	Horizontal
2	4531	48.80	-43.08	29.66	-59.88	-13.00	46.88	Horizontal
3	7462	43.18	-37.80	36.82	-53.06	-13.00	40.06	Horizontal
4	11143	42.75	-34.85	40.20	-47.16	-13.00	34.16	Horizontal
5	14677	41.08	-33.74	41.81	-46.11	-13.00	33.11	Horizontal
6	17887.5	41.04	-39.39	46.33	-47.28	-13.00	34.28	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701.5	51.37	-44.19	29.31	-58.77	-13.00	45.77	Vertical
2	4844	50.28	-42.68	30.62	-57.04	-13.00	44.04	Vertical
3	7480	43.84	-37.93	36.86	-52.49	-13.00	39.49	Vertical
4	11281.5	43.35	-35.10	40.12	-46.89	-13.00	33.89	Vertical
5	14805	40.15	-32.52	41.57	-46.06	-13.00	33.06	Vertical
6	17991	40.26	-39.76	48.04	-46.72	-13.00	33.72	Vertical

Test Band = NSA_DC_66A_n25A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3199.5	46.92	-43.87	28.40	-63.81	-13.00	50.81	Horizontal
2	4531	48.68	-43.08	29.66	-60.00	-13.00	47.00	Horizontal
3	7417.5	43.21	-37.91	36.74	-53.22	-13.00	40.22	Horizontal
4	11290.5	43.20	-34.90	40.11	-46.85	-13.00	33.85	Horizontal
5	14621.5	41.36	-33.83	41.59	-46.14	-13.00	33.14	Horizontal
6	17993	39.99	-39.76	48.07	-46.96	-13.00	33.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3200.5	47.07	-43.86	28.40	-63.65	-13.00	50.65	Vertical
2	4844	50.55	-42.68	30.62	-56.77	-13.00	43.77	Vertical
3	7415.5	43.24	-37.92	36.73	-53.21	-13.00	40.21	Vertical
4	11304.5	43.29	-34.77	40.11	-46.63	-13.00	33.63	Vertical
5	14807	40.35	-32.54	41.56	-45.89	-13.00	32.89	Vertical
6	17990.5	40.45	-39.76	48.03	-46.54	-13.00	33.54	Vertical

Test Band = NSA_DC_66A_n25A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3197.5	47.14	-43.89	28.42	-63.59	-13.00	50.59	Horizontal
2	4531.5	49.22	-43.08	29.66	-59.46	-13.00	46.46	Horizontal
3	7434	43.16	-37.81	36.77	-53.14	-13.00	40.14	Horizontal
4	11293.5	43.07	-34.84	40.11	-46.92	-13.00	33.92	Horizontal
5	14671.5	40.95	-33.68	41.79	-46.20	-13.00	33.20	Horizontal
6	17993	40.13	-39.76	48.07	-46.82	-13.00	33.82	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.5	50.62	-43.86	29.61	-58.89	-13.00	45.89	Vertical
2	4843.5	50.33	-42.67	30.63	-56.97	-13.00	43.97	Vertical
3	7508.5	43.05	-38.07	36.82	-53.46	-13.00	40.46	Vertical
4	11256.5	43.58	-35.63	40.14	-47.17	-13.00	34.17	Vertical
5	14679	41.49	-33.76	41.82	-45.71	-13.00	32.71	Vertical
6	17998.5	39.63	-39.77	48.17	-47.23	-13.00	34.23	Vertical

Test Band = NSA_DC_66A_n30A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.5	46.98	-44.39	29.09	-63.58	-13.00	50.58	Horizontal
2	4611	48.10	-42.90	30.12	-59.94	-13.00	46.94	Horizontal
3	7459.5	42.85	-37.78	36.82	-53.37	-13.00	40.37	Horizontal
4	11312	43.19	-34.88	40.12	-46.83	-13.00	33.83	Horizontal
5	14684	41.57	-33.82	41.84	-45.67	-13.00	32.67	Horizontal
6	17986.5	40.24	-39.76	47.96	-46.82	-13.00	33.82	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.5	48.28	-44.39	29.09	-62.28	-13.00	49.28	Vertical
2	4611	53.73	-42.90	30.12	-54.31	-13.00	41.31	Vertical
3	7435	43.05	-37.80	36.77	-53.24	-13.00	40.24	Vertical
4	11307.5	43.08	-34.81	40.12	-46.87	-13.00	33.87	Vertical
5	14679	41.27	-33.76	41.82	-45.93	-13.00	32.93	Vertical
6	17999.5	39.93	-39.77	48.19	-46.91	-13.00	33.91	Vertical

Test Band = NSA_DC_4A_n38A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3082	46.71	-44.53	28.86	-64.22	-25.00	39.22	Horizontal
2	5142.5	48.72	-42.22	31.76	-57.00	-25.00	32.00	Horizontal
3	7431	43.26	-37.82	36.76	-53.06	-25.00	28.06	Horizontal
4	11284.5	43.00	-35.03	40.12	-47.17	-25.00	22.17	Horizontal
5	14670	40.98	-33.67	41.78	-46.17	-25.00	21.17	Horizontal
6	17986.5	39.87	-39.76	47.96	-47.19	-25.00	22.19	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3137.5	47.51	-44.54	28.75	-63.54	-25.00	38.54	Vertical
2	5142	59.80	-42.22	31.75	-45.93	-25.00	20.93	Vertical
3	7451.5	42.97	-37.72	36.80	-53.21	-25.00	28.21	Vertical
4	11029	42.21	-34.09	40.13	-47.01	-25.00	22.01	Vertical
5	14677.5	41.16	-33.75	41.81	-46.04	-25.00	21.04	Vertical
6	17980.5	39.94	-39.75	47.85	-47.22	-25.00	22.22	Vertical

Test Band = NSA_DC_4A_n38A_TM1
Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3113	46.83	-44.58	28.85	-64.16	-25.00	39.16	Horizontal
2	5152	47.61	-42.18	31.80	-58.03	-25.00	33.03	Horizontal
3	7435	43.32	-37.80	36.77	-52.97	-25.00	27.97	Horizontal
4	11787	42.55	-34.06	39.81	-46.96	-25.00	21.96	Horizontal
5	15284.5	40.31	-30.69	39.87	-45.77	-25.00	20.77	Horizontal
6	17997	39.58	-39.77	48.15	-47.30	-25.00	22.30	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3164.5	47.26	-44.32	28.61	-63.71	-25.00	38.71	Vertical
2	5152	60.60	-42.18	31.80	-45.04	-25.00	20.04	Vertical
3	7385	43.47	-38.07	36.64	-53.22	-25.00	28.22	Vertical
4	11788	42.42	-34.04	39.81	-47.07	-25.00	22.07	Vertical
5	14799	40.20	-32.53	41.60	-45.99	-25.00	20.99	Vertical
6	17856	40.83	-39.27	46.14	-47.56	-25.00	22.56	Vertical

Test Band = NSA_DC_4A_n38A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3254.5	47.16	-44.33	28.59	-63.84	-25.00	38.84	Horizontal
2	5162	49.16	-42.14	31.82	-56.42	-25.00	31.42	Horizontal
3	7434	43.23	-37.81	36.77	-53.07	-25.00	28.07	Horizontal
4	11335	43.28	-35.23	40.17	-47.04	-25.00	22.04	Horizontal
5	15033	41.42	-32.62	40.57	-45.89	-25.00	20.89	Horizontal
6	17993	39.89	-39.76	48.07	-47.06	-25.00	22.06	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3255.5	46.84	-44.33	28.59	-64.16	-25.00	39.16	Vertical
2	5162	51.39	-42.14	31.82	-54.19	-25.00	29.19	Vertical
3	7418.5	43.23	-37.90	36.74	-53.19	-25.00	28.19	Vertical
4	11838	43.31	-34.75	39.84	-46.86	-25.00	21.86	Vertical
5	15291.5	40.40	-30.71	39.88	-45.69	-25.00	20.69	Vertical
6	17986	39.95	-39.76	47.95	-47.12	-25.00	22.12	Vertical

Test Band = NSA_DC_2A_n41A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3209	47.01	-43.95	28.44	-63.76	-25.00	38.76	Horizontal
2	4994	50.70	-42.44	31.18	-55.82	-25.00	30.82	Horizontal
3	7462	43.37	-37.80	36.82	-52.87	-25.00	27.87	Horizontal
4	11287.5	43.13	-34.97	40.11	-46.99	-25.00	21.99	Horizontal
5	14621.5	41.39	-33.83	41.59	-46.11	-25.00	21.11	Horizontal
6	17998.5	40.08	-39.77	48.17	-46.78	-25.00	21.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3203	46.81	-43.89	28.41	-63.93	-25.00	38.93	Vertical
2	4994	56.84	-42.44	31.18	-49.68	-25.00	24.68	Vertical
3	7491.5	43.67	-38.02	36.88	-52.73	-25.00	27.73	Vertical
4	11281.5	42.92	-35.10	40.12	-47.32	-25.00	22.32	Vertical
5	14611.5	41.40	-33.96	41.55	-46.27	-25.00	21.27	Vertical
6	17991.5	40.14	-39.76	48.05	-46.83	-25.00	21.83	Vertical

Test Band = NSA_DC_2A_n41A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3121	47.13	-44.57	28.82	-63.88	-25.00	38.88	Horizontal
2	5088	51.84	-42.38	31.52	-54.28	-25.00	29.28	Horizontal
3	7430	43.39	-37.83	36.76	-52.94	-25.00	27.94	Horizontal
4	11096	42.66	-34.73	40.20	-47.13	-25.00	22.13	Horizontal
5	14648	41.15	-33.48	41.69	-45.90	-25.00	20.90	Horizontal
6	17994	39.82	-39.77	48.09	-47.12	-25.00	22.12	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3207	46.71	-43.93	28.43	-64.05	-25.00	39.05	Vertical
2	5088	56.81	-42.38	31.52	-49.31	-25.00	24.31	Vertical
3	7432.5	43.08	-37.82	36.77	-53.23	-25.00	28.23	Vertical
4	11337.5	43.16	-35.27	40.18	-47.19	-25.00	22.19	Vertical
5	14676	41.57	-33.73	41.80	-45.62	-25.00	20.62	Vertical
6	17985	40.06	-39.76	47.93	-47.03	-25.00	22.03	Vertical

Test Band = NSA_DC_2A_n41A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3200.5	46.86	-43.86	28.40	-63.86	-25.00	38.86	Horizontal
2	5182	47.25	-42.06	31.86	-58.21	-25.00	33.21	Horizontal
3	7447	42.91	-37.73	36.79	-53.29	-25.00	28.29	Horizontal
4	11298.5	42.94	-34.73	40.10	-46.95	-25.00	21.95	Horizontal
5	13938	41.78	-33.23	41.01	-45.70	-25.00	20.70	Horizontal
6	17984.5	40.14	-39.76	47.92	-46.96	-25.00	21.96	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3129.5	47.24	-44.55	28.78	-63.79	-25.00	38.79	Vertical
2	5182	60.50	-42.06	31.86	-44.96	-25.00	19.96	Vertical
3	7435	43.18	-37.80	36.77	-53.11	-25.00	28.11	Vertical
4	11299.5	43.49	-34.71	40.10	-46.38	-25.00	21.38	Vertical
5	14809	40.29	-32.56	41.55	-45.98	-25.00	20.98	Vertical
6	17997	39.82	-39.77	48.15	-47.06	-25.00	22.06	Vertical

Test Band = NSA_DC_5A_n48A_TM1**Test Channel = LCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7484.4492	42.91	-38.44	36.87	-53.92	-40.00	13.92	Horizontal
2	9560.878	41.23	-35.93	37.80	-52.16	-40.00	12.16	Horizontal
3	11238.8119	42.96	-35.81	40.16	-47.95	-40.00	7.95	Horizontal
4	14722.9111	40.25	-31.13	41.83	-44.31	-40.00	4.31	Horizontal
5	16432.4716	39.95	-28.42	38.96	-44.77	-40.00	4.77	Horizontal
6	17974.1237	39.77	-39.75	47.73	-47.51	-40.00	7.51	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7968.6234	43.36	-37.49	36.40	-52.99	-40.00	12.99	Vertical
2	10048.5024	41.13	-34.97	38.75	-50.35	-40.00	10.35	Vertical
3	11297.4649	42.59	-35.28	40.10	-47.85	-40.00	7.85	Vertical
4	14225.5113	40.72	-32.14	41.82	-44.86	-40.00	4.86	Vertical
5	16384.1692	40.48	-28.85	38.75	-44.88	-40.00	4.88	Vertical
6	17968.9484	40.09	-39.75	47.64	-47.28	-40.00	7.28	Vertical

Test Band = NSA_DC_5A_n48A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7511.4756	43.34	-38.52	36.79	-53.65	-40.00	13.65	Horizontal
2	9561.4531	41.43	-35.93	37.80	-51.96	-40.00	11.96	Horizontal
3	11266.4133	42.96	-35.65	40.13	-47.82	-40.00	7.82	Horizontal
4	14761.4381	39.41	-30.37	41.72	-44.50	-40.00	4.50	Horizontal
5	16395.6698	40.56	-28.82	38.79	-44.73	-40.00	4.73	Horizontal
6	17966.6483	39.62	-39.74	47.60	-47.78	-40.00	7.78	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7968.6234	44.16	-37.49	36.40	-52.19	-40.00	12.19	Vertical
2	10017.4509	41.27	-35.19	38.72	-50.46	-40.00	10.46	Vertical
3	11335.4168	42.74	-35.54	40.17	-47.89	-40.00	7.89	Vertical
4	14644.1322	40.71	-31.39	41.68	-44.26	-40.00	4.26	Vertical
5	16353.1177	40.53	-28.92	38.66	-44.99	-40.00	4.99	Vertical
6	17970.0985	39.47	-39.75	47.66	-47.88	-40.00	7.88	Vertical

Test Band = NSA_DC_5A_n48A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7445.9223	42.64	-38.27	36.79	-54.10	-40.00	14.10	Horizontal
2	10036.4268	41.28	-35.06	38.74	-50.30	-40.00	10.30	Horizontal
3	11809.2405	42.20	-34.77	39.81	-48.02	-40.00	8.02	Horizontal
4	14042.0771	41.28	-32.26	41.45	-44.79	-40.00	4.79	Horizontal
5	16383.0192	40.31	-28.85	38.75	-45.05	-40.00	5.05	Horizontal
6	17979.874	39.42	-39.75	47.84	-47.75	-40.00	7.75	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7968.6234	43.64	-37.49	36.40	-52.71	-40.00	12.71	Vertical
2	10034.7017	41.31	-35.07	38.73	-50.29	-40.00	10.29	Vertical
3	11777.6139	42.25	-35.01	39.82	-48.20	-40.00	8.20	Vertical
4	14751.6626	39.41	-30.16	41.75	-44.26	-40.00	4.26	Vertical
5	16445.1223	39.44	-28.27	39.03	-45.06	-40.00	5.06	Vertical
6	17986.1993	39.62	-39.76	47.95	-47.45	-40.00	7.45	Vertical

Test Band = NSA_DC_2A_n66A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3089	47.11	-44.56	28.88	-63.83	-13.00	50.83	Horizontal
2	4531	48.65	-43.08	29.66	-60.03	-13.00	47.03	Horizontal
3	7443.5	42.94	-37.75	36.79	-53.28	-13.00	40.28	Horizontal
4	11308.5	43.01	-34.83	40.12	-46.96	-13.00	33.96	Horizontal
5	14612	41.82	-33.95	41.55	-45.84	-13.00	32.84	Horizontal
6	17992.5	39.80	-39.76	48.07	-47.15	-13.00	34.15	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	47.64	-44.29	28.73	-63.18	-13.00	50.18	Vertical
2	4843.5	50.14	-42.67	30.63	-57.16	-13.00	44.16	Vertical
3	7431.5	43.14	-37.82	36.76	-53.18	-13.00	40.18	Vertical
4	11286	43.28	-35.00	40.11	-46.87	-13.00	33.87	Vertical
5	14576.5	42.07	-33.78	41.52	-45.45	-13.00	32.45	Vertical
6	17970	40.12	-39.75	47.66	-47.23	-13.00	34.23	Vertical

Test Band = NSA_DC_2A_n66A_TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3391.5	47.17	-44.35	28.60	-63.84	-13.00	50.84	Horizontal
2	4531.5	48.21	-43.08	29.66	-60.47	-13.00	47.47	Horizontal
3	7489.5	43.28	-38.00	36.88	-53.10	-13.00	40.10	Horizontal
4	11815.5	43.16	-34.19	39.82	-46.47	-13.00	33.47	Horizontal
5	14805	40.17	-32.52	41.57	-46.04	-13.00	33.04	Horizontal
6	17989.5	39.51	-39.76	48.01	-47.50	-13.00	34.50	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3451	47.28	-44.28	28.90	-63.36	-13.00	50.36	Vertical
2	4843.5	50.80	-42.67	30.63	-56.50	-13.00	43.50	Vertical
3	7431.5	43.30	-37.82	36.76	-53.02	-13.00	40.02	Vertical
4	11134	42.40	-34.83	40.20	-47.49	-13.00	34.49	Vertical
5	14804	40.19	-32.51	41.58	-46.00	-13.00	33.00	Vertical
6	17986.5	39.81	-39.76	47.96	-47.25	-13.00	34.25	Vertical

Test Band = NSA_DC_2A_n66A_TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3151.5	46.73	-44.49	28.69	-64.33	-13.00	51.33	Horizontal
2	4531	48.57	-43.08	29.66	-60.11	-13.00	47.11	Horizontal
3	7435	43.21	-37.80	36.77	-53.08	-13.00	40.08	Horizontal
4	11297	42.90	-34.76	40.10	-47.02	-13.00	34.02	Horizontal
5	15283.5	40.32	-30.68	39.87	-45.75	-13.00	32.75	Horizontal
6	17987.5	40.05	-39.76	47.98	-46.99	-13.00	33.99	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481	49.83	-44.34	29.02	-60.75	-13.00	47.75	Vertical
2	4843.5	50.10	-42.67	30.63	-57.20	-13.00	44.20	Vertical
3	7429.5	43.23	-37.83	36.76	-53.10	-13.00	40.10	Vertical
4	11127	42.73	-34.82	40.20	-47.15	-13.00	34.15	Vertical
5	14686	41.29	-33.84	41.84	-45.97	-13.00	32.97	Vertical
6	17992	39.65	-39.76	48.06	-47.31	-13.00	34.31	Vertical

Test Band = NSA_DC_5A_n71A_TM1

Test Channel = LCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	53.45	-47.15	24.87	-64.09	-13.00	51.09	Horizontal
2	2031.5	47.11	-46.30	26.37	-68.08	-13.00	55.08	Horizontal
3	3094	46.52	-45.12	28.89	-64.97	-13.00	51.97	Horizontal
4	4843.5	47.82	-42.79	30.63	-59.60	-13.00	46.60	Horizontal
5	7417	43.10	-38.05	36.73	-53.48	-13.00	40.48	Horizontal
6	9914.5	41.00	-35.02	38.61	-50.67	-13.00	37.67	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	50.98	-47.15	24.87	-66.56	-13.00	53.56	Vertical
2	2031	49.57	-46.30	26.38	-65.61	-13.00	52.61	Vertical
3	3096.5	46.99	-45.11	28.89	-64.49	-13.00	51.49	Vertical
4	4844	51.74	-42.79	30.62	-55.69	-13.00	42.69	Vertical
5	7425	42.88	-37.96	36.75	-53.59	-13.00	40.59	Vertical
6	9518.5	42.02	-35.09	37.80	-50.53	-13.00	37.53	Vertical

Test Band = NSA_DC_5A_n71A_TM1

Test Channel = MCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	50.51	-47.12	25.02	-66.85	-13.00	53.85	Horizontal
2	2031	47.57	-46.30	26.38	-67.61	-13.00	54.61	Horizontal
3	3214.5	46.24	-44.60	28.46	-65.16	-13.00	52.16	Horizontal
4	4844	47.85	-42.79	30.62	-59.58	-13.00	46.58	Horizontal
5	7432	42.48	-37.88	36.76	-53.90	-13.00	40.90	Horizontal
6	9927.5	40.98	-34.98	38.63	-50.63	-13.00	37.63	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	49.58	-47.12	25.02	-67.78	-13.00	54.78	Vertical
2	2031	49.52	-46.30	26.38	-65.66	-13.00	52.66	Vertical
3	3096.5	46.71	-45.11	28.89	-64.77	-13.00	51.77	Vertical
4	4843.5	52.39	-42.79	30.63	-55.03	-13.00	42.03	Vertical
5	7423.5	42.87	-37.98	36.75	-53.62	-13.00	40.62	Vertical
6	9947.5	41.25	-34.92	38.65	-50.28	-13.00	37.28	Vertical

Test Band = NSA_DC_5A_n71A_TM1

Test Channel = HCH

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1122.5	47.26	-47.26	24.39	-70.87	-13.00	57.87	Horizontal
2	2187.5	47.72	-46.33	26.80	-67.07	-13.00	54.07	Horizontal
3	3216.5	46.43	-44.59	28.47	-64.95	-13.00	51.95	Horizontal
4	4843.5	47.70	-42.79	30.63	-59.72	-13.00	46.72	Horizontal
5	7423	42.95	-37.98	36.75	-53.54	-13.00	40.54	Horizontal
6	9936.5	41.06	-34.95	38.64	-50.51	-13.00	37.51	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	53.08	-47.05	25.07	-64.16	-13.00	51.16	Vertical
2	2031	49.52	-46.30	26.38	-65.66	-13.00	52.66	Vertical
3	3241.5	46.19	-44.52	28.57	-65.02	-13.00	52.02	Vertical
4	4844	51.89	-42.79	30.62	-55.54	-13.00	42.54	Vertical
5	7447.5	42.76	-37.71	36.80	-53.41	-13.00	40.41	Vertical
6	9886.5	41.12	-35.03	38.49	-50.68	-13.00	37.68	Vertical

Test Band = NSA_DC_5A_n77A(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7407.3954	43.65	-38.48	36.71	-53.38	-13.00	40.38	Horizontal
2	10017.4509	42.60	-35.19	38.72	-49.13	-13.00	36.13	Horizontal
3	11956.4478	43.93	-34.93	39.73	-46.53	-13.00	33.53	Horizontal
4	14775.2388	40.81	-30.67	41.67	-43.45	-13.00	30.45	Horizontal
5	16348.5174	41.95	-28.92	38.65	-43.58	-13.00	30.58	Horizontal
6	17970.0985	41.13	-39.75	47.66	-46.22	-13.00	33.22	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7424.0712	43.34	-38.39	36.75	-53.56	-13.00	40.56	Vertical
2	9615.5058	42.14	-35.73	37.89	-50.96	-13.00	37.96	Vertical
3	11925.9713	44.08	-35.14	39.82	-46.50	-13.00	33.50	Vertical
4	14778.1139	41.18	-30.73	41.67	-43.14	-13.00	30.14	Vertical
5	16366.3433	41.76	-28.89	38.70	-43.69	-13.00	30.69	Vertical
6	17968.9484	41.88	-39.75	47.64	-45.49	-13.00	32.49	Vertical

Test Band = NSA_DC_5A_n77A(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6996.8248	44.09	-39.11	35.58	-54.70	-13.00	41.70	Horizontal
2	9783.9892	41.64	-35.87	38.44	-51.05	-13.00	38.05	Horizontal
3	11896.6448	44.05	-35.50	39.90	-46.81	-13.00	33.81	Horizontal
4	14753.9627	40.62	-30.21	41.74	-43.11	-13.00	30.11	Horizontal
5	16389.3445	41.41	-28.84	38.77	-43.92	-13.00	30.92	Horizontal
6	17968.3734	40.81	-39.74	47.63	-46.56	-13.00	33.56	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7428.6714	43.38	-38.37	36.76	-53.49	-13.00	40.49	Vertical
2	10015.7258	42.30	-35.21	38.72	-49.45	-13.00	36.45	Vertical
3	11910.4455	44.18	-35.34	39.87	-46.55	-13.00	33.55	Vertical
4	14747.6374	40.17	-30.21	41.76	-43.54	-13.00	30.54	Vertical
5	16462.3731	40.71	-28.51	39.11	-43.95	-13.00	30.95	Vertical
6	17970.6735	41.08	-39.75	47.67	-46.26	-13.00	33.26	Vertical

Test Band = NSA_DC_5A_n77A(3700-3980) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7417.1709	43.40	-38.43	36.73	-53.56	-13.00	40.56	Horizontal
2	10012.8506	42.43	-35.23	38.71	-49.35	-13.00	36.35	Horizontal
3	11947.8224	43.88	-34.86	39.76	-46.48	-13.00	33.48	Horizontal
4	14775.8138	40.96	-30.68	41.67	-43.31	-13.00	30.31	Horizontal
5	16352.5426	41.66	-28.92	38.66	-43.86	-13.00	30.86	Horizontal
6	17890.7445	42.18	-39.40	46.34	-46.14	-13.00	33.14	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7022.7011	44.43	-39.14	35.87	-54.10	-13.00	41.10	Vertical
2	9710.3855	42.12	-36.07	38.22	-50.99	-13.00	37.99	Vertical
3	11948.3974	43.64	-34.85	39.75	-46.72	-13.00	33.72	Vertical
4	14774.0887	40.95	-30.65	41.68	-43.28	-13.00	30.28	Vertical
5	16416.9458	41.15	-28.61	38.88	-43.84	-13.00	30.84	Vertical
6	17965.4983	41.40	-39.74	47.58	-46.02	-13.00	33.02	Vertical

Test Band = NSA_DC_5A_n77A(3700-3980) _TM1**Test Channel = HCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7407.9704	43.72	-38.48	36.72	-53.30	-13.00	40.30	Horizontal
2	10015.7258	42.26	-35.21	38.72	-49.49	-13.00	36.49	Horizontal
3	11913.3207	43.80	-35.31	39.86	-46.91	-13.00	33.91	Horizontal
4	14748.2124	40.76	-30.19	41.76	-42.93	-13.00	29.93	Horizontal
5	16397.3949	41.65	-28.82	38.79	-43.64	-13.00	30.64	Horizontal
6	17894.1947	41.75	-39.41	46.37	-46.55	-13.00	33.55	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7775.9888	43.16	-37.83	36.50	-53.43	-13.00	40.43	Vertical
2	10011.7006	42.18	-35.24	38.71	-49.61	-13.00	36.61	Vertical
3	11971.3986	44.21	-35.17	39.69	-46.53	-13.00	33.53	Vertical
4	14036.3268	42.68	-32.36	41.42	-43.52	-13.00	30.52	Vertical
5	16503.2002	41.65	-29.44	39.31	-43.74	-13.00	30.74	Vertical
6	17967.7984	41.36	-39.74	47.62	-46.02	-13.00	33.02	Vertical

Test Band = NSA_DC_71A_n78A(3450-3550) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7481.5741	43.21	-38.43	36.86	-53.62	-13.00	40.62	Horizontal
2	10043.3272	42.07	-35.01	38.74	-49.46	-13.00	36.46	Horizontal
3	11925.3963	43.96	-35.15	39.82	-46.63	-13.00	33.63	Horizontal
4	14753.9627	40.39	-30.21	41.74	-43.34	-13.00	30.34	Horizontal
5	16441.0971	40.61	-28.32	39.01	-43.96	-13.00	30.96	Horizontal
6	17886.1443	42.00	-39.38	46.32	-46.32	-13.00	33.32	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7361.3931	43.84	-38.64	36.55	-53.51	-13.00	40.51	Vertical
2	10014.5757	42.40	-35.22	38.71	-49.37	-13.00	36.37	Vertical
3	11932.8716	43.90	-35.05	39.80	-46.61	-13.00	33.61	Vertical
4	14774.6637	41.12	-30.66	41.68	-43.12	-13.00	30.12	Vertical
5	16485.9493	41.26	-29.07	39.23	-43.84	-13.00	30.84	Vertical
6	17970.6735	41.09	-39.75	47.67	-46.25	-13.00	33.25	Vertical

Test Band = NSA_DC_71A_n78A(3700-3800) _TM1**Test Channel = MCH**

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7469.4985	43.13	-38.36	36.84	-53.65	-13.00	40.65	Horizontal
2	10035.8518	42.31	-35.06	38.74	-49.27	-13.00	36.27	Horizontal
3	11902.9701	44.32	-35.44	39.89	-46.49	-13.00	33.49	Horizontal
4	14779.264	41.08	-30.76	41.66	-43.28	-13.00	30.28	Horizontal
5	16414.6457	41.45	-28.63	38.87	-43.57	-13.00	30.57	Horizontal
6	17969.5235	41.00	-39.75	47.65	-46.36	-13.00	33.36	Horizontal

Final Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7501.7001	43.24	-38.53	36.88	-53.67	-13.00	40.67	Vertical
2	10018.0259	42.39	-35.19	38.72	-49.34	-13.00	36.34	Vertical
3	11912.1706	44.27	-35.32	39.86	-46.45	-13.00	33.45	Vertical
4	14754.5377	40.58	-30.22	41.74	-43.16	-13.00	30.16	Vertical
5	16441.6721	40.70	-28.31	39.01	-43.86	-13.00	30.86	Vertical
6	17962.6231	41.28	-39.74	47.53	-46.19	-13.00	33.19	Vertical