

WCDMA

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
WCDMA_Band II_5M_CH9400	88.1544	-61.55	-64.77	-3.22	-13.00	51.77	V	PK
	113.6182	-65.73	-64.32	1.41	-13.00	51.32	V	PK
	463.3692	-63.02	-63.50	-0.48	-13.00	50.50	H	PK
	878.5984	-69.72	-60.92	8.80	-13.00	47.92	H	PK
	3756.0000	-60.34	-46.23	14.11	-13.00	33.23	V	PK
	5634.0000	-62.48	-44.21	18.27	-13.00	31.21	H	PK
	7512.0000	-63.43	-39.69	23.74	-13.00	26.69	V	PK
	9390.0000	-68.26	-44.89	23.37	-13.00	31.89	V	PK
	11268.0000	-69.37	-44.53	24.84	-13.00	31.53	V	PK
	13146.0000	-69.77	-43.90	25.87	-13.00	30.90	H	PK
	15024.0000	-69.30	-40.95	28.35	-13.00	27.95	V	PK
	16902.0000	-69.31	-36.26	33.05	-13.00	23.26	H	PK
WCDMA_Band IV_5M_CH1513	112.006	-57.51	-54.70	2.81	-13.00	41.70	V	PK
	182.3662	-50.18	-59.39	-9.21	-13.00	46.39	V	PK
	254.1821	-57.35	-55.97	1.38	-13.00	42.97	H	PK
	881.1156	-55.86	-47.11	8.75	-13.00	34.11	H	PK
	3502.0000	-56.95	-43.54	13.41	-13.00	30.54	V	PK
	5253.0000	-61.67	-43.30	18.37	-13.00	30.30	V	PK
	7004.0000	-61.97	-40.93	21.04	-13.00	27.93	H	PK
	8755.0000	-65.57	-43.12	22.45	-13.00	30.12	H	PK
	10506.0000	-69.21	-44.08	25.13	-13.00	31.08	V	PK
	12257.0000	-68.99	-43.94	25.05	-13.00	30.94	V	PK
	14008.0000	-69.24	-43.03	26.21	-13.00	30.03	H	PK
	15759.0000	-69.83	-39.44	30.39	-13.00	26.44	V	PK
	17510.0000	-68.49	-34.07	34.42	-13.00	21.07	V	PK
WCDMA_Band V_5M_CH4233	111.0355	-57.42	-54.49	2.93	-13.00	41.49	V	PK
	249.8149	-56.38	-54.65	1.73	-13.00	41.65	H	PK
	1692.0000	-59.29	-43.59	15.70	-13.00	30.59	V	PK

	2538.0000	-60.10	-39.05	21.05	-13.00	26.05	H	PK
	3384.0000	-60.95	-48.00	12.95	-13.00	35.00	V	PK
	4230.0000	-61.40	-45.77	15.63	-13.00	32.77	V	PK
	5076.0000	-61.91	-43.57	18.34	-13.00	30.57	V	PK
	5922.0000	-61.60	-42.12	19.48	-13.00	29.12	V	PK
	6768.0000	-61.53	-39.56	21.97	-13.00	26.56	H	PK
	7614.0000	-63.16	-39.56	23.60	-13.00	26.56	H	PK
	8460.0000	-67.69	-45.47	22.22	-13.00	32.47	H	PK

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal

LTE

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
LTE_B2_10M_CH19150	112.006	-52.09	-49.28	2.81	-13.00	36.28	V	PK
	250.3002	-52.04	-50.16	1.88	-13.00	37.16	H	PK
	882.086	-51.06	-42.35	8.71	-13.00	29.35	H	PK
	3800.0000	-57.70	-42.83	14.87	-13.00	29.83	V	PK
	5700.0000	-62.13	-43.06	19.07	-13.00	30.06	V	PK
	7600.0000	-63.39	-39.34	24.05	-13.00	26.34	V	PK
	9500.0000	-66.55	-43.07	23.48	-13.00	30.07	V	PK
	11400.0000	-68.75	-43.09	25.66	-13.00	30.09	V	PK
	13300.0000	-68.41	-42.25	26.16	-13.00	29.25	V	PK
	15200.0000	-69.30	-40.31	28.99	-13.00	27.31	H	PK
	17100.0000	-69.47	-35.92	33.55	-13.00	22.92	V	PK
LTE_B4_20M_CH20050	35.8229	-64.33	-67.81	-3.48	-13.00	54.81	V	PK
	112.006	-63.13	-60.32	2.81	-13.00	47.32	V	PK
	175.5728	-59.17	-68.83	-9.66	-13.00	55.83	V	PK
	300.2801	-61.51	-65.04	-3.53	-13.00	52.04	H	PK
	3438.0000	-58.73	-45.78	12.95	-13.00	32.78	V	PK
	5157.0000	-61.27	-43.02	18.25	-13.00	30.02	H	PK
	6876.0000	-62.89	-41.21	21.68	-13.00	28.21	H	PK
	8595.0000	-66.22	-44.24	21.98	-13.00	31.24	H	PK
	10314.0000	-67.60	-42.78	24.82	-13.00	29.78	V	PK
	12033.0000	-68.78	-43.32	25.46	-13.00	30.32	V	PK
	13752.0000	-69.73	-43.30	26.43	-13.00	30.30	V	PK
	15471.0000	-68.97	-39.80	29.17	-13.00	26.80	H	PK
	17190.0000	-68.83	-35.65	33.18	-13.00	22.65	V	PK
LTE_B5_5M_CH20425	251.2706	-51.28	-49.11	2.17	-13.00	36.11	H	PK
	1648.0000	-59.09	-44.42	14.67	-13.00	31.42	V	PK
	2472.0000	-59.46	-37.98	21.48	-13.00	24.98	V	PK
	3296.0000	-60.65	-47.77	12.88	-13.00	34.77	V	PK

	4120.0000	-61.94	-46.19	15.75	-13.00	33.19	V	PK
	4944.0000	-61.70	-45.30	16.40	-13.00	32.30	V	PK
	5768.0000	-62.12	-42.82	19.30	-13.00	29.82	H	PK
	6592.0000	-62.77	-41.71	21.06	-13.00	28.71	H	PK
	7416.0000	-62.46	-39.04	23.42	-13.00	26.04	H	PK
	8240.0000	-68.69	-47.04	21.65	-13.00	34.04	H	PK
LTE_B12_10M_CH23130	110.126	-52.77	-50.09	2.68	-13.00	37.09	V	PK
	211.5931	-52.02	-55.47	-3.45	-13.00	42.47	H	PK
	892.0821	-49.46	-41.79	7.67	-13.00	28.79	H	PK
	1420.0000	-59.17	-44.63	14.54	-13.00	31.63	H	PK
	2130.0000	-59.65	-39.59	20.06	-13.00	26.59	H	PK
	2840.0000	-58.61	-36.36	22.25	-13.00	23.36	V	PK
	3550.0000	-61.28	-47.70	13.58	-13.00	34.70	H	PK
	4260.0000	-61.47	-45.36	16.11	-13.00	32.36	H	PK
	4970.0000	-61.93	-44.82	17.11	-13.00	31.82	H	PK
	5680.0000	-61.70	-42.90	18.80	-13.00	29.90	H	PK
	6390.0000	-61.92	-41.34	20.58	-13.00	28.34	H	PK
	7100.0000	-63.40	-40.87	22.53	-13.00	27.87	H	PK
LTE_B13_10M_CH23230	106.6683	-51.86	-50.45	1.41	-13.00	37.45	V	PK
	252.2411	-51.94	-49.92	2.02	-13.00	36.92	H	PK
	889.3647	-50.64	-42.49	8.15	-13.00	29.49	H	PK
LTE_B13_5M_CH23230	1559.6000	-59.24	-45.22	14.02	-40.00	5.22	V	PK
	2339.4000	-59.61	-39.20	20.41	-13.00	26.20	V	PK
	3119.2000	-60.55	-47.53	13.02	-13.00	34.53	H	PK
	3899.0000	-61.47	-46.45	15.02	-13.00	33.45	H	PK
	4678.8000	-61.52	-45.11	16.41	-13.00	32.11	H	PK
	5458.6000	-59.53	-41.04	18.49	-13.00	28.04	H	PK
	6238.4000	-61.48	-41.43	20.05	-13.00	28.43	H	PK
	7018.2000	-62.85	-41.90	20.95	-13.00	28.90	V	PK
	7798.0000	-63.74	-39.83	23.91	-13.00	26.83	V	PK
LTE_B13_5M_CH23255	1564.6000	-60.03	-46.01	14.02	-40.00	6.01	V	PK
	2346.9000	-59.74	-39.34	20.40	-13.00	26.34	H	PK

	3192.2000	-60.22	-47.20	13.02	-13.00	34.20	V	PK
	3911.5000	-61.76	-46.92	14.84	-13.00	33.92	V	PK
	4693.8000	-61.73	-45.25	16.48	-13.00	32.25	V	PK
	5476.1000	-61.91	-43.14	18.77	-13.00	30.14	H	PK
	6258.4000	-61.52	-41.43	20.09	-13.00	28.43	H	PK
	7040.7000	-63.11	-42.11	21.00	-13.00	29.11	V	PK
	7823.0000	-64.09	-39.30	24.79	-13.00	26.30	H	PK
LTE_B25_10M_CH26640	111.3386	-65.24	-62.22	3.02	-13.00	49.22	V	PK
	186.4688	-58.69	-66.75	-8.06	-13.00	53.75	H	PK
	875.3973	-63.77	-55.55	8.22	-13.00	42.55	H	PK
	1344.869	-34.89	-19.82	15.07	-13.00	6.82	V	PK
	3824.0000	-62.30	-47.30	15.00	-13.00	34.30	V	PK
	5736.0000	-62.23	-43.32	18.91	-13.00	30.32	V	PK
	7648.0000	-64.10	-39.79	24.31	-13.00	26.79	H	PK
	9560.0000	-73.80	-49.73	24.07	-13.00	36.73	V	PK
	11472.0000	-74.01	-48.67	25.34	-13.00	35.67	V	PK
	13384.0000	-75.06	-48.76	26.30	-13.00	35.76	V	PK
	15296.0000	-76.32	-47.48	28.84	-13.00	34.48	H	PK
	17208.0000	-77.46	-44.20	33.26	-13.00	31.20	V	PK
LTE_B26_5M_CH26915	110.9505	-52.73	-49.82	2.91	-13.00	36.82	V	PK
	251.4621	-51.86	-49.63	2.23	-13.00	36.63	H	PK
	958.0939	-50.10	-42.41	7.69	-13.00	29.41	V	PK
	1673.0000	-60.09	-44.39	15.70	-13.00	31.39	H	PK
	2509.0000	-59.26	-37.49	21.77	-13.00	24.49	H	PK
	3346.0000	-59.89	-47.06	12.83	-13.00	34.06	H	PK
	4182.0000	-61.93	-46.33	15.60	-13.00	33.33	V	PK
	5019.0000	-62.11	-44.90	17.21	-13.00	31.90	V	PK
	5855.0000	-61.98	-42.33	19.65	-13.00	29.33	V	PK
	6692.0000	-61.79	-40.94	20.85	-13.00	27.94	V	PK
	7528.0000	-62.17	-38.37	23.80	-13.00	25.37	V	PK
	8365.0000	-67.78	-45.30	22.48	-13.00	32.30	H	PK
LTE_B26_3M_CH26775	111.2416	-51.15	-48.16	2.99	-13.00	35.16	V	PK

	249.716	-51.93	-50.23	1.70	-13.00	37.23	H	PK
	951.8371	-49.83	-42.12	7.71	-13.00	29.12	H	PK
	1647.0000	-51.86	-36.97	14.89	-13.00	23.97	H	PK
	2471.0000	-58.50	-37.02	21.48	-13.00	24.02	V	PK
	3295.0000	-60.94	-48.20	12.74	-13.00	35.20	H	PK
	4118.0000	-61.79	-45.91	15.88	-13.00	32.91	H	PK
	4942.0000	-62.23	-45.53	16.70	-13.00	32.53	H	PK
	5766.0000	-61.75	-42.51	19.24	-13.00	29.51	H	PK
	6589.0000	-62.49	-42.02	20.47	-13.00	29.02	V	PK
	7413.0000	-61.73	-38.35	23.38	-13.00	25.35	H	PK
	8237.0000	-67.61	-46.14	21.47	-13.00	33.14	V	PK

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal