





Band4-1413-1-30~1000MHz-PASS

Band4-1413-1-1000~20000MHz-PASS




Band4-1413-2-0.009~0.15MHz-PASS

Band4-1413-2-0.15~30MHz-PASS




Band4-1413-2-30~1000MHz-PASS

Band4-1413-2-1000~20000MHz-PASS




Band4-1413-3-0.009~0.15MHz-PASS


Band4-1413-3-0.15~30MHz-PASS



Band4-1413-3-30~1000MHz-PASS




Band4-1413-3-1000~20000MHz-PASS



Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS



Band4-1413-4-30~1000MHz-PASS




Band4-1413-4-1000~20000MHz-PASS




Band4-1513-1-0.009~0.15MHz-PASS




Band4-1513-1-0.15~30MHz-PASS








Band4-1513-1-30~1000MHz-PASS




Band4-1513-1-1000~20000MHz-PASS







Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS



Band4-1513-4-30~1000MHz-PASS

Band4-1513-4-1000~20000MHz-PASS






Band4-1312-1-0.009~0.15MHz-PASS

Band4-1312-1-0.15~30MHz-PASS



Band4-1312-1-30~1000MHz-PASS

Band4-1312-1-1000~20000MHz-PASS




Band4-1312-2-0.009~0.15MHz-PASS

Band4-1312-2-0.15~30MHz-PASS



Band4-1312-2-30~1000MHz-PASS


Band4-1312-2-1000~20000MHz-PASS




Band4-1312-3-0.009~0.15MHz-PASS




Band4-1312-3-0.15~30MHz-PASS



Band4-1312-3-30~1000MHz-PASS



Band4-1312-3-1000~20000MHz-PASS




Band4-1312-4-0.009~0.15MHz-PASS




Band4-1312-4-0.15~30MHz-PASS




Band4-1312-4-30~1000MHz-PASS




Band4-1312-4-1000~20000MHz-PASS



Band4-1312-5-0.009~0.15MHz-PASS




Band4-1312-5-0.15~30MHz-PASS








Band4-1312-5-30~1000MHz-PASS



Band4-1312-5-1000~20000MHz-PASS



Band4-1413-1-0.009~0.15MHz-PASS




Band4-1413-1-0.15~30MHz-PASS




Band4-1413-1-30~1000MHz-PASS



Band4-1413-1-1000~20000MHz-PASS



Band4-1413-2-0.009~0.15MHz-PASS



Band4-1413-2-0.15~30MHz-PASS



Band4-1413-2-0.009~0.15MHz-PASS




Band4-1413-2-0.15~30MHz-PASS

Band4-1413-2-30~1000MHz-PASS




Band4-1413-2-1000~20000MHz-PASS



Band4-1413-3-0.009~0.15MHz-PASS




Band4-1413-3-0.15~30MHz-PASS



Band4-1413-3-30~1000MHz-PASS



Band4-1413-3-1000~20000MHz-PASS




Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS




Band4-1413-4-30~1000MHz-PASS




Band4-1413-4-1000~20000MHz-PASS








Band4-1413-5-0.009~0.15MHz-PASS




Band4-1413-5-0.15~30MHz-PASS




Band4-1413-5-30~1000MHz-PASS




Band4-1413-5-1000~20000MHz-PASS



Band4-1513-1-0.009~0.15MHz-PASS




Band4-1513-1-0.15~30MHz-PASS



Band4-1513-1-30~1000MHz-PASS




Band4-1513-1-1000~20000MHz-PASS




Band4-1513-2-0.009~0.15MHz-PASS




Band4-1513-2-0.15~30MHz-PASS



Band4-1513-2-30~1000MHz-PASS



Band4-1513-2-1000~20000MHz-PASS




Band4-1513-3-0.009~0.15MHz-PASS




Band4-1513-3-0.15~30MHz-PASS




Band4-1513-3-30~1000MHz-PASS




Band4-1513-3-1000~20000MHz-PASS





Band4-1513-4-0.009~0.15MHz-PASS



Band4-1513-4-0.15~30MHz-PASS







## Frequency Stability

### Test Result

| Voltage |         |               |                  |                |                 |             |         |
|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4   | 1312    | VN            | NT               | 13.70          | 0.008000        | ±2.5        | PASS    |
| Band4   | 1312    | VL            | NT               | 14.37          | 0.008392        | ±2.5        | PASS    |
| Band4   | 1312    | VH            | NT               | 13.28          | 0.007755        | ±2.5        | PASS    |
| Band4   | 1413    | VN            | NT               | -0.43          | -0.000248       | ±2.5        | PASS    |
| Band4   | 1413    | VL            | NT               | -0.63          | -0.000364       | ±2.5        | PASS    |
| Band4   | 1413    | VH            | NT               | -1.30          | -0.000750       | ±2.5        | PASS    |
| Band4   | 1513    | VN            | NT               | -12.62         | -0.007201       | ±2.5        | PASS    |
| Band4   | 1513    | VL            | NT               | -14.42         | -0.008228       | ±2.5        | PASS    |
| Band4   | 1513    | VH            | NT               | -12.05         | -0.006875       | ±2.5        | PASS    |

| Temperature |         |               |                  |                |                 |             |         |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4       | 1312    | NV            | -30              | 12.29          | 0.007177        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | -20              | 13.28          | 0.007755        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | -10              | 13.02          | 0.007603        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 0                | 15.66          | 0.009145        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 10               | 14.41          | 0.008415        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 20               | 15.64          | 0.009133        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 30               | 13.80          | 0.008059        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 40               | 14.39          | 0.008403        | ±2.5        | PASS    |
| Band4       | 1312    | NV            | 50               | 14.96          | 0.008736        | ±2.5        | PASS    |
| Band4       | 1413    | NV            | -30              | 0.18           | 0.000104        | ±2.5        | PASS    |
| Band4       | 1413    | NV            | -20              | -1.83          | -0.001056       | ±2.5        | PASS    |
| Band4       | 1413    | NV            | -10              | 0.25           | 0.000144        | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 0                | 0.17           | 0.000098        | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 10               | -0.89          | -0.000514       | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 20               | 0.70           | 0.000404        | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 30               | -0.11          | -0.000063       | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 40               | -0.33          | -0.000190       | ±2.5        | PASS    |
| Band4       | 1413    | NV            | 50               | 0.48           | 0.000277        | ±2.5        | PASS    |
| Band4       | 1513    | NV            | -30              | -14.21         | -0.008108       | ±2.5        | PASS    |
| Band4       | 1513    | NV            | -20              | -13.26         | -0.007566       | ±2.5        | PASS    |
| Band4       | 1513    | NV            | -10              | -13.00         | -0.007418       | ±2.5        | PASS    |
| Band4       | 1513    | NV            | 0                | -13.49         | -0.007697       | ±2.5        | PASS    |
| Band4       | 1513    | NV            | 10               | -12.88         | -0.007349       | ±2.5        | PASS    |



|       |      |    |    |        |           |      |      |
|-------|------|----|----|--------|-----------|------|------|
| Band4 | 1513 | NV | 20 | -12.62 | -0.007201 | ±2.5 | PASS |
| Band4 | 1513 | NV | 30 | -13.58 | -0.007748 | ±2.5 | PASS |
| Band4 | 1513 | NV | 40 | -12.35 | -0.007047 | ±2.5 | PASS |
| Band4 | 1513 | NV | 50 | -13.86 | -0.007908 | ±2.5 | PASS |

| Voltage |         |         |               |                  |                |                 |             |         |
|---------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4   | 1312    | 1       | VN            | NT               | 6.13           | 0.003580        | ±2.5        | PASS    |
| Band4   | 1312    | 1       | VL            | NT               | 4.35           | 0.002540        | ±2.5        | PASS    |
| Band4   | 1312    | 1       | VH            | NT               | 6.82           | 0.003983        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VN            | NT               | 8.30           | 0.004847        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VL            | NT               | 7.79           | 0.004549        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VH            | NT               | 7.34           | 0.004286        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VN            | NT               | 7.54           | 0.004403        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VL            | NT               | 10.02          | 0.005851        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VH            | NT               | 8.20           | 0.004789        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VN            | NT               | 8.35           | 0.004876        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VL            | NT               | 8.06           | 0.004707        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VH            | NT               | 9.09           | 0.005308        | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VN            | NT               | -2.98          | -0.001720       | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VL            | NT               | -2.56          | -0.001478       | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VH            | NT               | -2.13          | -0.001229       | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VN            | NT               | -0.93          | -0.000537       | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VL            | NT               | 0.15           | 0.000087        | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VH            | NT               | -0.73          | -0.000421       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VN            | NT               | -2.29          | -0.001322       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VL            | NT               | -0.07          | -0.000040       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VH            | NT               | -0.49          | -0.000283       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VN            | NT               | -1.14          | -0.000658       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VL            | NT               | -1.15          | -0.000664       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VH            | NT               | -0.21          | -0.000121       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VN            | NT               | -8.22          | -0.004690       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VL            | NT               | -10.09         | -0.005757       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VH            | NT               | -8.39          | -0.004787       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VN            | NT               | -7.35          | -0.004194       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VL            | NT               | -7.10          | -0.004051       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VH            | NT               | -8.40          | -0.004793       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VN            | NT               | -7.53          | -0.004296       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VL            | NT               | -6.66          | -0.003800       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VH            | NT               | -7.87          | -0.004490       | ±2.5        | PASS    |
| Band4   | 1513    | 4       | VN            | NT               | -7.37          | -0.004205       | ±2.5        | PASS    |

|       |      |   |    |    |       |           |      |      |
|-------|------|---|----|----|-------|-----------|------|------|
| Band4 | 1513 | 4 | VL | NT | -8.08 | -0.004610 | ±2.5 | PASS |
| Band4 | 1513 | 4 | VH | NT | -7.79 | -0.004445 | ±2.5 | PASS |

| Temperature |         |         |               |                  |                |                 |             |         |
|-------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4       | 1312    | 1       | NV            | -30              | 6.58           | 0.003843        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | -20              | 7.46           | 0.004356        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | -10              | 7.75           | 0.004526        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 0                | 8.14           | 0.004754        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 10               | 8.17           | 0.004771        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 20               | 7.74           | 0.004520        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 30               | 8.98           | 0.005244        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 40               | 8.92           | 0.005209        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 50               | 9.60           | 0.005606        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -30              | 9.60           | 0.005606        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -20              | 8.88           | 0.005186        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -10              | 9.37           | 0.005472        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 0                | 9.29           | 0.005425        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 10               | 10.18          | 0.005945        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 20               | 8.75           | 0.005110        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 30               | 9.12           | 0.005326        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 40               | 8.44           | 0.004929        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 50               | 10.09          | 0.005892        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -30              | 9.36           | 0.005466        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -20              | 8.60           | 0.005022        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -10              | 8.11           | 0.004736        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 0                | 7.21           | 0.004210        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 10               | 8.47           | 0.004946        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 20               | 8.32           | 0.004859        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 30               | 9.82           | 0.005735        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 40               | 9.93           | 0.005799        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 50               | 10.07          | 0.005881        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -30              | 8.89           | 0.005192        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -20              | 9.36           | 0.005466        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -10              | 9.76           | 0.005700        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 0                | 9.61           | 0.005612        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 10               | 9.10           | 0.005314        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 20               | 9.81           | 0.005729        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 30               | 9.93           | 0.005799        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 40               | 9.22           | 0.005384        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 50               | 9.49           | 0.005542        | ±2.5        | PASS    |



|       |      |   |    |     |        |           |      |      |
|-------|------|---|----|-----|--------|-----------|------|------|
| Band4 | 1413 | 1 | NV | -30 | -0.18  | -0.000104 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | -20 | 0.33   | 0.000190  | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | -10 | -0.33  | -0.000190 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 0   | -0.67  | -0.000387 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 10  | -0.79  | -0.000456 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 20  | -0.45  | -0.000260 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 30  | 0.61   | 0.000352  | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 40  | -1.63  | -0.000941 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 50  | 0.33   | 0.000190  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -30 | 0.94   | 0.000543  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -20 | 1.46   | 0.000843  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -10 | 0.49   | 0.000283  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 0   | 0.28   | 0.000162  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 10  | 1.46   | 0.000843  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 20  | -0.42  | -0.000242 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 30  | 0.31   | 0.000179  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 40  | 1.43   | 0.000825  | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 50  | -0.90  | -0.000519 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -30 | -0.18  | -0.000104 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -20 | -0.42  | -0.000242 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -10 | -0.17  | -0.000098 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 0   | 0.83   | 0.000479  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 10  | -0.59  | -0.000341 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 20  | 0.07   | 0.000040  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 30  | 0.23   | 0.000133  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 40  | -0.33  | -0.000190 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 50  | 0.19   | 0.000110  | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | -30 | -0.36  | -0.000208 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | -20 | -1.17  | -0.000675 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | -10 | -0.27  | -0.000156 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 0   | -0.25  | -0.000144 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 10  | -0.07  | -0.000040 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 20  | -0.47  | -0.000271 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 30  | -0.93  | -0.000537 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 40  | -0.59  | -0.000341 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 50  | 0.49   | 0.000283  | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -30 | -8.58  | -0.004896 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -20 | -8.71  | -0.004970 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -10 | -10.72 | -0.006117 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 0   | -8.53  | -0.004867 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 10  | -10.99 | -0.006271 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band4 | 1513 | 1 | NV | 20  | -8.97 | -0.005118 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 30  | -9.88 | -0.005637 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 40  | -9.92 | -0.005660 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 50  | -9.94 | -0.005672 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -30 | -7.74 | -0.004416 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -20 | -8.92 | -0.005090 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -10 | -8.62 | -0.004918 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 0   | -8.63 | -0.004924 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 10  | -7.98 | -0.004553 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 20  | -9.21 | -0.005255 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 30  | -8.11 | -0.004627 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 40  | -7.34 | -0.004188 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 50  | -9.29 | -0.005301 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -30 | -7.79 | -0.004445 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -20 | -8.07 | -0.004605 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -10 | -7.79 | -0.004445 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 0   | -7.85 | -0.004479 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 10  | -8.24 | -0.004702 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 20  | -7.02 | -0.004005 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 30  | -9.05 | -0.005164 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 40  | -8.67 | -0.004947 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 50  | -7.68 | -0.004382 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -30 | -7.93 | -0.004525 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -20 | -7.72 | -0.004405 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -10 | -8.29 | -0.004730 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 0   | -7.74 | -0.004416 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 10  | -7.01 | -0.004000 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 20  | -8.00 | -0.004565 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 30  | -9.11 | -0.005198 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 40  | -8.21 | -0.004684 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 50  | -8.90 | -0.005078 | ±2.5 | PASS |



| Voltage |         |         |               |                  |                |                 |             |         |
|---------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4   | 1312    | 1       | VN            | NT               | 0.06           | 0.000035        | ±2.5        | PASS    |
| Band4   | 1312    | 1       | VL            | NT               | 2.23           | 0.001302        | ±2.5        | PASS    |
| Band4   | 1312    | 1       | VH            | NT               | 3.05           | 0.001781        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VN            | NT               | 4.76           | 0.002780        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VL            | NT               | 5.10           | 0.002978        | ±2.5        | PASS    |
| Band4   | 1312    | 2       | VH            | NT               | 5.19           | 0.003031        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VN            | NT               | 3.15           | 0.001840        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VL            | NT               | 5.55           | 0.003241        | ±2.5        | PASS    |
| Band4   | 1312    | 3       | VH            | NT               | 6.09           | 0.003556        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VN            | NT               | 4.40           | 0.002569        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VL            | NT               | 3.61           | 0.002108        | ±2.5        | PASS    |
| Band4   | 1312    | 4       | VH            | NT               | 5.30           | 0.003095        | ±2.5        | PASS    |
| Band4   | 1312    | 5       | VN            | NT               | 4.47           | 0.002610        | ±2.5        | PASS    |
| Band4   | 1312    | 5       | VL            | NT               | 5.74           | 0.003352        | ±2.5        | PASS    |
| Band4   | 1312    | 5       | VH            | NT               | 5.48           | 0.003200        | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VN            | NT               | -1.29          | -0.000745       | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VL            | NT               | -1.72          | -0.000993       | ±2.5        | PASS    |
| Band4   | 1413    | 1       | VH            | NT               | -2.48          | -0.001431       | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VN            | NT               | -1.76          | -0.001016       | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VL            | NT               | -1.21          | -0.000698       | ±2.5        | PASS    |
| Band4   | 1413    | 2       | VH            | NT               | -1.88          | -0.001085       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VN            | NT               | -0.77          | -0.000444       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VL            | NT               | -1.78          | -0.001027       | ±2.5        | PASS    |
| Band4   | 1413    | 3       | VH            | NT               | -1.16          | -0.000670       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VN            | NT               | -2.46          | -0.001420       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VL            | NT               | -1.48          | -0.000854       | ±2.5        | PASS    |
| Band4   | 1413    | 4       | VH            | NT               | -1.67          | -0.000964       | ±2.5        | PASS    |
| Band4   | 1413    | 5       | VN            | NT               | -1.88          | -0.001085       | ±2.5        | PASS    |
| Band4   | 1413    | 5       | VL            | NT               | -2.22          | -0.001281       | ±2.5        | PASS    |
| Band4   | 1413    | 5       | VH            | NT               | -0.59          | -0.000341       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VN            | NT               | -7.77          | -0.004433       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VL            | NT               | -10.39         | -0.005928       | ±2.5        | PASS    |
| Band4   | 1513    | 1       | VH            | NT               | -9.22          | -0.005261       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VN            | NT               | -6.72          | -0.003834       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VL            | NT               | -8.07          | -0.004605       | ±2.5        | PASS    |
| Band4   | 1513    | 2       | VH            | NT               | -9.50          | -0.005421       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VN            | NT               | -7.76          | -0.004428       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VL            | NT               | -8.01          | -0.004570       | ±2.5        | PASS    |
| Band4   | 1513    | 3       | VH            | NT               | -7.99          | -0.004559       | ±2.5        | PASS    |

|       |      |   |    |    |        |           |      |      |
|-------|------|---|----|----|--------|-----------|------|------|
| Band4 | 1513 | 4 | VN | NT | -10.45 | -0.005963 | ±2.5 | PASS |
| Band4 | 1513 | 4 | VL | NT | -9.27  | -0.005289 | ±2.5 | PASS |
| Band4 | 1513 | 4 | VH | NT | -8.08  | -0.004610 | ±2.5 | PASS |
| Band4 | 1513 | 5 | VN | NT | -9.33  | -0.005324 | ±2.5 | PASS |
| Band4 | 1513 | 5 | VL | NT | -9.14  | -0.005215 | ±2.5 | PASS |
| Band4 | 1513 | 5 | VH | NT | -10.14 | -0.005786 | ±2.5 | PASS |

| Temperature |         |         |               |                  |                |                 |             |         |
|-------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band4       | 1312    | 1       | NV            | -30              | 3.23           | 0.001886        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | -20              | 4.69           | 0.002739        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | -10              | 2.94           | 0.001717        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 0                | 5.05           | 0.002949        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 10               | 5.62           | 0.003282        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 20               | 5.89           | 0.003440        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 30               | 7.97           | 0.004654        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 40               | 8.45           | 0.004935        | ±2.5        | PASS    |
| Band4       | 1312    | 1       | NV            | 50               | 7.75           | 0.004526        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -30              | 6.84           | 0.003994        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -20              | 8.32           | 0.004859        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | -10              | 6.90           | 0.004029        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 0                | 7.04           | 0.004111        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 10               | 7.66           | 0.004473        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 20               | 8.04           | 0.004695        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 30               | 8.55           | 0.004993        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 40               | 9.31           | 0.005437        | ±2.5        | PASS    |
| Band4       | 1312    | 2       | NV            | 50               | 9.81           | 0.005729        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -30              | 6.89           | 0.004024        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -20              | 6.54           | 0.003819        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | -10              | 7.84           | 0.004578        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 0                | 7.49           | 0.004374        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 10               | 7.90           | 0.004613        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 20               | 7.92           | 0.004625        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 30               | 7.89           | 0.004608        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 40               | 9.23           | 0.005390        | ±2.5        | PASS    |
| Band4       | 1312    | 3       | NV            | 50               | 8.65           | 0.005051        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -30              | 7.37           | 0.004304        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -20              | 6.54           | 0.003819        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | -10              | 6.56           | 0.003831        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 0                | 7.48           | 0.004368        | ±2.5        | PASS    |
| Band4       | 1312    | 4       | NV            | 10               | 8.50           | 0.004964        | ±2.5        | PASS    |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band4 | 1312 | 4 | NV | 20  | 9.45  | 0.005519  | ±2.5 | PASS |
| Band4 | 1312 | 4 | NV | 30  | 9.39  | 0.005484  | ±2.5 | PASS |
| Band4 | 1312 | 4 | NV | 40  | 9.91  | 0.005787  | ±2.5 | PASS |
| Band4 | 1312 | 4 | NV | 50  | 8.68  | 0.005069  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | -30 | 6.59  | 0.003848  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | -20 | 7.63  | 0.004456  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | -10 | 8.54  | 0.004987  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 0   | 8.41  | 0.004911  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 10  | 8.65  | 0.005051  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 20  | 8.37  | 0.004888  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 30  | 8.96  | 0.005232  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 40  | 10.29 | 0.006009  | ±2.5 | PASS |
| Band4 | 1312 | 5 | NV | 50  | 9.37  | 0.005472  | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | -30 | -1.25 | -0.000721 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | -20 | -2.16 | -0.001247 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | -10 | -0.26 | -0.000150 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 0   | -0.47 | -0.000271 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 10  | -2.50 | -0.001443 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 20  | -0.37 | -0.000214 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 30  | -0.61 | -0.000352 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 40  | -0.92 | -0.000531 | ±2.5 | PASS |
| Band4 | 1413 | 1 | NV | 50  | -0.51 | -0.000294 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -30 | -0.61 | -0.000352 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -20 | -0.96 | -0.000554 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | -10 | -0.54 | -0.000312 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 0   | -0.74 | -0.000427 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 10  | -1.64 | -0.000947 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 20  | -0.48 | -0.000277 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 30  | -0.34 | -0.000196 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 40  | -0.40 | -0.000231 | ±2.5 | PASS |
| Band4 | 1413 | 2 | NV | 50  | 0.61  | 0.000352  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -30 | -0.60 | -0.000346 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -20 | -1.10 | -0.000635 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | -10 | -0.67 | -0.000387 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 0   | 0.26  | 0.000150  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 10  | 0.31  | 0.000179  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 20  | -0.37 | -0.000214 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 30  | 0.06  | 0.000035  | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 40  | -0.43 | -0.000248 | ±2.5 | PASS |
| Band4 | 1413 | 3 | NV | 50  | 0.91  | 0.000525  | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | -30 | -0.62 | -0.000358 | ±2.5 | PASS |



|       |      |   |    |     |        |           |      |      |
|-------|------|---|----|-----|--------|-----------|------|------|
| Band4 | 1413 | 4 | NV | -20 | -1.10  | -0.000635 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | -10 | -1.58  | -0.000912 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 0   | 0.33   | 0.000190  | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 10  | -0.07  | -0.000040 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 20  | -0.83  | -0.000479 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 30  | -0.42  | -0.000242 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 40  | -1.13  | -0.000652 | ±2.5 | PASS |
| Band4 | 1413 | 4 | NV | 50  | -0.11  | -0.000063 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | -30 | -1.20  | -0.000693 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | -20 | -0.48  | -0.000277 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | -10 | 0.25   | 0.000144  | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 0   | -2.00  | -0.001154 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 10  | -0.85  | -0.000491 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 20  | 0.27   | 0.000156  | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 30  | 1.32   | 0.000762  | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 40  | -0.80  | -0.000462 | ±2.5 | PASS |
| Band4 | 1413 | 5 | NV | 50  | -0.74  | -0.000427 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -30 | -10.94 | -0.006242 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -20 | -10.64 | -0.006071 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | -10 | -9.01  | -0.005141 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 0   | -10.62 | -0.006060 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 10  | -10.54 | -0.006014 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 20  | -10.36 | -0.005911 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 30  | -11.29 | -0.006442 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 40  | -11.15 | -0.006362 | ±2.5 | PASS |
| Band4 | 1513 | 1 | NV | 50  | -10.78 | -0.006151 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -30 | -8.43  | -0.004810 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -20 | -9.37  | -0.005346 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | -10 | -7.05  | -0.004023 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 0   | -9.23  | -0.005266 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 10  | -7.76  | -0.004428 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 20  | -8.40  | -0.004793 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 30  | -8.63  | -0.004924 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 40  | -9.44  | -0.005386 | ±2.5 | PASS |
| Band4 | 1513 | 2 | NV | 50  | -10.00 | -0.005706 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -30 | -7.50  | -0.004279 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -20 | -8.16  | -0.004656 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | -10 | -9.20  | -0.005249 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 0   | -10.15 | -0.005791 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 10  | -8.56  | -0.004884 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 20  | -8.29  | -0.004730 | ±2.5 | PASS |

|       |      |   |    |     |        |           |      |      |
|-------|------|---|----|-----|--------|-----------|------|------|
| Band4 | 1513 | 3 | NV | 30  | -6.61  | -0.003772 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 40  | -8.74  | -0.004987 | ±2.5 | PASS |
| Band4 | 1513 | 3 | NV | 50  | -9.07  | -0.005175 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -30 | -8.84  | -0.005044 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -20 | -9.69  | -0.005529 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | -10 | -7.55  | -0.004308 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 0   | -9.44  | -0.005386 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 10  | -7.91  | -0.004513 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 20  | -9.08  | -0.005181 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 30  | -8.13  | -0.004639 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 40  | -9.96  | -0.005683 | ±2.5 | PASS |
| Band4 | 1513 | 4 | NV | 50  | -8.40  | -0.004793 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | -30 | -7.83  | -0.004468 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | -20 | -8.21  | -0.004684 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | -10 | -8.00  | -0.004565 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 0   | -9.82  | -0.005603 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 10  | -9.62  | -0.005489 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 20  | -9.48  | -0.005409 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 30  | -8.73  | -0.004981 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 40  | -9.19  | -0.005244 | ±2.5 | PASS |
| Band4 | 1513 | 5 | NV | 50  | -10.21 | -0.005826 | ±2.5 | PASS |

----- THE END -----