


Appendix-C Field Strength of Spurious Radiation

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.60	98.85	-84.95	13.90	-	-	Horizontal	NA
2	2976.60	35.88	-79.93	-44.05	-13.00	31.05	Horizontal	PASS
3	15260.50	42.35	-86.08	-43.73	-13.00	30.73	Horizontal	PASS
4	17991.00	43.39	-82.55	-39.16	-13.00	26.16	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	II
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	103.11	-84.95	18.16	-	-	Vertical	NA
2	2998.40	35.81	-80.29	-44.48	-13.00	31.48	Vertical	PASS
3	5637.00	43.48	-100.87	-57.39	-13.00	44.39	Vertical	PASS
4	17840.00	43.99	-82.61	-38.62	-13.00	25.62	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1712.20	111.39	-95.11	16.28	-	-	Horizontal	NA
2	2112.20	49.44	-94.73	-45.29	-	-	Horizontal	NA
3	3426.00	49.51	-107.49	-57.98	-13.00	44.98	Horizontal	PASS
4	6852.50	38.54	-97.57	-59.03	-13.00	46.03	Horizontal	PASS
5	17351.00	32.73	-82.44	-49.71	-13.00	36.71	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.20	114.61	-95.09	19.52	-	-	Vertical	NA
2	2112.20	54.81	-94.73	-39.92	-	-	Vertical	NA
3	3427.00	49.00	-107.48	-58.48	-13.00	45.48	Vertical	PASS
4	6849.50	41.34	-97.58	-56.24	-13.00	43.24	Vertical	PASS
5	17360.50	32.99	-82.81	-49.82	-13.00	36.82	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.40	56.52	-114.14	-57.62	-13.00	44.62	Horizontal	PASS
2	2880.00	44.18	-109.10	-64.92	-13.00	51.92	Horizontal	PASS
3	8874.00	36.06	-93.02	-56.96	-13.00	43.96	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.40	57.89	-114.14	-56.25	-13.00	43.25	Vertical	PASS
2	3343.60	41.83	-108.36	-66.53	-13.00	53.53	Vertical	PASS
3	8900.40	36.05	-93.18	-57.13	-13.00	44.13	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	104.41	-84.97	19.44	-	-	Horizontal	NA
2	2969.80	35.43	-79.92	-44.49	-13.00	31.49	Horizontal	PASS
3	5613.00	46.25	-101.20	-54.95	-13.00	41.95	Horizontal	PASS
4	17852.00	44.38	-82.49	-38.11	-13.00	25.11	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	108.30	-84.97	23.33	-	-	Vertical	NA
2	2966.60	35.55	-79.94	-44.39	-13.00	31.39	Vertical	PASS
3	3742.50	44.91	-107.43	-62.52	-13.00	49.52	Vertical	PASS
4	5613.00	54.10	-101.20	-47.10	-13.00	34.10	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	118.10	-95.01	23.09	-	-	Horizontal	NA
2	2134.60	46.52	-94.69	-48.17	-	-	Horizontal	NA
3	3447.00	56.74	-107.30	-50.56	-13.00	37.56	Horizontal	PASS
4	6894.00	42.86	-97.40	-54.54	-13.00	41.54	Horizontal	PASS
5	17357.00	32.98	-82.67	-49.69	-13.00	36.69	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	119.63	-95.01	24.62	-	-	Vertical	NA
2	2136.00	49.35	-94.69	-45.34	-	-	Vertical	NA
3	3447.00	59.50	-107.30	-47.80	-13.00	34.80	Vertical	PASS
4	5170.50	46.56	-102.05	-55.49	-13.00	42.49	Vertical	PASS
5	6894.00	49.63	-97.40	-47.77	-13.00	34.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	59.90	-114.12	-54.22	-13.00	41.22	Horizontal	PASS
2	3328.00	45.26	-108.29	-63.03	-13.00	50.03	Horizontal	PASS
3	8916.80	37.18	-93.48	-56.30	-13.00	43.30	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	63.54	-114.12	-50.58	-13.00	37.58	Vertical	PASS
2	3328.40	47.67	-108.29	-60.62	-13.00	47.62	Vertical	PASS
3	4992.80	41.79	-102.90	-61.11	-13.00	48.11	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	50.34	-114.33	-63.99	-13.00	50.99	Horizontal	PASS
2	2812.65	54.41	-109.81	-55.40	-13.00	42.40	Horizontal	PASS
3	3515.45	54.55	-107.50	-52.95	-13.00	39.95	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2812.30	52.68	-109.81	-57.13	-13.00	44.13	Vertical	PASS
2	3515.80	55.75	-107.51	-51.76	-13.00	38.76	Vertical	PASS
3	4218.60	51.52	-105.35	-53.83	-13.00	40.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	49.81	-114.07	-64.26	-13.00	51.26	Horizontal	PASS
2	6343.57	38.78	-99.10	-60.32	-13.00	47.32	Horizontal	PASS
3	7956.37	37.80	-95.48	-57.68	-13.00	44.68	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	46.83	-114.07	-67.24	-13.00	54.24	Vertical	PASS
2	5100.37	38.66	-101.95	-63.29	-13.00	50.29	Vertical	PASS
3	7907.60	37.62	-95.65	-58.03	-13.00	45.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	47.35	-114.09	-66.74	-40.00	26.74	Horizontal	PASS
2	6305.30	38.75	-98.88	-60.13	-13.00	47.13	Horizontal	PASS
3	7911.10	37.68	-95.64	-57.96	-13.00	44.96	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	44.48	-114.09	-69.61	-40.00	29.61	Vertical	PASS
2	6346.83	39.61	-99.11	-59.50	-13.00	46.50	Vertical	PASS
3	7956.60	37.30	-95.48	-58.18	-13.00	45.18	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.15	46.78	-114.18	-67.40	-40.00	27.40	Horizontal	PASS
2	2879.85	41.84	-109.10	-67.26	-13.00	54.26	Horizontal	PASS
3	7916.00	37.21	-95.62	-58.41	-13.00	45.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.15	45.82	-114.18	-68.36	-40.00	28.36	Vertical	PASS
2	6046.65	37.56	-99.48	-61.92	-13.00	48.92	Vertical	PASS
3	7924.75	37.31	-95.58	-58.27	-13.00	45.27	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	117.51	-94.91	22.60	-	-	Horizontal	NA
2	2151.40	45.04	-94.66	-49.62	-	-	Horizontal	NA
3	3472.00	55.49	-107.15	-51.66	-13.00	38.66	Horizontal	PASS
4	6944.50	40.78	-97.81	-57.03	-13.00	44.03	Horizontal	PASS
5	17351.00	33.28	-82.44	-49.16	-13.00	36.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	-354463520000151	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	118.65	-94.91	23.74	-	-	Vertical	NA
2	2150.60	49.85	-94.66	-44.81	-	-	Vertical	NA
3	3472.00	55.27	-107.15	-51.88	-13.00	38.88	Vertical	PASS
4	5208.50	44.87	-102.19	-57.32	-13.00	44.32	Vertical	PASS
5	6944.50	47.12	-97.81	-50.69	-13.00	37.69	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	55.51	-114.21	-58.70	-13.00	45.70	Horizontal	PASS
2	3509.50	42.56	-107.46	-64.90	-13.00	51.90	Horizontal	PASS
3	7956.25	36.65	-95.48	-58.83	-13.00	45.83	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	354463520000151	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	55.12	-114.21	-59.09	-13.00	46.09	Vertical	PASS
2	2014.65	48.03	-113.51	-65.48	-13.00	52.48	Vertical	PASS
3	7925.80	36.86	-95.57	-58.71	-13.00	45.71	Vertical	PASS

~The End~