


Appendix-C Field Strength of Spurious Radiation

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1881.00	96.71	-84.95	11.76	-	-	Horizontal	NA
2	1959.00	38.93	-84.76	-45.83	-	-	Horizontal	NA
3	2975.40	35.14	-79.91	-44.77	-13.00	31.77	Horizontal	PASS
4	5793.50	38.57	-100.08	-61.51	-13.00	48.51	Horizontal	PASS
5	17346.00	33.01	-82.58	-49.57	-13.00	36.57	Horizontal	PASS

Project Information

Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	100.17	-84.95	15.22	-	-	Vertical	NA
2	1961.20	47.46	-84.77	-37.31	-	-	Vertical	NA
3	2976.40	35.66	-79.92	-44.26	-13.00	31.26	Vertical	PASS
4	5637.00	40.53	-100.87	-60.34	-13.00	47.34	Vertical	PASS
5	15068.50	33.11	-86.31	-53.20	-13.00	40.20	Vertical	PASS

Project Information

Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1731.80	102.23	-85.22	17.01	-	-	Horizontal	NA
2	2132.40	36.86	-84.51	-47.65	-	-	Horizontal	NA
3	2986.60	35.56	-80.09	-44.53	-13.00	31.53	Horizontal	PASS
4	3467.00	44.17	-107.18	-63.01	-13.00	50.01	Horizontal	PASS
5	17988.00	37.95	-82.59	-44.64	-13.00	31.64	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.20	100.93	-85.20	15.73	-	-	Vertical	NA
2	2134.20	44.17	-84.53	-40.36	-	-	Vertical	NA
3	3464.00	47.08	-107.19	-60.11	-13.00	47.11	Vertical	PASS
4	6933.00	44.00	-97.69	-53.69	-13.00	40.69	Vertical	PASS
5	17347.50	38.25	-82.51	-44.26	-13.00	31.26	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.00	58.76	-114.13	-55.37	-13.00	42.37	Horizontal	PASS
2	2506.40	47.43	-111.38	-63.95	-13.00	50.95	Horizontal	PASS
3	3349.20	45.13	-108.38	-63.25	-13.00	50.25	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.00	59.32	-114.13	-54.81	-13.00	41.81	Vertical	PASS
2	2512.80	47.33	-111.34	-64.01	-13.00	51.01	Vertical	PASS
3	3349.20	43.69	-108.38	-64.69	-13.00	51.69	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1871.00	96.41	-84.97	11.44	-	-	150	85	Horizontal	NA
2	1962.00	45.07	-84.79	-39.72	-	-	150	47	Horizontal	NA
3	3742.00	43.35	-107.43	-64.08	-13.00	51.08	150	259	Horizontal	PASS
4	5613.50	41.71	-101.19	-59.48	-13.00	46.48	150	42	Horizontal	PASS
5	17350.50	31.87	-82.42	-50.55	-13.00	37.55	150	327	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1871.00	99.11	-84.97	14.14	-	-	150	360	Vertical	NA
2	3742.00	44.73	-107.43	-62.70	-13.00	49.70	150	161	Vertical	PASS
3	5613.00	49.50	-101.20	-51.70	-13.00	38.70	150	342	Vertical	PASS
4	17347.50	32.93	-82.51	-49.58	-13.00	36.58	150	175	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1723.60	116.10	-95.01	21.09	-	-	150	69	Horizontal	NA
2	2134.40	56.90	-94.69	-37.79	-	-	150	37	Horizontal	NA
3	3447.50	50.78	-107.30	-56.52	-13.00	43.52	150	260	Horizontal	PASS
4	6894.50	41.57	-97.40	-55.83	-13.00	42.83	150	108	Horizontal	PASS
5	17815.50	38.43	-82.96	-44.53	-13.00	31.53	150	206	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1723.60	118.56	-95.01	23.55	-	-	150	359	Vertical	NA
2	2125.00	41.23	-94.71	-53.48	-	-	150	330	Vertical	NA
3	3447.00	51.47	-107.30	-55.83	-13.00	42.83	150	149	Vertical	PASS
4	6894.00	51.98	-97.40	-45.42	-13.00	32.42	150	350	Vertical	PASS
5	17848.00	38.29	-82.49	-44.20	-13.00	31.20	150	216	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1664.00	62.96	-114.12	-51.16	-13.00	38.16	150	49	Horizontal	PASS
2	2496.40	57.31	-111.37	-54.06	-13.00	41.06	150	23	Horizontal	PASS
3	3328.40	48.86	-108.29	-59.43	-13.00	46.43	150	49	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1664.00	66.69	-114.12	-47.43	-13.00	34.43	150	2	Vertical	PASS
2	2496.40	58.64	-111.37	-52.73	-13.00	39.73	150	182	Vertical	PASS
3	3328.40	48.64	-108.29	-59.65	-13.00	46.65	150	188	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1406.35	54.17	-114.33	-60.16	-13.00	47.16	150	43	Horizontal	PASS
2	2812.30	49.92	-109.81	-59.89	-13.00	46.89	150	74	Horizontal	PASS
3	3515.45	54.14	-107.50	-53.36	-13.00	40.36	150	269	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1406.35	56.75	-114.33	-57.58	-13.00	44.58	150	61	Vertical	PASS
2	3515.45	56.40	-107.50	-51.10	-13.00	38.10	150	80	Vertical	PASS
3	4218.60	51.72	-105.35	-53.63	-13.00	40.63	150	182	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1555.45	43.64	-114.07	-70.43	-13.00	57.43	150	133	Horizontal	PASS
2	2332.80	57.56	-112.39	-54.83	-13.00	41.83	150	23	Horizontal	PASS
3	5533.90	38.57	-100.63	-62.06	-13.00	49.06	150	301	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1555.10	47.19	-114.07	-66.88	-13.00	53.88	150	25	Vertical	PASS
2	1784.00	64.25	-113.98	-49.73	-13.00	36.73	150	70	Vertical	PASS
3	2332.80	59.62	-112.39	-52.77	-13.00	39.77	150	337	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1559.77	44.66	-114.09	-69.43	-40.00	29.43	150	94	Horizontal	PASS
2	2339.33	59.29	-112.43	-53.14	-13.00	40.14	150	26	Horizontal	PASS
3	3078.53	42.30	-108.71	-66.41	-13.00	53.41	150	216	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1559.53	48.37	-114.09	-65.72	-40.00	25.72	150	3	Vertical	PASS
2	2339.57	61.70	-112.43	-50.73	-13.00	37.73	150	0	Vertical	PASS
3	3119.37	42.42	-108.53	-66.11	-13.00	53.11	150	91	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1004.80	43.00	-112.88	-69.88	-	-	150	4	Horizontal	NA
2	2365.60	59.32	-112.42	-53.10	-13.00	40.10	150	284	Horizontal	PASS
3	5701.60	38.42	-100.23	-61.81	-13.00	48.81	150	141	Horizontal	PASS
4	7001.20	37.27	-97.20	-59.93	-13.00	46.93	150	291	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2366.00	60.93	-112.42	-51.49	-13.00	38.49	150	167	Vertical	PASS
2	5541.20	38.79	-100.53	-61.74	-13.00	48.74	150	194	Vertical	PASS
3	8054.40	37.28	-95.43	-58.15	-13.00	45.15	150	167	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1736.20	106.06	-85.18	20.88	-	-	150	68	Horizontal	NA
2	2145.40	47.44	-84.64	-37.20	-	-	150	36	Horizontal	NA
3	3472.00	44.15	-107.15	-63.00	-13.00	50.00	150	318	Horizontal	PASS
4	6944.00	40.22	-97.80	-57.58	-13.00	44.58	150	2	Horizontal	PASS
5	17364.50	38.01	-82.97	-44.96	-13.00	31.96	150	349	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1736.20	108.56	-85.18	23.38	-	-	150	342	Vertical	NA
2	3472.00	48.86	-107.15	-58.29	-13.00	45.29	150	254	Vertical	PASS
3	6944.00	51.45	-97.80	-46.35	-13.00	33.35	150	350	Vertical	PASS
4	17820.50	38.66	-82.89	-44.23	-13.00	31.23	150	329	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		


Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1352.10	56.19	-114.18	-57.99	-13.00	44.99	150	35	Horizontal	PASS
2	5772.25	38.06	-100.14	-62.08	-13.00	49.08	150	349	Horizontal	PASS
3	7292.65	36.69	-96.03	-59.34	-13.00	46.34	150	35	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	10MHz	Channel:	MID
IMEI:	352782410000001	Engineer:	Ou Shuyan
Remark:	-		

Test Graph



Data List										
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1352.10	59.24	-114.18	-54.94	-13.00	41.94	150	55	Vertical	PASS
2	2028.30	48.28	-113.63	-65.35	-13.00	52.35	150	343	Vertical	PASS
3	6993.75	37.61	-97.28	-59.67	-13.00	46.67	150	82	Vertical	PASS

~The End~