



Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS



Band2-9262-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS



Band2-9262-4-0.15~30MHz-PASS



Band2-9262-4-30~1000MHz-PASS











Band2-9262-4-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS


Band2-9400-1-0.15~30MHz-PASS



Band2-9400-3-30~1000MHz-PASS



Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS



Band2-9400-4-30~1000MHz-PASS



Band2-9400-4-1000~20000MHz-PASS



Band2-9538-1-0.009~0.15MHz-PASS



Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS

Band2-9538-1-1000~20000MHz-PASS



Band2-9538-2-0.009~0.15MHz-PASS



Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS



Band2-9538-2-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS



Band2-9538-3-30~1000MHz-PASS



Band2-9538-3-1000~20000MHz-PASS



Band2-9538-4-0.009~0.15MHz-PASS



Band2-9538-4-0.15~30MHz-PASS



Band2-9538-4-30~1000MHz-PASS

Band2-9538-4-1000~20000MHz-PASS




Band2-9262-1-0.009~0.15MHz-PASS

Band2-9262-1-0.15~30MHz-PASS



Band2-9262-1-30~1000MHz-PASS

Band2-9262-1-1000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS

Band2-9262-2-0.15~30MHz-PASS



Band2-9262-2-30~1000MHz-PASS


Band2-9262-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS



Band2-9262-3-30~1000MHz-PASS



Band2-9262-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS



Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS






Band2-9400-2-30~1000MHz-PASS



Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS



Band2-9400-3-30~1000MHz-PASS



Band2-9400-3-1000~20000MHz-PASS



Band2-9400-4-0.009~0.15MHz-PASS



Band2-9400-4-0.15~30MHz-PASS



Band2-9400-4-30~1000MHz-PASS

Band2-9400-4-1000~20000MHz-PASS



Band2-9400-5-0.009~0.15MHz-PASS

Band2-9400-5-0.15~30MHz-PASS



Band2-9400-5-30~1000MHz-PASS

Band2-9400-5-1000~20000MHz-PASS



Band2-9538-1-0.009~0.15MHz-PASS

Band2-9538-1-0.15~30MHz-PASS



Band2-9538-1-30~1000MHz-PASS


Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS



Band2-9538-2-30~1000MHz-PASS



Band2-9538-2-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS



Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS



Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS






Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS



Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	3.04	0.001641	±2.5	PASS
Band2	9262	VL	NT	-0.04	-0.000022	±2.5	PASS
Band2	9262	VH	NT	1.19	0.000642	±2.5	PASS
Band2	9400	VN	NT	0.58	0.000309	±2.5	PASS
Band2	9400	VL	NT	-1.36	-0.000723	±2.5	PASS
Band2	9400	VH	NT	-0.04	-0.000021	±2.5	PASS
Band2	9538	VN	NT	-5.25	-0.002752	±2.5	PASS
Band2	9538	VL	NT	-5.86	-0.003072	±2.5	PASS
Band2	9538	VH	NT	-5.03	-0.002637	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	2.02	0.001090	±2.5	PASS
Band2	9262	NV	-20	0.88	0.000475	±2.5	PASS
Band2	9262	NV	-10	2.13	0.001150	±2.5	PASS
Band2	9262	NV	0	2.37	0.001279	±2.5	PASS
Band2	9262	NV	10	1.95	0.001053	±2.5	PASS
Band2	9262	NV	20	2.59	0.001398	±2.5	PASS
Band2	9262	NV	30	1.99	0.001074	±2.5	PASS
Band2	9262	NV	40	3.12	0.001684	±2.5	PASS
Band2	9262	NV	50	3.75	0.002024	±2.5	PASS
Band2	9400	NV	-30	-0.45	-0.000239	±2.5	PASS
Band2	9400	NV	-20	-0.64	-0.000340	±2.5	PASS
Band2	9400	NV	-10	0.22	0.000117	±2.5	PASS
Band2	9400	NV	0	0.78	0.000415	±2.5	PASS
Band2	9400	NV	10	-0.42	-0.000223	±2.5	PASS
Band2	9400	NV	20	-1.09	-0.000580	±2.5	PASS
Band2	9400	NV	30	-0.77	-0.000410	±2.5	PASS
Band2	9400	NV	40	-0.55	-0.000293	±2.5	PASS
Band2	9400	NV	50	-1.33	-0.000707	±2.5	PASS
Band2	9538	NV	-30	-6.12	-0.003208	±2.5	PASS
Band2	9538	NV	-20	-5.15	-0.002700	±2.5	PASS
Band2	9538	NV	-10	-5.56	-0.002915	±2.5	PASS
Band2	9538	NV	0	-4.99	-0.002616	±2.5	PASS
Band2	9538	NV	10	-4.06	-0.002128	±2.5	PASS

Band2	9538	NV	20	-4.28	-0.002244	±2.5	PASS
Band2	9538	NV	30	-4.76	-0.002495	±2.5	PASS
Band2	9538	NV	40	-4.93	-0.002584	±2.5	PASS
Band2	9538	NV	50	-4.50	-0.002359	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	2.43	0.001312	±2.5	PASS
Band2	9262	1	VL	NT	1.96	0.001058	±2.5	PASS
Band2	9262	1	VH	NT	3.12	0.001684	±2.5	PASS
Band2	9262	2	VN	NT	2.93	0.001582	±2.5	PASS
Band2	9262	2	VL	NT	4.81	0.002597	±2.5	PASS
Band2	9262	2	VH	NT	4.89	0.002640	±2.5	PASS
Band2	9262	3	VN	NT	2.47	0.001333	±2.5	PASS
Band2	9262	3	VL	NT	1.90	0.001026	±2.5	PASS
Band2	9262	3	VH	NT	3.54	0.001911	±2.5	PASS
Band2	9262	4	VN	NT	2.05	0.001107	±2.5	PASS
Band2	9262	4	VL	NT	2.77	0.001495	±2.5	PASS
Band2	9262	4	VH	NT	3.46	0.001868	±2.5	PASS
Band2	9400	1	VN	NT	-1.20	-0.000638	±2.5	PASS
Band2	9400	1	VL	NT	-1.57	-0.000835	±2.5	PASS
Band2	9400	1	VH	NT	-0.40	-0.000213	±2.5	PASS
Band2	9400	2	VN	NT	-2.10	-0.001117	±2.5	PASS
Band2	9400	2	VL	NT	-1.27	-0.000676	±2.5	PASS
Band2	9400	2	VH	NT	-0.91	-0.000484	±2.5	PASS
Band2	9400	3	VN	NT	-1.77	-0.000941	±2.5	PASS
Band2	9400	3	VL	NT	0.22	0.000117	±2.5	PASS
Band2	9400	3	VH	NT	-1.30	-0.000691	±2.5	PASS
Band2	9400	4	VN	NT	0.13	0.000069	±2.5	PASS
Band2	9400	4	VL	NT	-0.63	-0.000335	±2.5	PASS
Band2	9400	4	VH	NT	-0.74	-0.000394	±2.5	PASS
Band2	9538	1	VN	NT	-5.57	-0.002920	±2.5	PASS
Band2	9538	1	VL	NT	-6.01	-0.003151	±2.5	PASS
Band2	9538	1	VH	NT	-5.40	-0.002831	±2.5	PASS
Band2	9538	2	VN	NT	-4.34	-0.002275	±2.5	PASS
Band2	9538	2	VL	NT	-6.39	-0.003350	±2.5	PASS
Band2	9538	2	VH	NT	-5.35	-0.002805	±2.5	PASS
Band2	9538	3	VN	NT	-5.23	-0.002742	±2.5	PASS
Band2	9538	3	VL	NT	-4.98	-0.002611	±2.5	PASS
Band2	9538	3	VH	NT	-6.43	-0.003371	±2.5	PASS
Band2	9538	4	VN	NT	-6.71	-0.003518	±2.5	PASS

Band2	9538	4	VL	NT	-4.95	-0.002595	±2.5	PASS
Band2	9538	4	VH	NT	-5.11	-0.002679	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	4.45	0.002402	±2.5	PASS
Band2	9262	1	NV	-20	2.51	0.001355	±2.5	PASS
Band2	9262	1	NV	-10	3.95	0.002132	±2.5	PASS
Band2	9262	1	NV	0	2.96	0.001598	±2.5	PASS
Band2	9262	1	NV	10	3.10	0.001674	±2.5	PASS
Band2	9262	1	NV	20	2.99	0.001614	±2.5	PASS
Band2	9262	1	NV	30	3.87	0.002089	±2.5	PASS
Band2	9262	1	NV	40	4.20	0.002267	±2.5	PASS
Band2	9262	1	NV	50	3.89	0.002100	±2.5	PASS
Band2	9262	2	NV	-30	2.66	0.001436	±2.5	PASS
Band2	9262	2	NV	-20	4.79	0.002586	±2.5	PASS
Band2	9262	2	NV	-10	3.13	0.001690	±2.5	PASS
Band2	9262	2	NV	0	4.03	0.002176	±2.5	PASS
Band2	9262	2	NV	10	5.13	0.002769	±2.5	PASS
Band2	9262	2	NV	20	3.11	0.001679	±2.5	PASS
Band2	9262	2	NV	30	3.78	0.002041	±2.5	PASS
Band2	9262	2	NV	40	3.85	0.002078	±2.5	PASS
Band2	9262	2	NV	50	2.97	0.001603	±2.5	PASS
Band2	9262	3	NV	-30	3.42	0.001846	±2.5	PASS
Band2	9262	3	NV	-20	2.55	0.001377	±2.5	PASS
Band2	9262	3	NV	-10	3.24	0.001749	±2.5	PASS
Band2	9262	3	NV	0	3.19	0.001722	±2.5	PASS
Band2	9262	3	NV	10	3.25	0.001754	±2.5	PASS
Band2	9262	3	NV	20	3.23	0.001744	±2.5	PASS
Band2	9262	3	NV	30	4.31	0.002327	±2.5	PASS
Band2	9262	3	NV	40	3.53	0.001906	±2.5	PASS
Band2	9262	3	NV	50	4.12	0.002224	±2.5	PASS
Band2	9262	4	NV	-30	0.26	0.000140	±2.5	PASS
Band2	9262	4	NV	-20	4.26	0.002300	±2.5	PASS
Band2	9262	4	NV	-10	3.56	0.001922	±2.5	PASS
Band2	9262	4	NV	0	4.12	0.002224	±2.5	PASS
Band2	9262	4	NV	10	3.55	0.001916	±2.5	PASS
Band2	9262	4	NV	20	3.80	0.002051	±2.5	PASS
Band2	9262	4	NV	30	3.40	0.001835	±2.5	PASS
Band2	9262	4	NV	40	3.48	0.001879	±2.5	PASS
Band2	9262	4	NV	50	3.44	0.001857	±2.5	PASS

Band2	9400	1	NV	-30	-0.93	-0.000495	±2.5	PASS
Band2	9400	1	NV	-20	-1.53	-0.000814	±2.5	PASS
Band2	9400	1	NV	-10	-0.38	-0.000202	±2.5	PASS
Band2	9400	1	NV	0	-0.32	-0.000170	±2.5	PASS
Band2	9400	1	NV	10	-1.05	-0.000559	±2.5	PASS
Band2	9400	1	NV	20	-0.06	-0.000032	±2.5	PASS
Band2	9400	1	NV	30	-1.10	-0.000585	±2.5	PASS
Band2	9400	1	NV	40	-0.33	-0.000176	±2.5	PASS
Band2	9400	1	NV	50	-1.15	-0.000612	±2.5	PASS
Band2	9400	2	NV	-30	1.61	0.000856	±2.5	PASS
Band2	9400	2	NV	-20	-2.36	-0.001255	±2.5	PASS
Band2	9400	2	NV	-10	-1.01	-0.000537	±2.5	PASS
Band2	9400	2	NV	0	-0.58	-0.000309	±2.5	PASS
Band2	9400	2	NV	10	-0.59	-0.000314	±2.5	PASS
Band2	9400	2	NV	20	-1.55	-0.000824	±2.5	PASS
Band2	9400	2	NV	30	-0.58	-0.000309	±2.5	PASS
Band2	9400	2	NV	40	-1.04	-0.000553	±2.5	PASS
Band2	9400	2	NV	50	-1.44	-0.000766	±2.5	PASS
Band2	9400	3	NV	-30	-0.80	-0.000426	±2.5	PASS
Band2	9400	3	NV	-20	-0.04	-0.000021	±2.5	PASS
Band2	9400	3	NV	-10	-0.53	-0.000282	±2.5	PASS
Band2	9400	3	NV	0	0.19	0.000101	±2.5	PASS
Band2	9400	3	NV	10	-0.45	-0.000239	±2.5	PASS
Band2	9400	3	NV	20	0.17	0.000090	±2.5	PASS
Band2	9400	3	NV	30	-0.83	-0.000441	±2.5	PASS
Band2	9400	3	NV	40	-0.17	-0.000090	±2.5	PASS
Band2	9400	3	NV	50	0.07	0.000037	±2.5	PASS
Band2	9400	4	NV	-30	0.02	0.000011	±2.5	PASS
Band2	9400	4	NV	-20	-1.44	-0.000766	±2.5	PASS
Band2	9400	4	NV	-10	-0.71	-0.000378	±2.5	PASS
Band2	9400	4	NV	0	-1.39	-0.000739	±2.5	PASS
Band2	9400	4	NV	10	-1.45	-0.000771	±2.5	PASS
Band2	9400	4	NV	20	-1.31	-0.000697	±2.5	PASS
Band2	9400	4	NV	30	-1.14	-0.000606	±2.5	PASS
Band2	9400	4	NV	40	-0.34	-0.000181	±2.5	PASS
Band2	9400	4	NV	50	-0.43	-0.000229	±2.5	PASS
Band2	9538	1	NV	-30	-5.70	-0.002988	±2.5	PASS
Band2	9538	1	NV	-20	-5.92	-0.003103	±2.5	PASS
Band2	9538	1	NV	-10	-4.06	-0.002128	±2.5	PASS
Band2	9538	1	NV	0	-4.57	-0.002396	±2.5	PASS
Band2	9538	1	NV	10	-5.55	-0.002909	±2.5	PASS

Band2	9538	1	NV	20	-5.51	-0.002888	±2.5	PASS
Band2	9538	1	NV	30	-3.97	-0.002081	±2.5	PASS
Band2	9538	1	NV	40	-4.82	-0.002527	±2.5	PASS
Band2	9538	1	NV	50	-6.31	-0.003308	±2.5	PASS
Band2	9538	2	NV	-30	-5.27	-0.002763	±2.5	PASS
Band2	9538	2	NV	-20	-3.39	-0.001777	±2.5	PASS
Band2	9538	2	NV	-10	-4.99	-0.002616	±2.5	PASS
Band2	9538	2	NV	0	-5.73	-0.003004	±2.5	PASS
Band2	9538	2	NV	10	-4.68	-0.002453	±2.5	PASS
Band2	9538	2	NV	20	-5.54	-0.002904	±2.5	PASS
Band2	9538	2	NV	30	-4.60	-0.002411	±2.5	PASS
Band2	9538	2	NV	40	-5.89	-0.003088	±2.5	PASS
Band2	9538	2	NV	50	-5.84	-0.003061	±2.5	PASS
Band2	9538	3	NV	-30	-5.10	-0.002674	±2.5	PASS
Band2	9538	3	NV	-20	-5.77	-0.003025	±2.5	PASS
Band2	9538	3	NV	-10	-4.87	-0.002553	±2.5	PASS
Band2	9538	3	NV	0	-5.43	-0.002847	±2.5	PASS
Band2	9538	3	NV	10	-5.75	-0.003014	±2.5	PASS
Band2	9538	3	NV	20	-5.79	-0.003035	±2.5	PASS
Band2	9538	3	NV	30	-5.24	-0.002747	±2.5	PASS
Band2	9538	3	NV	40	-5.69	-0.002983	±2.5	PASS
Band2	9538	3	NV	50	-4.22	-0.002212	±2.5	PASS
Band2	9538	4	NV	-30	-6.47	-0.003392	±2.5	PASS
Band2	9538	4	NV	-20	-4.39	-0.002301	±2.5	PASS
Band2	9538	4	NV	-10	-4.22	-0.002212	±2.5	PASS
Band2	9538	4	NV	0	-3.96	-0.002076	±2.5	PASS
Band2	9538	4	NV	10	-5.49	-0.002878	±2.5	PASS
Band2	9538	4	NV	20	-5.22	-0.002736	±2.5	PASS
Band2	9538	4	NV	30	-3.84	-0.002013	±2.5	PASS
Band2	9538	4	NV	40	-5.62	-0.002946	±2.5	PASS
Band2	9538	4	NV	50	-5.16	-0.002705	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-0.43	-0.000232	±2.5	PASS
Band2	9262	1	VL	NT	-0.99	-0.000534	±2.5	PASS
Band2	9262	1	VH	NT	-0.89	-0.000480	±2.5	PASS
Band2	9262	2	VN	NT	3.06	0.001652	±2.5	PASS
Band2	9262	2	VL	NT	1.26	0.000680	±2.5	PASS
Band2	9262	2	VH	NT	1.76	0.000950	±2.5	PASS
Band2	9262	3	VN	NT	1.78	0.000961	±2.5	PASS
Band2	9262	3	VL	NT	1.72	0.000929	±2.5	PASS
Band2	9262	3	VH	NT	1.86	0.001004	±2.5	PASS
Band2	9262	4	VN	NT	2.94	0.001587	±2.5	PASS
Band2	9262	4	VL	NT	1.55	0.000837	±2.5	PASS
Band2	9262	4	VH	NT	3.20	0.001727	±2.5	PASS
Band2	9262	5	VN	NT	0.82	0.000443	±2.5	PASS
Band2	9262	5	VL	NT	1.24	0.000669	±2.5	PASS
Band2	9262	5	VH	NT	1.92	0.001036	±2.5	PASS
Band2	9400	1	VN	NT	-2.14	-0.001138	±2.5	PASS
Band2	9400	1	VL	NT	-3.58	-0.001904	±2.5	PASS
Band2	9400	1	VH	NT	-1.40	-0.000745	±2.5	PASS
Band2	9400	2	VN	NT	-19.87	-0.010569	±2.5	PASS
Band2	9400	2	VL	NT	-1.59	-0.000846	±2.5	PASS
Band2	9400	2	VH	NT	-0.03	-0.000016	±2.5	PASS
Band2	9400	3	VN	NT	-2.54	-0.001351	±2.5	PASS
Band2	9400	3	VL	NT	-3.67	-0.001952	±2.5	PASS
Band2	9400	3	VH	NT	-3.19	-0.001697	±2.5	PASS
Band2	9400	4	VN	NT	-3.22	-0.001713	±2.5	PASS
Band2	9400	4	VL	NT	-2.79	-0.001484	±2.5	PASS
Band2	9400	4	VH	NT	-2.68	-0.001426	±2.5	PASS
Band2	9400	5	VN	NT	-3.26	-0.001734	±2.5	PASS
Band2	9400	5	VL	NT	-1.86	-0.000989	±2.5	PASS
Band2	9400	5	VH	NT	-2.37	-0.001261	±2.5	PASS
Band2	9538	1	VN	NT	-5.20	-0.002726	±2.5	PASS
Band2	9538	1	VL	NT	-5.39	-0.002826	±2.5	PASS
Band2	9538	1	VH	NT	-5.07	-0.002658	±2.5	PASS
Band2	9538	2	VN	NT	-5.21	-0.002731	±2.5	PASS
Band2	9538	2	VL	NT	-4.99	-0.002616	±2.5	PASS
Band2	9538	2	VH	NT	-5.98	-0.003135	±2.5	PASS
Band2	9538	3	VN	NT	-4.46	-0.002338	±2.5	PASS
Band2	9538	3	VL	NT	-4.76	-0.002495	±2.5	PASS
Band2	9538	3	VH	NT	-4.88	-0.002558	±2.5	PASS

Band2	9538	4	VN	NT	-5.19	-0.002721	±2.5	PASS
Band2	9538	4	VL	NT	-4.73	-0.002480	±2.5	PASS
Band2	9538	4	VH	NT	-6.12	-0.003208	±2.5	PASS
Band2	9538	5	VN	NT	-6.39	-0.003350	±2.5	PASS
Band2	9538	5	VL	NT	-5.55	-0.002909	±2.5	PASS
Band2	9538	5	VH	NT	-5.46	-0.002862	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-0.42	-0.000227	±2.5	PASS
Band2	9262	1	NV	-20	0.19	0.000103	±2.5	PASS
Band2	9262	1	NV	-10	0.30	0.000162	±2.5	PASS
Band2	9262	1	NV	0	0.15	0.000081	±2.5	PASS
Band2	9262	1	NV	10	0.83	0.000448	±2.5	PASS
Band2	9262	1	NV	20	1.33	0.000718	±2.5	PASS
Band2	9262	1	NV	30	2.12	0.001144	±2.5	PASS
Band2	9262	1	NV	40	1.49	0.000804	±2.5	PASS
Band2	9262	1	NV	50	1.94	0.001047	±2.5	PASS
Band2	9262	2	NV	-30	1.71	0.000923	±2.5	PASS
Band2	9262	2	NV	-20	2.91	0.001571	±2.5	PASS
Band2	9262	2	NV	-10	2.23	0.001204	±2.5	PASS
Band2	9262	2	NV	0	3.38	0.001825	±2.5	PASS
Band2	9262	2	NV	10	1.97	0.001063	±2.5	PASS
Band2	9262	2	NV	20	1.87	0.001010	±2.5	PASS
Band2	9262	2	NV	30	2.38	0.001285	±2.5	PASS
Band2	9262	2	NV	40	1.35	0.000729	±2.5	PASS
Band2	9262	2	NV	50	1.75	0.000945	±2.5	PASS
Band2	9262	3	NV	-30	0.97	0.000524	±2.5	PASS
Band2	9262	3	NV	-20	1.55	0.000837	±2.5	PASS
Band2	9262	3	NV	-10	1.14	0.000615	±2.5	PASS
Band2	9262	3	NV	0	3.04	0.001641	±2.5	PASS
Band2	9262	3	NV	10	2.84	0.001533	±2.5	PASS
Band2	9262	3	NV	20	2.35	0.001269	±2.5	PASS
Band2	9262	3	NV	30	2.45	0.001323	±2.5	PASS
Band2	9262	3	NV	40	2.12	0.001144	±2.5	PASS
Band2	9262	3	NV	50	2.65	0.001431	±2.5	PASS
Band2	9262	4	NV	-30	1.92	0.001036	±2.5	PASS
Band2	9262	4	NV	-20	1.14	0.000615	±2.5	PASS
Band2	9262	4	NV	-10	0.59	0.000319	±2.5	PASS
Band2	9262	4	NV	0	2.79	0.001506	±2.5	PASS
Band2	9262	4	NV	10	2.52	0.001360	±2.5	PASS

Band2	9262	4	NV	20	1.99	0.001074	±2.5	PASS
Band2	9262	4	NV	30	3.14	0.001695	±2.5	PASS
Band2	9262	4	NV	40	3.19	0.001722	±2.5	PASS
Band2	9262	4	NV	50	3.22	0.001738	±2.5	PASS
Band2	9262	5	NV	-30	1.37	0.000740	±2.5	PASS
Band2	9262	5	NV	-20	3.09	0.001668	±2.5	PASS
Band2	9262	5	NV	-10	2.66	0.001436	±2.5	PASS
Band2	9262	5	NV	0	1.76	0.000950	±2.5	PASS
Band2	9262	5	NV	10	1.60	0.000864	±2.5	PASS
Band2	9262	5	NV	20	1.91	0.001031	±2.5	PASS
Band2	9262	5	NV	30	2.71	0.001463	±2.5	PASS
Band2	9262	5	NV	40	2.07	0.001117	±2.5	PASS
Band2	9262	5	NV	50	2.02	0.001090	±2.5	PASS
Band2	9400	1	NV	-30	-0.56	-0.000298	±2.5	PASS
Band2	9400	1	NV	-20	-1.67	-0.000888	±2.5	PASS
Band2	9400	1	NV	-10	-0.78	-0.000415	±2.5	PASS
Band2	9400	1	NV	0	-3.21	-0.001707	±2.5	PASS
Band2	9400	1	NV	10	-1.83	-0.000973	±2.5	PASS
Band2	9400	1	NV	20	-1.54	-0.000819	±2.5	PASS
Band2	9400	1	NV	30	-1.85	-0.000984	±2.5	PASS
Band2	9400	1	NV	40	-0.47	-0.000250	±2.5	PASS
Band2	9400	1	NV	50	-0.40	-0.000213	±2.5	PASS
Band2	9400	2	NV	-30	-1.99	-0.001059	±2.5	PASS
Band2	9400	2	NV	-20	-0.68	-0.000362	±2.5	PASS
Band2	9400	2	NV	-10	-1.44	-0.000766	±2.5	PASS
Band2	9400	2	NV	0	-0.82	-0.000436	±2.5	PASS
Band2	9400	2	NV	10	-1.68	-0.000894	±2.5	PASS
Band2	9400	2	NV	20	-0.52	-0.000277	±2.5	PASS
Band2	9400	2	NV	30	-0.23	-0.000122	±2.5	PASS
Band2	9400	2	NV	40	-1.92	-0.001021	±2.5	PASS
Band2	9400	2	NV	50	1.29	0.000686	±2.5	PASS
Band2	9400	3	NV	-30	-2.98	-0.001585	±2.5	PASS
Band2	9400	3	NV	-20	-1.87	-0.000995	±2.5	PASS
Band2	9400	3	NV	-10	-2.22	-0.001181	±2.5	PASS
Band2	9400	3	NV	0	-2.05	-0.001090	±2.5	PASS
Band2	9400	3	NV	10	-0.75	-0.000399	±2.5	PASS
Band2	9400	3	NV	20	-3.04	-0.001617	±2.5	PASS
Band2	9400	3	NV	30	-0.81	-0.000431	±2.5	PASS
Band2	9400	3	NV	40	-2.21	-0.001176	±2.5	PASS
Band2	9400	3	NV	50	-1.72	-0.000915	±2.5	PASS
Band2	9400	4	NV	-30	-2.21	-0.001176	±2.5	PASS

Band2	9400	4	NV	-20	-1.59	-0.000846	±2.5	PASS
Band2	9400	4	NV	-10	-1.89	-0.001005	±2.5	PASS
Band2	9400	4	NV	0	-1.88	-0.001000	±2.5	PASS
Band2	9400	4	NV	10	-2.27	-0.001207	±2.5	PASS
Band2	9400	4	NV	20	-2.50	-0.001330	±2.5	PASS
Band2	9400	4	NV	30	-2.55	-0.001356	±2.5	PASS
Band2	9400	4	NV	40	-2.72	-0.001447	±2.5	PASS
Band2	9400	4	NV	50	-0.84	-0.000447	±2.5	PASS
Band2	9400	5	NV	-30	-1.13	-0.000601	±2.5	PASS
Band2	9400	5	NV	-20	-2.73	-0.001452	±2.5	PASS
Band2	9400	5	NV	-10	-1.29	-0.000686	±2.5	PASS
Band2	9400	5	NV	0	-1.75	-0.000931	±2.5	PASS
Band2	9400	5	NV	10	-1.73	-0.000920	±2.5	PASS
Band2	9400	5	NV	20	-0.87	-0.000463	±2.5	PASS
Band2	9400	5	NV	30	-0.99	-0.000527	±2.5	PASS
Band2	9400	5	NV	40	-1.69	-0.000899	±2.5	PASS
Band2	9400	5	NV	50	-0.24	-0.000128	±2.5	PASS
Band2	9538	1	NV	-30	-5.26	-0.002757	±2.5	PASS
Band2	9538	1	NV	-20	-5.31	-0.002784	±2.5	PASS
Band2	9538	1	NV	-10	-5.09	-0.002668	±2.5	PASS
Band2	9538	1	NV	0	-5.69	-0.002983	±2.5	PASS
Band2	9538	1	NV	10	-4.97	-0.002605	±2.5	PASS
Band2	9538	1	NV	20	-4.96	-0.002600	±2.5	PASS
Band2	9538	1	NV	30	-5.20	-0.002726	±2.5	PASS
Band2	9538	1	NV	40	-5.71	-0.002993	±2.5	PASS
Band2	9538	1	NV	50	-5.27	-0.002763	±2.5	PASS
Band2	9538	2	NV	-30	-5.07	-0.002658	±2.5	PASS
Band2	9538	2	NV	-20	-3.93	-0.002060	±2.5	PASS
Band2	9538	2	NV	-10	-4.50	-0.002359	±2.5	PASS
Band2	9538	2	NV	0	-4.93	-0.002584	±2.5	PASS
Band2	9538	2	NV	10	-5.51	-0.002888	±2.5	PASS
Band2	9538	2	NV	20	-4.54	-0.002380	±2.5	PASS
Band2	9538	2	NV	30	-5.18	-0.002715	±2.5	PASS
Band2	9538	2	NV	40	-3.88	-0.002034	±2.5	PASS
Band2	9538	2	NV	50	-5.36	-0.002810	±2.5	PASS
Band2	9538	3	NV	-30	-5.00	-0.002621	±2.5	PASS
Band2	9538	3	NV	-20	-4.16	-0.002181	±2.5	PASS
Band2	9538	3	NV	-10	-4.85	-0.002542	±2.5	PASS
Band2	9538	3	NV	0	-5.28	-0.002768	±2.5	PASS
Band2	9538	3	NV	10	-5.16	-0.002705	±2.5	PASS
Band2	9538	3	NV	20	-4.49	-0.002354	±2.5	PASS

Band2	9538	3	NV	30	-5.16	-0.002705	±2.5	PASS
Band2	9538	3	NV	40	-5.68	-0.002978	±2.5	PASS
Band2	9538	3	NV	50	-5.16	-0.002705	±2.5	PASS
Band2	9538	4	NV	-30	-6.16	-0.003229	±2.5	PASS
Band2	9538	4	NV	-20	-4.41	-0.002312	±2.5	PASS
Band2	9538	4	NV	-10	-4.36	-0.002286	±2.5	PASS
Band2	9538	4	NV	0	-4.55	-0.002385	±2.5	PASS
Band2	9538	4	NV	10	-4.19	-0.002196	±2.5	PASS
Band2	9538	4	NV	20	-4.73	-0.002480	±2.5	PASS
Band2	9538	4	NV	30	-4.65	-0.002438	±2.5	PASS
Band2	9538	4	NV	40	-4.38	-0.002296	±2.5	PASS
Band2	9538	4	NV	50	-4.86	-0.002548	±2.5	PASS
Band2	9538	5	NV	-30	-5.66	-0.002967	±2.5	PASS
Band2	9538	5	NV	-20	-5.35	-0.002805	±2.5	PASS
Band2	9538	5	NV	-10	-5.34	-0.002799	±2.5	PASS
Band2	9538	5	NV	0	-5.57	-0.002920	±2.5	PASS
Band2	9538	5	NV	10	-4.58	-0.002401	±2.5	PASS
Band2	9538	5	NV	20	-4.41	-0.002312	±2.5	PASS
Band2	9538	5	NV	30	-5.80	-0.003040	±2.5	PASS
Band2	9538	5	NV	40	-7.09	-0.003717	±2.5	PASS
Band2	9538	5	NV	50	-4.55	-0.002385	±2.5	PASS

----- THE END -----