



Band4-1312-3-0.009~0.15MHz-PASS




Band4-1312-3-0.15~30MHz-PASS




Band4-1312-3-30~1000MHz-PASS



Band4-1312-3-1000~20000MHz-PASS




Band4-1312-4-0.009~0.15MHz-PASS




Band4-1312-4-0.15~30MHz-PASS




Band4-1312-4-30~1000MHz-PASS




Band4-1312-4-1000~20000MHz-PASS







Band4-1413-1-0.009~0.15MHz-PASS




Band4-1413-1-0.15~30MHz-PASS






Band4-1413-3-30~1000MHz-PASS




Band4-1413-3-1000~20000MHz-PASS




Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS




Band4-1413-4-30~1000MHz-PASS




Band4-1413-4-1000~20000MHz-PASS



Band4-1513-1-0.009~0.15MHz-PASS




Band4-1513-1-0.15~30MHz-PASS




Band4-1513-1-30~1000MHz-PASS

Band4-1513-1-1000~20000MHz-PASS




Band4-1513-2-0.009~0.15MHz-PASS

Band4-1513-2-0.15~30MHz-PASS




Band4-1513-2-30~1000MHz-PASS

Band4-1513-2-1000~20000MHz-PASS




Band4-1513-3-0.009~0.15MHz-PASS

Band4-1513-3-0.15~30MHz-PASS



Band4-1513-3-30~1000MHz-PASS


Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS



Band4-1513-4-30~1000MHz-PASS

Band4-1513-4-1000~20000MHz-PASS




Band4-1312-1-0.009~0.15MHz-PASS

Band4-1312-1-0.15~30MHz-PASS



Band4-1312-1-30~1000MHz-PASS

Band4-1312-1-1000~20000MHz-PASS




Band4-1312-2-0.009~0.15MHz-PASS

Band4-1312-2-0.15~30MHz-PASS



Band4-1312-2-30~1000MHz-PASS


Band4-1312-2-1000~20000MHz-PASS



Band4-1312-3-0.009~0.15MHz-PASS




Band4-1312-3-0.15~30MHz-PASS



Band4-1312-3-30~1000MHz-PASS



Band4-1312-3-1000~20000MHz-PASS




Band4-1312-4-0.009~0.15MHz-PASS




Band4-1312-4-0.15~30MHz-PASS



Band4-1312-4-30~1000MHz-PASS




Band4-1312-4-1000~20000MHz-PASS




Band4-1312-5-0.009~0.15MHz-PASS


Band4-1312-5-0.15~30MHz-PASS



Band4-1413-2-30~1000MHz-PASS



Band4-1413-2-1000~20000MHz-PASS




Band4-1413-3-0.009~0.15MHz-PASS




Band4-1413-3-0.15~30MHz-PASS



Band4-1413-3-30~1000MHz-PASS



Band4-1413-3-1000~20000MHz-PASS



Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS



Band4-1413-4-30~1000MHz-PASS

Band4-1413-4-1000~20000MHz-PASS





Band4-1413-5-0.009~0.15MHz-PASS

Band4-1413-5-0.15~30MHz-PASS



Band4-1413-5-30~1000MHz-PASS

Band4-1413-5-1000~20000MHz-PASS




Band4-1513-1-0.009~0.15MHz-PASS

Band4-1513-1-0.15~30MHz-PASS



Band4-1513-1-30~1000MHz-PASS


Band4-1513-1-1000~20000MHz-PASS




Band4-1513-2-0.009~0.15MHz-PASS




Band4-1513-2-0.15~30MHz-PASS




Band4-1513-2-30~1000MHz-PASS



Band4-1513-2-1000~20000MHz-PASS




Band4-1513-3-0.009~0.15MHz-PASS




Band4-1513-3-0.15~30MHz-PASS




Band4-1513-3-30~1000MHz-PASS




Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS



Band4-1513-4-0.15~30MHz-PASS






Band4-1513-4-30~1000MHz-PASS



Band4-1513-4-1000~20000MHz-PASS



Band4-1513-5-0.009~0.15MHz-PASS



Band4-1513-5-0.15~30MHz-PASS



Band4-1513-5-30~1000MHz-PASS



Band4-1513-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	13.53	0.007901	±2.5	PASS
Band4	1312	VL	NT	15.14	0.008841	±2.5	PASS
Band4	1312	VH	NT	14.36	0.008386	±2.5	PASS
Band4	1413	VN	NT	-1.35	-0.000779	±2.5	PASS
Band4	1413	VL	NT	-0.80	-0.000462	±2.5	PASS
Band4	1413	VH	NT	-0.92	-0.000531	±2.5	PASS
Band4	1513	VN	NT	-16.99	-0.009694	±2.5	PASS
Band4	1513	VL	NT	-14.67	-0.008370	±2.5	PASS
Band4	1513	VH	NT	-16.13	-0.009203	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	15.18	0.008865	±2.5	PASS
Band4	1312	NV	-20	15.93	0.009303	±2.5	PASS
Band4	1312	NV	-10	15.66	0.009145	±2.5	PASS
Band4	1312	NV	0	15.61	0.009116	±2.5	PASS
Band4	1312	NV	10	14.82	0.008655	±2.5	PASS
Band4	1312	NV	20	16.20	0.009460	±2.5	PASS
Band4	1312	NV	30	17.80	0.010395	±2.5	PASS
Band4	1312	NV	40	17.26	0.010079	±2.5	PASS
Band4	1312	NV	50	16.26	0.009495	±2.5	PASS
Band4	1413	NV	-30	-0.43	-0.000248	±2.5	PASS
Band4	1413	NV	-20	-1.03	-0.000594	±2.5	PASS
Band4	1413	NV	-10	0.42	0.000242	±2.5	PASS
Band4	1413	NV	0	-0.82	-0.000473	±2.5	PASS
Band4	1413	NV	10	-0.67	-0.000387	±2.5	PASS
Band4	1413	NV	20	0.25	0.000144	±2.5	PASS
Band4	1413	NV	30	0.41	0.000237	±2.5	PASS
Band4	1413	NV	40	-1.19	-0.000687	±2.5	PASS
Band4	1413	NV	50	-0.66	-0.000381	±2.5	PASS
Band4	1513	NV	-30	-15.22	-0.008684	±2.5	PASS
Band4	1513	NV	-20	-15.72	-0.008970	±2.5	PASS
Band4	1513	NV	-10	-14.87	-0.008485	±2.5	PASS
Band4	1513	NV	0	-15.90	-0.009072	±2.5	PASS
Band4	1513	NV	10	-16.24	-0.009266	±2.5	PASS

Band4	1513	NV	20	-15.72	-0.008970	±2.5	PASS
Band4	1513	NV	30	-16.60	-0.009472	±2.5	PASS
Band4	1513	NV	40	-14.75	-0.008416	±2.5	PASS
Band4	1513	NV	50	-15.71	-0.008964	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	9.91	0.005787	±2.5	PASS
Band4	1312	1	VL	NT	9.77	0.005705	±2.5	PASS
Band4	1312	1	VH	NT	12.75	0.007446	±2.5	PASS
Band4	1312	2	VN	NT	13.08	0.007638	±2.5	PASS
Band4	1312	2	VL	NT	13.43	0.007843	±2.5	PASS
Band4	1312	2	VH	NT	12.78	0.007463	±2.5	PASS
Band4	1312	3	VN	NT	13.35	0.007796	±2.5	PASS
Band4	1312	3	VL	NT	14.78	0.008631	±2.5	PASS
Band4	1312	3	VH	NT	14.93	0.008719	±2.5	PASS
Band4	1312	4	VN	NT	14.04	0.008199	±2.5	PASS
Band4	1312	4	VL	NT	15.06	0.008795	±2.5	PASS
Band4	1312	4	VH	NT	15.97	0.009326	±2.5	PASS
Band4	1413	1	VN	NT	-1.64	-0.000947	±2.5	PASS
Band4	1413	1	VL	NT	-2.47	-0.001426	±2.5	PASS
Band4	1413	1	VH	NT	-0.69	-0.000398	±2.5	PASS
Band4	1413	2	VN	NT	0.05	0.000029	±2.5	PASS
Band4	1413	2	VL	NT	0.99	0.000571	±2.5	PASS
Band4	1413	2	VH	NT	-0.04	-0.000023	±2.5	PASS
Band4	1413	3	VN	NT	-0.90	-0.000519	±2.5	PASS
Band4	1413	3	VL	NT	-1.47	-0.000848	±2.5	PASS
Band4	1413	3	VH	NT	-0.82	-0.000473	±2.5	PASS
Band4	1413	4	VN	NT	-0.87	-0.000502	±2.5	PASS
Band4	1413	4	VL	NT	-0.32	-0.000185	±2.5	PASS
Band4	1413	4	VH	NT	0.61	0.000352	±2.5	PASS
Band4	1513	1	VN	NT	-15.44	-0.008810	±2.5	PASS
Band4	1513	1	VL	NT	-14.60	-0.008330	±2.5	PASS
Band4	1513	1	VH	NT	-14.26	-0.008136	±2.5	PASS
Band4	1513	2	VN	NT	-13.84	-0.007897	±2.5	PASS
Band4	1513	2	VL	NT	-13.32	-0.007600	±2.5	PASS
Band4	1513	2	VH	NT	-14.45	-0.008245	±2.5	PASS
Band4	1513	3	VN	NT	-13.23	-0.007549	±2.5	PASS
Band4	1513	3	VL	NT	-14.21	-0.008108	±2.5	PASS
Band4	1513	3	VH	NT	-13.86	-0.007908	±2.5	PASS
Band4	1513	4	VN	NT	-14.44	-0.008239	±2.5	PASS

Band4	1513	4	VL	NT	-14.60	-0.008330	±2.5	PASS
Band4	1513	4	VH	NT	-13.49	-0.007697	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	12.64	0.007381	±2.5	PASS
Band4	1312	1	NV	-20	11.17	0.006523	±2.5	PASS
Band4	1312	1	NV	-10	11.71	0.006838	±2.5	PASS
Band4	1312	1	NV	0	13.45	0.007854	±2.5	PASS
Band4	1312	1	NV	10	14.55	0.008497	±2.5	PASS
Band4	1312	1	NV	20	13.27	0.007749	±2.5	PASS
Band4	1312	1	NV	30	13.54	0.007907	±2.5	PASS
Band4	1312	1	NV	40	13.54	0.007907	±2.5	PASS
Band4	1312	1	NV	50	14.52	0.008479	±2.5	PASS
Band4	1312	2	NV	-30	13.41	0.007831	±2.5	PASS
Band4	1312	2	NV	-20	15.32	0.008947	±2.5	PASS
Band4	1312	2	NV	-10	14.87	0.008684	±2.5	PASS
Band4	1312	2	NV	0	13.72	0.008012	±2.5	PASS
Band4	1312	2	NV	10	14.94	0.008725	±2.5	PASS
Band4	1312	2	NV	20	15.19	0.008871	±2.5	PASS
Band4	1312	2	NV	30	14.86	0.008678	±2.5	PASS
Band4	1312	2	NV	40	15.11	0.008824	±2.5	PASS
Band4	1312	2	NV	50	14.26	0.008327	±2.5	PASS
Band4	1312	3	NV	-30	14.38	0.008398	±2.5	PASS
Band4	1312	3	NV	-20	14.51	0.008473	±2.5	PASS
Band4	1312	3	NV	-10	16.08	0.009390	±2.5	PASS
Band4	1312	3	NV	0	15.23	0.008894	±2.5	PASS
Band4	1312	3	NV	10	15.67	0.009151	±2.5	PASS
Band4	1312	3	NV	20	14.95	0.008730	±2.5	PASS
Band4	1312	3	NV	30	16.04	0.009367	±2.5	PASS
Band4	1312	3	NV	40	15.36	0.008970	±2.5	PASS
Band4	1312	3	NV	50	16.01	0.009349	±2.5	PASS
Band4	1312	4	NV	-30	13.61	0.007948	±2.5	PASS
Band4	1312	4	NV	-20	15.23	0.008894	±2.5	PASS
Band4	1312	4	NV	-10	14.19	0.008287	±2.5	PASS
Band4	1312	4	NV	0	15.83	0.009244	±2.5	PASS
Band4	1312	4	NV	10	15.67	0.009151	±2.5	PASS
Band4	1312	4	NV	20	15.36	0.008970	±2.5	PASS
Band4	1312	4	NV	30	14.57	0.008509	±2.5	PASS
Band4	1312	4	NV	40	15.52	0.009063	±2.5	PASS
Band4	1312	4	NV	50	14.63	0.008544	±2.5	PASS

Band4	1413	1	NV	-30	0.21	0.000121	±2.5	PASS
Band4	1413	1	NV	-20	0.69	0.000398	±2.5	PASS
Band4	1413	1	NV	-10	-1.98	-0.001143	±2.5	PASS
Band4	1413	1	NV	0	1.01	0.000583	±2.5	PASS
Band4	1413	1	NV	10	-0.36	-0.000208	±2.5	PASS
Band4	1413	1	NV	20	0.72	0.000416	±2.5	PASS
Band4	1413	1	NV	30	-0.45	-0.000260	±2.5	PASS
Band4	1413	1	NV	40	-0.12	-0.000069	±2.5	PASS
Band4	1413	1	NV	50	0.48	0.000277	±2.5	PASS
Band4	1413	2	NV	-30	-0.76	-0.000439	±2.5	PASS
Band4	1413	2	NV	-20	-0.37	-0.000214	±2.5	PASS
Band4	1413	2	NV	-10	0.01	0.000006	±2.5	PASS
Band4	1413	2	NV	0	0.17	0.000098	±2.5	PASS
Band4	1413	2	NV	10	-0.69	-0.000398	±2.5	PASS
Band4	1413	2	NV	20	-1.01	-0.000583	±2.5	PASS
Band4	1413	2	NV	30	0.18	0.000104	±2.5	PASS
Band4	1413	2	NV	40	-1.90	-0.001097	±2.5	PASS
Band4	1413	2	NV	50	0.78	0.000450	±2.5	PASS
Band4	1413	3	NV	-30	1.11	0.000641	±2.5	PASS
Band4	1413	3	NV	-20	-0.32	-0.000185	±2.5	PASS
Band4	1413	3	NV	-10	0.24	0.000139	±2.5	PASS
Band4	1413	3	NV	0	-1.24	-0.000716	±2.5	PASS
Band4	1413	3	NV	10	-0.26	-0.000150	±2.5	PASS
Band4	1413	3	NV	20	-0.66	-0.000381	±2.5	PASS
Band4	1413	3	NV	30	-1.43	-0.000825	±2.5	PASS
Band4	1413	3	NV	40	-1.01	-0.000583	±2.5	PASS
Band4	1413	3	NV	50	0.71	0.000410	±2.5	PASS
Band4	1413	4	NV	-30	-0.05	-0.000029	±2.5	PASS
Band4	1413	4	NV	-20	-0.70	-0.000404	±2.5	PASS
Band4	1413	4	NV	-10	0.11	0.000063	±2.5	PASS
Band4	1413	4	NV	0	0.96	0.000554	±2.5	PASS
Band4	1413	4	NV	10	-0.28	-0.000162	±2.5	PASS
Band4	1413	4	NV	20	-0.10	-0.000058	±2.5	PASS
Band4	1413	4	NV	30	-0.46	-0.000265	±2.5	PASS
Band4	1413	4	NV	40	-0.17	-0.000098	±2.5	PASS
Band4	1413	4	NV	50	0.77	0.000444	±2.5	PASS
Band4	1513	1	NV	-30	-13.89	-0.007925	±2.5	PASS
Band4	1513	1	NV	-20	-14.34	-0.008182	±2.5	PASS
Band4	1513	1	NV	-10	-14.46	-0.008251	±2.5	PASS
Band4	1513	1	NV	0	-15.18	-0.008661	±2.5	PASS
Band4	1513	1	NV	10	-15.34	-0.008753	±2.5	PASS

Band4	1513	1	NV	20	-14.91	-0.008507	±2.5	PASS
Band4	1513	1	NV	30	-14.06	-0.008022	±2.5	PASS
Band4	1513	1	NV	40	-14.52	-0.008285	±2.5	PASS
Band4	1513	1	NV	50	-15.76	-0.008992	±2.5	PASS
Band4	1513	2	NV	-30	-14.95	-0.008530	±2.5	PASS
Band4	1513	2	NV	-20	-13.25	-0.007560	±2.5	PASS
Band4	1513	2	NV	-10	-14.60	-0.008330	±2.5	PASS
Band4	1513	2	NV	0	-14.30	-0.008159	±2.5	PASS
Band4	1513	2	NV	10	-14.40	-0.008216	±2.5	PASS
Band4	1513	2	NV	20	-13.78	-0.007863	±2.5	PASS
Band4	1513	2	NV	30	-13.64	-0.007783	±2.5	PASS
Band4	1513	2	NV	40	-14.37	-0.008199	±2.5	PASS
Band4	1513	2	NV	50	-14.31	-0.008165	±2.5	PASS
Band4	1513	3	NV	-30	-13.22	-0.007543	±2.5	PASS
Band4	1513	3	NV	-20	-11.79	-0.006727	±2.5	PASS
Band4	1513	3	NV	-10	-14.65	-0.008359	±2.5	PASS
Band4	1513	3	NV	0	-14.38	-0.008205	±2.5	PASS
Band4	1513	3	NV	10	-14.55	-0.008302	±2.5	PASS
Band4	1513	3	NV	20	-14.93	-0.008519	±2.5	PASS
Band4	1513	3	NV	30	-12.72	-0.007258	±2.5	PASS
Band4	1513	3	NV	40	-13.78	-0.007863	±2.5	PASS
Band4	1513	3	NV	50	-12.33	-0.007035	±2.5	PASS
Band4	1513	4	NV	-30	-13.88	-0.007920	±2.5	PASS
Band4	1513	4	NV	-20	-14.88	-0.008490	±2.5	PASS
Band4	1513	4	NV	-10	-13.64	-0.007783	±2.5	PASS
Band4	1513	4	NV	0	-13.95	-0.007960	±2.5	PASS
Band4	1513	4	NV	10	-13.60	-0.007760	±2.5	PASS
Band4	1513	4	NV	20	-12.92	-0.007372	±2.5	PASS
Band4	1513	4	NV	30	-13.67	-0.007800	±2.5	PASS
Band4	1513	4	NV	40	-17.88	-0.010202	±2.5	PASS
Band4	1513	4	NV	50	-13.44	-0.007669	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	6.57	0.003837	±2.5	PASS
Band4	1312	1	VL	NT	7.40	0.004321	±2.5	PASS
Band4	1312	1	VH	NT	8.73	0.005098	±2.5	PASS
Band4	1312	2	VN	NT	11.38	0.006646	±2.5	PASS
Band4	1312	2	VL	NT	11.55	0.006745	±2.5	PASS
Band4	1312	2	VH	NT	10.99	0.006418	±2.5	PASS
Band4	1312	3	VN	NT	11.18	0.006529	±2.5	PASS
Band4	1312	3	VL	NT	10.61	0.006196	±2.5	PASS
Band4	1312	3	VH	NT	11.55	0.006745	±2.5	PASS
Band4	1312	4	VN	NT	12.73	0.007434	±2.5	PASS
Band4	1312	4	VL	NT	12.09	0.007060	±2.5	PASS
Band4	1312	4	VH	NT	11.94	0.006973	±2.5	PASS
Band4	1312	5	VN	NT	11.39	0.006651	±2.5	PASS
Band4	1312	5	VL	NT	10.56	0.006167	±2.5	PASS
Band4	1312	5	VH	NT	12.12	0.007078	±2.5	PASS
Band4	1413	1	VN	NT	-1.35	-0.000779	±2.5	PASS
Band4	1413	1	VL	NT	-0.47	-0.000271	±2.5	PASS
Band4	1413	1	VH	NT	-0.25	-0.000144	±2.5	PASS
Band4	1413	2	VN	NT	-2.01	-0.001160	±2.5	PASS
Band4	1413	2	VL	NT	-1.41	-0.000814	±2.5	PASS
Band4	1413	2	VH	NT	-0.31	-0.000179	±2.5	PASS
Band4	1413	3	VN	NT	-0.35	-0.000202	±2.5	PASS
Band4	1413	3	VL	NT	-1.69	-0.000975	±2.5	PASS
Band4	1413	3	VH	NT	-0.81	-0.000468	±2.5	PASS
Band4	1413	4	VN	NT	-1.10	-0.000635	±2.5	PASS
Band4	1413	4	VL	NT	-0.58	-0.000335	±2.5	PASS
Band4	1413	4	VH	NT	-1.71	-0.000987	±2.5	PASS
Band4	1413	5	VN	NT	-2.49	-0.001437	±2.5	PASS
Band4	1413	5	VL	NT	-2.67	-0.001541	±2.5	PASS
Band4	1413	5	VH	NT	-0.42	-0.000242	±2.5	PASS
Band4	1513	1	VN	NT	-12.97	-0.007400	±2.5	PASS
Band4	1513	1	VL	NT	-13.64	-0.007783	±2.5	PASS
Band4	1513	1	VH	NT	-14.34	-0.008182	±2.5	PASS
Band4	1513	2	VN	NT	-11.85	-0.006761	±2.5	PASS
Band4	1513	2	VL	NT	-12.90	-0.007360	±2.5	PASS
Band4	1513	2	VH	NT	-13.28	-0.007577	±2.5	PASS
Band4	1513	3	VN	NT	-12.12	-0.006915	±2.5	PASS
Band4	1513	3	VL	NT	-12.10	-0.006904	±2.5	PASS
Band4	1513	3	VH	NT	-12.45	-0.007104	±2.5	PASS

Band4	1513	4	VN	NT	-10.98	-0.006265	±2.5	PASS
Band4	1513	4	VL	NT	-12.42	-0.007087	±2.5	PASS
Band4	1513	4	VH	NT	-11.43	-0.006522	±2.5	PASS
Band4	1513	5	VN	NT	-12.36	-0.007052	±2.5	PASS
Band4	1513	5	VL	NT	-12.06	-0.006881	±2.5	PASS
Band4	1513	5	VH	NT	-11.83	-0.006750	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	8.49	0.004958	±2.5	PASS
Band4	1312	1	NV	-20	10.30	0.006015	±2.5	PASS
Band4	1312	1	NV	-10	10.04	0.005863	±2.5	PASS
Band4	1312	1	NV	0	10.14	0.005922	±2.5	PASS
Band4	1312	1	NV	10	10.50	0.006132	±2.5	PASS
Band4	1312	1	NV	20	11.25	0.006570	±2.5	PASS
Band4	1312	1	NV	30	12.67	0.007399	±2.5	PASS
Band4	1312	1	NV	40	11.75	0.006862	±2.5	PASS
Band4	1312	1	NV	50	11.52	0.006727	±2.5	PASS
Band4	1312	2	NV	-30	12.26	0.007160	±2.5	PASS
Band4	1312	2	NV	-20	12.85	0.007504	±2.5	PASS
Band4	1312	2	NV	-10	12.47	0.007282	±2.5	PASS
Band4	1312	2	NV	0	12.71	0.007422	±2.5	PASS
Band4	1312	2	NV	10	12.55	0.007329	±2.5	PASS
Band4	1312	2	NV	20	12.65	0.007387	±2.5	PASS
Band4	1312	2	NV	30	12.92	0.007545	±2.5	PASS
Band4	1312	2	NV	40	13.79	0.008053	±2.5	PASS
Band4	1312	2	NV	50	13.80	0.008059	±2.5	PASS
Band4	1312	3	NV	-30	12.58	0.007346	±2.5	PASS
Band4	1312	3	NV	-20	12.69	0.007411	±2.5	PASS
Band4	1312	3	NV	-10	12.32	0.007195	±2.5	PASS
Band4	1312	3	NV	0	13.99	0.008170	±2.5	PASS
Band4	1312	3	NV	10	13.14	0.007673	±2.5	PASS
Band4	1312	3	NV	20	15.11	0.008824	±2.5	PASS
Band4	1312	3	NV	30	13.57	0.007925	±2.5	PASS
Band4	1312	3	NV	40	14.27	0.008333	±2.5	PASS
Band4	1312	3	NV	50	14.98	0.008748	±2.5	PASS
Band4	1312	4	NV	-30	11.54	0.006739	±2.5	PASS
Band4	1312	4	NV	-20	12.66	0.007393	±2.5	PASS
Band4	1312	4	NV	-10	13.03	0.007609	±2.5	PASS
Band4	1312	4	NV	0	11.47	0.006698	±2.5	PASS
Band4	1312	4	NV	10	12.70	0.007416	±2.5	PASS

Band4	1312	4	NV	20	12.81	0.007481	±2.5	PASS
Band4	1312	4	NV	30	15.39	0.008987	±2.5	PASS
Band4	1312	4	NV	40	11.90	0.006949	±2.5	PASS
Band4	1312	4	NV	50	14.18	0.008281	±2.5	PASS
Band4	1312	5	NV	-30	13.36	0.007802	±2.5	PASS
Band4	1312	5	NV	-20	12.76	0.007452	±2.5	PASS
Band4	1312	5	NV	-10	13.84	0.008082	±2.5	PASS
Band4	1312	5	NV	0	14.33	0.008368	±2.5	PASS
Band4	1312	5	NV	10	14.47	0.008450	±2.5	PASS
Band4	1312	5	NV	20	13.67	0.007983	±2.5	PASS
Band4	1312	5	NV	30	12.60	0.007358	±2.5	PASS
Band4	1312	5	NV	40	14.94	0.008725	±2.5	PASS
Band4	1312	5	NV	50	14.07	0.008217	±2.5	PASS
Band4	1413	1	NV	-30	-2.13	-0.001229	±2.5	PASS
Band4	1413	1	NV	-20	-1.15	-0.000664	±2.5	PASS
Band4	1413	1	NV	-10	0.06	0.000035	±2.5	PASS
Band4	1413	1	NV	0	-1.29	-0.000745	±2.5	PASS
Band4	1413	1	NV	10	-1.95	-0.001125	±2.5	PASS
Band4	1413	1	NV	20	-0.40	-0.000231	±2.5	PASS
Band4	1413	1	NV	30	0.14	0.000081	±2.5	PASS
Band4	1413	1	NV	40	-0.69	-0.000398	±2.5	PASS
Band4	1413	1	NV	50	-0.40	-0.000231	±2.5	PASS
Band4	1413	2	NV	-30	-0.83	-0.000479	±2.5	PASS
Band4	1413	2	NV	-20	-0.89	-0.000514	±2.5	PASS
Band4	1413	2	NV	-10	0.39	0.000225	±2.5	PASS
Band4	1413	2	NV	0	-0.50	-0.000289	±2.5	PASS
Band4	1413	2	NV	10	-1.12	-0.000646	±2.5	PASS
Band4	1413	2	NV	20	-1.32	-0.000762	±2.5	PASS
Band4	1413	2	NV	30	-0.78	-0.000450	±2.5	PASS
Band4	1413	2	NV	40	-0.35	-0.000202	±2.5	PASS
Band4	1413	2	NV	50	-1.91	-0.001102	±2.5	PASS
Band4	1413	3	NV	-30	-2.18	-0.001258	±2.5	PASS
Band4	1413	3	NV	-20	-0.99	-0.000571	±2.5	PASS
Band4	1413	3	NV	-10	-0.11	-0.000063	±2.5	PASS
Band4	1413	3	NV	0	-0.59	-0.000341	±2.5	PASS
Band4	1413	3	NV	10	-0.29	-0.000167	±2.5	PASS
Band4	1413	3	NV	20	-1.30	-0.000750	±2.5	PASS
Band4	1413	3	NV	30	0.22	0.000127	±2.5	PASS
Band4	1413	3	NV	40	-1.13	-0.000652	±2.5	PASS
Band4	1413	3	NV	50	-0.25	-0.000144	±2.5	PASS
Band4	1413	4	NV	-30	-2.38	-0.001374	±2.5	PASS

Band4	1413	4	NV	-20	-1.51	-0.000872	±2.5	PASS
Band4	1413	4	NV	-10	-1.90	-0.001097	±2.5	PASS
Band4	1413	4	NV	0	-0.33	-0.000190	±2.5	PASS
Band4	1413	4	NV	10	-0.67	-0.000387	±2.5	PASS
Band4	1413	4	NV	20	-0.87	-0.000502	±2.5	PASS
Band4	1413	4	NV	30	0.01	0.000006	±2.5	PASS
Band4	1413	4	NV	40	0.44	0.000254	±2.5	PASS
Band4	1413	4	NV	50	-0.53	-0.000306	±2.5	PASS
Band4	1413	5	NV	-30	-1.36	-0.000785	±2.5	PASS
Band4	1413	5	NV	-20	0.64	0.000369	±2.5	PASS
Band4	1413	5	NV	-10	-0.22	-0.000127	±2.5	PASS
Band4	1413	5	NV	0	-0.79	-0.000456	±2.5	PASS
Band4	1413	5	NV	10	-1.31	-0.000756	±2.5	PASS
Band4	1413	5	NV	20	-0.07	-0.000040	±2.5	PASS
Band4	1413	5	NV	30	-0.12	-0.000069	±2.5	PASS
Band4	1413	5	NV	40	-0.78	-0.000450	±2.5	PASS
Band4	1413	5	NV	50	-0.80	-0.000462	±2.5	PASS
Band4	1513	1	NV	-30	-13.37	-0.007629	±2.5	PASS
Band4	1513	1	NV	-20	-12.96	-0.007395	±2.5	PASS
Band4	1513	1	NV	-10	-13.71	-0.007823	±2.5	PASS
Band4	1513	1	NV	0	-14.54	-0.008296	±2.5	PASS
Band4	1513	1	NV	10	-13.38	-0.007634	±2.5	PASS
Band4	1513	1	NV	20	-14.25	-0.008131	±2.5	PASS
Band4	1513	1	NV	30	-14.36	-0.008194	±2.5	PASS
Band4	1513	1	NV	40	-14.61	-0.008336	±2.5	PASS
Band4	1513	1	NV	50	-15.05	-0.008587	±2.5	PASS
Band4	1513	2	NV	-30	-12.38	-0.007064	±2.5	PASS
Band4	1513	2	NV	-20	-10.70	-0.006105	±2.5	PASS
Band4	1513	2	NV	-10	-13.27	-0.007572	±2.5	PASS
Band4	1513	2	NV	0	-12.88	-0.007349	±2.5	PASS
Band4	1513	2	NV	10	-14.18	-0.008091	±2.5	PASS
Band4	1513	2	NV	20	-11.80	-0.006733	±2.5	PASS
Band4	1513	2	NV	30	-13.43	-0.007663	±2.5	PASS
Band4	1513	2	NV	40	-14.00	-0.007988	±2.5	PASS
Band4	1513	2	NV	50	-13.03	-0.007435	±2.5	PASS
Band4	1513	3	NV	-30	-11.02	-0.006288	±2.5	PASS
Band4	1513	3	NV	-20	-13.27	-0.007572	±2.5	PASS
Band4	1513	3	NV	-10	-13.58	-0.007748	±2.5	PASS
Band4	1513	3	NV	0	-12.21	-0.006967	±2.5	PASS
Band4	1513	3	NV	10	-12.06	-0.006881	±2.5	PASS
Band4	1513	3	NV	20	-13.76	-0.007851	±2.5	PASS

Band4	1513	3	NV	30	-12.70	-0.007246	±2.5	PASS
Band4	1513	3	NV	40	-11.64	-0.006642	±2.5	PASS
Band4	1513	3	NV	50	-13.12	-0.007486	±2.5	PASS
Band4	1513	4	NV	-30	-10.65	-0.006077	±2.5	PASS
Band4	1513	4	NV	-20	-12.04	-0.006870	±2.5	PASS
Band4	1513	4	NV	-10	-11.95	-0.006818	±2.5	PASS
Band4	1513	4	NV	0	-11.72	-0.006687	±2.5	PASS
Band4	1513	4	NV	10	-12.37	-0.007058	±2.5	PASS
Band4	1513	4	NV	20	-12.06	-0.006881	±2.5	PASS
Band4	1513	4	NV	30	-12.75	-0.007275	±2.5	PASS
Band4	1513	4	NV	40	-13.36	-0.007623	±2.5	PASS
Band4	1513	4	NV	50	-13.01	-0.007423	±2.5	PASS
Band4	1513	5	NV	-30	-12.32	-0.007030	±2.5	PASS
Band4	1513	5	NV	-20	-10.88	-0.006208	±2.5	PASS
Band4	1513	5	NV	-10	-13.47	-0.007686	±2.5	PASS
Band4	1513	5	NV	0	-12.91	-0.007366	±2.5	PASS
Band4	1513	5	NV	10	-13.44	-0.007669	±2.5	PASS
Band4	1513	5	NV	20	-13.31	-0.007594	±2.5	PASS
Band4	1513	5	NV	30	-13.41	-0.007651	±2.5	PASS
Band4	1513	5	NV	40	-13.52	-0.007714	±2.5	PASS
Band4	1513	5	NV	50	-12.38	-0.007064	±2.5	PASS

----- THE END -----