


## Appendix-C Field Strength of Spurious Radiation

For LTE Cat M:


Project Information			
Mode:	Cat M1	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.60	110.78	-95.06	15.72	-	-	Horizontal	NA
2	2956.00	40.45	-90.50	-50.05	-13.00	37.05	Horizontal	PASS
3	3743.00	45.28	-107.43	-62.15	-13.00	49.15	Horizontal	PASS
4	17345.50	32.50	-82.60	-50.10	-13.00	37.10	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.60	115.40	-95.06	20.34	-	-	Vertical	NA
2	1963.50	46.79	-94.65	-47.86	-	-	Vertical	NA
3	2049.60	52.65	-94.76	-42.11	-13.00	29.11	Vertical	PASS
4	3743.00	48.69	-107.43	-58.74	-13.00	45.74	Vertical	PASS
5	17345.00	32.96	-82.62	-49.66	-13.00	36.66	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1573.90	49.32	-94.87	-45.55	-13.00	32.55	Horizontal	PASS
2	1724.10	113.93	-95.01	18.92	-	-	Horizontal	NA
3	3448.00	46.07	-107.30	-61.23	-13.00	48.23	Horizontal	PASS
4	17346.00	32.68	-82.58	-49.90	-13.00	36.90	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1573.90	52.85	-94.87	-42.02	-13.00	29.02	Vertical	PASS
2	1723.90	115.03	-95.01	20.02	-	-	Vertical	NA
3	2139.90	45.01	-94.68	-49.67	-	-	Vertical	NA
4	3448.00	48.73	-107.30	-58.57	-13.00	45.57	Vertical	PASS
5	5172.00	42.84	-102.06	-59.22	-13.00	46.22	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.80	56.14	-114.12	-57.98	-13.00	44.98	Horizontal	PASS
2	2496.80	62.65	-111.38	-48.73	-13.00	35.73	Horizontal	PASS
3	3329.20	44.17	-108.29	-64.12	-13.00	51.12	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.80	61.12	-114.12	-53.00	-13.00	40.00	Vertical	PASS
2	2496.80	64.79	-111.38	-46.59	-13.00	33.59	Vertical	PASS
3	3329.20	45.36	-108.29	-62.93	-13.00	49.93	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.80	54.33	-114.34	-60.01	-13.00	47.01	Horizontal	PASS
2	2110.00	54.11	-113.21	-59.10	-13.00	46.10	Horizontal	PASS
3	2813.20	48.54	-109.81	-61.27	-13.00	48.27	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			


**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1010.40	59.64	-113.05	-53.41	-13.00	40.41	Vertical	PASS
2	1406.40	62.15	-114.33	-52.18	-13.00	39.18	Vertical	PASS
3	2109.60	55.16	-113.21	-58.05	-13.00	45.05	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	MPY24HF4W000337	Engineer:	Ou Shuyan
Remark:	-		

Test Standard:

## Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1560.00	66.23	-114.09	-47.86	-40.00	7.86	RMS	Horizontal	PASS
2	2340.50	60.45	-112.43	-51.98	-13.00	38.98	RMS	Horizontal	PASS
3	3120.77	49.42	-108.53	-59.11	-13.00	46.11	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	MPY24HF4W000337	Engineer:	Ou Shuyan
Remark:	-		


Test Standard:

## Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1560.23	68.64	-114.09	-45.45	-40.00	5.45	RMS	Vertical	PASS
2	2340.73	62.08	-112.44	-50.36	-13.00	37.36	RMS	Vertical	PASS
3	3122.17	55.99	-108.51	-52.52	-13.00	39.52	RMS	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	65.49	-114.07	-48.58	-13.00	35.58	Horizontal	PASS
2	2333.50	63.41	-112.39	-48.98	-13.00	35.98	Horizontal	PASS
3	3110.97	53.25	-108.58	-55.33	-13.00	42.33	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.57	70.85	-114.07	-43.22	-13.00	30.22	Vertical	PASS
2	2333.27	68.39	-112.39	-44.00	-13.00	31.00	Vertical	PASS
3	3111.20	56.96	-108.58	-51.62	-13.00	38.62	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.80	100.96	-84.97	15.99	-	-	Horizontal	NA
2	2961.00	36.17	-79.96	-43.79	-13.00	30.79	Horizontal	PASS
3	3748.00	42.98	-107.42	-64.44	-13.00	51.44	Horizontal	PASS
4	17357.00	33.00	-82.67	-49.67	-13.00	36.67	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.80	104.97	-84.97	20.00	-	-	Vertical	NA
2	2976.80	35.75	-79.93	-44.18	-13.00	31.18	Vertical	PASS
3	3747.50	49.54	-107.42	-57.88	-13.00	44.88	Vertical	PASS
4	17349.00	31.97	-82.44	-50.47	-13.00	37.47	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.60	64.00	-114.17	-50.17	-13.00	37.17	Horizontal	PASS
2	2444.40	66.71	-111.24	-44.53	-13.00	31.53	Horizontal	PASS
3	3259.20	50.42	-108.44	-58.02	-13.00	45.02	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.60	68.38	-114.17	-45.79	-13.00	32.79	Vertical	PASS
2	2444.40	67.99	-111.24	-43.25	-13.00	30.25	Vertical	PASS
3	3259.20	51.53	-108.44	-56.91	-13.00	43.91	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.80	58.35	-114.12	-55.77	-13.00	42.77	Horizontal	PASS
2	2496.80	65.16	-111.38	-46.22	-13.00	33.22	Horizontal	PASS
3	3329.20	46.22	-108.29	-62.07	-13.00	49.07	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	62.79	-114.12	-51.33	-13.00	38.33	Vertical	PASS
2	2496.80	65.15	-111.38	-46.23	-13.00	33.23	Vertical	PASS
3	3328.80	47.19	-108.29	-61.10	-13.00	48.10	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.40	101.75	-85.18	16.57	-	-	Horizontal	NA
2	2967.20	35.41	-79.93	-44.52	-13.00	31.52	Horizontal	PASS
3	3473.00	48.31	-107.13	-58.82	-13.00	45.82	Horizontal	PASS
4	17358.00	32.72	-82.71	-49.99	-13.00	36.99	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.40	104.50	-85.18	19.32	-	-	Vertical	NA
2	2986.40	36.07	-80.09	-44.02	-13.00	31.02	Vertical	PASS
3	3472.00	50.31	-107.15	-56.84	-13.00	43.84	Vertical	PASS

Project Information			
Mode:	Cat M1	Band:	85
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1405.65	58.47	-114.33	-55.86	-13.00	42.86	Horizontal	PASS
2	2108.45	55.76	-113.21	-57.45	-13.00	44.45	Horizontal	PASS
3	2811.25	52.97	-109.82	-56.85	-13.00	43.85	Horizontal	PASS

Project Information			
Mode:	Cat M1	Band:	85
Bandwidth:	10MHz	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:			


**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1405.65	62.47	-114.33	-51.86	-13.00	38.86	Vertical	PASS
2	2108.45	55.87	-113.21	-57.34	-13.00	44.34	Vertical	PASS
3	2811.25	49.22	-109.82	-60.60	-13.00	47.60	Vertical	PASS

## For LTE NB-IoT:


Project Information			
Mode:	NB-IoT	Band:	2
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

## Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.90	110.80	-95.02	15.78	-	-	Horizontal	NA
2	2925.30	40.14	-90.48	-50.34	-13.00	37.34	Horizontal	PASS
3	3760.00	47.89	-107.25	-59.36	-13.00	46.36	Horizontal	PASS
4	17334.00	33.12	-83.14	-50.02	-13.00	37.02	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	2
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.90	115.42	-95.02	20.40	-	-	Vertical	NA
2	2951.50	40.26	-90.46	-50.20	-13.00	37.20	Vertical	PASS
3	3760.00	54.23	-107.25	-53.02	-13.00	40.02	Vertical	PASS
4	17348.50	32.27	-82.47	-50.20	-13.00	37.20	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	4
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	113.19	-94.95	18.24	-	-	Horizontal	NA
2	2132.20	45.92	-94.69	-48.77	-	-	Horizontal	NA
3	2929.40	40.41	-90.47	-50.06	-13.00	37.06	Horizontal	PASS
4	3465.00	49.28	-107.19	-57.91	-13.00	44.91	Horizontal	PASS
5	17362.50	32.82	-82.89	-50.07	-13.00	37.07	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	4
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	114.44	-94.95	19.49	-	-	Vertical	NA
2	2132.50	57.53	-94.69	-37.16	-	-	Vertical	NA
3	2937.70	40.45	-90.45	-50.00	-13.00	37.00	Vertical	PASS
4	3465.00	52.51	-107.19	-54.68	-13.00	41.68	Vertical	PASS
5	17350.00	32.36	-82.40	-50.04	-13.00	37.04	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	5
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.80	49.01	-114.14	-65.13	-13.00	52.13	Horizontal	PASS
2	2450.00	48.69	-111.11	-62.42	-13.00	49.42	Horizontal	PASS
3	3853.20	39.69	-106.32	-66.63	-13.00	53.63	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	5
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	55.98	-114.14	-58.16	-13.00	45.16	Vertical	PASS
2	2450.40	46.14	-111.11	-64.97	-13.00	51.97	Vertical	PASS
3	3525.20	41.84	-107.58	-65.74	-13.00	52.74	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	12
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.75	44.33	-114.36	-70.03	-13.00	57.03	Horizontal	PASS
2	2122.10	50.53	-113.21	-62.68	-13.00	49.68	Horizontal	PASS
3	2829.45	46.13	-109.65	-63.52	-13.00	50.52	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	12
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph**


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1415.10	48.65	-114.36	-65.71	-13.00	52.71	Vertical	PASS
2	2122.10	49.32	-113.21	-63.89	-13.00	50.89	Vertical	PASS
3	2830.15	47.37	-109.65	-62.28	-13.00	49.28	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1564.20	59.82	-114.12	-54.30	-40.00	14.30	Horizontal	PASS
2	2345.63	54.52	-112.46	-57.94	-13.00	44.94	Horizontal	PASS
3	3128.23	48.60	-108.48	-59.88	-13.00	46.88	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	3.75		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	65.28	-114.11	-48.83	-40.00	8.83	Vertical	PASS
2	2346.10	56.95	-112.47	-55.52	-13.00	42.52	Vertical	PASS
3	3127.53	52.94	-108.49	-55.55	-13.00	42.55	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	63.67	-114.11	-50.44	-40.00	10.44	Horizontal	PASS
2	2345.87	60.86	-112.47	-51.61	-13.00	38.61	Horizontal	PASS
3	3127.53	51.52	-108.49	-56.97	-13.00	43.97	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	68.21	-114.11	-45.90	-40.00	5.90	Vertical	PASS
2	2345.87	64.65	-112.47	-47.82	-13.00	34.82	Vertical	PASS
3	3127.53	56.63	-108.49	-51.86	-13.00	38.86	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	25
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1882.50	110.04	-95.00	15.04	-	-	Horizontal	NA
2	1962.70	50.22	-94.64	-44.42	-	-	Horizontal	NA
3	2854.60	40.80	-90.80	-50.00	-13.00	37.00	Horizontal	PASS
4	3765.00	47.22	-107.17	-59.95	-13.00	46.95	Horizontal	PASS
5	17357.00	32.41	-82.67	-50.26	-13.00	37.26	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	25
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1613.60	51.62	-95.13	-43.51	-13.00	30.51	Vertical	PASS
2	1882.40	114.86	-95.01	19.85	-	-	Vertical	NA
3	1962.60	59.56	-94.64	-35.08	-	-	Vertical	NA
4	2973.90	40.56	-90.68	-50.12	-13.00	37.12	Vertical	PASS
5	3764.50	52.47	-107.17	-54.70	-13.00	41.70	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	66
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.90	114.78	-94.80	19.98	-	-	Horizontal	NA
2	2154.80	46.46	-94.65	-48.19	-	-	Horizontal	NA
3	2996.00	40.91	-90.90	-49.99	-13.00	36.99	Horizontal	PASS
4	3510.00	46.85	-107.10	-60.25	-13.00	47.25	Horizontal	PASS
5	17848.50	32.43	-82.48	-50.05	-13.00	37.05	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	66
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1486.10	54.22	-95.13	-40.91	-13.00	27.91	Vertical	PASS
2	1754.90	113.49	-94.80	18.69	-	-	Vertical	NA
3	2155.00	60.00	-94.65	-34.65	-	-	Vertical	NA
4	3510.00	48.31	-107.10	-58.79	-13.00	45.79	Vertical	PASS
5	5264.50	40.87	-101.95	-61.08	-13.00	48.08	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	85
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.70	50.06	-114.35	-64.29	-13.00	51.29	Horizontal	PASS
2	2120.70	54.32	-113.21	-58.89	-13.00	45.89	Horizontal	PASS
3	2827.70	50.55	-109.67	-59.12	-13.00	46.12	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	85
Bandwidth:	-	Channel:	Mid
SN:	MPY24HF4W006386	Engineer:	Ou Shuyan
Remark:	15KHz		

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1014.00	58.80	-113.16	-54.36	-13.00	41.36	Vertical	PASS
2	1413.70	54.84	-114.35	-59.51	-13.00	46.51	Vertical	PASS
3	2120.70	53.01	-113.21	-60.20	-13.00	47.20	Vertical	PASS

~The End~