







11AC40_40M_5510




11AC40_40M_5670




11AC40_40M_5710




11AC40_40M_5755




11AC40_40M_5795




11AC80_80M_5290




11AC80_80M_5210




11AC80_80M_5530




11AC80_80M_5690




11AC80_80M_5610



11AC80_80M_5775



/



/

Test Result_Spurious Emission

Note1: Test result Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier the Emissions in the frequency band 9kHz-30MHz and 18GHz-26.5GHz are more than 20dB below the limit are not reported.

Note2: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5180	10360	38.16	53.57	15.41	68.20	14.63	V	PK
	15540	33.97	53.95	19.98	74.00	20.05	H	PK
	10360	28.45	43.86	15.41	--	--	V	AV
	15540	22.65	42.63	19.98	54.00	11.37	V	AV
11A_20M_5220	10440	37.57	53.11	15.54	68.20	15.09	V	PK
	15660	33.38	53.51	20.13	74.00	20.49	H	PK
	10440	28.29	43.83	15.54	--	--	V	AV
	15660	22.58	42.71	20.13	54.00	11.29	H	AV
11A_20M_5240	10480	38.75	54.47	15.72	68.20	13.73	V	PK
	15720	33.73	54.08	20.35	74.00	19.92	H	PK
	10480	27.97	43.69	15.72	--	--	V	AV
	15720	22.73	43.08	20.35	54.00	10.92	H	AV
11A_20M_5260	10520	38.36	54.22	15.86	68.20	13.98	V	PK
	15780	33.64	54.39	20.75	74.00	19.61	V	PK
	10520	27.81	43.67	15.86	--	--	V	AV
	15780	22.87	43.62	20.75	54.00	10.38	H	AV
11A_20M_5300	10600	38.41	54.40	15.99	68.20	13.80	V	PK
	15900	32.87	53.79	20.92	74.00	20.21	H	PK
	10600	27.86	43.85	15.99	--	--	V	AV
	15900	22.48	43.40	20.92	54.00	10.60	H	AV
11A_20M_5320	2460.6666	50.03	50.64	0.61	68.20	17.56	V	PK
	10640	38.58	54.31	15.73	74.00	19.69	V	PK

	15960	33.83	54.89	21.06	74.00	19.11	H	PK
	2460.6666	43.76	44.37	0.61	--	--	V	AV
	10640	28.34	44.07	15.73	54.00	9.93	V	AV
	15960	22.77	43.83	21.06	54.00	10.17	H	AV
11A_20M_5500	11001.666	40.68	56.10	15.42	74.00	17.90	V	PK
	16500	33.37	55.41	22.04	68.20	12.79	V	PK
	11001.666	29.66	45.08	15.42	54.00	8.92	V	AV
	16500	22.89	44.93	22.04	--	--	V	AV
11A_20M_5580	11160	44.20	59.56	15.36	74.00	14.44	V	PK
	16740	35.27	58.15	22.88	68.20	10.05	V	PK
	11160	33.80	49.16	15.36	54.00	4.84	V	AV
	16740	24.41	47.29	22.88	--	--	V	AV
11A_20M_5700	11400	40.03	55.99	15.96	74.00	18.01	V	PK
	17100	35.17	59.63	24.46	68.20	8.57	V	PK
	11400	29.83	45.79	15.96	54.00	8.21	V	AV
	17100	24.30	48.76	24.46	--	--	V	AV
11A_20M_5720	11440	39.50	55.19	15.69	74.00	18.81	V	PK
	17160	33.78	57.81	24.03	68.20	10.39	V	PK
	11440	30.01	45.70	15.69	54.00	8.30	V	AV
	17160	24.13	48.16	24.03	--	--	V	AV
11A_20M_5745	11490	39.69	55.06	15.37	74.00	18.94	V	PK
	17235	33.06	57.07	24.01	68.20	11.13	V	PK
	11490	29.53	44.90	15.37	54.00	9.10	V	AV
	17235	22.91	46.92	24.01	--	--	V	AV
11A_20M_5785	11570	40.47	55.91	15.44	74.00	18.09	V	PK
	17355	33.75	58.52	24.77	68.20	9.68	V	PK
	11570	29.45	44.89	15.44	54.00	9.11	V	AV
	17355	22.70	47.47	24.77	--	--	H	AV
11A_20M_5825	11650	36.90	52.44	15.54	74.00	21.56	V	PK

	17475	33.91	58.79	24.88	68.20	9.41	H	PK
	11650	27.62	43.16	15.54	54.00	10.84	V	AV
	17475	23.15	48.03	24.88	--	--	V	AV
11N20_20M_5180	10360	38.21	53.62	15.41	68.20	14.58	V	PK
	15540	34.68	54.66	19.98	74.00	19.34	V	PK
	10360	27.63	43.04	15.41	--	--	V	AV
	15540	22.73	42.71	19.98	54.00	11.29	H	AV
11N20_20M_5220	10440	38.59	54.13	15.54	68.20	14.07	V	PK
	15660	34.13	54.26	20.13	74.00	19.74	H	PK
	10440	27.61	43.15	15.54	--	--	V	AV
	15660	22.85	42.98	20.13	54.00	11.02	V	AV
11N20_20M_5240	10480	39.22	54.94	15.72	68.20	13.26	V	PK
	15720	32.78	53.13	20.35	74.00	20.87	H	PK
	10480	27.78	43.50	15.72	--	--	V	AV
	15720	22.43	42.78	20.35	54.00	11.22	V	AV
11N20_20M_5260	10520	38.80	54.66	15.86	68.20	13.54	V	PK
	15780	33.02	53.77	20.75	74.00	20.23	V	PK
	10520	27.83	43.69	15.86	--	--	V	AV
	15780	22.93	43.68	20.75	54.00	10.32	V	AV
11N20_20M_5300	10600	36.95	52.94	15.99	68.20	15.26	V	PK
	15900	33.41	54.33	20.92	74.00	19.67	H	PK
	10600	27.47	43.46	15.99	--	--	V	AV
	15900	22.51	43.43	20.92	54.00	10.57	V	AV
11N20_20M_5320	10640	36.72	52.45	15.73	74.00	21.55	V	PK
	15960	33.55	54.61	21.06	74.00	19.39	V	PK
	10640	27.48	43.21	15.73	54.00	10.79	V	AV
	15960	22.85	43.91	21.06	54.00	10.09	H	AV
11N20_20M_5500	11000	37.59	53.00	15.41	74.00	21.00	V	PK
	16500	33.25	55.29	22.04	68.20	12.91	H	PK

	11000	27.93	43.34	15.41	54.00	10.66	V	AV
	16500	23.00	45.04	22.04	--	--	V	AV
11N20_20M_5580	11160	42.83	58.19	15.36	74.00	15.81	V	PK
	16740	34.57	57.45	22.88	68.20	10.75	V	PK
	11160	32.47	47.83	15.36	54.00	6.17	V	AV
	16740	24.45	47.33	22.88	--	--	V	AV
11N20_20M_5700	11400	40.57	56.53	15.96	74.00	17.47	V	PK
	17100	34.14	58.60	24.46	68.20	9.60	V	PK
	11400	30.01	45.97	15.96	54.00	8.03	V	AV
	17100	23.94	48.40	24.46	--	--	V	AV
11N20_20M_5720	11440	40.73	56.42	15.69	74.00	17.58	V	PK
	17160	34.20	58.23	24.03	68.20	9.97	V	PK
	11440	30.04	45.73	15.69	54.00	8.27	V	AV
	17160	24.12	48.15	24.03	--	--	V	AV
11N20_20M_5745	11490	40.48	55.85	15.37	74.00	18.15	V	PK
	17235	33.20	57.21	24.01	68.20	10.99	H	PK
	11490	29.10	44.47	15.37	54.00	9.53	V	AV
	17235	22.76	46.77	24.01	--	--	V	AV
11N20_20M_5785	11570	39.35	54.79	15.44	74.00	19.21	V	PK
	17355	32.24	57.01	24.77	68.20	11.19	V	PK
	11570	28.08	43.52	15.44	54.00	10.48	V	AV
	17355	22.19	46.96	24.77	--	--	V	AV
11N20_20M_5825	11650	37.89	53.43	15.54	74.00	20.57	V	PK
	17475	34.06	58.94	24.88	68.20	9.26	V	PK
	11650	26.06	41.60	15.54	54.00	12.40	V	AV
	17475	22.66	47.54	24.88	--	--	H	AV
11AC40_40M_5190	10380	36.41	51.79	15.38	68.20	16.41	V	PK
	15570	34.13	54.13	20.00	74.00	19.87	H	PK
	10380	26.14	41.52	15.38	--	--	V	AV

	15570	22.78	42.78	20.00	54.00	11.22	V	AV
11AC40_40M_5230	10460	35.92	51.55	15.63	68.20	16.65	V	PK
	15690	34.14	54.33	20.19	74.00	19.67	V	PK
	10460	26.62	42.25	15.63	--	--	V	AV
	15690	22.43	42.62	20.19	54.00	11.38	H	AV
11AC40_40M_5270	10540	36.43	52.32	15.89	68.20	15.88	V	PK
	15810	33.85	54.74	20.89	74.00	19.26	H	PK
	10540	26.50	42.39	15.89	--	--	V	AV
	15810	23.08	43.97	20.89	54.00	10.03	V	AV
11AC40_40M_5310	10620	36.20	52.06	15.86	74.00	21.94	V	PK
	15930	33.36	54.36	21.00	74.00	19.64	H	PK
	10620	27.04	42.90	15.86	54.00	11.10	V	AV
	15930	22.86	43.86	21.00	54.00	10.14	V	AV
11AC40_40M_5510	11020	40.60	56.10	15.50	74.00	17.90	V	PK
	16530	33.19	55.37	22.18	68.20	12.83	V	PK
	11020	29.86	45.36	15.50	54.00	8.64	V	AV
	16530	23.04	45.22	22.18	--	--	V	AV
11AC40_40M_5670	11340	40.54	56.05	15.51	74.00	17.95	V	PK
	17010	32.09	56.81	24.72	68.20	11.39	V	PK
	11340	30.95	46.46	15.51	54.00	7.54	V	AV
	17010	21.79	46.51	24.72	--	--	V	AV
11AC40_40M_5710	11420	38.52	54.35	15.83	74.00	19.65	V	PK
	17130	33.10	57.35	24.25	68.20	10.85	V	PK
	11420	28.73	44.56	15.83	54.00	9.44	V	AV
	17130	22.47	46.72	24.25	--	--	V	AV
11AC40_40M_5755	11510	37.16	52.49	15.33	74.00	21.51	V	PK
	17265	33.21	57.39	24.18	68.20	10.81	V	PK
	11510	28.44	43.77	15.33	54.00	10.23	V	AV
	17265	22.38	46.56	24.18	--	--	V	AV


11AC40_40M_5795	11590	37.77	53.24	15.47	74.00	20.76	V	PK
	17385	32.46	57.46	25.00	68.20	10.74	V	PK
	11590	28.11	43.58	15.47	54.00	10.42	V	AV
	17385	22.24	47.24	25.00	--	--	V	AV
11AC80_80M_5210	10420	34.49	49.94	15.45	68.20	18.26	V	PK
	15630	33.27	53.34	20.07	74.00	20.66	H	PK
	10420	24.52	39.97	15.45	--	--	V	AV
	15630	22.63	42.70	20.07	54.00	11.30	V	AV
11AC80_80M_5290	10580	35.35	51.30	15.95	68.20	16.90	V	PK
	15870	33.28	54.18	20.90	74.00	19.82	V	PK
	10580	24.55	40.50	15.95	--	--	V	AV
	15870	22.57	43.47	20.90	54.00	10.53	V	AV
11AC80_80M_5530	11060	36.98	52.67	15.69	74.00	21.33	V	PK
	16590	33.40	55.88	22.48	68.20	12.32	V	PK
	11060	25.74	41.43	15.69	54.00	12.57	V	AV
	16590	22.95	45.43	22.48	--	--	V	AV
11AC80_80M_5610	11220	37.21	52.28	15.07	74.00	21.72	V	PK
	16830	33.31	56.70	23.39	68.20	11.50	V	PK
	11220	26.10	41.17	15.07	54.00	12.83	V	AV
	16830	22.82	46.21	23.39	--	--	H	AV
11AC80_80M_5690	11380	34.69	50.50	15.81	74.00	23.50	V	PK
	17070	33.63	58.18	24.55	68.20	10.02	V	PK
	11380	25.59	41.40	15.81	54.00	12.60	V	AV
	17070	21.80	46.35	24.55	--	--	V	AV
11AC80_80M_5775	11550	35.21	50.61	15.40	74.00	23.39	V	PK
	17325	32.59	57.14	24.55	68.20	11.06	V	PK
	11550	24.88	40.28	15.40	54.00	13.72	V	AV
	17325	22.22	46.77	24.55	--	--	H	AV

Data List


Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5580	49.607359	35.33	20.26	-15.07	40.00	19.74	V	QP
	61.280036	35.49	18.91	-16.58	40.00	21.09	V	QP
	190.26337	25.13	9.19	-15.94	43.50	34.31	V	QP
	392.433152	24.29	12.98	-11.31	46.00	33.02	H	QP
	616.439891	24.60	16.29	-8.31	46.00	29.71	H	QP
	966.26837	23.30	20.70	-2.60	54.00	33.30	V	QP

Test Graphs_Spurious Emission


11A_20M_5180




11A_20M_5220



11A_20M_5240




11A_20M_5260




11A_20M_5300


11A_20M_5320




11A_20M_5500




11A_20M_5580




11A_20M_5700




11A_20M_5720




11A_20M_5745




11A_20M_5785




11A_20M_5825




11N20_20M_5180




11N20_20M_5220




11N20_20M_5240




11N20_20M_5260




11N20_20M_5300




11N20_20M_5320




11N20_20M_5500




11N20_20M_5580




11N20_20M_5700




11N20_20M_5720




11N20_20M_5745




11N20_20M_5785




11N20_20M_5825




11AC40_40M_5190




11AC40_40M_5230




11AC40_40M_5270




11AC40_40M_5310




11AC40_40M_5510




11AC40_40M_5670




11AC40_40M_5710




11AC40_40M_5755




11AC40_40M_5795




11AC80_80M_5210




11AC80_80M_5290




11AC80_80M_5530




11AC80_80M_5610




11AC80_80M_5690



11AC80_80M_5775



11A_20M_5580



ANNEX C: The EUT Appearance

The EUT Appearance (internal and external photographs) are submitted separately.