


## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 100       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5501.17     | 33.10          | 14.68       | 47.78          | -              | -           | Horizontal | NA      |
| 2   | 7395.50     | 37.47          | -0.35       | 37.12          | 54.00          | 16.88       | Horizontal | PASS    |
| 3   | 11982.62    | 35.28          | 5.15        | 40.43          | 54.00          | 13.57       | Horizontal | PASS    |
| 4   | 17858.55    | 32.01          | 13.88       | 45.89          | 54.00          | 8.11        | Horizontal | PASS    |
| 5   | 5504.28     | 38.79          | 14.67       | 53.46          | -              | -           | Horizontal | NA      |
| 6   | 6361.21     | 34.83          | 17.06       | 51.89          | 68.20          | 16.31       | Horizontal | PASS    |
| 7   | 12249.04    | 42.02          | 5.37        | 47.39          | 74.00          | 26.61       | Horizontal | PASS    |
| 8   | 17856.63    | 39.36          | 13.90       | 53.26          | 74.00          | 20.74       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 100       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5500.80     | 38.45          | 14.68       | 53.13          | -              | -           | Vertical | NA      |
| 2   | 8351.18     | 36.93          | 1.09        | 38.02          | 54.00          | 15.98       | Vertical | PASS    |
| 3   | 11002.02    | 36.27          | 5.01        | 41.28          | 54.00          | 12.72       | Vertical | PASS    |
| 4   | 17843.98    | 32.82          | 13.74       | 46.56          | 54.00          | 7.44        | Vertical | PASS    |
| 5   | 5500.43     | 44.09          | 14.68       | 58.77          | -              | -           | Vertical | NA      |
| 6   | 6358.83     | 34.91          | 17.09       | 52.00          | 68.20          | 16.20       | Vertical | PASS    |
| 7   | 11439.80    | 42.41          | 5.14        | 47.55          | 74.00          | 26.45       | Vertical | PASS    |
| 8   | 17546.12    | 40.72          | 11.88       | 52.60          | 68.20          | 15.60       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 120       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7466.80     | 38.25          | -1.49       | 36.76          | 54.00          | 17.24       | Horizontal | PASS    |
| 2   | 11363.90    | 36.01          | 5.13        | 41.14          | 54.00          | 12.86       | Horizontal | PASS    |
| 3   | 17857.40    | 32.18          | 13.89       | 46.07          | 54.00          | 7.93        | Horizontal | PASS    |
| 4   | 6486.62     | 35.87          | 17.10       | 52.97          | 68.20          | 15.23       | Horizontal | PASS    |
| 5   | 10931.86    | 42.30          | 5.00        | 47.30          | 74.00          | 26.70       | Horizontal | PASS    |
| 6   | 17983.90    | 39.62          | 13.56       | 53.18          | 74.00          | 20.82       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 120       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5596.87     | 35.60          | 14.73       | 50.33          | -              | -           | Vertical | NA      |
| 2   | 8386.83     | 37.88          | 0.96        | 38.84          | 54.00          | 15.16       | Vertical | PASS    |
| 3   | 12047.40    | 35.56          | 5.42        | 40.98          | 54.00          | 13.02       | Vertical | PASS    |
| 4   | 17855.10    | 32.76          | 13.92       | 46.68          | 54.00          | 7.32        | Vertical | PASS    |
| 5   | 5596.69     | 42.31          | 14.73       | 57.04          | -              | -           | Vertical | NA      |
| 6   | 6353.51     | 34.59          | 17.17       | 51.76          | 68.20          | 16.44       | Vertical | PASS    |
| 7   | 12101.45    | 43.17          | 5.17        | 48.34          | 74.00          | 25.66       | Vertical | PASS    |
| 8   | 17990.80    | 39.55          | 13.65       | 53.20          | 74.00          | 20.80       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7395.88     | 37.77          | -0.35       | 37.42          | 54.00          | 16.58       | Horizontal | PASS    |
| 2   | 11400.31    | 37.90          | 5.39        | 43.29          | 54.00          | 10.71       | Horizontal | PASS    |
| 3   | 17996.17    | 32.70          | 13.73       | 46.43          | 54.00          | 7.57        | Horizontal | PASS    |
| 4   | 6362.68     | 35.04          | 17.03       | 52.07          | 68.20          | 16.13       | Horizontal | PASS    |
| 5   | 11401.85    | 44.25          | 5.38        | 49.63          | 74.00          | 24.37       | Horizontal | PASS    |
| 6   | 17847.81    | 39.10          | 13.90       | 53.00          | 74.00          | 21.00       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | -               | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5705.04     | 37.14          | 14.90       | 52.04          | -              | -           | Vertical | NA      |
| 2   | 7600.20     | 42.81          | -0.92       | 41.89          | 54.00          | 12.11       | Vertical | PASS    |
| 3   | 11400.31    | 39.87          | 5.39        | 45.26          | 54.00          | 8.74        | Vertical | PASS    |
| 4   | 17992.33    | 32.51          | 13.68       | 46.19          | 54.00          | 7.81        | Vertical | PASS    |
| 5   | 5700.46     | 42.39          | 14.89       | 57.28          | -              | -           | Vertical | NA      |
| 6   | 7599.82     | 46.75          | -0.92       | 45.83          | 74.00          | 28.17       | Vertical | PASS    |
| 7   | 11400.70    | 46.12          | 5.39        | 51.51          | 74.00          | 22.49       | Vertical | PASS    |
| 8   | 17826.34    | 39.87          | 12.98       | 52.85          | 74.00          | 21.15       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 149       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7637.00     | 37.75          | -0.94       | 36.81          | 54.00          | 17.19       | Horizontal | PASS    |
| 2   | 11492.70    | 38.68          | 4.85        | 43.53          | 54.00          | 10.47       | Horizontal | PASS    |
| 3   | 17862.00    | 32.36          | 13.83       | 46.19          | 54.00          | 7.81        | Horizontal | PASS    |
| 4   | 6355.90     | 35.00          | 17.06       | 52.06          | 68.20          | 16.14       | Horizontal | PASS    |
| 5   | 11492.70    | 45.98          | 4.85        | 50.83          | 74.00          | 23.17       | Horizontal | PASS    |
| 6   | 17811.78    | 40.23          | 12.36       | 52.59          | 74.00          | 21.41       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 149       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7660.01     | 38.30          | -0.88       | 37.42          | 54.00          | 16.58       | Vertical | PASS    |
| 2   | 11486.95    | 40.67          | 4.87        | 45.54          | 54.00          | 8.46        | Vertical | PASS    |
| 3   | 17842.83    | 32.58          | 13.69       | 46.27          | 54.00          | 7.73        | Vertical | PASS    |
| 4   | 6354.80     | 36.29          | 17.07       | 53.36          | 68.20          | 14.84       | Vertical | PASS    |
| 5   | 11487.72    | 46.71          | 4.87        | 51.58          | 74.00          | 22.42       | Vertical | PASS    |
| 6   | 17860.08    | 39.15          | 13.86       | 53.01          | 74.00          | 20.99       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 157       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7469.87     | 38.33          | -1.46       | 36.87          | 54.00          | 17.13       | Horizontal | PASS    |
| 2   | 11567.45    | 36.92          | 5.19        | 42.11          | 54.00          | 11.89       | Horizontal | PASS    |
| 3   | 17865.06    | 32.41          | 13.79       | 46.20          | 54.00          | 7.80        | Horizontal | PASS    |
| 4   | 6498.90     | 34.67          | 17.46       | 52.13          | 68.20          | 16.07       | Horizontal | PASS    |
| 5   | 11567.45    | 43.31          | 5.19        | 48.50          | 74.00          | 25.50       | Horizontal | PASS    |
| 6   | 17883.08    | 39.51          | 13.56       | 53.07          | 74.00          | 20.93       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 157       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5789.19     | 33.96          | 15.68       | 49.64          | -              | -           | Vertical | NA      |
| 2   | 7579.50     | 38.30          | -0.88       | 37.42          | 54.00          | 16.58       | Vertical | PASS    |
| 3   | 11567.07    | 37.65          | 5.18        | 42.83          | 54.00          | 11.17       | Vertical | PASS    |
| 4   | 17860.08    | 32.04          | 13.86       | 45.90          | 54.00          | 8.10        | Vertical | PASS    |
| 5   | 5789.19     | 40.08          | 15.68       | 55.76          | -              | -           | Vertical | NA      |
| 6   | 6390.00     | 35.23          | 16.64       | 51.87          | 68.20          | 16.33       | Vertical | PASS    |
| 7   | 11571.29    | 45.21          | 5.25        | 50.46          | 74.00          | 23.54       | Vertical | PASS    |
| 8   | 17888.06    | 39.49          | 13.50       | 52.99          | 74.00          | 21.01       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 165       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 7412.75     | 37.21          | -0.62       | 36.59          | 54.00          | 17.41       | Horizontal | PASS    |
| 2   | 11648.72    | 37.35          | 4.16        | 41.51          | 54.00          | 12.49       | Horizontal | PASS    |
| 3   | 17888.45    | 32.57          | 13.49       | 46.06          | 54.00          | 7.94        | Horizontal | PASS    |
| 4   | 6353.33     | 34.84          | 17.09       | 51.93          | 68.20          | 16.27       | Horizontal | PASS    |
| 5   | 11647.57    | 43.46          | 4.19        | 47.65          | 74.00          | 26.35       | Horizontal | PASS    |
| 6   | 17390.86    | 41.23          | 12.10       | 53.33          | 68.20          | 14.87       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-3   |
| Bandwidth | -               | Channel   | 165       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5821.46     | 38.03          | 15.66       | 53.69          | -              | -           | Vertical | NA      |
| 2   | 7400.10     | 37.28          | -0.27       | 37.01          | 54.00          | 16.99       | Vertical | PASS    |
| 3   | 11655.62    | 40.37          | 4.21        | 44.58          | 54.00          | 9.42        | Vertical | PASS    |
| 4   | 17885.76    | 32.87          | 13.52       | 46.39          | 54.00          | 7.61        | Vertical | PASS    |
| 5   | 5820.91     | 43.52          | 15.66       | 59.18          | -              | -           | Vertical | NA      |
| 6   | 6360.11     | 34.98          | 17.01       | 51.99          | 68.20          | 16.21       | Vertical | PASS    |
| 7   | 11644.89    | 46.64          | 4.29        | 50.93          | 74.00          | 23.07       | Vertical | PASS    |
| 8   | 17858.93    | 39.06          | 13.88       | 52.94          | 74.00          | 21.06       | Vertical | PASS    |

## Radiated Band Edge

## Test Result

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-1   |
| Bandwidth           | 20Mhz           | Channel   | 36        |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

## Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5128.84     | 32.09          | 12.34       | 44.43          | 54.00          | 9.57        | Horizontal | PASS    |
| 2         | 5140.35     | 32.53          | 12.41       | 44.94          | 54.00          | 9.06        | Horizontal | PASS    |
| 3         | 5149.71     | 32.29          | 12.48       | 44.77          | 54.00          | 9.23        | Horizontal | PASS    |
| 4         | 5128.74     | 43.37          | 12.33       | 55.70          | 74.00          | 18.30       | Horizontal | PASS    |
| 5         | 5140.61     | 43.34          | 12.41       | 55.75          | 74.00          | 18.25       | Horizontal | PASS    |
| 6         | 5149.71     | 42.66          | 12.48       | 55.14          | 74.00          | 18.86       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-1   |
| Bandwidth | 20Mhz           | Channel   | 36        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5127.37     | 32.61          | 12.32       | 44.93          | 54.00          | 9.07        | Vertical | PASS    |
| 2   | 5139.60     | 33.12          | 12.41       | 45.53          | 54.00          | 8.47        | Vertical | PASS    |
| 3   | 5149.29     | 34.16          | 12.48       | 46.64          | 54.00          | 7.36        | Vertical | PASS    |
| 4   | 5126.92     | 43.23          | 12.32       | 55.55          | 74.00          | 18.45       | Vertical | PASS    |
| 5   | 5139.83     | 43.88          | 12.41       | 56.29          | 74.00          | 17.71       | Vertical | PASS    |
| 6   | 5149.16     | 45.01          | 12.48       | 57.49          | 74.00          | 16.51       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n20       | Band:     | U-NII-1   |
| Bandwidth | 20Mhz           | Channel   | 36        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5126.85     | 32.00          | 12.32       | 44.32          | 54.00          | 9.68        | Horizontal | PASS    |
| 2   | 5135.99     | 32.19          | 12.38       | 44.57          | 54.00          | 9.43        | Horizontal | PASS    |
| 3   | 5149.68     | 32.33          | 12.48       | 44.81          | 54.00          | 9.19        | Horizontal | PASS    |
| 4   | 5126.53     | 43.47          | 12.32       | 55.79          | 74.00          | 18.21       | Horizontal | PASS    |
| 5   | 5135.73     | 42.96          | 12.38       | 55.34          | 74.00          | 18.66       | Horizontal | PASS    |
| 6   | 5149.65     | 43.37          | 12.48       | 55.85          | 74.00          | 18.15       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n20       | Band:     | U-NII-1   |
| Bandwidth | 20Mhz           | Channel   | 36        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5130.01     | 32.60          | 12.34       | 44.94          | 54.00          | 9.06        | Vertical | PASS    |
| 2   | 5140.77     | 33.18          | 12.41       | 45.59          | 54.00          | 8.41        | Vertical | PASS    |
| 3   | 5149.87     | 34.09          | 12.48       | 46.57          | 54.00          | 7.43        | Vertical | PASS    |
| 4   | 5130.20     | 43.03          | 12.34       | 55.37          | 74.00          | 18.63       | Vertical | PASS    |
| 5   | 5140.87     | 43.46          | 12.41       | 55.87          | 74.00          | 18.13       | Vertical | PASS    |
| 6   | 5149.06     | 44.62          | 12.48       | 57.10          | 74.00          | 16.90       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-1   |
| Bandwidth | 40Mhz           | Channel   | 38        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5127.76     | 28.06          | 12.32       | 40.38          | 54.00          | 13.62       | Horizontal | PASS    |
| 2   | 5139.37     | 28.63          | 12.41       | 41.04          | 54.00          | 12.96       | Horizontal | PASS    |
| 3   | 5149.41     | 29.76          | 12.48       | 42.24          | 54.00          | 11.76       | Horizontal | PASS    |
| 4   | 5128.23     | 38.84          | 12.32       | 51.16          | 74.00          | 22.84       | Horizontal | PASS    |
| 5   | 5139.12     | 38.18          | 12.41       | 50.59          | 74.00          | 23.41       | Horizontal | PASS    |
| 6   | 5149.87     | 39.74          | 12.48       | 52.22          | 74.00          | 21.78       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-1   |
| Bandwidth | 40Mhz           | Channel   | 38        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5129.89     | 30.02          | 12.34       | 42.36          | 54.00          | 11.64       | Vertical | PASS    |
| 2   | 5138.61     | 31.63          | 12.40       | 44.03          | 54.00          | 9.97        | Vertical | PASS    |
| 3   | 5148.85     | 34.84          | 12.48       | 47.32          | 54.00          | 6.68        | Vertical | PASS    |
| 4   | 5129.34     | 40.12          | 12.34       | 52.46          | 74.00          | 21.54       | Vertical | PASS    |
| 5   | 5138.86     | 41.26          | 12.41       | 53.67          | 74.00          | 20.33       | Vertical | PASS    |
| 6   | 5149.83     | 45.10          | 12.48       | 57.58          | 74.00          | 16.42       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-1   |
| Bandwidth | 80Mhz           | Channel   | 42        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5129.88     | 28.70          | 12.34       | 41.04          | 54.00          | 12.96       | Horizontal | PASS    |
| 2   | 5138.88     | 29.77          | 12.41       | 42.18          | 54.00          | 11.82       | Horizontal | PASS    |
| 3   | 5148.20     | 29.98          | 12.46       | 42.44          | 54.00          | 11.56       | Horizontal | PASS    |
| 4   | 5129.88     | 38.91          | 12.34       | 51.25          | 74.00          | 22.75       | Horizontal | PASS    |
| 5   | 5138.94     | 40.27          | 12.41       | 52.68          | 74.00          | 21.32       | Horizontal | PASS    |
| 6   | 5148.70     | 43.45          | 12.47       | 55.92          | 74.00          | 18.08       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-1   |
| Bandwidth | 80Mhz           | Channel   | 42        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5130.25     | 33.18          | 12.34       | 45.52          | 54.00          | 8.48        | Vertical | PASS    |
| 2   | 5141.26     | 35.41          | 12.42       | 47.83          | 54.00          | 6.17        | Vertical | PASS    |
| 3   | 5147.26     | 36.27          | 12.46       | 48.73          | 54.00          | 5.27        | Vertical | PASS    |
| 4   | 5132.13     | 46.68          | 12.36       | 59.04          | 74.00          | 14.96       | Vertical | PASS    |
| 5   | 5142.13     | 47.99          | 12.43       | 60.42          | 74.00          | 13.58       | Vertical | PASS    |
| 6   | 5147.51     | 48.44          | 12.46       | 60.90          | 74.00          | 13.10       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2A  |
| Bandwidth | 20Mhz           | Channel   | 64        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.65     | 29.30          | 12.69       | 41.99          | 54.00          | 12.01       | Horizontal | PASS    |
| 2   | 5358.51     | 28.84          | 12.73       | 41.57          | 54.00          | 12.43       | Horizontal | PASS    |
| 3   | 5373.18     | 28.56          | 12.81       | 41.37          | 54.00          | 12.63       | Horizontal | PASS    |
| 4   | 5350.26     | 40.09          | 12.68       | 52.77          | 74.00          | 21.23       | Horizontal | PASS    |
| 5   | 5357.67     | 39.61          | 12.72       | 52.33          | 74.00          | 21.67       | Horizontal | PASS    |
| 6   | 5371.91     | 39.60          | 12.81       | 52.41          | 74.00          | 21.59       | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-2A  |
| Bandwidth           | 20Mhz           | Channel   | 64        |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.71     | 31.95          | 12.69       | 44.64          | 54.00          | 9.36        | Vertical | PASS    |
| 2         | 5361.15     | 30.73          | 12.75       | 43.48          | 54.00          | 10.52       | Vertical | PASS    |
| 3         | 5371.39     | 30.13          | 12.81       | 42.94          | 54.00          | 11.06       | Vertical | PASS    |
| 4         | 5351.26     | 41.92          | 12.69       | 54.61          | 74.00          | 19.39       | Vertical | PASS    |
| 5         | 5361.34     | 41.77          | 12.75       | 54.52          | 74.00          | 19.48       | Vertical | PASS    |
| 6         | 5372.01     | 40.65          | 12.81       | 53.46          | 74.00          | 20.54       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2A  |
| Bandwidth | 20Mhz           | Channel   | 64        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5351.07     | 28.71          | 12.69       | 41.40          | 54.00          | 12.60       | Horizontal | PASS    |
| 2   | 5363.52     | 28.85          | 12.76       | 41.61          | 54.00          | 12.39       | Horizontal | PASS    |
| 3   | 5371.29     | 28.65          | 12.81       | 41.46          | 54.00          | 12.54       | Horizontal | PASS    |
| 4   | 5351.13     | 39.27          | 12.69       | 51.96          | 74.00          | 22.04       | Horizontal | PASS    |
| 5   | 5364.46     | 39.72          | 12.76       | 52.48          | 74.00          | 21.52       | Horizontal | PASS    |
| 6   | 5370.77     | 39.05          | 12.80       | 51.85          | 74.00          | 22.15       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2A  |
| Bandwidth | 20Mhz           | Channel   | 64        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5351.33     | 30.91          | 12.69       | 43.60          | 54.00          | 10.40       | Vertical | PASS    |
| 2   | 5360.56     | 30.49          | 12.74       | 43.23          | 54.00          | 10.77       | Vertical | PASS    |
| 3   | 5369.28     | 30.09          | 12.79       | 42.88          | 54.00          | 11.12       | Vertical | PASS    |
| 4   | 5351.62     | 41.24          | 12.69       | 53.93          | 74.00          | 20.07       | Vertical | PASS    |
| 5   | 5361.34     | 41.17          | 12.75       | 53.92          | 74.00          | 20.08       | Vertical | PASS    |
| 6   | 5370.03     | 40.52          | 12.80       | 53.32          | 74.00          | 20.68       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2A  |
| Bandwidth | 40Mhz           | Channel   | 62        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.59     | 30.12          | 12.68       | 42.80          | 54.00          | 11.20       | Horizontal | PASS    |
| 2   | 5361.22     | 29.19          | 12.75       | 41.94          | 54.00          | 12.06       | Horizontal | PASS    |
| 3   | 5369.60     | 29.07          | 12.79       | 41.86          | 54.00          | 12.14       | Horizontal | PASS    |
| 4   | 5351.10     | 40.49          | 12.69       | 53.18          | 74.00          | 20.82       | Horizontal | PASS    |
| 5   | 5362.12     | 40.00          | 12.75       | 52.75          | 74.00          | 21.25       | Horizontal | PASS    |
| 6   | 5369.98     | 39.77          | 12.80       | 52.57          | 74.00          | 21.43       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2A  |
| Bandwidth | 40Mhz           | Channel   | 62        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.51     | 36.26          | 12.68       | 48.94          | 54.00          | 5.06        | Vertical | PASS    |
| 2   | 5356.08     | 34.34          | 12.72       | 47.06          | 54.00          | 6.94        | Vertical | PASS    |
| 3   | 5361.82     | 32.32          | 12.75       | 45.07          | 54.00          | 8.93        | Vertical | PASS    |
| 4   | 5350.04     | 47.15          | 12.68       | 59.83          | 74.00          | 14.17       | Vertical | PASS    |
| 5   | 5356.21     | 46.06          | 12.72       | 58.78          | 74.00          | 15.22       | Vertical | PASS    |
| 6   | 5362.50     | 43.52          | 12.76       | 56.28          | 74.00          | 17.72       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2A  |
| Bandwidth | 80Mhz           | Channel   | 58        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.68     | 31.33          | 12.69       | 44.02          | 54.00          | 9.98        | Horizontal | PASS    |
| 2   | 5364.62     | 30.61          | 12.76       | 43.37          | 54.00          | 10.63       | Horizontal | PASS    |
| 3   | 5372.12     | 29.75          | 12.81       | 42.56          | 54.00          | 11.44       | Horizontal | PASS    |
| 4   | 5350.86     | 42.40          | 12.69       | 55.09          | 74.00          | 18.91       | Horizontal | PASS    |
| 5   | 5364.93     | 40.37          | 12.77       | 53.14          | 74.00          | 20.86       | Horizontal | PASS    |
| 6   | 5373.62     | 39.99          | 12.81       | 52.80          | 74.00          | 21.20       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2A  |
| Bandwidth | 80Mhz           | Channel   | 58        |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.36     | 37.50          | 12.68       | 50.18          | 54.00          | 3.82        | Vertical | PASS    |
| 2   | 5360.93     | 36.52          | 12.75       | 49.27          | 54.00          | 4.73        | Vertical | PASS    |
| 3   | 5370.00     | 34.53          | 12.80       | 47.33          | 54.00          | 6.67        | Vertical | PASS    |
| 4   | 5352.99     | 50.35          | 12.69       | 63.04          | 74.00          | 10.96       | Vertical | PASS    |
| 5   | 5362.49     | 47.13          | 12.76       | 59.89          | 74.00          | 14.11       | Vertical | PASS    |
| 6   | 5371.25     | 46.15          | 12.81       | 58.96          | 74.00          | 15.04       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 100       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5451.47     | 28.44          | 12.67       | 41.11          | 54.00          | 12.89       | Horizontal | PASS    |
| 2   | 5457.62     | 28.48          | 12.77       | 41.25          | 54.00          | 12.75       | Horizontal | PASS    |
| 3   | 5468.82     | 28.80          | 12.94       | 41.74          | -              | -           | Horizontal | NA      |
| 4   | 5450.51     | 38.94          | 12.65       | 51.59          | 74.00          | 22.41       | Horizontal | PASS    |
| 5   | 5458.82     | 38.79          | 12.78       | 51.57          | 74.00          | 22.43       | Horizontal | PASS    |
| 6   | 5468.28     | 39.93          | 12.94       | 52.87          | 68.20          | 15.33       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 100       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5451.56     | 29.44          | 12.67       | 42.11          | 54.00          | 11.89       | Vertical | PASS    |
| 2   | 5454.86     | 29.65          | 12.72       | 42.37          | 54.00          | 11.63       | Vertical | PASS    |
| 3   | 5458.37     | 29.85          | 12.78       | 42.63          | 54.00          | 11.37       | Vertical | PASS    |
| 4   | 5450.75     | 40.26          | 12.65       | 52.91          | 74.00          | 21.09       | Vertical | PASS    |
| 5   | 5457.74     | 40.39          | 12.77       | 53.16          | 74.00          | 20.84       | Vertical | PASS    |
| 6   | 5469.33     | 42.61          | 12.96       | 55.57          | 68.20          | 12.63       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5725.81     | 39.43          | 13.36       | 52.79          | 68.20          | 15.41       | Horizontal | PASS    |
| 2   | 5869.25     | 39.64          | 13.43       | 53.07          | 68.20          | 15.13       | Horizontal | PASS    |
| 3   | 5955.16     | 39.18          | 14.04       | 53.22          | 68.20          | 14.98       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11a         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5726.08     | 41.20          | 13.35       | 54.55          | 68.20          | 13.65       | Vertical | PASS    |
| 2   | 5867.36     | 39.29          | 13.41       | 52.70          | 68.20          | 15.50       | Vertical | PASS    |
| 3   | 5972.99     | 38.63          | 13.85       | 52.48          | 68.20          | 15.72       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 100       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBuV/m] | Limit [dBuV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5451.65     | 28.38          | 12.67       | 41.05          | 54.00          | 12.95       | Horizontal | PASS    |
| 2   | 5455.73     | 28.44          | 12.73       | 41.17          | 54.00          | 12.83       | Horizontal | PASS    |
| 3   | 5458.67     | 28.75          | 12.78       | 41.53          | 54.00          | 12.47       | Horizontal | PASS    |
| 4   | 5450.81     | 39.14          | 12.65       | 51.79          | 74.00          | 22.21       | Horizontal | PASS    |
| 5   | 5459.63     | 39.35          | 12.80       | 52.15          | 74.00          | 21.85       | Horizontal | PASS    |
| 6   | 5468.73     | 39.34          | 12.94       | 52.28          | 68.20          | 15.92       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5452.19     | 29.21          | 12.67       | 41.88          | 54.00          | 12.12       | Vertical | PASS    |
| 2   | 5455.46     | 29.52          | 12.73       | 42.25          | 54.00          | 11.75       | Vertical | PASS    |
| 3   | 5459.36     | 29.76          | 12.80       | 42.56          | 54.00          | 11.44       | Vertical | PASS    |
| 4   | 5451.38     | 39.56          | 12.66       | 52.22          | 74.00          | 21.78       | Vertical | PASS    |
| 5   | 5458.85     | 40.89          | 12.78       | 53.67          | 74.00          | 20.33       | Vertical | PASS    |
| 6   | 5469.72     | 42.65          | 12.96       | 55.61          | 68.20          | 12.59       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5728.78     | 39.24          | 13.31       | 52.55          | 68.20          | 15.65       | Horizontal | PASS    |
| 2   | 5865.47     | 39.40          | 13.39       | 52.79          | 68.20          | 15.41       | Horizontal | PASS    |
| 3   | 5970.83     | 39.53          | 13.87       | 53.40          | 68.20          | 14.80       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n         | Band:     | U-NII-2C  |
| Bandwidth | 20Mhz           | Channel   | 140       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 16       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5726.08     | 43.28          | 13.35       | 56.63          | 68.20          | 11.57       | Vertical | PASS    |
| 2   | 5859.53     | 39.31          | 13.33       | 52.64          | 68.20          | 15.56       | Vertical | PASS    |
| 3   | 5974.34     | 39.06          | 13.83       | 52.89          | 68.20          | 15.31       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2C  |
| Bandwidth | 40Mhz           | Channel   | 102       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.76     | 29.18          | 12.69       | 41.87          | 54.00          | 12.13       | Horizontal | PASS    |
| 2   | 5456.84     | 29.74          | 12.75       | 42.49          | 54.00          | 11.51       | Horizontal | PASS    |
| 3   | 5459.80     | 31.20          | 12.80       | 44.00          | 54.00          | 10.00       | Horizontal | PASS    |
| 4   | 5452.12     | 39.56          | 12.67       | 52.23          | 74.00          | 21.77       | Horizontal | PASS    |
| 5   | 5459.60     | 41.17          | 12.80       | 53.97          | 74.00          | 20.03       | Horizontal | PASS    |
| 6   | 5469.77     | 44.90          | 12.96       | 57.86          | 68.20          | 10.34       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2C  |
| Bandwidth | 40Mhz           | Channel   | 102       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5452.52     | 32.85          | 12.69       | 45.54          | 54.00          | 8.46        | Vertical | PASS    |
| 2   | 5456.60     | 33.15          | 12.75       | 45.90          | 54.00          | 8.10        | Vertical | PASS    |
| 3   | 5459.48     | 35.60          | 12.80       | 48.40          | 54.00          | 5.60        | Vertical | PASS    |
| 4   | 5452.56     | 43.22          | 12.69       | 55.91          | 74.00          | 18.09       | Vertical | PASS    |
| 5   | 5459.24     | 46.28          | 12.79       | 59.07          | 74.00          | 14.93       | Vertical | PASS    |
| 6   | 5468.73     | 51.73          | 12.94       | 64.67          | 68.20          | 3.53        | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2C  |
| Bandwidth | 40Mhz           | Channel   | 134       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5867.09     | 39.19          | 13.41       | 52.60          | 68.20          | 15.60       | Horizontal | PASS    |
| 2   | 5919.77     | 38.58          | 13.87       | 52.45          | 68.20          | 15.75       | Horizontal | PASS    |
| 3   | 5974.88     | 38.73          | 13.83       | 52.56          | 68.20          | 15.64       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11n40       | Band:     | U-NII-2C  |
| Bandwidth | 40Mhz           | Channel   | 134       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 15.5     |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5725.54     | 43.17          | 13.36       | 56.53          | 68.20          | 11.67       | Vertical | PASS    |
| 2   | 5857.91     | 39.13          | 13.32       | 52.45          | 68.20          | 15.75       | Vertical | PASS    |
| 3   | 5988.65     | 38.58          | 13.68       | 52.26          | 68.20          | 15.94       | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2C  |
| Bandwidth | 80Mhz           | Channel   | 106       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.40     | 29.71          | 12.67       | 42.38          | 54.00          | 11.62       | Horizontal | PASS    |
| 2   | 5455.22     | 30.18          | 12.72       | 42.90          | 54.00          | 11.10       | Horizontal | PASS    |
| 3   | 5458.34     | 30.67          | 12.78       | 43.45          | 54.00          | 10.55       | Horizontal | PASS    |
| 4   | 5451.26     | 40.53          | 12.66       | 53.19          | 74.00          | 20.81       | Horizontal | PASS    |
| 5   | 5459.06     | 41.07          | 12.78       | 53.85          | 74.00          | 20.15       | Horizontal | PASS    |
| 6   | 5468.25     | 41.85          | 12.94       | 54.79          | 68.20          | 13.41       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2C  |
| Bandwidth | 80Mhz           | Channel   | 106       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5452.40     | 35.06          | 12.67       | 47.73          | 54.00          | 6.27        | Vertical | PASS    |
| 2   | 5456.60     | 35.62          | 12.75       | 48.37          | 54.00          | 5.63        | Vertical | PASS    |
| 3   | 5458.52     | 36.68          | 12.78       | 49.46          | 54.00          | 4.54        | Vertical | PASS    |
| 4   | 5451.08     | 45.79          | 12.66       | 58.45          | 74.00          | 15.55       | Vertical | PASS    |
| 5   | 5459.66     | 47.29          | 12.80       | 60.09          | 74.00          | 13.91       | Vertical | PASS    |
| 6   | 5469.09     | 47.39          | 12.94       | 60.33          | 68.20          | 7.87        | Vertical | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2C  |
| Bandwidth | 80Mhz           | Channel   | 122       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5729.32     | 38.97          | 13.30       | 52.27          | 68.20          | 15.93       | Horizontal | PASS    |
| 2   | 5860.34     | 39.52          | 13.34       | 52.86          | 68.20          | 15.34       | Horizontal | PASS    |
| 3   | 5986.22     | 38.54          | 13.71       | 52.25          | 68.20          | 15.95       | Horizontal | PASS    |

## Project Information

|           |                 |           |           |
|-----------|-----------------|-----------|-----------|
| Mode:     | 802.11ac80      | Band:     | U-NII-2C  |
| Bandwidth | 80Mhz           | Channel   | 122       |
| SN:       | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:   | Power: 13       |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5733.65     | 39.62          | 13.23       | 52.85          | 68.20          | 15.35       | Vertical | PASS    |
| 2   | 5857.64     | 39.71          | 13.31       | 53.02          | 68.20          | 15.18       | Vertical | PASS    |
| 3   | 5969.47     | 38.35          | 13.88       | 52.23          | 68.20          | 15.97       | Vertical | PASS    |


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-3   |
| Bandwidth           | -               | Channel   | 149       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-3   |
| Bandwidth           | -               | Channel   | 149       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-3   |
| Bandwidth           | -               | Channel   | 165       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11a         | Band:     | U-NII-3   |
| Bandwidth           | -               | Channel   | 165       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

**Test Graph**


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n20       | Band:     | U-NII-3   |
| Bandwidth           | 20Mhz           | Channel   | 149       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n20       | Band:     | U-NII-3   |
| Bandwidth           | 20Mhz           | Channel   | 149       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n20       | Band:     | U-NII-3   |
| Bandwidth           | 20Mhz           | Channel   | 165       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n20       | Band:     | U-NII-3   |
| Bandwidth           | 20Mhz           | Channel   | 165       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

**Test Graph**


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n40       | Band:     | U-NII-3   |
| Bandwidth           | 40Mhz           | Channel   | 151       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n40       | Band:     | U-NII-3   |
| Bandwidth           | 40Mhz           | Channel   | 151       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n40       | Band:     | U-NII-3   |
| Bandwidth           | 40Mhz           | Channel   | 159       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

**Test Graph**


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11n40       | Band:     | U-NII-3   |
| Bandwidth           | 40Mhz           | Channel   | 159       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 16       |           |           |

### Test Graph




| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11ac80      | Band:     | U-NII-3   |
| Bandwidth           | 80Mhz           | Channel   | 155       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 13       |           |           |

### Test Graph



| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11ac80      | Band:     | U-NII-3   |
| Bandwidth           | 80Mhz           | Channel   | 155       |
| SN:                 | E1C24LP16000014 | Engineer: | Ou Shuyan |
| Remark:             | Power: 13       |           |           |

### Test Graph



~The End~