


Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	97.85	-84.97	12.88	-	-	Horizontal	NA
2	2952.40	35.56	-80.00	-44.44	-13.00	31.44	Horizontal	PASS
3	3742.00	48.37	-107.43	-59.06	-13.00	46.06	Horizontal	PASS
4	17348.00	32.10	-82.49	-50.39	-13.00	37.39	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	101.02	-84.97	16.05	-	-	Vertical	NA
2	3742.00	45.05	-107.43	-62.38	-13.00	49.38	Vertical	PASS
3	5613.50	40.55	-101.19	-60.64	-13.00	47.64	Vertical	PASS
4	17350.50	32.28	-82.42	-50.14	-13.00	37.14	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.61	-85.28	18.33	-	-	Horizontal	NA
2	2984.20	35.72	-80.05	-44.33	-13.00	31.33	Horizontal	PASS
3	3447.50	54.16	-107.30	-53.14	-13.00	40.14	Horizontal	PASS
4	17352.50	37.80	-82.50	-44.70	-13.00	31.70	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	106.99	-85.28	21.71	-	-	Vertical	NA
2	2131.60	38.85	-84.50	-45.65	-	-	Vertical	NA
3	2968.40	35.87	-79.93	-44.06	-13.00	31.06	Vertical	PASS
4	3447.00	56.83	-107.30	-50.47	-13.00	37.47	Vertical	PASS
5	17835.50	38.55	-82.67	-44.12	-13.00	31.12	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	46.81	-114.12	-67.31	-13.00	54.31	Horizontal	PASS
2	3877.60	39.16	-106.20	-67.04	-13.00	54.04	Horizontal	PASS
3	8064.80	36.99	-95.39	-58.40	-13.00	45.40	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	51.91	-114.12	-62.21	-13.00	49.21	Vertical	PASS
2	2496.40	47.80	-111.37	-63.57	-13.00	50.57	Vertical	PASS
3	7282.40	36.41	-96.25	-59.84	-13.00	46.84	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	93.73	-83.04	10.69	-	-	Horizontal	NA
2	2977.30	36.51	-79.94	-43.43	-25.00	18.43	Horizontal	PASS
3	12630.50	39.02	-90.18	-51.16	-25.00	26.16	Horizontal	PASS
4	17839.50	38.02	-82.61	-44.59	-25.00	19.59	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	106.13	-83.04	23.09	-	-	Vertical	NA
2	7578.00	39.24	-96.58	-57.34	-25.00	32.34	Vertical	PASS
3	10104.50	40.31	-92.07	-51.76	-25.00	26.76	Vertical	PASS
4	12630.50	42.39	-90.18	-47.79	-25.00	22.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	57.70	-114.33	-56.63	-13.00	43.63	Horizontal	PASS
2	2109.15	52.39	-113.21	-60.82	-13.00	47.82	Horizontal	PASS
3	6842.90	37.26	-97.77	-60.51	-13.00	47.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	59.59	-114.33	-54.74	-13.00	41.74	Vertical	PASS
2	2109.15	56.12	-113.21	-57.09	-13.00	44.09	Vertical	PASS
3	2812.30	50.83	-109.81	-58.98	-13.00	45.98	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.60	46.36	-114.09	-67.73	-40.00	27.73	Horizontal	PASS
2	2339.60	46.33	-112.43	-66.10	-13.00	53.10	Horizontal	PASS
3	8906.80	36.56	-93.29	-56.73	-13.00	43.73	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.60	53.48	-114.09	-60.61	-40.00	20.61	Vertical	PASS
2	2339.60	55.73	-112.43	-56.70	-13.00	43.70	Vertical	PASS
3	8846.40	35.84	-92.94	-57.10	-13.00	44.10	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	49.26	-114.07	-64.81	-13.00	51.81	Horizontal	PASS
2	2332.80	56.25	-112.39	-56.14	-13.00	43.14	Horizontal	PASS
3	7273.75	36.84	-96.42	-59.58	-13.00	46.58	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	53.58	-114.07	-60.49	-13.00	47.49	Vertical	PASS
2	2332.80	64.57	-112.39	-47.82	-13.00	34.82	Vertical	PASS
3	7895.00	36.67	-95.70	-59.03	-13.00	46.03	Vertical	PASS

Project Information

Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.20	44.49	-114.18	-69.69	-13.00	56.69	Horizontal	PASS
2	2366.00	55.72	-112.42	-56.70	-13.00	43.70	Horizontal	PASS
3	7948.80	36.83	-95.46	-58.63	-13.00	45.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.20	50.86	-114.18	-63.32	-13.00	50.32	Vertical	PASS
2	2366.00	64.21	-112.42	-48.21	-13.00	35.21	Vertical	PASS
3	7876.00	37.03	-95.74	-58.71	-13.00	45.71	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	63.30	-114.35	-51.05	-13.00	38.05	Horizontal	PASS
2	2116.50	51.63	-113.21	-61.58	-13.00	48.58	Horizontal	PASS
3	2822.10	44.07	-109.72	-65.65	-13.00	52.65	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	64.08	-114.35	-50.27	-13.00	37.27	Vertical	PASS
2	2116.85	59.12	-113.21	-54.09	-13.00	41.09	Vertical	PASS
3	2822.10	51.56	-109.72	-58.16	-13.00	45.16	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	98.23	-84.97	13.26	-	-	Horizontal	NA
2	2987.40	36.02	-80.11	-44.09	-13.00	31.09	Horizontal	PASS
3	3747.00	46.99	-107.43	-60.44	-13.00	47.44	Horizontal	PASS
4	17344.00	32.24	-82.68	-50.44	-13.00	37.44	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	100.02	-84.97	15.05	-	-	Vertical	NA
2	2990.80	35.77	-80.17	-44.40	-13.00	31.40	Vertical	PASS
3	3747.00	47.02	-107.43	-60.41	-13.00	47.41	Vertical	PASS
4	17350.50	32.49	-82.42	-49.93	-13.00	36.93	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	45.17	-114.17	-69.00	-13.00	56.00	Horizontal	PASS
2	2426.00	43.75	-111.66	-67.91	-13.00	54.91	Horizontal	PASS
3	8875.60	36.14	-93.03	-56.89	-13.00	43.89	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	53.64	-114.17	-60.53	-13.00	47.53	Vertical	PASS
2	2443.60	44.12	-111.26	-67.14	-13.00	54.14	Vertical	PASS
3	8901.60	36.00	-93.20	-57.20	-13.00	44.20	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	48.56	-114.08	-65.52	-13.00	52.52	Horizontal	PASS
2	2474.40	43.01	-111.25	-68.24	-13.00	55.24	Horizontal	PASS
3	8432.80	35.95	-94.70	-58.75	-13.00	45.75	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	53.03	-114.08	-61.05	-13.00	48.05	Vertical	PASS
2	2474.40	52.05	-111.25	-59.20	-13.00	46.20	Vertical	PASS
3	8120.00	37.36	-95.11	-57.75	-13.00	44.75	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	95.06	-82.40	12.66	-	-	Horizontal	NA
2	2975.10	36.80	-79.90	-43.10	-25.00	18.10	Horizontal	PASS
3	10065.00	36.37	-91.67	-55.30	-25.00	30.30	Horizontal	PASS
4	17845.50	38.25	-82.53	-44.28	-25.00	19.28	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	107.63	-82.40	25.23	-	-	Vertical	NA
2	2995.60	37.57	-80.25	-42.68	-25.00	17.68	Vertical	PASS
3	12920.50	41.51	-90.16	-48.65	-25.00	23.65	Vertical	PASS
4	17876.00	38.35	-82.77	-44.42	-25.00	19.42	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.00	-85.18	18.82	-	-	Horizontal	NA
2	2992.60	36.02	-80.20	-44.18	-13.00	31.18	Horizontal	PASS
3	3472.00	55.54	-107.15	-51.61	-13.00	38.61	Horizontal	PASS
4	17337.50	37.52	-82.97	-45.45	-13.00	32.45	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	106.61	-85.18	21.43	-	-	Vertical	NA
2	2143.20	39.13	-84.61	-45.48	-	-	Vertical	NA
3	2990.40	35.87	-80.16	-44.29	-13.00	31.29	Vertical	PASS
4	3472.50	56.33	-107.14	-50.81	-13.00	37.81	Vertical	PASS
5	17867.00	38.26	-82.66	-44.40	-13.00	31.40	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	65.00	-114.21	-49.21	-13.00	36.21	Horizontal	PASS
2	3063.25	41.10	-108.76	-67.66	-13.00	54.66	Horizontal	PASS
3	7372.45	37.73	-96.65	-58.92	-13.00	45.92	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	MID
SN:	E1C24LP16000014	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	65.74	-114.21	-48.47	-13.00	35.47	Vertical	PASS
2	2014.65	47.61	-113.51	-65.90	-13.00	52.90	Vertical	PASS
3	7000.75	37.59	-97.20	-59.61	-13.00	46.61	Vertical	PASS

~The End~